
zellij – tmux on steroids

zellij

- "A terminal workspace with batteries included"
- Terminal-Multiplexer
 - Mit Layout-Engine
 - Mit Plugin-API



zellij

```
Zellij (sophisticated-sun) Tab #1
 main.rs (~/code/test-project/src) - VIM
    fn main() {
        whv_would_i_want_this():
    fn why_would_i_want_this() {
        for i in 0..10000 {
            let timestamp = std:r ~/c/test-project -
                                 Welcome to fish, the friendly interactive shell
            if i % 7 == 0 {
                println!("error! ar cargo test ---
                                                                                 — SCROLL: 0/1
            } else {
                                      Finished test [unoptimized + debuginfo] target(s) in 0.88s
  NORMAL main.rs
                                       Running unittests src/main.rs (target/debug/deps/test_proje x | utf-8 | rust | 10%
                                  ct-25434e59f291df12)
 ~/c/test-project -
                                  running 1 test
                                                                                                                SCROLL: 0/9995
all good! - Instant { tv_sec: 10
                                  test reality_makes_sense ... ok
all good! - Instant { tv_sec: 10
all good! - Instant { tv_sec: 10
                                  test result: ok. 1 passed; 0 failed; 0 ignored; 0 measured; 0 fi
all good! - Instant { tv_sec: 10
                                  ltered out; finished in 0.00s
all good! - Instant { tv_sec: 10
all good! - Instant { tv_sec: 1020
error! - Instant { tv_sec: 1020428 [ EXIT CODE: 0 ] <ENTER> to re-run, <Ctrl-c> to exit -
all good! - Instant { tv_sec: 1020428, tv_nsec: 807373255 }
all good! - Instant { tv_sec: 1020428, tv_nsec: 807375626 }
all good! - Instant { tv_sec: 1020428, tv_nsec: 807377934 }
  ram@green ~/c/test-project (main)>
 Ctrl + >  LOCK >  PANE > <t> TAB > <n> RESIZE > <h> MOVE > <s> SEARCH > <0> SESSION > <q> QUIT |
 (FLOATING PANES VISIBLE): Press Ctrl+p, <w> to hide.
```

30.06.2023

zellij

```
layout {
    pane edit="src/main.rs"
    pane command="cargo" {
        args "check"
    }
    pane command="cargo" {
        args "run"
    }
    pane command="cargo" {
        args "test"
    }
}
```

```
main.rs (~/screencast-2/src) - VIM -
    fn main() {
        println!("Hello, world!");
                                                                                                                                                             unix | utf-8 | rust 100% 4:1
  IORMAL main.rs
  src/main.rs" 4L, 46B
 cargo check -
    Blocking waiting for file lock on build directory
    Checking screencast-2 v0.1.0 (/home/aram/screencast-2)
    Finished dev [unoptimized + debuginfo] target(s) in 0.81s
 [ EXIT CODE: 8 ] -
 cargo run -
    Blocking waiting for file lock on build directory
   Compiling screencast-2 v0.1.0 (/home/aram/screencast-2)
    Finished dev [unoptimized + debuginfo] target(s) in 0.71s
    Running `target/debug/screencast-2`
 Hello, world!
L [ EXIT CODE: 8 ] -
                                                                                                                                                                                 SCROLL: 0/2
    Running unittests src/main.rs (target/debug/deps/screencast_2-c729ededb4441992)
running 0 tests
test result: ok. 0 passed; 0 failed; 0 ignored; 0 measured; 0 filtered out; finished in 0.00s
[ EXIT CODE: 0 ] -
```

30.06.2023