



EMPOWERING FARM, FARMER AND FUTURE



www.nutrisource.in



MAGNUM

Mycorrhizal Biofertilizer

- | | | |
|-------------------|---|---|
| Key Benefits | : | <ul style="list-style-type: none"> Restores microbial activity for better soil health and structure Improves nutrient use, plant defence and stress tolerance Adapts to a diverse range of Agro-climatic conditions Maximises crop yield even under environmental stress. |
| Dosags | : | 4 Kg/acre |
| Mode of Action | : | Enhances crop growth, nutrient uptake and stress tolerance through proprietary mycorrhizal spores and consortia of bacterial strains |
| Crop | : | Field Crops, vegetables, Fruits, Plantations, Oilseeds and Fodders. |
| Available Packing | : | 1Kg, 4Kg |

K-FORCE

Potash Derived from Rhodophytes- Organic Fertilisers

- | | | |
|-------------------|---|---|
| Key Benefits | : | <ul style="list-style-type: none"> Rapid growth activation Enhance quality and higher yield Better flowering and fruiting Low dose formulation which helps plants withstand abiotic stresses effectively. |
| Dosags | : | Powder- 150-200 gm/acre Folier Application- 1 gm/ liter |
| Mode of Action | : | Provides Potash in Bioavailable form to plants and helps in better flowering and fruiting of crops and withstand abiotic stresses effectly. |
| Crop | : | Paddy, Wheat, Sugarcane, Maize, Pigeon Pea, Mustard, Groundnut, Chick Pea, Black Gram, Soybean, Onion, Chilli, Tomato, Brinjal, Cucumber, Grapes |
| Available Packing | : | 200 gm |



MARVEL

Multi Micronutrients

- | | | |
|-------------------|---|--|
| Key Benefits | : | <ul style="list-style-type: none"> Improved Flowering Enhance Plant Growth Better Fruiting |
| Dosags | : | 250gm /acre |
| Mode of Action | : | Supplies highly concentrated essential micronutrients (eg. Zinc, Iron, Manganese, Copper, Boron and Molybdanum) enhancing their availability to plants |
| Crop | : | Rice, Cotton, Corn, Oil Seed, Groundnut, Wheat, Soybean, Sugarcane, Capsicum, Tomato, Chilli, Okra, Brinjal, Onion, Garlic, Ginger, Potato, Banana, Pomegranate, Grapes, Citrus. |
| Available Packing | : | 250 gm |



Fungicides



WONDER

Azoxystrobin 18.2% W/W & Difenoconazole 11.4% W/W SC

- Key Benefits :**
- Wonder is a broad-spectrum product
 - It offers preventive, systemic and curative activity
 - It Provides both preventive and curative action against a wide range of fungal diseases
 - The product Offers systemic and translaminar movement, ensuring better coverage and internal protection
 - Its two highly efficacious active ingredients combine to provide sustained peak performance for maximum yield and high return on investment.
- Dosags :** 200 ml/ acre
- Chemical Group :** Combination of Strobilurin & Triazole
- Crop :** Paddy, Onion, tomato, maize, chilli, sugarcane, cotton, turmeric, wheat
- Available Packing :** 250 ml, 500 ml, 1 litre

FUSION

Carbendazim12%+ Mancozeb63%WP

- Key Benefits :**
- Fusion is a Broad spectrum fungicide
 - Unique combination of systemic and contact fungicide
 - It is both prophylactic and curative action
 - Provides Zn and Mn nutrition to crops, thus makes the plant greener and healthier
 - Mancozeb acts on the different sites of the fungal cell and carbendazim acts on the beta tubulin synthesis
- Dosags :** 300 - 600 gm per acre
- Chemical Group :** Benzimidazole & Dithiocarbamate
- Crop :** Potato, Paddy, Maize, Groundnut, Chilli, Tea, Mango, Grapes & Apple
- Available Packing :** 20 gm, 100 g, 250 g, 500 g and 1 kg



HEXAACON

Hexaconazole 5% SC

- Key Benefits :**
- Hexacon is quickly absorbed and translocated within the leaf and plant system resulting in quick and effective disease control.
 - It gives phytotonic effect and there by enhances the yield.
- Dosags :** 200-450 ml per acre
- Chemical Group :** Benzimidazole & Dithiocarbamate
- Crop :** Paddy, Grapes and Mango
- Available Packing :** 100 ml, 250 ml, 500 ml, 1 litre

TIFAMIDE

Thifluzamide 24%SC

- Key Benefits :**
- Tifamide is systemic fungicide with protective and curative action.
 - Targets Mycelial Stage & Sporulation Stage and inhibits fungal growth.
 - Translaminar Action: Absorbed by leaves and roots, ensuring complete plant protection.
 - Rainfastness: Remains effective even after rainfall, ensuring reliable disease management.
 - Helpful fungus resistance management.
- Dosags :** 150 -200 ml / Acre
- Chemical Group :** Carboxanilide family
- Crop :** Paddy, Tomato, Potato
- Available Packing :** 75 ml, 150 ml, 500 ml



Insecticide



SAVAGE

Bifenthrin 10% EC

- Key Benefits :**
- Savage is compatible with other insecticide and fungicides
 - Belongs to new generation of pyrethroid chemistry
 - Dual Action - Combines contact and stomach action for enhanced efficacy against larvae, whiteflies, mites, and jassids.
 - Quick knock down action and provides longer persistence period of control against target insects.
- Dosags :** 200 - 320 ml/ acre
- Mode of Action :** Contact & stomach insecticides
- Crop :** Paddy, Cotton, Sugercane
- Available Packing :** 100 ml, 250 ml, 500 ml, 1 litre

TEJAS

Emamectin Benzoate 5% SG

- Key Benefits :**
- Tejas is a larvicide having anti - feedent action
 - Protects plants from feeding damage within few hours of application
 - Controls range of larval instars by contact activity
 - Long residual ingestion activity
 - It is rapidly absorbed into foliage and has translaminar action
 - It is a naturally derived product that does not harm the beneficial insects
- Dosags :** 80-100 g per acre
- Mode of Action :** Non-systemic, penetration by translaminar movement
- Crop :** Cotton, Okra, Cabbage, Chilli, Brinjal, Redgram, Chickpea, Grapes, Tea.
- Available Packing :** 10 gm, 50 gm, 100 gm, 250 gm, 500 gm, 1 kg



CANINE

Profenofos 40% + Cypermethrin 4% EC

- Key Benefits :**
- Broad-spectrum foliar insecticide with acaricidal activity
 - Dual mode of action (organophosphate + synthetic pyrethroid) provides enhanced efficacy against a wide range of insect pests
 - Synergistic combination helps manage pest populations, particularly in situations where partial resistance to single-group insecticides has developed
 - Contact, stomach, and translaminar action ensures effective control of insects present on both upper and lower leaf surfaces
 - Rapid knockdown and long-lasting control, resulting in quick reduction of pest infestation.
- Dosags :** 400 - 600 ml/acre
- Mode of Action :** Contact & stomach action
- Crop :** Paddy, Brinjal, Cole Crops, Sugercane & Cotton
- Available Packing :** 100 ml, 250 ml, 500 ml, 1 litre

SHUTTER

Chlorpyrifos 50% + Cypermethrin 5% EC

- Key Benefits :**
- Shutter is a combination insecticide provides quick knock-down and effective control of targeted insect pests through contact and stomach action.
 - Exhibits broad-spectrum activity against a wide range of chewing and sucking pests.
 - Acts on the insect nervous system by disrupting both axonic and synaptic nerve impulse transmission, leading to paralysis and death of pests.
 - Offers repellent and fumigant action, helping to deter insect infestation and protect crops for a longer duration.
- Dosags :** 300-400 ml/ acre
- Mode of Action :** Contact & stomach poison
- Crop :** Paddy, Cotton, Brinjal , Cole crops and Okra
- Available Packing :** 100 ml, 250 ml, 500 ml, 1 litre



Insecticide



NUTRICYP 25

Cypermethrin 25%

- Key Benefits :**
- Nutricyp 25 is very effective in controlling the insects immediately after application even at lower doses
 - It is a fast-acting neurotoxin
 - It controls insects immediately after application
 - It leaves no residue on the crops
 - Cost-effective solution for early and mid-stage pest management
- Dosags :** 90- 120 ml/ Acre
- Mode of Action :** Pyrethriod ester group of insecticides.
- Crop :** Brinjal, Okra, Cotton
- Available Packing :** 50 ml, 100 ml, 250 ml, 500 ml, 1 litre

NUTRIPOLE

Chlorantraniliprole 18.5 % w/w SC

- Key Benefits :**
- Nutripole provides effective and long duration protection with its unique mode of action in crops like Paddy and sugarcane.
 - Nutripole protecting the rice crop from stem borer & leaf folder and sugarcane crop from Early shoot borer & top borer.
 - Nutripole activates muscle ryanodine receptor, leading to contraction and paralysis.
 - Nutripole prevents the build-up of pest population and maximizes the crop yield potential.
- Dosags :** 60-80 ml/acre
- Chemical Group :** Anthranilic Diamides Group
- Crop :** Paddy, Cabbage, Cotton, Sugarcane, Tomato, Chilli, Brinjal, Peageon pea, Soybean, Bengal Gram, Black Gram, Bitter Gourd, Okra, Maize, Groundnut and Red Gram
- Available Packing :** 10 ml, 30 ml, 60 ml



Herbicides



GLYSOURCE

Glyphosate 41% SL

- Key Benefits :**
- Glysource is a post emergence herbicide
 - Glysource also kills problematic and difficult weeds like sedges
 - Glysource can be used both as pre-plant application and inter-row application
 - Glysource should preferably be used when the weed is at 6-8 leaf stage and has grown up to 6-8 inch height
 - Inactivated on contact with the soil
- Dosags :** 800 - 1200 ml/ acre
- Chemical Group :** Glycine derivative
- Crop :** Non cropped area, tea
- Available Packing :** 250 ml, 500 ml, 1 litre

NUTRIQUAT

Paraquat Dichloride 24% SL

- Key Benefits :**
- Nutriquat is a non-selective contact herbicide
 - It is absorbed by foliage with some translocation in xylem
 - It is used for broad spectrum control of broad leaved weeds and grasses in orchards, plantation crops, tea and non-cropped areas
 - It is used in pre-crop emergence weed control, directed post-crop emergence weed control and plantation weed control
- Dosags :** 400-800 ml per acre
- Chemical Group :** Bipyrilidium class of herbicide
- Crop :** Potato, Paddy, Wheat, Maize, Tea, Cotton, Apple, Grapes, Rubber, Coffee and Aquatic Weed
- Available Packing :** 250 ml, 500 ml, 1 litre



GLYSOURCE 71

Ammonium Salt of Glyphosate 71 % SG

- Key Benefits :**
- Broad-spectrum weed control Controls grasses, sedges, and broadleaf weeds effectively.
 - **Non-selective herbicide** with excellent Systemic translocation : absorbed through green foliage and translocated via the phloem, kills almost all green vegetation, making it useful for land preparation and fallow fields.
 - Effectively controls perennial weeds because the herbicide reaches underground propagative structures, preventing regrowth.
- Dosags :** 100-120 g per 15 L Knapsack Sprayer
- Chemical Group :** Organophosphorus / Glycine derivative
- Crop :** Broad-spectrum weed control
- Available Packing :** 1 Kg, 100 g

NutriSil

Silicone spreader

- Key Benefits :**
- Acts as a good emulsifier, compatible with all aqueous, alcoholic or solvent base products.
 - Lower surface tension
 - Good Wetting and Spreading Agent
 - Easily soluble in water, alcohol and hydro alcoholic system.
 - Excellent foam builder
 - It is Non-ionic
 - Super Spreading, wetting & penetration surfactant
 - Penetration of Pesticides, Herbicides, Insecticides, Fungicides and
 - Plant Growth Regulators, Liquid Bio-fertilizer, Bio Pesticides and it improve the uptake into Plant Tissues and significantly enhance its efficacy specially in case of herbicides.

Dosags : Use 3-5 ml per 15-litre spray tank. For better efficacy, prepare the spray solution in water with pH 5-8. Use the prepared spray solution within 24 hours of mixing.

Crop : All Crops **Available Packing :** 250 ml, 400 ml, 500 ml



Our Upcoming products

Biologicals

AMINO ACID & VITAMINS

Humic Acid 98%

Humic Powder

Fertilizer

Sulphur 90 % WDG

fungicide

Azoxystrobin 11% + Tebuconazole 18.3% SC

Copper Oxychloride 50% WP

Cymoxanil 8% + Mancozeb 64% WP

Kasugamycin 3% SL

Mancozeb 75% WP

Metalaxyl 8% + Mancozeb 64% WP

Picoxystrobin 22.52 w/w sc

Propeneb 70% WP

Sulphur 80% WDG

Tebuconazole 50% + Trifloxystrobin 25% WG

Thifuzamide 24% SC

Tricyclazole 75% WP

Validamycin 3% SL

Valifenalate 6% + Mancozeb 60% WG

Herbicide

Atrazine 50% WP

Bensulfuron Methyl 0.60 % + Pretilachlor 6% GR

Bensulfuron-Methyl 4.8% + Pretilachlor 48% OD

Clodinafop-Propargyl 15% WP

Mesotrione 2.27 % + Atrazine 22.7% SC

Payrozosulphan Ethyl 85 % WG

Pendimethalin 30% EC

Pretilachlor 50% EC

Propaquizafop 10% EC

Quizalofop ethyle 5% EC

Pyrazosulfuron Ethyl 10% WP

Triafamone 20% + Ethoxysulfuron 10% WG

Insecticide

Acephate 50% + Imidacloprid 1.8% SP

Acephate 75% SP

Acetameprid 20% SP

Cartap Hydrochloride 4% GR

Cartap Hydrochloride 50% SP

Cartap Hydrochloride 7.5% + Emamectin Benzoate 0.25% GR

Cartap Hydrochloride 75% SG

Chlorantraniliprole 0.4% GR

Chlorantraniliprole 0.45% + Fipronil 0.5% + Emamectin Benzoate 0.18% w/w GR

Chlorantraniliprole 47.85% SC

Chlorantraniliprole 0.4% GR

Chlorpyrifos 20% EC

Diafenthiuron 50% WP

Dinotefuran 15% + Pymetrozine 45% WG

Fipronil 0.3 % GR

Fipronil 15% + CTPR 5% SC

Fipronil 40% + Imidacholoprid 40% WG

Imidacholoprid 17.8 SL

Imidacholoprid 40% WG + Fipronil 40% WG

Imidacloprid 17.8% SL

Lambda Cyhalothrin 4.9% CS

Lambda Cyhalothrin 5% EC

Novaluron 5.25% + Emamectin Benzoate 0.9% SC

Propargite 57% EC

Pymetrozine 50% WG

Pyriproxyfen 10% + Bifenthrin 10% EC

Thiamethoxam 12.6% + Lambda Cyhalothrin 9.5% ZC

Thiamethoxam 30 % FS

Thiomethoxan 25% WS

Thiomethoxan 30% FS

Tolfenpyrid 15% EC

Triflumezopyrim 10% SC

Triflumezopyrim 20% WG

PGR

Gibberellic Acid 0.001% L

Gibrellic Acid 40% WSG

Paclobutrazol 23% SC

WSF

Sea Weed Extract (Ascophylum Nodosum)

Boron 10.5%

Boron 14.5%

Boron 20%

Calcium Nitrate

Magnesium Sulphate

NPK 00:00:50

NPK 13:00:45

NPK 19:19:19

NPK 24:24:00

NPK 28:28:00

Zinc 39%

Zn Sulphate 21%

Zn Sulphate 33%



SOMETHING GAME-CHANGING IS COMING



☎ 033 4812 6531

🌐 www.nutrisource.in | www.farmsanta.com

📍 Shrachi Ek Tower

Unit 3/06, 12, Street Number 692, Action Area IID, Newtown,
Kolkata, West Bengal – 700161



COMPLETE DIGITAL
BUSINESS PLATFORM



ONLINE
STORE PROMOTION



GROWTH-FOCUSED
FARMING MARKETPLACE



INCREASE SALES &
REACH MORE FARMERS



BETTER
PRODUCT AWARENESS