Browser Actions

Execution Environment

Host name KalpanaKukreja - RC-IND-4BYDRG3.domain.name

Local OS Windows 10 64bit

Katalon version 8.2.5.208 Browser null

Summary

ID Test Suites/Browser Actions

Description

Total 3

Passed 0 Failed 3
Error 0 Incomplete 0

Skipped 0

Start 2023-01-20 11:22:45 End 2023-01-20 11:22:49

Elapsed 3.738s

#	ID	Description	Status
1	Test Cases/Browser Operations in Katalon/Advance browser operations		FAILED
2	Test Cases/Browser Operations in Katalon/Basic browser Operations	This test case deals with below operations Open Navigate to url Maximize browser Refresh Back Forward Delay Close browser	FAILED
3	Test Cases/Browser Operations in Katalon/Assertions in Katalon		FAILED

Advance browser operations

Information

ID Test Cases/Browser Operations in Katalon/Advance browser operations

Description

Tag

Start 2023-01-20 11:22:45 End 2023-01-20 11:22:46

Elapsed 1.028s Status FAILED

Details

Description Elapsed Status

Advance browser operations

Description	Elapsed	Status
openBrowser("https://katalon-demo-cura.herokuapp.com/")	0.531s	FAILE
openbrowser(https://katalon-demo-cura.nerokuapp.com/)	0.5515	FAILE
Unable to open browser with url: 'https://katalon-demo-cura.herokuapp.com/' (Root cause:		
com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url:		
'https://katalon-demo-cura.herokuapp.com/'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	4	
(WebUlKeywordMain.groovy:26)	ı	
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
openBrowser(OpenBrowserKeyword.groovy:81)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
(OpenBrowserKeyword.groovy:67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
(WebUiBuiltInKeywords.groovy:64)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.ca		
(Unknown Source)		
at Advance browser operations.run(Advance browser operations:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:442)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:433)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:412)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:404)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:281)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:202)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:164)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java	u:	
105)		
$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case M$		
185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1674193956914.run(TempTestSuite1674193956914.groovy:36) Caused by: org.openqa.selenium.WebDriverException: Cannot find firefox binary in PATH.)	
Make sure firefox is installed. OS appears to be: WIN10		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'RC-IND-4BYDRG3', ip: '192.168.1.12', os.name: 'Windows 10', os.arch:		
'amd64', os.version: '10.0', java.version: '1.8.0_282'		
Driver info: driver.version: CGeckoDriver		
at org.openqa.selenium.firefox.FirefoxBinary. <init>(FirefoxBinary.java:100)</init>		
at org.openqa.selenium.firefox.FirefoxOptions.getBinary(FirefoxOptions.java:216)		
at org.openqa.selenium.firefox.FirefoxDriver.toExecutor(FirefoxDriver.java:187)		
at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:147)</init>		
at com.kms.katalon.selenium.driver.CFirefoxDriver. <init>(CFirefoxDriver.java:21)</init>		
at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver. <init>(CGeckoDriver.java:12)</init>		

 $at\ com. kms. katalon. core. we bui. driver. fire fox. CGecko Driver. from (CGecko Driver. from CGecko D$

Advance browser operations

```
Description
                                                                                          Elapsed
                                                                                                           Status
java:17)
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewFirefoxDriver
(DriverFactory.java:705)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:357)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:253)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at\ com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at Script1672327339725.run(Script1672327339725.groovy:24)
         ... 13 more
```

Basic browser Operations

Information

ID Test Cases/Browser Operations in Katalon/Basic browser Operations

Description This test case deals with below operations

Open

Tag Navigate to url

Maximize browser

Refresh

Start Back Forward Elapsed Delay

Close browser

Status

2023-01-20 11:22:46 End 2023-01-20 11:22:47

0.437s

FAILED

Details

#	Description	Elapsed	Status
	Docomption	Liapooa	Otatao

Basic browser Operations

Description	Elapsed	Status
openBrowser("")	0.033s	FAILED
Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: "		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUlKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
openBrowser(OpenBrowserKeyword.groovy:81)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
(WebUiBuiltInKeywords.groovy:64)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
(Unknown Source)		
at Basic browser Operations.run(Basic browser Operations:20)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:442)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:433)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:412)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:404)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:202)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:164)		
$at\ com. kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: the suite of th$		
105)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1674193956914.run(TempTestSuite1674193956914.groovy:36)		
Caused by: org.openqa.selenium.WebDriverException: Cannot find firefox binary in PATH.		
Make sure firefox is installed. OS appears to be: WIN10		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'RC-IND-4BYDRG3', ip: '192.168.1.12', os.name: 'Windows 10', os.arch:		
'amd64', os.version: '10.0', java.version: '1.8.0_282'		
Driver info: driver.version: CGeckoDriver		
at org.openqa.selenium.firefox.FirefoxBinary. https://www.eirefoxBinary.java:100)		
at org.openqa.selenium.firefox.FirefoxOptions.getBinary(FirefoxOptions.java:216) at org.openqa.selenium.firefox.FirefoxDriver.toExecutor(FirefoxDriver.java:187)		
at org.openqa.selenium.firefox.FirefoxDriver.loexecutor(FirefoxDriver.java.187) at org.openqa.selenium.firefox.FirefoxDriver.		
at com.kms.katalon.selenium.driver.CFirefoxDriver. <init>(CFirefoxDriver.java:21)</init>		
at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver. <init>(CGeckoDriver.</init>		
java:12)		
at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver.from(CGeckoDriver.		
iava:17)		

java:17)

Basic browser Operations

```
Description
                                                                                          Elapsed
                                                                                                            Status
         at com.kms.katalon.core.webui.driver.DriverFactory.createNewFirefoxDriver
(DriverFactory.java:705)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:357)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:253)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. open Browser
(WebUiBuiltInKeywords.groovy:64)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at Script1672142480105.run(Script1672142480105.groovy:20)
         ... 13 more
```

Assertions in Katalon

Information

ID Test Cases/Browser Operations in Katalon/Assertions in Katalon

Description

Tag

Start 2023-01-20 11:22:47 End 2023-01-20 11:22:47

Elapsed 0.369s Status FAILED

Details

Description Elapsed Status

Assertions in Katalon

Desc	pription	Elapsed	Status
	Browser("https://katalon-demo-cura.herokuapp.com/")	0.029s	FAILED
-			
	ble to open browser with url: 'https://katalon-demo-cura.herokuapp.com/' (Root cause:		
	kms.katalon.core.exception.StepFailedException: Unable to open browser with url:		
nttps	s://katalon-demo-cura.herokuapp.com/		
0.87	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(VVel	bUIKeywordMain.groovy:64)		
0.87	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(Web	bUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
oper	Browser(OpenBrowserKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
(Ope	enBrowserKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
exec	uteKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
(Wel	bUiBuiltInKeywords.groovy:64)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
(Unk	nown Source)		
	at Assertions in Katalon.run(Assertions in Katalon:22)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	$at\ com.kms. katalon.core.main. Script Engine.run Script AsRaw Text (Script Engine.$		
java:			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Tes	tCaseExecutor.java:412)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Tes	tCaseExecutor.java:404)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(Tes	tSuiteExecutor.java:202)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Tes	tSuiteExecutor.java:164)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
105)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Sour			
	at TempTestSuite1674193956914.run(TempTestSuite1674193956914.groovy:36)		
	sed by: org.openqa.selenium.WebDriverException: Cannot find firefox binary in PATH.		
	e sure firefox is installed. OS appears to be: WIN10		
	l info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	em info: host: 'RC-IND-4BYDRG3', ip: '192.168.1.12', os.name: 'Windows 10', os.arch:		
'amd	64', os.version: '10.0', java.version: '1.8.0_282'		
Drive	er info: driver.version: CGeckoDriver		
	at org.openqa.selenium.firefox.FirefoxBinary. <init>(FirefoxBinary.java:100)</init>		
	at org.openqa.selenium.firefox.FirefoxOptions.getBinary(FirefoxOptions.java:216)		
	at org.openqa.selenium.firefox.FirefoxDriver.toExecutor(FirefoxDriver.java:187)		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:147)</init>		
	at com.kms.katalon.selenium.driver.CFirefoxDriver. <init>(CFirefoxDriver.java:21)</init>		
	at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver. <init>(CGeckoDriver.</init>		
java:			
java.	at com kms katalon core webui driver firefox CGeckoDriver from(CGeckoDriver		

 $at\ com. kms. katalon. core. we bui. driver. fire fox. CGecko Driver. from (CGecko Driver. from CGecko D$

Assertions in Katalon

```
Description
                                                                                          Elapsed
                                                                                                           Status
java:17)
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewFirefoxDriver
(DriverFactory.java:705)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:357)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:253)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at Script1672747874444.run(Script1672747874444.groovy:22)
         ... 13 more
```