

MICROSOFT POWER PLATFORM FUNCTIONAL CONSULTANT

PL-200 Advanced Exam Simulation Question Bank

3 Full Mock Exams | 120 Original Questions
Case Studies, Choose-Two, Yes/No, Matching, Ordering, and
Troubleshooting

Current official blueprint | Scenario-first reasoning | Answers after Question 120

Research verified: 18 August 2026

Simple English edition with full option-by-option explanations

Original training material - not copied exam questions, dumps, or protected provider content

What this new bank changes

The earlier question bank was useful for checking concepts, but many stems disclosed the feature too directly. This advanced bank is designed around decisions. A scenario usually contains several true facts, yet only one or two facts decide the answer. Distractors are real Power Platform features that solve a nearby problem, use the wrong security layer, run at the wrong time, or fail an ALM requirement.

Each mock contains 34 independent items followed by one six-item case study. The case study provides background, current environment, and requirements once. You must combine those exhibits with each question instead of expecting every clue to be repeated. All three mock exams use the current official skill weighting exactly within Microsoft's published ranges.

Important format note. Microsoft's exam sandbox demonstrates interaction styles such as multiple choice, build list, matching, hot areas, and case studies, but Microsoft does not publish the exact question-type mix for PL-200. The printable formats here are faithful simulations of those reasoning patterns, not a promise that the live interface or mix will be identical.

Retirement notice. The official Microsoft PL-200 Study Guide states that the exam retires on 31 August 2026 at 11:59 PM Central Standard Time. Verify availability on the official page immediately before scheduling.

How the format was researched

The blueprint and technical behavior come from the official PL-200 Study Guide and Microsoft Power Platform documentation. The interaction patterns come from Microsoft's public exam experience and sandbox. Public instructor and practice-provider material was used only to understand presentation characteristics: lengthy scenarios, elimination of plausible distractors, and explanations of why alternatives fail. No third-party question text was copied.

Format references: [Microsoft exam experience](#) | [Microsoft exam sandbox](#) | [Microsoft Exam Readiness Zone](#) | [Pragmatic Works instructor guidance](#) | [MeasureUp practice-test description](#)

Current PL-200 blueprint used

Official domain	Official weight	Items per mock	Mock weight
Configure Microsoft Dataverse	25-30%	11 of 40	27.5%
Create apps by using Microsoft Power Apps	25-30%	11 of 40	27.5%
Create and manage logic and process automation	25-30%	11 of 40	27.5%
Manage environments	15-20%	7 of 40	17.5%

Source: [Official PL-200 Study Guide](#)

Item-format mix in each mock

Printable simulation	Count	How to answer
Single select	28	Choose the one best complete solution.
Multiple select	5	Choose exactly two. Both must be selected.
Yes/No solution evaluation	3	Evaluate every statement independently.
Matching	2	Map each requirement to the most appropriate feature.
Build-list ordering	2	Place all activities in the correct sequence.

Recommended attempt method

1. Attempt one 40-item mock without opening the answer section. Use a timer only as a personal practice aid; this is not an official timing model.
2. For every item, underline the deciding requirement: ownership, scope, immediate, scheduled, related rows, external data, deployable, or authenticated.
3. Eliminate answers that solve only the user interface when the requirement is security, or solve only row access when the requirement also protects a column.
4. For choose-two questions, verify that both selections are independently necessary. One correct feature plus one merely helpful feature is still wrong.
5. Score the mock as 40 practice points. Review all incorrect and guessed items with the full option analysis. Do not convert the result into Microsoft's scaled exam score.

Core reasoning model

Read each scenario in this order: required outcome, data boundary, security boundary, timing, user experience, integration boundary, and deployment boundary. Microsoft normally expects a Functional Consultant to choose the lowest-code supported feature that fully meets all boundaries—not the feature with the most capabilities.

Question clue	Decision to make
own records / common team role	Owner Team or Entra group owner team; not Access Team
access one row without ownership	Sharing or Access Team; then verify base table privileges
aggregate related rows / delay acceptable	Rollup column
large Canvas data source / every matching row	Delegable formula
guided visible stages	Business process flow
cross-service event, delay, or approval	Cloud flow
value changes by environment	Environment Variable
connector identity changes by environment	Connection Reference

MOCK EXAM 1**Questions 1-40**

34 independent scenarios + one six-question case study
11 Dataverse | 11 Power Apps | 11 Automation | 7 Environments

Answers for this mock are intentionally withheld until the combined answer section after Question 120.

Response sheet

Record one answer per item. For multiple-select items, record both letters. Use Y/N, mappings, or ordered letters for interactive-format simulations.

Items 1-10	Items 11-20	Items 21-30	Items 31-40
Q1: _____	Q11: _____	Q21: _____	Q31: _____
Q2: _____	Q12: _____	Q22: _____	Q32: _____
Q3: _____	Q13: _____	Q23: _____	Q33: _____
Q4: _____	Q14: _____	Q24: _____	Q34: _____
Q5: _____	Q15: _____	Q25: _____	Q35: _____
Q6: _____	Q16: _____	Q26: _____	Q36: _____
Q7: _____	Q17: _____	Q27: _____	Q37: _____
Q8: _____	Q18: _____	Q28: _____	Q38: _____
Q9: _____	Q19: _____	Q29: _____	Q39: _____
Q10: _____	Q20: _____	Q30: _____	Q40: _____

Question 1 | Mock 1 item 1 | Single select

A sales table is user or team owned. Representatives must read only their own rows. Regional managers must read rows owned by users in their business unit and its child business units. Managers must not automatically receive Write permission.

Which security role configuration should you use for the manager role?

- A. Grant Read at Parent: Child Business Units depth and leave Write unselected.
- B. Grant Read and Write at Organization depth.
- C. Share every representative record with each manager and grant User-level Read.
- D. Move all representatives and managers into one owner team.

Question 2 | Mock 1 item 2 | Single select

A model-driven app needs a responsive dialog that shows a gallery of related rows, accepts three inputs, and returns the selected row to the host app. The experience must use Power Fx and be maintained as part of the model-driven app.

Which component should you configure?

- A. A system view
- B. A custom page opened as a dialog from the model-driven app
- C. A business process flow stage
- D. A Quick View form

Question 3 | Mock 1 item 3 | Single select

An automated cloud flow uses the Dataverse When a row is added, modified or deleted trigger. It should start only when Priority changes and the new Priority equals Critical. Thousands of unrelated updates occur each day.

Which design minimizes unnecessary flow runs?

- A. Use a scheduled flow that scans all rows every five minutes.
- B. Trigger on every update and add a Condition as the first action.
- C. Configure Select columns for Priority and add a trigger condition that checks for Critical.
- D. Use Apply to each around the trigger output.

Question 4 | Mock 1 item 4 | Single select

A team develops a Power Platform solution in Development and deploys it to Test and Production. Makers must be able to continue editing in Development. Direct customization in Production must be discouraged.

Which solution strategy should you recommend?

- A. Export the managed solution from Production back to Development for every change.
- B. Import an unmanaged export into every environment.
- C. Develop directly in the Default Solution in Production and copy the environment to Test.
- D. Maintain the unmanaged solution in Development and import a managed export into Test and Production.

Question 5 | Mock 1 item 5 | Single select

Consultants can be assigned to many Projects. Each Project can have many Consultants. The assignment must also store Billable Rate, Start Date, and Allocation Percentage.

Which data model should you implement?

- A. Create an Assignment table with lookups to Consultant and Project.
- B. Add a multiselect Choice of consultants to Project.
- C. Create a native many-to-many relationship only.
- D. Add one Consultant lookup to Project.

Question 6 | Mock 1 item 6 | Multiple select - choose 2

A canvas app displays a Dataverse table containing 300,000 service requests. A gallery must return every open request whose title starts with the text entered by the user. The current formula shows a delegation warning.

Which two actions should you take?

- A. Increase the nondelegable row limit and treat the warning as resolved.
- B. Rewrite the query with operators and functions that the Dataverse connector can delegate.
- C. Load the entire table into a collection when the app starts.
- D. Use CountRows before Filter so Power Apps knows the table size.
- E. Confirm the warning is removed and test with matching records beyond the local row limit.

Question 7 | Mock 1 item 7 | Single select

A flow creates an invoice, uploads a file, and sends a notification. If file upload fails, the flow must log the failure and finish with Failed status. The invoice action must not be repeated automatically because it is not idempotent.

Which design should you use?

- A. Turn on concurrency for the invoice and upload actions.
- B. Place the business actions in a Try Scope, configure a Catch Scope to run after failure or timeout, log the error, and use Terminate with Failed status.
- C. Add a parallel branch after the trigger that always sends a success message.
- D. Set an aggressive retry policy on every action and omit error scopes.

Question 8 | Mock 1 item 8 | Single select

A solution-aware flow sends messages to a tenant-specific Teams channel and writes to a tenant-specific SharePoint site. The solution moves through three environments.

Which components should represent the environment-specific settings?

- A. Connection References for the site URL and Environment Variables for user credentials
- B. Global variables in a canvas app for both values and connections
- C. Environment Variables for the site/channel values and Connection References for connector connections
- D. Hard-coded values in each flow action followed by editing in Production

Question 9 | Mock 1 item 9 | Single select

An Account row must show the total Open Balance from all related Invoice rows. A small delay is acceptable, and users should be able to refresh the aggregate on demand.

Which column should you configure?

- A. A Formula column on Invoice
- B. A Choice column on Account
- C. An Autonumber column on Account
- D. A Rollup column on Account that sums related Invoice balances using an Open filter

Question 10 | Mock 1 item 10 | Drag-and-drop style matching

A maker is designing four different record experiences for a model-driven app.

Match each requirement to the most appropriate form type. Each form type may be used once.

Choice bank

A. Main form

Choice bank	
B. Quick Create form	
C. Quick View form	
D. Card form	

#	Requirement	Your match
1	Provide the full interface for viewing and editing a row.	_____
2	Create a new row with a small optimized set of inputs.	_____
3	Show read-only columns from the row selected in a lookup.	_____
4	Present compact row information in a view, including mobile scenarios.	_____

Question 11 | Mock 1 item 11 | Drag-and-drop style matching

A department has four automation requirements.

Match each requirement to the most appropriate cloud flow type.

Choice bank	
A. Automated cloud flow	
B. Instant cloud flow	
C. Scheduled cloud flow	
D. Business process flow	

#	Requirement	Your match
1	Start when a Dataverse case row is created.	_____
2	Let a manager select a button to request a stock count.	_____
3	Run every weekday at 06:00 to identify overdue tasks.	_____
4	Guide users through Qualification, Review, and Closure stages.	_____

Question 12 | Mock 1 item 12 | Single select

Before exporting a complex unmanaged solution, the team wants one analysis that reviews flows, Power Fx expressions, web resources, and Dataverse customizations for problematic patterns.

Which tool should the team run?

- A. Solution checker
- B. Duplicate detection job
- C. App checker only
- D. Dataverse search index

Question 13 | Mock 1 item 13 | Yes/No solution evaluation

A regulated organization is evaluating three proposed configurations.

For each proposal, select Yes if it meets the stated goal. Otherwise, select No.

Statement	Yes	No
1. Enable auditing at the environment, table, and selected column levels to record changes to sensitive columns.	☐	☐
2. Create and publish a duplicate detection rule to guarantee a database-level unique value for every API integration.	☐	☐
3. Use a recurring bulk deletion job to remove completed system jobs older than the retention requirement.	☐	☐

Question 14 | Mock 1 item 14 | Multiple select - choose 2

A Power Pages site lists service requests. Authenticated customers must see only requests whose Customer Contact lookup references their own Contact row. Anonymous visitors must see none.

Which two configurations are required?

- A. Create a Contact-scoped table permission for the Service Request table with the required privileges.
- B. Assign the Dataverse System Administrator role to each customer Contact.
- C. Hide the list from site navigation for anonymous visitors.
- D. Set the table permission to Global Read.
- E. Associate the table permission with the authenticated customer Web Role.

Question 15 | Mock 1 item 15 | Single select

Claims agents must follow visible Intake, Evidence, Assessment, and Decision stages. When the Decision stage is reached, a Teams message and an approval must be created automatically.

Which design best satisfies both requirements?

- A. Use only a Business Rule for stages, Teams, and approval.
- B. Use a Business Process Flow for the guided stages and a Cloud Flow triggered by the relevant Dataverse stage/status change for the integration.
- C. Use a command bar button for every stage transition and store no process state.
- D. Use only a scheduled cloud flow and remove the stage experience.

Question 16 | Mock 1 item 16 | Single select

An instant expense-approval flow must be triggered by 200 managers. Managers may run it but must not view or edit its design. The flow should use the configured service connection for sending approval notifications.

How should you share the flow?

- A. Share only the canvas app that links to the flow.
- B. Export a separate copy of the flow for every manager.
- C. Grant the managers Run-only access and configure the relevant connector to use the owner's connection.
- D. Make every manager a co-owner.

Question 17 | Mock 1 item 17 | Single select

A model-driven app must display current product availability from an external OData service. The external system remains the system of record, and the organization must avoid copying the product rows into Dataverse.

Which table type should you evaluate first?

- A. Elastic table used as an external connector
- B. Organization-owned custom table populated by weekly Excel import
- C. Activity table
- D. Virtual table

Question 18 | Mock 1 item 18 | Single select

A command on the Work Order main form should be visible only when Status equals Active. When selected, it should update a simple flag on the current row. The maker wants a low-code solution.

Which approach should you use?

- A. Create a modern command and use Power Fx for its Visible and OnSelect formulas.
- B. Create a Business Process Flow solely to show the button.
- C. Create a Quick View form and set its visibility.
- D. Use form order to hide the command for inactive records.

Question 19 | Mock 1 item 19 | Multiple select - choose 2

Five solution-aware parent flows repeat the same tax-calculation logic. The logic must be maintained once and move with the parent flows to other environments.

Which two actions should you take?

- A. Create the child as a desktop flow outside every solution.
- B. Copy the tax actions into each parent flow.
- C. Keep the parent and child flows in the same solution and use solution connection references.
- D. Store the tax logic in a personal view.
- E. Create an instant child flow in a solution and expose the required inputs and outputs.

Question 20 | Mock 1 item 20 | Single select

Users must manage large documents from an Account form while the binary files remain in SharePoint Online. The documents must be associated with the correct Dataverse Account row.

What should you configure?

- A. A Word template attached to each Account
- B. Server-based SharePoint integration and document management for the Account table
- C. A File column on Account for every document
- D. A duplicate detection rule on document names

Question 21 | Mock 1 item 21 | Single select

A Country Reference table contains the same centrally maintained list for every user. Row-level ownership, assignment, and sharing are not required. Access should be all-or-nothing by table privilege.

Which ownership type should you select when creating the table?

- A. User or team owned
- B. Access team owned
- C. Organization owned
- D. Business unit owned

Question 22 | Mock 1 item 22 | Single select

A canvas app has three screens. A Boolean value controls whether a maintenance banner is shown on every screen for the current app session. The value is not persisted to a data source.

Which formula should initialize the value?

- A. UpdateContext({varMaintenance: true})
- B. Patch(Maintenance, Defaults(Maintenance), {Active: true})
- C. Collect(varMaintenance, true)
- D. Set(varMaintenance, true)

Question 23 | Mock 1 item 23 | Yes/No solution evaluation

A maker proposes three Business Rules for an Inspection table.

For each proposal, select Yes if a Business Rule is an appropriate primary solution. Otherwise, select No.

Statement	Yes	No
1. On all model-driven forms, make Failure Reason required when Result equals Failed.	☐	☐
2. After a row is created, upload its attachments to an external SFTP service.	☐	☐
3. Apply the same Dataverse data validation to server-side row changes by using table scope, when the supported rule actions meet the requirement.	☐	☐

Question 24 | Mock 1 item 24 | Build-list style ordering

An administrator needs an organization Word template that generates a standardized Account summary containing repeating Contact rows.

Arrange the major steps in the correct order.

ID	Available step
A	Use Word's Developer XML Mapping Pane to add fields and mark the contact table row as repeating.
B	Generate a document from an Account row by using the uploaded template.
C	Upload the completed template as an organization template.
D	Download or create a Word template for Account and include the required relationship metadata.

Position 1	Position 2	Position 3	Position 4
_____	_____	_____	_____

Question 25 | Mock 1 item 25 | Single select

A user can read a Contact and a Case but receives an access error when setting the Case Customer lookup to that Contact. The user already has Write on Case.

Which additional privileges are normally required to create the association?

- A. Append on Case and Append To on Contact
- B. Share on Case only
- C. Assign on both Case and Contact
- D. Append To on Case and Append on Contact

Question 26 | Mock 1 item 26 | Single select

A model-driven app is shared with the Field Technician security role. A technician can open the app but cannot see records in a custom Work Order table.

What should you do next?

- A. Create a personal view owned by the technician.
- B. Grant the security role the required Work Order table privileges at the appropriate depth.
- C. Add the table only to Dataverse search.
- D. Change the app's theme and republish it.

Question 27 | Mock 1 item 27 | Single select

A reusable calculation must run on demand from both a canvas app and a cloud flow. It accepts parameters, uses Power Fx, and must execute close to Dataverse data.

Which component should you create?

- A. A personal view with calculated columns
- B. An automated low-code plug-in triggered by every row update
- C. An instant low-code plug-in or Dataverse function with input parameters
- D. A Business Process Flow branch

Question 28 | Mock 1 item 28 | Multiple select - choose 2

A custom Equipment table is included in a model-driven app, but users cannot find its rows in Dataverse global search. They can open the rows through a view.

Which two configurations should you verify first?

- A. A duplicate detection rule exists for Equipment Name.
- B. The table ownership type is changed to Organization owned.
- C. The Equipment Quick Find view contains the required Find columns and is published.
- D. Every user has Delete privilege on Equipment.
- E. The Equipment table is enabled and selected for Dataverse search in the environment/app configuration.

Question 29 | Mock 1 item 29 | Single select

A model-driven Account form must show a contextual Power BI report filtered to the current account. Users already have the required Power BI licenses and report permissions.

Which app component should you configure?

- A. Create a Dataverse Rollup column containing the entire report.
- B. Add a Quick Create form for the report.
- C. Share the model-driven app only and remove Power BI permissions.
- D. Embed the Power BI report on the Account main form and pass the record context.

Question 30 | Mock 1 item 30 | Single select

When a user changes Credit Status to Blocked, the save must be stopped immediately if Open Balance is greater than zero. The organization must use a classic workflow because this legacy process is still in scope.

How should you configure the workflow?

- A. Configure a real-time workflow that runs before the status change and stops with an error when the condition is true.
- B. Configure a scheduled cloud flow to reverse the change nightly.
- C. Configure a background workflow that sends an email several minutes later.
- D. Configure a Business Process Flow stage named Blocked.

Question 31 | Mock 1 item 31 | Single select

Membership of the Support organization is maintained in a Microsoft Entra security group. Members should automatically receive Dataverse privileges through group membership, and the group may own Queue Item rows.

Which Dataverse team type should you configure?

- A. A business unit containing no users
- B. A Microsoft Entra ID group team with an assigned security role
- C. An access team template
- D. A manually maintained owner team only

Question 32 | Mock 1 item 32 | Single select

A main form needs a small interactive visualization that uses the current row as context and combines Dataverse data with a second connector. The experience will remain inside one form and does not need navigation as a separate page.

Which component is the best fit?

- A. A custom page added to the site map
- B. A system chart only
- C. An embedded canvas app control on the main form
- D. A Quick View form

Question 33 | Mock 1 item 33 | Single select

A Dataverse-triggered flow updates the same Order row that triggered it. The flow repeatedly triggers itself and creates duplicate notifications.

Which change most directly prevents the loop while preserving required updates?

- A. Add a five-minute Delay before updating the row.
- B. Enable maximum concurrency on the trigger.
- C. Add Apply to each around the Update a row action.
- D. Use Select columns and a trigger condition so the flow starts only for the business change and not for the column written by the flow.

Question 34 | Mock 1 item 34 | Build-list style ordering

A managed solution v1 is installed in Production. Version 2 removes an obsolete component. The team wants to validate v2 alongside the existing version, migrate data, and then remove v1 and components absent from v2.

Arrange the deployment actions in the correct order.

ID	Available step
A	Export version 2 as a managed solution from the source environment.

ID	Available step
B	Apply the solution upgrade.
C	Import version 2 by using Stage for Upgrade.
D	Complete validation and required data migration while the staged upgrade is present.

Position 1	Position 2	Position 3	Position 4
_____	_____	_____	_____

Case Study 1 - Alpine Field Services

Read all exhibits before answering the next six questions. Unless a question states otherwise, use only the information in the exhibits and current documented Power Platform behavior.

Exhibit	Details
Background	Alpine Field Services repairs commercial refrigeration equipment in Japan and Australia. The company is replacing email and spreadsheets with Dataverse, a model-driven app for dispatchers, a canvas mobile app for technicians, and a Power Pages site for customers. The delivery team uses separate Development, Test, and Production environments. All components are created in an unmanaged solution in Development. Production must contain only managed application customizations.
Current environment	The Customer and Work Order tables are user or team owned. Each regional operations group is synchronized from Microsoft Entra ID and should own its region's Work Order records. Technicians have a security role with User-level Read and Write on Work Order. Dispatchers have Business Unit-level Read, Write, Assign, and Share. The Estimated Cost column is protected by a column security profile available only to dispatch managers. A cloud flow starts when a Work Order status changes to Ready for approval. It creates an approval, writes the result to Dataverse, and posts a Teams message. Intermittent Teams throttling must not cause the approval result to be lost.
Requirements	Customer users must sign in to Power Pages and see only Work Orders related to their own Contact record. A model-driven command named Request reassignment must be visible only when the current Work Order is active. Selecting the command should open a custom dialog that collects a reason and preferred date. Environment-specific SharePoint site URLs and connector connections must be supplied during deployment without editing the app or flow in Production. Technicians may edit a Work Order they can access, but they must never read Estimated Cost.

Case-study technique. A later requirement can override a tempting default. Recheck ownership, scope, timing, and deployment constraints for every question.

Question 35 | Mock 1 item 35 | Single select

Refer to Case Study 1. Regional operations membership already exists in Microsoft Entra ID. Each region must collectively own its Work Orders, and membership changes should not be maintained manually in Dataverse.

What should you configure for each regional operations group?

- A. A Microsoft Entra ID group team with the required security role
- B. A new business unit for every Work Order
- C. An auto-created access team for every Work Order
- D. A queue with no team

Question 36 | Mock 1 item 36 | Single select

Refer to Case Study 1. A signed-in customer must see only Work Orders whose Customer Contact lookup points to that customer's Contact row.

Which Power Pages table permission access type should you use for Work Order?

- A. Global
- B. Contact
- C. Organization
- D. Self

Question 37 | Mock 1 item 37 | Multiple select - choose 2

Refer to Case Study 1. A Teams post sometimes receives a transient throttling response. The approval result must still be written to Dataverse, and the flow must expose unrecovered failures to support staff.

Which two changes should you make?

- A. Use Scopes and Configure run after to log unrecovered failures while keeping the Dataverse result-write path explicit.
- B. Move the approval result into a local canvas collection.
- C. Configure an exponential retry policy on the Teams action for transient failures.
- D. Make every technician a co-owner of the flow.
- E. Disable run history so failed Teams actions are ignored.

Question 38 | Mock 1 item 38 | Single select

Refer to Case Study 1. SharePoint URLs differ by environment, and connector connections must be selected during deployment. Production components must not be edited after import.

Which solution design should you implement?

- A. Create personal connections for each end user and omit connection references.
- B. Store URLs and credentials in a command's Power Fx formula.
- C. Package Environment Variables for URLs and Connection References for connector bindings in the managed solution.
- D. Import the solution unmanaged and edit every flow action in Production.

Question 39 | Mock 1 item 39 | Yes/No solution evaluation

Refer to Case Study 1. Technician Hana owns a Work Order and has User-level Read and Write on Work Order. Hana is not in the Estimated Cost column security profile. The regional group team also owns other Work Orders and has a role with Business Unit-level Read but no Delete, Assign, or Share.

For each action, select Yes if Hana can perform it based only on the stated access. Otherwise, select No.

Statement	Yes	No
1. Read the Work Order that Hana owns.	☐	☐
2. Edit the Work Order that Hana owns.	☐	☐
3. Read Estimated Cost on that Work Order.	☐	☐
4. Delete, assign, or share the Work Order.	☐	☐

Question 40 | Mock 1 item 40 | Single select

Refer to Case Study 1. The Request reassignment command must appear only for active Work Orders and open a dialog that collects a reason and preferred date.

Which combination should you use?

- A. A Business Rule that grants Assign privilege
- B. A system view with an embedded Power BI tile
- C. A Quick View form controlled by form order
- D. A modern command with a Power Fx Visible formula that opens a custom page as a dialog

End of Mock Exam 1. Keep your response sheet. The answers remain sealed until all three mock exams are complete.

MOCK EXAM 2

Questions 41-80

34 independent scenarios + one six-question case study
11 Dataverse | 11 Power Apps | 11 Automation | 7 Environments

Answers for this mock are intentionally withheld until the combined answer section after Question 120.

Response sheet

Record one answer per item. For multiple-select items, record both letters. Use Y/N, mappings, or ordered letters for interactive-format simulations.

Items 1-10	Items 11-20	Items 21-30	Items 31-40
Q41: _____	Q51: _____	Q61: _____	Q71: _____
Q42: _____	Q52: _____	Q62: _____	Q72: _____
Q43: _____	Q53: _____	Q63: _____	Q73: _____
Q44: _____	Q54: _____	Q64: _____	Q74: _____
Q45: _____	Q55: _____	Q65: _____	Q75: _____
Q46: _____	Q56: _____	Q66: _____	Q76: _____
Q47: _____	Q57: _____	Q67: _____	Q77: _____
Q48: _____	Q58: _____	Q68: _____	Q78: _____
Q49: _____	Q59: _____	Q69: _____	Q79: _____
Q50: _____	Q60: _____	Q70: _____	Q80: _____

Question 41 | Mock 2 item 1 | Single select

A Project row must show the sum of Approved Amount from all related Expense rows. Users accept that the displayed total can be refreshed asynchronously. No flow should maintain the value.

Which column type should you configure on Project?

- A. Rollup column
- B. Formula column
- C. Choice column
- D. Autonumber column

Question 42 | Mock 2 item 2 | Single select

A canvas app edits a Dataverse Inspection row through an Edit form. Required-card validation and the form's OnSuccess navigation must run when the user selects Save.

Which function should the Save button call?

- A. Patch(Inspections, Defaults(Inspections), frmInspection.Updates)
- B. SubmitForm(frmInspection)
- C. Collect(Inspections, frmInspection.Updates)
- D. ResetForm(frmInspection)

Question 43 | Mock 2 item 3 | Single select

A cloud flow receives one of four text values in an Approval Route column: Finance, Legal, Security, or Executive. Each value must run a different branch, and no branch should run for an unknown value.

Which control should you use to make the design easiest to maintain?

- A. Apply to each
- B. Four parallel branches without conditions
- C. Switch with a case for each known route and a default branch
- D. Do until

Question 44 | Mock 2 item 4 | Single select

A maker tries to remove a custom Priority Choice from a solution before export. The platform reports that an app and a flow depend on the component.

What should the maker do first?

- A. Convert the unmanaged solution to the Default Solution
- B. Increase the solution version without changing the components
- C. Delete the Choice directly from the Production environment
- D. Inspect the solution dependencies and remove or update the dependent references

Question 45 | Mock 2 item 5 | Single select

An external grants system sends Applicant rows to Dataverse by using an immutable Applicant Number. The integration must update an existing row when the number already exists and must prevent two rows from using the same number.

Which configuration best supports the requirement?

- A. Create an alternate key on Applicant Number and use it for upsert operations
- B. Create a local Choice containing all applicant numbers
- C. Enable auditing on Applicant Number
- D. Create a nonrequired text column and use Create for every message

Question 46 | Mock 2 item 6 | Multiple select - choose 2

A Power Pages site lets authenticated volunteers edit only the Volunteer Profile row related to their Contact. Anonymous visitors must not see any profile data.

Which two configurations are required?

- A. Share each Dataverse row manually with the portal application user
- B. Add the table to the model-driven app navigation
- C. Create a table permission with Contact access for the Volunteer Profile table
- D. Associate the table permission with an authenticated-volunteer web role
- E. Give the Anonymous Users web role Organization scope

Question 47 | Mock 2 item 7 | Single select

A flow starts an approval and must update the Request row with Approved or Rejected only after the assigned approver responds. The response comments must also be stored.

Which action should the maker use?

- A. Create an approval and immediately update the Request
- B. Start and wait for an approval, then use its outcome and responses
- C. Delay for one day and read the Request owner
- D. Post an adaptive card and assume the post result is the approval outcome

Question 48 | Mock 2 item 8 | Single select

Production has a managed solution that sets a form label to Customer. An administrator makes an unmanaged customization that changes it to Client. A later managed update still contains Customer.

What label will users normally see before the unmanaged customization is removed?

- A. No label, because the component becomes invalid
- B. Both labels, because Dataverse merges text properties
- C. Client, because the active unmanaged layer is above the managed layer
- D. Customer, because the newest managed import always replaces all higher layers

Question 49 | Mock 2 item 9 | Single select

Deleting an Account must not delete related Inspection rows. The organization wants the deletion blocked while any related Inspection exists so records can be reviewed first.

Which relationship behavior should be configured for Delete?

- A. Remove Link
- B. Cascade User-Owned
- C. Cascade All
- D. Restrict

Question 50 | Mock 2 item 10 | Drag-and-drop style matching

A functional consultant must select the smallest suitable model-driven app surface for four experiences.

Match each requirement to the component. Each component may be used once.

Choice bank	
A. Main form	
B. Quick Create form	
C. Quick View form	
D. Custom page	

#	Requirement	Your match
1	Edit the complete current row with tabs, timeline, and subgrids	_____
2	Create a minimal row from a lookup without leaving the current task	_____
3	Display selected read-only columns from a related row	_____
4	Build an interactive Power Fx dialog with a gallery and custom layout	_____

Question 51 | Mock 2 item 11 | Drag-and-drop style matching

A maker is refining four steps in a cloud flow.

Match each requirement to the most appropriate Power Automate feature. Each feature may be used once.

Choice bank	
A. Dynamic content	
B. Expression	
C. Apply to each	
D. Variable	

#	Requirement	Your match
1	Insert the trigger row's Name output into an email	_____
2	Calculate the number of days between two values	_____
3	Run the same action once for every row returned by List rows	_____
4	Maintain a running total during the current flow run	_____

Question 52 | Mock 2 item 12 | Single select

A citizen-development team needs an isolated place to build and test a departmental app. The environment must not be the organization's live Production environment, and the app will later move through a solution-based release process.

What should the administrator provide first?

- A. A dedicated development environment with Dataverse
- B. A personal view in the existing model-driven app
- C. A new business unit in Production only
- D. Direct maker access to Production

Question 53 | Mock 2 item 13 | Yes/No solution evaluation

The Work Item table is user or team owned. Analyst Mia has User-level Read and Write. She does not own Work Item W-10. Evaluate each proposed access method independently.

For each statement, select Yes if the method can give Mia the stated access; otherwise select No.

Statement	Yes	No
1. Share W-10 with Mia and grant Read and Write in the share.	☐	☐

Statement	Yes	No
2. Add Mia to an access team template for W-10 that grants Read and Write.	☐	☐
3. Assign W-10 to an access team containing Mia.	☐	☐

Question 54 | Mock 2 item 14 | Multiple select - choose 2

A model-driven app command must appear only for selected rows with Status = Draft. Selecting it should update a Dataverse column by using Power Fx. The command must be included in the solution.

Which two configurations should the maker use?

- A. Add a Power BI tile to the dashboard
- B. Configure the command in the modern command designer
- C. Grant Organization-level Delete to all app users
- D. Use a Power Fx Visible formula based on the selected row context
- E. Create a Quick View form for the command

Question 55 | Mock 2 item 15 | Single select

A loan application moves through Qualification, Risk Review, Offer, and Close. Users need a visible stage indicator, required stage fields, and the ability for different security roles to work in different stages. The process must not itself send email or copy files.

Which automation should the consultant configure?

- A. Scheduled cloud flow
- B. Business process flow
- C. Business Rule only
- D. Canvas app collection

Question 56 | Mock 2 item 16 | Single select

A legacy real-time Dataverse workflow cancels an Order update when a validation rule fails. An administrator must determine why a user's update was stopped.

Where should the administrator investigate first?

- A. The Power Pages web role list
- B. The solution publisher prefix
- C. The workflow process sessions or system jobs and the workflow configuration
- D. The canvas app Monitor tool only

Question 57 | Mock 2 item 17 | Single select

A custom interaction must appear in the model-driven Timeline together with emails, appointments, and phone calls. It requires a Subject, owner, activity parties, and open/completed state behavior.

Which table design is most appropriate?

- A. Create an organization-owned standard table
- B. Create a virtual table for the interaction
- C. Add a multiselect Choice to Account
- D. Create a custom Activity table

Question 58 | Mock 2 item 18 | Single select

The Case table has a Support Agent main form and a Legal Review main form. Legal users should receive the Legal form first; support users should receive the Support form first. Some managers have both roles.

Which configuration determines the default form for a manager who can access both forms?

- A. The form order among the forms available to the user's security roles
- B. The alphabetical order of the form display names
- C. The user's business unit name
- D. The order of views in the app navigation

Question 59 | Mock 2 item 19 | Multiple select - choose 2

A reusable cloud flow will be promoted from Development to Test and Production. It uses Dataverse and Outlook connections, and a child flow performs shared validation.

Which two actions are necessary for a portable ALM design?

- A. Hard-code the maker's connection identifier in every action
- B. Create the flows inside a solution
- C. Store connector passwords in an environment variable
- D. Use connection references for connector connections
- E. Copy and paste each flow manually into Production

Question 60 | Mock 2 item 20 | Single select

A model-driven app user must send and track Dataverse email by using the organization's Exchange mailbox. The mailbox record exists, but outgoing email remains Pending Send.

Which administrative action is the most relevant next step?

- A. Create a rollup column on the Mailbox table
- B. Verify the mailbox's server profile and approval status, then test and enable the mailbox
- C. Add the Email table to Dataverse search
- D. Give the user Organization-level Delete on Email

Question 61 | Mock 2 item 21 | Single select

Users must read Employee rows, including Name and Department. Only HR users may read or update National Identifier. Managers who own an Employee row must still be blocked from that column unless they are in HR.

Which configuration should you use?

- A. Make the Employee table organization owned
- B. Use a personal view that omits National Identifier
- C. Enable column security on National Identifier and grant the required rights through an HR column security profile
- D. Give managers User-level Read but remove Append

Question 62 | Mock 2 item 22 | Single select

A canvas app must store a user's selected theme across all screens during the current app session. The value is a single text item and does not need to be written to a data source.

Which formula should initialize the value?

- A. SubmitForm(varTheme)
- B. Collect(varTheme, "High contrast")
- C. UpdateContext({varTheme: "High contrast"}) on one screen
- D. Set(varTheme, "High contrast")

Question 63 | Mock 2 item 23 | Yes/No solution evaluation

A flow uses List rows to retrieve open Tasks. Evaluate each proposed design independently.

For each statement, select Yes if the feature is appropriate; otherwise select No.

Statement	Yes	No
1. Use Apply to each to update every row in the returned value array.	☐	☐
2. Use a Condition when two branches depend on whether one Boolean expression is true or false.	☐	☐
3. Use parallel branches when the second action must wait for and consume the first action's output.	☐	☐

Question 64 | Mock 2 item 24 | Build-list style ordering

A tested managed solution is ready for Production. The deployment includes environment-variable values and connection references.

Arrange the activities in the most appropriate order.

ID	Available step
A	Provide target values and map connection references
B	Publish or activate as required and perform smoke tests
C	Validate the target environment and required dependencies
D	Import the managed solution

Position 1	Position 2	Position 3	Position 4
_____	_____	_____	_____

Question 65 | Mock 2 item 25 | Single select

The organization wants users warned when they create or update a Contact whose email address matches an existing Contact. The warning should allow an authorized user to decide whether to continue.

Which feature should be configured?

- A. Publish a duplicate detection rule for Contact email and enable the relevant duplicate detection behavior
- B. Create an alternate key on Email and expect a warning with an override
- C. Enable auditing on Email
- D. Configure Organization-level Share on Contact

Question 66 | Mock 2 item 26 | Single select

A canvas app uses Patch to update an Asset. If the connector returns an error, the app must keep the user on the screen, show a friendly message, and record diagnostic details in a local collection for support.

Which approach should the maker use?

- A. Increase the canvas app delegation limit
- B. Wrap the write in IfError and handle the error branch before navigating
- C. Call Navigate immediately after Patch regardless of the result
- D. Use ResetForm before Patch

Question 67 | Mock 2 item 27 | Single select

A server-side Dataverse operation must validate a discount and return a calculated amount immediately to a canvas app. The maker wants Power Fx, reusable parameters, and no external connector call.

Which feature is the best fit?

- A. A Power Pages web role
- B. A scheduled cloud flow
- C. An instant low-code plug-in
- D. A rollup column

Question 68 | Mock 2 item 28 | Multiple select - choose 2

After a custom Contract table is deployed, users must find its rows in Dataverse search. Compliance officers must also review who changed Status and when.

Which two configurations should the administrator verify?

- A. Every Contract is shared with the compliance officer
- B. The Contract table and relevant searchable columns are included in Dataverse search configuration
- C. A rollup column is added to count search results
- D. Contract is converted to an Activity table
- E. Auditing is enabled at the environment/table level and for the Status column as required

Question 69 | Mock 2 item 29 | Single select

A public information page must remain anonymous, but the application page must require users to sign in through the organization's approved identity provider. Signing in must not by itself grant access to every Application row.

Which design should you recommend?

- A. Grant Organization-scope table permission to Authenticated Users
- B. Assign Dataverse System Administrator to every portal user
- C. Make every page anonymous and rely on a hidden navigation link
- D. Configure the identity provider for authentication, then use web roles and table permissions for authorization

Question 70 | Mock 2 item 30 | Single select

A production flow succeeded for most records but failed for one record while evaluating an expression. The maker needs the exact trigger payload and outputs from the failed action before changing the design.

What should the maker examine first?

- A. The failed run in flow run history, including the trigger inputs and failed action inputs/outputs
- B. The solution publisher display name
- C. The model-driven app sitemap
- D. The table's form order

Question 71 | Mock 2 item 31 | Single select

The existing business-unit structure is organized by geography. A new requirement says managers should access records owned by people who report to them, even when the reporting line does not exactly match the business-unit hierarchy. Existing security roles must still define the allowed table operations.

Which additional feature should the administrator evaluate?

- A. Duplicate detection
- B. Manager hierarchy security
- C. A Quick View form
- D. A global Choice for manager names

Question 72 | Mock 2 item 32 | Single select

Service managers need a shared list of overdue Cases with identical filtering and columns for every user. They also need a visual count by Priority that responds to the selected view.

Which configuration best meets the requirement?

- A. Use a Quick Create form with a Priority section
- B. Ask each manager to create a personal view and export it to Excel
- C. Create a system view and a chart for the Case table, and expose them in the app
- D. Store the counts in a canvas collection on app start

Question 73 | Mock 2 item 33 | Single select

A business-critical automated flow is currently owned only by one employee. The flow must continue to be maintainable when that employee leaves, while connector access remains governed appropriately.

Which action should an administrator take before the employee leaves?

- A. Share the flow as run-only with one user and remove all owners
- B. Change the Dataverse table to organization owned
- C. Export the run history to Excel and delete the flow
- D. Add suitable co-owners and verify the connections or connection references used by the flow

Question 74 | Mock 2 item 34 | Build-list style ordering

A managed application is installed in Production. A new release has passed testing and retains all existing components. The team follows a controlled solution release process.

Arrange the activities in the most appropriate order.

ID	Available step
A	Complete changes in the unmanaged solution in Development
B	Export the release as managed and import it into the downstream environment
C	Verify configuration mappings and perform regression tests
D	Run solution and app checks and validate dependencies

Position 1	Position 2	Position 3	Position 4
_____	_____	_____	_____

Case Study 2 - Fabrikam Community Grants

Read all exhibits before answering the next six questions. Unless a question states otherwise, use only the information in the exhibits and current documented Power Platform behavior.

Exhibit	Details
Background	Fabrikam Foundation awards grants to community organizations. External applicants use Power Pages. Internal reviewers use a model-driven app. Dataverse stores Applications, Application Contacts, Review Assignments, Reviews, and Funding Decisions. The solution moves from Development to User Acceptance Testing and Production. Makers customize only in Development. Production contains the managed release.
Current environment	Each Application has one primary Contact and can contain many Review rows. Review Assignments are owned by regional review teams. A Review contains a secured Proposed Score column. Applicants upload supporting documents. The foundation wants those files stored in SharePoint while users work with them from the portal and model-driven app. A scheduled flow sends reminders for open Review Assignments. Another flow updates an Application after all required Reviews are completed.
Requirements	An authenticated applicant may create an Application, resume it across multiple steps, and read or update only Applications related to the signed-in Contact. Reviewers may read assigned Applications and update their own Review rows. Only panel chairs may read or update Proposed Score. The Application must display the total amount requested across its related Budget Line rows. A short processing delay is acceptable. During deployment, the SharePoint site URL and all connector connections must be supplied without editing flows in Production.

Case-study technique. A later requirement can override a tempting default. Recheck ownership, scope, timing, and deployment constraints for every question.

Question 75 | Mock 2 item 35 | Single select

Refer to Case Study 2. Review Assignments must be owned by regional groups. Membership changes are already maintained in Microsoft Entra ID, and the group needs Dataverse security roles.

Which team type should be used for each regional review group?

- A. Microsoft Entra ID group team configured as an owner team
- B. Access team
- C. Power Pages web role
- D. Manually shared list of individual users

Question 76 | Mock 2 item 36 | Single select

Refer to Case Study 2. Applicants must enter organization details, a project narrative, and budget information on separate pages, save progress, and return later to continue the same Application.

Which site component should be configured?

- A. A one-time anonymous survey with Organization table permission
- B. A multi-step form connected to the Application process and related data
- C. A Quick View form
- D. A model-driven chart

Question 77 | Mock 2 item 37 | Multiple select - choose 2

Refer to Case Study 2. Reviewers need a daily reminder for overdue open assignments. Separately, an Application should be evaluated immediately whenever a Review becomes Completed.

Which two flow designs should be implemented?

- A. An automated Dataverse-triggered flow filtered to relevant Review completion changes
- B. One instant flow that an administrator manually runs for both requirements
- C. A Business Rule on Review that sends the external reminders
- D. A business process flow that loops through every overdue assignment
- E. A scheduled cloud flow that queries overdue open Review Assignments each day

Question 78 | Mock 2 item 38 | Single select

Refer to Case Study 2. Documents must stay in SharePoint, while the site URL and connector connections differ among Development, UAT, and Production.

Which deployment design should the consultant recommend?

- A. Create a business unit for each SharePoint site
- B. Create one personal SharePoint connection and export its credentials in the solution
- C. Configure SharePoint document management, store the site URL in an environment variable, and use connection references for solution-aware flows
- D. Store every document as a Dataverse text column and hard-code the Production URL

Question 79 | Mock 2 item 39 | Yes/No solution evaluation

Refer to Case Study 2. Reviewer Ravi owns Review R-5 and has User-level Read and Write on Review. Proposed Score is secured. Ravi is not in the panel-chair column security profile. Evaluate each statement independently.

For each statement, select Yes if it is true; otherwise select No.

Statement	Yes	No
1. Ravi can read the nonsecured columns of R-5.	☐	☐

Statement	Yes	No
2. Ownership alone lets Ravi read Proposed Score.	☐	☐
3. Adding Ravi to an access team for R-5 would, by itself, grant access to Proposed Score.	☐	☐

Question 80 | Mock 2 item 40 | Single select

Refer to Case Study 2. A signed-in applicant must read and update only Applications whose Primary Contact is that portal user's Contact. Internal reviewers use the separate model-driven app.

Which Power Pages table-permission scope most directly enforces the applicant row boundary?

- A. Parent scope through the Application owner
- B. Global scope for the Authenticated Users web role
- C. Anonymous access with a filtered list
- D. Contact scope through the Application-to-Contact relationship

End of Mock Exam 2. Keep your response sheet. The answers remain sealed until all three mock exams are complete.

MOCK EXAM 3**Questions 81-120**

34 independent scenarios + one six-question case study
11 Dataverse | 11 Power Apps | 11 Automation | 7 Environments

Answers for this mock are intentionally withheld until the combined answer section after Question 120.

Response sheet

Record one answer per item. For multiple-select items, record both letters. Use Y/N, mappings, or ordered letters for interactive-format simulations.

Items 1-10	Items 11-20	Items 21-30	Items 31-40
Q81: _____	Q91: _____	Q101: _____	Q111: _____
Q82: _____	Q92: _____	Q102: _____	Q112: _____
Q83: _____	Q93: _____	Q103: _____	Q113: _____
Q84: _____	Q94: _____	Q104: _____	Q114: _____
Q85: _____	Q95: _____	Q105: _____	Q115: _____
Q86: _____	Q96: _____	Q106: _____	Q116: _____
Q87: _____	Q97: _____	Q107: _____	Q117: _____
Q88: _____	Q98: _____	Q108: _____	Q118: _____
Q89: _____	Q99: _____	Q109: _____	Q119: _____
Q90: _____	Q100: _____	Q110: _____	Q120: _____

Question 81 | Mock 3 item 1 | Single select

A solution needs to show live shipment rows held in an external system. The data must not be copied into Dataverse, but makers should use it in model-driven views and forms where supported.

Which table type should the consultant evaluate first?

- A. Virtual table
- B. Custom Activity table
- C. Global Choice
- D. Organization-owned custom table populated nightly

Question 82 | Mock 3 item 2 | Single select

A canvas app has Browse, Details, and Edit screens. Selecting a gallery row must open Details and make that selected record available to controls on the destination screen without creating a global variable.

Which formula pattern should the maker use?

- A. Search(scrDetails, ThisItem)
- B. Navigate(scrDetails, ScreenTransition.None, {ctxRecord: ThisItem})
- C. Collect(scrDetails, ThisItem)
- D. SubmitForm(scrDetails)

Question 83 | Mock 3 item 3 | Single select

A Dataverse-triggered flow should run only when a Case changes to Escalated and Escalation Owner contains a value. Other Case changes must not create flow runs.

Which design best meets the requirement?

- A. Use a recurrence trigger to scan all Cases once per hour
- B. Trigger on every Case update and place two Conditions after the trigger
- C. Use filtering columns for the relevant updates and a trigger condition that evaluates both new values
- D. Add a Do until that waits for Escalation Owner

Question 84 | Mock 3 item 4 | Single select

An independent software vendor ships a managed solution. Customers may change a component's display label but must not delete the component from the managed installation.

Which solution capability should the publisher review?

- A. A canvas app context variable
- B. A personal view owned by the publisher
- C. A Power Pages web role
- D. Managed properties for the component

Question 85 | Mock 3 item 5 | Single select

A Case must reference one Service Center row. Administrators add and retire Service Centers frequently, and each center has an address, manager, and operating hours.

Which column should be added to Case?

- A. Lookup to the Service Center table
- B. Multiselect Choice
- C. Local Choice containing Service Center names
- D. Autonumber

Question 86 | Mock 3 item 6 | Multiple select - choose 2

A canvas app must show many Work Orders in a scrollable list. Selecting a row should display all details, and users need a separate mode for editing the selected row with data-card validation.

Which two controls best satisfy the core requirement?

- A. Power BI tile as the editable form
- B. Gallery for the Work Order list
- C. Pen input for required field validation
- D. Timer as the primary row list
- E. Form control switched between View and Edit modes

Question 87 | Mock 3 item 7 | Single select

A flow has three critical actions that must all succeed. If any fails or times out, diagnostic data must be logged and the requester notified. The maker wants one maintainable error branch rather than duplicating checks after every action.

Which pattern should the maker use?

- A. Use one parallel branch that always reports success
- B. Place the critical actions in a Try scope and configure a Catch scope with run-after for failure and timeout
- C. Add a fixed Delay after every action
- D. Turn off retries and ignore failed actions

Question 88 | Mock 3 item 8 | Single select

A solution-aware flow calls an API whose base URL differs in Test and Production, then writes through a SQL connector whose authorized connection also differs.

Which configuration is correct?

- A. Create a different unmanaged copy of the flow directly in each target
- B. Store both the URL and the SQL password in one text environment variable
- C. Store the base URL in an environment variable and map the SQL connector through a connection reference
- D. Use a business unit to select the SQL connection

Question 89 | Mock 3 item 9 | Single select

Every newly created Service Request needs a human-readable identifier such as SR-2026-000123. Users must not type the identifier, and gaps are acceptable.

Which Dataverse feature should be configured?

- A. Multiselect Choice
- B. Manual required text column
- C. Rollup column
- D. Autonumber column with the required format

Question 90 | Mock 3 item 10 | Drag-and-drop style matching

A maker must choose a Power Fx function for each independent canvas-app requirement.

Match each requirement to the most appropriate function. Each function may be used once.

Choice bank
A. Filter
B. LookUp

Choice bank
C. SortByColumns
D. Patch

#	Requirement	Your match
1	Return every open request that meets a predicate	_____
2	Return the first customer whose account number matches	_____
3	Order the result by Created On descending	_____
4	Update selected columns without submitting a form	_____

Question 91 | Mock 3 item 11 | Drag-and-drop style matching

A consultant must select the best feature for four distinct requirements.

Match each requirement to the automation. Each automation may be used once.

Choice bank
A. Business Rule
B. Business process flow
C. Automated cloud flow
D. Instant low-code plug-in

#	Requirement	Your match
1	Make a form column required when Category is Safety	_____
2	Guide users through Intake, Review, and Closure stages	_____
3	Create a SharePoint folder after a Dataverse row is added	_____
4	Return an on-demand server-side Power Fx calculation to a caller	_____

Question 92 | Mock 3 item 12 | Single select

Before a release, the team wants automated analysis of a model-driven app and solution components for design issues, unsupported patterns, and quality warnings.

Which action should the team take?

- A. Run the relevant app checker and solution checker, then review and remediate the findings
- B. Rely only on the solution version number
- C. Disable all cloud-flow run history
- D. Convert every table to organization owned

Question 93 | Mock 3 item 13 | Yes/No solution evaluation

A user has Read and Write on Account at User depth but has no Create, Append, or Append To privileges. Evaluate each statement independently.

For each statement, select Yes if the user can perform the action based only on the stated privileges; otherwise select No.

Statement	Yes	No
1. Read an Account row that the user owns.	☐	☐
2. Create a new Account row.	☐	☐
3. Relate the owned Account to a Contact when the relationship operation requires Append/Append To.	☐	☐

Question 94 | Mock 3 item 14 | Multiple select - choose 2

A Power Pages site must let authenticated partners search published Knowledge rows and view an embedded Power BI report. Unauthenticated visitors must not gain access to restricted Dataverse rows or report data.

Which two principles should guide the implementation?

- A. Give every Contact the Dataverse System Administrator role
- B. Configure Power BI embedding together with the required report access and authentication model
- C. Grant Global table permission to Anonymous Users so search can index all rows
- D. Assume hiding the report page from navigation secures the report
- E. Configure site search for the intended content and enforce table permissions for restricted Dataverse data

Question 95 | Mock 3 item 15 | Single select

A sales process begins on a Lead, qualifies into an Opportunity, and then guides users through proposal and closure steps. Users need one visible process that can move across the supported business tables.

Which feature should be configured?

- A. A rollup column on Opportunity
- B. A business process flow whose stages use the appropriate tables
- C. A scheduled desktop flow
- D. A Quick Create form for Lead only

Question 96 | Mock 3 item 16 | Single select

A legacy requirement can run after an Invoice is created and may complete in the background. The organization already uses classic Dataverse processes and needs to review execution jobs for failures.

Which existing process type meets the stated legacy requirement?

- A. Real-time workflow only
- B. Power Pages list
- C. Background classic workflow
- D. Business Rule

Question 97 | Mock 3 item 17 | Single select

A business analyst has 8,000 clean reference rows in Excel and must create them in a Dataverse custom table once. Column mappings need review before the operation, but no recurring transformation pipeline is required.

Which approach is the simplest fit?

- A. Create one cloud-flow run per cell
- B. Convert the target to a virtual table
- C. Create a scheduled dataflow that runs forever
- D. Use the Dataverse data import experience and map the source columns

Question 98 | Mock 3 item 18 | Single select

On an Account main form, users need an interactive canvas visualization that automatically receives the current Account as context and updates related data. The experience should remain inside the form.

Which component should the maker use?

- A. An embedded canvas app bound to the model-driven form context
- B. A Word template
- C. A personal view
- D. A duplicate detection rule

Question 99 | Mock 3 item 19 | Multiple select - choose 2

A flow retrieves invoice lines, calculates a running total, and appends each invalid line number to an error summary. The summary is sent after all lines are evaluated.

Which two design elements are appropriate?

- A. Initialize variables before the loop and update them during the loop
- B. Create one business process flow stage for every invoice line
- C. Use a Quick View form as the accumulator
- D. Apply to each over the array returned by List rows
- E. Use a trigger condition after the loop

Question 100 | Mock 3 item 20 | Single select

Account managers need a standardized proposal document populated from the current Account and supported related Dataverse data. The template must be available to all users of the model-driven app.

Which approach should the administrator use?

- A. Enable duplicate detection on Account
- B. Create and upload an organization Word template for the Account table
- C. Create a canvas collection named Proposal
- D. Ask every user to upload a personal Word template

Question 101 | Mock 3 item 21 | Single select

A test data load created 60,000 obsolete Log rows. The administrator must delete rows matching a query during off-hours and review completion status afterward.

Which Dataverse feature should be used?

- A. Delete the Log table
- B. Disable auditing on Log
- C. Create a bulk deletion job with the required query and schedule
- D. Remove the Log table from the app sitemap

Question 102 | Mock 3 item 22 | Single select

A Dataverse-backed gallery must return all active Contacts whose Last Name begins with the user's text and then sort the result by Last Name. The table is very large.

What should the maker do first?

- A. Use LookUp to return every matching Contact
- B. Increase the nondelegable row limit and ignore the warning
- C. Load the entire Contact table into a collection
- D. Construct a delegable Filter/search-prefix expression and delegable sort for the Dataverse connector

Question 103 | Mock 3 item 23 | Yes/No solution evaluation

A maker is deciding between Business Rules and cloud flows. Evaluate each proposed solution independently.

For each statement, select Yes if the proposed feature is appropriate; otherwise select No.

Statement	Yes	No
1. Use a Business Rule to make Follow-up Date required when Status is Pending on a model-driven form.	☐	☐
2. Use a cloud flow to create a Teams message after a Dataverse row changes.	☐	☐
3. Use a Business Rule to wait seven days and then request an external approval.	☐	☐

Question 104 | Mock 3 item 24 | Build-list style ordering

Version 2 of a managed solution intentionally removes an obsolete component that exists in version 1. The team wants the removal applied only after validating the new version in Production.

Arrange the high-level deployment activities in the most appropriate order.

ID	Available step
A	Validate the staged solution and target configuration
B	Confirm that intended obsolete components were removed and test the application
C	Import version 2 by using the stage-for-upgrade option
D	Apply the solution upgrade

Position 1	Position 2	Position 3	Position 4
_____	_____	_____	_____

Question 105 | Mock 3 item 25 | Single select

A Tax Rate table contains one authoritative set of rates for the whole organization. Individual users and teams must never own or share separate Tax Rate rows. Table-level privileges should control access.

Which ownership type should be selected when creating the table?

- A. Organization owned
- B. User or team owned
- C. Access-team owned
- D. Contact owned

Question 106 | Mock 3 item 26 | Single select

An administrator shares a model-driven app with the Warehouse User security role. Users assigned that role can see the app tile but receive an access error when opening Inventory rows.

What should the administrator verify next?

- A. Whether the app display name is unique
- B. The role's Dataverse table privileges and row-access depth for Inventory and related tables
- C. Whether Inventory has an autonumber column
- D. Whether the users created a personal view

Question 107 | Mock 3 item 27 | Single select

Whenever a Dataverse Order is updated, server-side Power Fx must normalize a code within the Dataverse transaction boundary. The logic does not call external services and is not invoked manually.

Which feature should the consultant evaluate?

- A. A personal chart
- B. A scheduled cloud flow
- C. An automated low-code plug-in on the relevant Order data event
- D. An instant low-code plug-in invoked from a button

Question 108 | Mock 3 item 28 | Multiple select - choose 2

A compliance team must review changes to Bank Account Number but must not expose that secured value to ordinary users. The administrator also needs an off-hours process to remove expired staging rows.

Which two configurations directly meet the requirements?

- A. Convert staging data into a global Choice
- B. Use an access team as the owner of every staging row
- C. Enable auditing at the required environment/table/column levels for Bank Account Number
- D. Add Bank Account Number to every system view
- E. Create a query-based bulk deletion job for expired staging rows

Question 109 | Mock 3 item 29 | Single select

External suppliers use a Power Pages site to work with Supplier rows. They must upload and manage supporting documents, but the files must remain in SharePoint and access must follow the site's authenticated experience.

Which feature should the maker configure?

- A. A Dataverse rollup column containing each file's binary content
- B. A global Choice with one option per document
- C. A personal model-driven view for every supplier
- D. Power Pages SharePoint document integration for the Dataverse-enabled record experience

Question 110 | Mock 3 item 30 | Single select

Eight solution-aware flows repeat the same customer validation. Changes must be made once, and the parent flows require a returned validation result before continuing.

Which design should the maker implement?

- A. Move the shared logic to a child flow in the same solution and return outputs to each parent
- B. Copy the validation actions into all eight flows
- C. Create a Business Unit named Validation
- D. Create eight personal instant flows outside solutions

Question 111 | Mock 3 item 31 | Single select

A company secures Customer Case rows by region. Membership for each region changes frequently, and a regional group must own rows and receive one common security role. The existing Business Unit hierarchy already represents the regional data boundary.

Which design is most appropriate?

- A. Create an access team and assign all regional rows to it
- B. Create an owner team in the relevant Business Unit, assign the role to the team, and assign regional rows to it
- C. Share every row individually with every regional user
- D. Create one Organization-owned Case table

Question 112 | Mock 3 item 32 | Single select

A Case main form must show related activities in chronological order, display child Tasks in a grid, and show read-only contact details from the selected Primary Contact.

Which set of components should the maker add?

- A. Three Quick Create forms
- B. One autonumber column and two charts
- C. Timeline for activities, subgrid for Tasks, and Quick View form for Primary Contact
- D. One business process flow with three stages

Question 113 | Mock 3 item 33 | Single select

A flow run shows that an action was Skipped even though the action itself has no invalid configuration. An earlier scope failed.

What should the maker inspect first?

- A. The model-driven form order
- B. The Dataverse table display name
- C. The user's Power Pages web role
- D. The action's Configure run after settings and the status of its dependency

Question 114 | Mock 3 item 34 | Build-list style ordering

An administrator is enabling server-based SharePoint document management for a Dataverse table used in a model-driven app.

Arrange the high-level activities in the most appropriate order.

ID	Available step
A	Test document locations and user access from the application
B	Enable document management for the selected Dataverse table
C	Enable and validate server-based SharePoint integration
D	Verify the SharePoint site and tenant prerequisites

Position 1	Position 2	Position 3	Position 4
_____	_____	_____	_____

Case Study 3 - Contoso Equipment Rental

Read all exhibits before answering the next six questions. Unless a question states otherwise, use only the information in the exhibits and current documented Power Platform behavior.

Exhibit	Details
Background	Contoso Equipment Rental operates metropolitan branches. Rental-desk employees use a model-driven app, and field technicians use a canvas mobile app. Dataverse stores Assets, Rentals, Customers, Inspections, and Branches. An external rental engine sends transactions by using Contract Number. The Power Platform solution is authored in Development, tested in Test, and imported as managed into Production.
Current environment	Rentals are user or team owned. Each branch has an owner team whose membership is synchronized from a Microsoft Entra ID group. Branch managers have Business Unit-level Read and Write; an area manager sits in the parent business unit. The Asset table contains more than 250,000 rows. The technician app currently loads Assets into a collection and then filters locally, causing missing results and slow startup. A Dataverse-triggered flow runs when a Rental is modified. When Status becomes Returned, the flow creates an Inspection and updates a Processed flag on the same Rental. Some Rentals create duplicate Inspections.
Requirements	Contract Number is immutable and unique. Incoming transactions must update the matching Rental without retaining the Dataverse GUID. Technicians must search all available Assets by Branch and a title prefix without incomplete results. The Return flow must run only for the relevant transition and must not reprocess its own update. The external API base URL and connector connections differ by environment and must not be hard-coded in Production. Area managers require read access to Rentals in child business units but must not receive Delete privilege.

Case-study technique. A later requirement can override a tempting default. Recheck ownership, scope, timing, and deployment constraints for every question.

Question 115 | Mock 3 item 35 | Single select

Refer to Case Study 3. The rental engine sends Contract Number but does not retain the Dataverse primary key. Each message must create a new Rental or update the matching Rental, and duplicate contract numbers must be rejected.

Which Dataverse configuration should the team implement?

- A. Create an alternate key on Contract Number and use an upsert operation
- B. Enable auditing and create a new row for every message
- C. Use a rollup column to count duplicate Rentals
- D. Use a multiselect Choice for Contract Number

Question 116 | Mock 3 item 36 | Single select

Refer to Case Study 3. The technician app must search all 250,000 Assets by Branch and title prefix. The current startup collection returns incomplete data.

Which redesign is most appropriate?

- A. Export Assets to Excel each morning and search the workbook
- B. Bind the gallery to a delegable Dataverse query and combine only connector-supported delegable predicates and sorting
- C. Increase the nondelegable row limit and keep ClearCollect for all Assets
- D. Use LookUp because it returns all matching Assets

Question 117 | Mock 3 item 37 | Multiple select - choose 2

Refer to Case Study 3. The Return flow updates Processed on the same Rental that triggered it, and duplicate Inspections are being created.

Which two changes most directly reduce reprocessing?

- A. Before creating an Inspection, check for an existing Inspection or use a unique business key/idempotency marker
- B. Filter the trigger to the relevant Status/Processed changes and add a trigger condition that requires Returned and not Processed
- C. Hide the Processed column from the form
- D. Add an unconditional Update Rental action at the start
- E. Run the flow every minute over all Rentals

Question 118 | Mock 3 item 38 | Single select

Refer to Case Study 3. The external API base URL and connector identities differ by environment. Production is a managed deployment and must not be edited directly.

Which design should be included in the solution?

- A. A separate unmanaged flow authored directly in Production
- B. A hard-coded Production URL and the developer's personal connection
- C. An environment variable for the API base URL and connection references for the flow connectors
- D. A Parent: Child Business Units privilege for the connector

Question 119 | Mock 3 item 39 | Yes/No solution evaluation

Refer to Case Study 3. Area manager Elena is in the parent Business Unit. Her role grants Read on Rental at Parent: Child Business Units depth, Write at User depth, and no Delete. She does not own Rental R-200, which is owned by a child Business Unit's branch owner team.

For each statement, select Yes if Elena can perform the action based on the stated access; otherwise select No.

Statement	Yes	No
1. Read R-200.	☐	☐
2. Edit R-200 solely because she can read it.	☐	☐
3. Delete R-200.	☐	☐

Question 120 | Mock 3 item 40 | Single select

Refer to Case Study 3. Rental-desk users need a Calculate deposit command on an active Rental. It must open a responsive dialog with several inputs, show related Asset data, and return a confirmed amount to the host app.

Which implementation best fits?

- A. A Quick View form with an autonumber column
- B. A Business Unit with a dashboard
- C. A personal view exported to Excel
- D. A modern command with conditional Power Fx visibility that opens a custom page dialog

End of Question 120. The answer section starts on the next page. Stop here if you have not completed your closed-book attempts.

PART II**Answers and Explanations**

Correct answers, deciding clues, complete reasoning, and option-by-option analysis

Mock Exam 1 - Detailed Answers

Detailed explanations for Questions 1-40. The objective label is shown here for targeted revision; it was intentionally hidden in the question section.

Question 1

Mock 1 item 1 | Configure Microsoft Dataverse | Configure security settings

Correct answer: A

Deciding clue. Separate the operation from its depth: determine Read first, then choose the smallest access level that covers the required owners.

Why this is the best answer. Dataverse evaluates each table privilege independently. Parent: Child Business Units Read gives the manager a hierarchy-based read path while leaving Write at None preserves read-only access.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. Privilege depth is configured separately for each operation, so broad Read does not require broad Write.

B - Not selected. This gives unnecessary write access and exceeds the required row scope.

C - Not selected. Per-record sharing is high maintenance and is unnecessary when the business-unit hierarchy matches the requirement.

D - Not selected. Changing ownership would flatten the required regional boundary and is not needed for read-only management access.

Official reference: [Security roles and privileges](#)

Question 2

Mock 1 item 2 | Create apps by using Microsoft Power Apps | Create model-driven apps - custom pages

Correct answer: B

Deciding clue. When the requirement says model-driven integration plus flexible canvas controls, prefer a custom page over a form or view.

Why this is the best answer. Use a custom page for a tightly integrated canvas-like page or dialog inside a model-driven app. It supports Power Fx and flexible controls without requiring a separate standalone app experience.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A view lists rows but does not provide a custom multi-input dialog or return a selection to the host.

B - Correct selection. A custom page provides canvas-style layout and Power Fx while remaining part of the model-driven app.

C - Not selected. A BPF guides process stages; it is not a general-purpose dialog surface.

D - Not selected. A Quick View form is read-only presentation of a related row and does not provide this interactive dialog experience.

Official reference: [Model-driven custom pages](#)

Question 3

Mock 1 item 3 | Create and manage logic and process automation | Create and manage cloud flows - triggers

Correct answer: C

Deciding clue. Distinguish a trigger filter from an in-flow Condition: only the former prevents unwanted runs.

Why this is the best answer. Filter as early as possible. Select columns narrows which update events qualify, while a trigger condition evaluates the new value before the flow creates a normal run.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Polling adds delay and unnecessary reads when an event trigger can filter at source.

B - Not selected. The flow still starts and consumes a run for every update before the condition is evaluated.

C - Correct selection. Select columns limits update events to the relevant column, and the trigger condition prevents noncritical changes from starting full runs.

D - Not selected. The trigger represents one changed row; a loop neither filters trigger events nor reduces runs.

Official reference: [Dataverse row-change trigger](#)

Question 4

Mock 1 item 4 | Manage environments | Participate in ALM - managed and unmanaged solutions

Correct answer: D

Deciding clue. In Microsoft ALM scenarios, ask where development occurs and which environments should accept customization.

Why this is the best answer. Treat the unmanaged solution in Development as the source. Export it as managed for controlled Test and Production deployment so downstream environments consume, rather than author, the application layer.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. The editable source should remain the unmanaged solution in Development.

B - Not selected. This encourages unmanaged customizations and makes downstream layer control harder.

C - Not selected. Production should not be the authoring source, and the Default Solution is not an ALM package.

D - Correct selection. Unmanaged solutions are the editable source; managed solutions are intended for downstream controlled deployment.

Official reference: [Solution concepts and ALM](#)

Question 5

Mock 1 item 5 | Configure Microsoft Dataverse | Manage the data model - relationships

Correct answer: A

Deciding clue. A plain N:N relationship is suitable only when the association itself has no additional data to manage.

Why this is the best answer. Use a junction table when a many-to-many association carries attributes. Each Assignment row can reference one Consultant and one Project and store the allocation-specific values.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. The association has its own business data, so an explicit junction table models each assignment row.

B - Not selected. Consultants are business rows, not stable option metadata, and allocation attributes cannot be modeled correctly.

C - Not selected. A native N:N association does not provide a normal assignment row for the additional attributes.

D - Not selected. One lookup permits only one consultant per project.

Official reference: [Create and edit table relationships](#)

Question 6

Mock 1 item 6 | Create apps by using Microsoft Power Apps | Describe canvas apps - delegation

Correct answer: B, E

Deciding clue. Never select a row-limit increase as the primary fix for a large-source delegation requirement.

Why this is the best answer. Delegation is a correctness issue, not just a warning. Use a predicate supported for delegation by the connector and test data outside the client retrieval boundary.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Increasing the client limit does not make the query delegable and can still omit distant matches.

B - Correct selection. Delegable predicates are evaluated by Dataverse across the full data set.

C - Not selected. Collections are local and do not provide a safe complete copy of a 300,000-row source.

D - Not selected. Counting does not convert a nondelegable predicate into a delegable query.

E - Correct selection. A clean authoring signal plus boundary testing checks result correctness on large data.

Official reference: [Delegation overview](#)

Question 7

Mock 1 item 7 | Create and manage logic and process automation | Create and manage cloud flows - error handling

Correct answer: B

Deciding clue. Look for idempotency before choosing retry as an error-handling answer.

Why this is the best answer. Use a Try/Catch pattern built from Scopes and Configure run after. Log the caught failure and deliberately terminate the run as Failed. Apply retries only where an operation is safe to repeat.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Concurrency changes execution overlap; it does not implement failure handling or protect against duplicates.

B - Correct selection. Scopes plus Configure run after create a controlled catch path without blindly replaying the non-idempotent invoice creation.

C - Not selected. The branch is not conditional on failure and would report an incorrect outcome.

D - Not selected. Retries can duplicate non-idempotent work and do not provide the required logging and final status.

Official reference: [Power Automate error handling](#)

Question 8

Mock 1 item 8 | Manage environments | Participate in ALM - environment variables and connection references

Correct answer: C

Deciding clue. Ask whether the changing item is a value or a connection; the two solution components solve different problems.

Why this is the best answer. Use environment variables for data that varies by environment and connection references for the actual connector connection bindings used by solution-aware components.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A connection reference does not store arbitrary URLs, and credentials should be represented by secure connections rather than plain environment-variable values.

B - Not selected. Canvas variables are runtime app state, not deployable ALM configuration for a cloud flow.

C - Correct selection. Environment variables carry configurable values; connection references abstract environment-specific connector connections.

D - Not selected. Hard coding defeats portable deployment and creates unmanaged downstream changes.

Official reference: [Environment variables](#)

Question 9

Mock 1 item 9 | Configure Microsoft Dataverse | Manage the data model - formula and rollup columns

Correct answer: D

Deciding clue. Same-row expression points to Formula; related-row aggregate points to Rollup.

Why this is the best answer. A rollup column is designed for aggregation across related rows. The acceptable recalculation delay is a clue that a rollup, rather than synchronous transaction logic, is appropriate.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A formula column evaluates values for its row and is not the parent aggregate requested.

B - Not selected. A Choice stores option values and cannot calculate a related-row sum.

C - Not selected. Autonumber generates identifiers, not financial aggregates.

D - Correct selection. Rollup columns aggregate related rows and support scheduled or on-demand recalculation.

Official reference: [Define rollup columns](#)

Question 10

Mock 1 item 10 | Create apps by using Microsoft Power Apps | Create model-driven apps - form types

Correct answer: 1. Main form; 2. Quick Create form; 3. Quick View form; 4. Card form

Deciding clue. A Quick View form is not a create form, and a Quick Create form is not the full editing experience.

Why this is the best answer. Form type is selected by the interaction: full record, fast create, related read-only summary, or compact card.

#	Requirement	Correct match	Why
1	Provide the full interface for viewing and editing a row.	Main form	Main forms are the primary detailed record experience.
2	Create a new row with a small optimized set of inputs.	Quick Create form	Quick Create is optimized for fast creation.
3	Show read-only columns from the row selected in a lookup.	Quick View form	Quick View displays related lookup-row data without navigating away.
4	Present compact row information in a view, including mobile scenarios.	Card form	Card forms provide compact presentation in views.

Official reference: [Model-driven app form types](#)

Question 11

Mock 1 item 11 | Create and manage logic and process automation | Create and manage cloud flows - flow types

Correct answer: 1. Automated cloud flow; 2. Instant cloud flow; 3. Scheduled cloud flow; 4. Business process flow

Deciding clue. Do not confuse a Business Process Flow with a background Cloud Flow merely because both contain the word flow.

Why this is the best answer. Trigger and user experience determine the flow type. Event, button, recurrence, and guided stages are different patterns.

#	Requirement	Correct match	Why
1	Start when a Dataverse case row is created.	Automated cloud flow	An event-driven trigger starts an automated flow.
2	Let a manager select a button to request a stock count.	Instant cloud flow	A user-initiated button is an instant flow pattern.
3	Run every weekday at 06:00 to identify overdue tasks.	Scheduled cloud flow	Recurrence is a scheduled flow trigger.
4	Guide users through Qualification, Review, and Closure stages.	Business process flow	A BPF provides a stage-based user experience rather than background integration.

Official reference: [Official PL-200 Study Guide - automation objectives](#)

Question 12

Mock 1 item 12 | Manage environments | Participate in ALM - checkers

Correct answer: A

Deciding clue. Select the checker whose scope matches the artifact: app, flow, or whole solution.

Why this is the best answer. Solution checker is the cross-component static-analysis choice for an unmanaged solution. App or flow checker may contribute component findings but does not replace the solution-wide check requested.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. Solution checker analyzes multiple supported component types across an unmanaged solution.

B - Not selected. Duplicate detection evaluates data rows, not solution quality.

C - Not selected. App checker focuses on an individual app and does not provide the requested cross-solution analysis.

D - Not selected. Search indexing is unrelated to static solution analysis.

Official reference: [Use solution checker](#)

Question 13

Mock 1 item 13 | Configure Microsoft Dataverse | Manage Dataverse - auditing and duplicate detection

Correct answer: 1. Yes; 2. No; 3. Yes

Deciding clue. Translate each goal into one verb: record history, detect similarity, enforce identity, or delete in bulk.

Why this is the best answer. Auditing, duplicate detection, alternate keys, and bulk deletion solve different governance problems. The scenario must be mapped to the correct mechanism rather than treating all data-management features as constraints.

#	Statement	Answer	Why
1	Enable auditing at the environment, table, and selected column levels to record changes to sensitive columns.	Yes	All relevant auditing layers must be enabled for those column changes to be captured.
2	Create and publish a duplicate detection rule to guarantee a database-level unique value for every API integration.	No	Duplicate detection warns or detects; an alternate key is the stronger design for uniqueness and integration identity.
3	Use a recurring bulk deletion job to remove completed system jobs older than the retention requirement.	Yes	Bulk deletion jobs are intended for query-based background cleanup and can recur.

Official reference: [Official PL-200 Study Guide - Dataverse objectives](#)

Question 14

Mock 1 item 14 | Create apps by using Microsoft Power Apps | Build Power Pages - security

Correct answer: A, E

Deciding clue. Hiding a page or component is presentation; table permission is enforcement.

Why this is the best answer. Power Pages data authorization follows the chain Contact -> Web Role -> Table Permission. Use the Contact relationship scope and only the required table privileges.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. Contact scope filters accessible rows through the relationship to the signed-in contact.

B - Not selected. Power Pages authorization uses web roles and table permissions; external contacts are not secured by granting broad internal admin roles.

C - Not selected. Navigation visibility is not data authorization and does not protect direct URLs or API access.

D - Not selected. Global scope would expose all service requests to members of that web role.

E - Correct selection. Web roles connect authenticated contacts to the table permission.

Official reference: [Power Pages web roles](#)

Question 15

Mock 1 item 15 | Create and manage logic and process automation | Create and manage business process flows

Correct answer: B

Deciding clue. No single feature must solve everything. Choose the minimum supported combination that covers UI guidance and automation.

Why this is the best answer. Combine features when requirements operate at different layers. A BPF is the guided process UI; a cloud flow is the cross-service automation engine.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Business rules apply data/form logic and cannot orchestrate this cross-service approval process.

B - Correct selection. The BPF guides users while the cloud flow performs cross-service automation.

C - Not selected. Commands are actions, not a managed multi-stage process with persisted stage state.

D - Not selected. A scheduled flow does not give agents the required interactive guided process.

Official reference: [Business process flows overview](#)

Question 16

Mock 1 item 16 | Create and manage logic and process automation | Create and manage cloud flows - approvals and sharing

Correct answer: C

Deciding clue. Separate execute permission from edit ownership.

Why this is the best answer. Run-only sharing is intended for users who execute an instant flow without maintaining it. Configure whether run-only users supply their own connection or use the flow owner's connection according to the connector and security requirement.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Sharing the caller alone does not guarantee that users have permission to run the flow and its connections.

B - Not selected. Copies create uncontrolled duplication and unnecessary maintenance.

C - Correct selection. Run-only users can execute without design access, and the connection choice can be supplied by an owner where supported.

D - Not selected. Co-owners can edit the flow, exceeding the requirement.

Official reference: [Create team flows](#)

Question 17

Mock 1 item 17 | Configure Microsoft Dataverse | Manage the data model - virtual tables

Correct answer: D

Deciding clue. The deciding phrase is no data copy; that rules out import and stored custom-table options.

Why this is the best answer. A virtual table is the first design to consider when data must remain in an external system but appear through Dataverse-based experiences. Confirm provider capabilities and limitations before implementation.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Elastic tables store data in Dataverse and do not by themselves virtualize an external OData source.

B - Not selected. This duplicates the data and introduces stale snapshots contrary to the requirement.

C - Not selected. Activity tables model interactions such as tasks and appointments, not external product virtualization.

D - Correct selection. Virtual tables surface external data in Dataverse experiences without storing a normal copy of each row in Dataverse.

Official reference: [Official PL-200 Study Guide - Dataverse objectives](#)

Question 18

Mock 1 item 18 | Create apps by using Microsoft Power Apps | Create model-driven apps - modern commanding

Correct answer: A

Deciding clue. Command visibility improves UX but never grants or replaces Write permission.

Why this is the best answer. Modern commanding is the direct fit for low-code command visibility and simple actions. Use Power Fx functions supported in commanding and keep data security enforced by Dataverse privileges.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. Modern commanding supports Power Fx for visibility and action logic on the command bar.

B - Not selected. A BPF is excessive and does not replace command visibility/action logic.

C - Not selected. A Quick View form displays related data and is not a command action.

D - Not selected. Form order selects forms; it does not evaluate row state for command visibility.

Official reference: [Modern command designer](#)

Question 19

Mock 1 item 19 | Create and manage logic and process automation | Create and manage cloud flows - child flows

Correct answer: C, E

Deciding clue. Reuse plus ALM is the signal for a child flow, not copied action groups.

Why this is the best answer. A child flow packages reusable automation. Keep it solution-aware, normally in the same solution as its parents, with portable connection references and defined inputs/outputs.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. That does not meet the normal solution-aware child-flow pattern or portability requirement.

B - Not selected. Copying preserves duplication and defeats single-point maintenance.

C - Correct selection. This supports dependency discovery and portable connection binding.

D - Not selected. A view filters Dataverse rows and cannot encapsulate cloud-flow logic.

E - Correct selection. Child flows are reusable callable automation and must be solution-aware.

Official reference: [Create child flows](#)

Question 20

Mock 1 item 20 | Manage environments | Manage interoperability - SharePoint integration

Correct answer: B

Deciding clue. Separate document generation, file columns, and SharePoint document management.

Why this is the best answer. Server-based SharePoint integration enables document management from Dataverse/model-driven apps while storing the files in SharePoint. Enable it and the relevant tables, sites, and document locations.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Word templates generate documents from data; they are not document storage integration.

B - Correct selection. This provides SharePoint document storage and Dataverse record association within model-driven experiences.

C - Not selected. This stores files in Dataverse and does not meet the SharePoint storage requirement.

D - Not selected. Duplicate detection does not configure document management or SharePoint storage.

Official reference: [Set up SharePoint integration](#)

Question 21

Mock 1 item 21 | Configure Microsoft Dataverse | Manage the data model - table ownership

Correct answer: C

Deciding clue. If rows need different owners later, Organization ownership is the wrong irreversible design choice.

Why this is the best answer. Choose Organization ownership for reference data that does not require per-row owners or sharing. Ownership is an architectural choice made when the table is created.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. This introduces row ownership mechanics that the requirement explicitly does not need.

B - Not selected. Access teams cannot own rows, and this is not a table ownership type.

C - Correct selection. Organization-owned tables use table-level privilege access rather than per-row owner depth.

D - Not selected. Business unit is an access-depth concept, not the selectable table ownership type described.

Official reference: [Official PL-200 Study Guide - Dataverse objectives](#)

Question 22

Mock 1 item 22 | Create apps by using Microsoft Power Apps | Describe canvas apps - variables and collections

Correct answer: D

Deciding clue. Identify both shape and scope: scalar versus table, and one screen versus the whole app.

Why this is the best answer. Use Set for a global scalar value shared by screens. Use UpdateContext for screen-local state and collections for in-memory tables.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. UpdateContext creates a screen-scoped context variable.

B - Not selected. Patch persists a row to a data source, contrary to the session-only requirement.

C - Not selected. Collect creates or appends to a table-shaped collection, which is unnecessary for one Boolean value.

D - Correct selection. Set creates a global variable available across screens for the app session.

Official reference: [Variables in canvas apps](#)

Question 23

Mock 1 item 23 | Create and manage logic and process automation | Implement low-code logic - business rules

Correct answer: 1. Yes; 2. No; 3. Yes

Deciding clue. Check scope and action: form behavior, table/server logic, or external automation.

Why this is the best answer. Business Rules are appropriate for supported declarative data and form logic. They are not a cross-service integration engine.

#	Statement	Answer	Why
1	On all model-driven forms, make Failure Reason required when Result equals Failed.	Yes	A form-scoped or all-forms business rule can set requirement level based on a condition.
2	After a row is created, upload its attachments to an external SFTP service.	No	Cross-service connector automation belongs in a cloud flow or another integration mechanism.
3	Apply the same Dataverse data validation to server-side row changes by using table scope, when the supported rule actions meet the requirement.	Yes	Table-scoped business rules can apply server-side to Dataverse changes for supported actions.

Official reference: [Create Business Rules](#)

Question 24

Mock 1 item 24 | Manage environments | Manage interoperability - Word templates

Correct answer: Download or create a Word template for Account and include the required relationship metadata. -> Use Word's Developer XML Mapping Pane to add fields and mark the contact table row as repeating. -> Upload the completed template as an organization template. -> Generate a document from an Account row by using the uploaded template.

Deciding clue. Schema first, mapping second, publish third, consume last.

Why this is the best answer. The Dataverse schema and relationships must be included before Word mapping. After mapping and formatting, upload the template, then users can generate populated documents from matching rows.

Correct sequence

1. Download or create a Word template for Account and include the required relationship metadata.
2. Use Word's Developer XML Mapping Pane to add fields and mark the contact table row as repeating.
3. Upload the completed template as an organization template.
4. Generate a document from an Account row by using the uploaded template.

Official reference: [Use Word templates](#)

Question 25

Mock 1 item 25 | Configure Microsoft Dataverse | Configure security settings - Append and Append To

Correct answer: A

Deciding clue. Translate the lookup action as attach this row to that row, then apply Append -> Append To in that direction.

Why this is the best answer. To relate rows, the row being attached needs Append and the target row needs Append To, in addition to the necessary Read/Write access.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. The Case is being attached through its lookup, while Contact is the row that accepts the association.

B - Not selected. Share grants access rights; it does not by itself provide both relationship privileges.

C - Not selected. Assign changes ownership and is not the privilege used to relate the rows.

D - Not selected. This reverses the privilege direction for the described association.

Official reference: [Security roles and privileges](#)

Question 26

Mock 1 item 26 | Create apps by using Microsoft Power Apps | Create model-driven apps - app sharing

Correct answer: B

Deciding clue. Opening the shell does not prove access to its data.

Why this is the best answer. Sharing a model-driven app makes the app available, but users also need Dataverse privileges for every table and feature they use. Configure both layers.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A view cannot return rows the user lacks permission to read.

B - Correct selection. App access and Dataverse data privileges are separate; the role needs table permissions for the custom data.

C - Not selected. Search inclusion does not grant Read access or app data privileges.

D - Not selected. Theme settings do not affect Dataverse authorization.

Official reference: [Share a model-driven app](#)

Question 27

Mock 1 item 27 | Create and manage logic and process automation | Implement low-code logic - low-code plug-ins

Correct answer: C

Deciding clue. The words on demand and parameters distinguish instant from automated plug-in behavior.

Why this is the best answer. Use instant low-code logic for reusable, parameterized, on-demand operations. Automated low-code plug-ins are selected when a Dataverse row event should trigger the logic.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A view cannot expose callable parameterized business logic.

B - Not selected. The requirement is explicit on-demand invocation, not a data-event trigger.

C - Correct selection. On-demand Power Fx logic with parameters can be called from apps and flows and runs in Dataverse.

D - Not selected. A BPF guides stages and is not a reusable callable calculation service.

Official reference: [Low-code plug-ins](#)

Question 28

Mock 1 item 28 | Configure Microsoft Dataverse | Manage Dataverse - search

Correct answer: C, E

Deciding clue. Check index participation and searchable columns before changing security or ownership.

Why this is the best answer. Dataverse search requires environment/table inclusion and appropriate Quick Find configuration. It still respects each user's Dataverse access, so searchable does not mean universally visible.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Duplicate rules do not configure search indexing.

B - Not selected. Ownership does not have to change; search respects existing Dataverse security.

C - Correct selection. Quick Find metadata controls searchable and displayed fields used by Dataverse search.

D - Not selected. Delete is unrelated to whether readable rows are indexed and searchable.

E - Correct selection. Search indexing must include the table and the table must participate in the app/search setup.

Official reference: [Configure Dataverse search](#)

Question 29

Mock 1 item 29 | Create apps by using Microsoft Power Apps | Create model-driven apps - Power BI integration

Correct answer: D

Deciding clue. An embedded surface does not merge the security models of the two services.

Why this is the best answer. Embed a Power BI report or visual in the model-driven experience when users need contextual analytics. App sharing and Power BI sharing remain separate prerequisites.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A rollup aggregates numeric data and cannot contain a Power BI report.

B - Not selected. Quick Create is used to create Dataverse rows, not host contextual analytics.

C - Not selected. Embedding does not bypass the separate Power BI authorization and licensing layer.

D - Correct selection. A report embedded on the main form can provide analytics in the context of the current row.

Official reference: [Model-driven app overview](#)

Question 30

Mock 1 item 30 | Create and manage logic and process automation | Create and manage classic Dataverse workflows

Correct answer: A

Deciding clue. Immediate transaction cancellation is the clue for synchronous logic.

Why this is the best answer. A real-time classic workflow is synchronous and can stop the operation. Background workflows are preferred for non-urgent work, but they cannot satisfy a requirement to block the save immediately.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. A synchronous real-time workflow can participate in the save transaction and cancel it with a message.

B - Not selected. This does not meet the immediate prevention requirement.

C - Not selected. Asynchronous processing cannot reliably prevent the original save.

D - Not selected. A stage guides users but does not itself enforce the synchronous transaction condition.

Official reference: [Classic real-time workflows](#)

Question 31

Mock 1 item 31 | Configure Microsoft Dataverse | Configure security settings - Microsoft Entra group teams

Correct answer: B

Deciding clue. Automatic directory membership plus ownership rules out an access team.

Why this is the best answer. Use a Microsoft Entra group team when identity-group membership should drive Dataverse team privileges. It can own rows and receive security roles.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A business unit is not a membership-synchronized team and cannot replace the group team requirement.

B - Correct selection. Group teams synchronize membership behavior from Entra, can have roles, and can own rows similarly to owner teams.

C - Not selected. Access teams cannot own rows or receive security roles, and membership is record collaboration rather than Entra group synchronization.

D - Not selected. It can own rows, but it does not satisfy automatic membership from the Entra group.

Official reference: [Manage Microsoft Entra group teams](#)

Question 32

Mock 1 item 32 | Create apps by using Microsoft Power Apps | Create model-driven apps - embedded canvas apps

Correct answer: C

Deciding clue. Choose by placement: inside a form versus a page/dialog in the app navigation stack.

Why this is the best answer. Use an embedded canvas app when a bounded canvas experience must live inside a model-driven form and receive the current record context. Prefer custom pages for broader integrated pages and dialogs.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A custom page is better for an app page or dialog; the requirement specifically calls for a contained form component.

B - Not selected. A chart does not provide the custom connector-driven interaction described.

C - Correct selection. An embedded canvas app can receive host-row context and provide rich connector-based interaction inside the form.

D - Not selected. Quick View is read-only related-row presentation and lacks the required multi-source interactive canvas experience.

Official reference: [Embed a canvas app in a model-driven form](#)

Question 33

Mock 1 item 33 | Create and manage logic and process automation | Create and manage cloud flows - Dataverse connector

Correct answer: D

Deciding clue. A timing change is not a loop-prevention condition.

Why this is the best answer. Design Dataverse triggers to distinguish the business event from updates made by the flow. Select columns, filter rows, trigger conditions, or a processed flag can provide an idempotent guard.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Delay changes timing but the update still satisfies the same trigger and loops.

B - Not selected. Concurrency can make duplicate overlap worse and does not remove the self-trigger condition.

C - Not selected. A loop does not change which Dataverse events start the flow.

D - Correct selection. Narrowing the trigger prevents the flow's own technical update from qualifying again.

Official reference: [Dataverse row-change trigger](#)

Question 34

Mock 1 item 34 | Manage environments | Participate in ALM - solution update and upgrade

Correct answer: Export version 2 as a managed solution from the source environment. -> Import version 2 by using Stage for Upgrade. -> Complete validation and required data migration while the staged upgrade is present. -> Apply the solution upgrade.

Deciding clue. Update retains omitted components; Upgrade is the path that removes them.

Why this is the best answer. Stage for Upgrade allows the old and new versions to coexist temporarily. Applying the upgrade later rolls the layers forward and removes components no longer included in the new version.

Correct sequence

1. Export version 2 as a managed solution from the source environment.
2. Import version 2 by using Stage for Upgrade.
3. Complete validation and required data migration while the staged upgrade is present.
4. Apply the solution upgrade.

Official reference: [Update or upgrade a solution](#)

Question 35

Mock 1 item 35 | Configure Microsoft Dataverse | Configure security settings - teams and ownership

Correct answer: A

Deciding clue. Do not choose an access team when the team itself must own records.

Why this is the best answer. A Microsoft Entra group team satisfies all three clues: directory-managed membership, role assignment, and row ownership.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. The group team can own rows, receive roles, and derive membership from the Entra group.

B - Not selected. Business units are organizational security boundaries, not per-record ownership groups.

C - Not selected. Access teams cannot own rows and are intended for record-specific collaboration.

D - Not selected. A queue can organize work but does not meet the ownership and synchronized membership requirement.

Official reference: [Manage Dataverse teams](#)

Question 36

Mock 1 item 36 | Create apps by using Microsoft Power Apps | Build Power Pages - table permissions

Correct answer: B

Deciding clue. Power Pages Contact scope is relationship-based; Dataverse User depth is a different security system.

Why this is the best answer. Use a Contact-scoped table permission and link it to the customer Web Role. The relationship from Work Order to Contact supplies the row filter.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Global would expose every Work Order granted by the permission.

B - Correct selection. Contact access filters rows through the configured relationship to the authenticated contact.

C - Not selected. Organization is a Dataverse privilege depth/ownership concept, not the Power Pages table-permission scope needed.

D - Not selected. Self applies to the contact's own Contact row, not arbitrary Work Orders linked through a contact lookup.

Official reference: [Power Pages table permissions](#)

Question 37

Mock 1 item 37 | Create and manage logic and process automation | Create and manage cloud flows - resilient processing

Correct answer: A, C

Deciding clue. Retry and catch are complementary: retry handles transient faults; catch handles faults that remain.

Why this is the best answer. Use retry for the transient, safe-to-repeat Teams call, then use explicit error scopes and run-after settings so a final failure is logged and the Dataverse business result is handled deliberately.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. Structured error handling prevents a notification failure from silently hiding or incorrectly skipping the business result.

B - Not selected. A local collection is not durable server-side workflow state.

C - Correct selection. A bounded exponential retry is appropriate for a transient throttling response on a repeat-safe notification action.

D - Not selected. Flow ownership does not resolve throttling or error-path design.

E - Not selected. Run history is needed for diagnosis and disabling visibility does not fix the failure.

Official reference: [Official PL-200 Study Guide - automation objectives](#)

Question 38

Mock 1 item 38 | Manage environments | Participate in ALM - portable configuration

Correct answer: C

Deciding clue. Values and connections are both environment-specific, but they require different solution components.

Why this is the best answer. Environment variables and connection references are the standard solution-aware mechanisms for portable configuration. Import can prompt for or bind target-environment values without editing managed components.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Per-user connections do not provide the controlled solution deployment binding requested.

B - Not selected. This hard-codes configuration and risks exposing secrets in app logic.

C - Correct selection. These solution components externalize environment-specific values and connections for deployment.

D - Not selected. That violates the managed-only production constraint and weakens ALM.

Official reference: [Environment variables](#)

Question 39

Mock 1 item 39 | Configure Microsoft Dataverse | Configure security settings - effective access

Correct answer: 1. Yes; 2. Yes; 3. No; 4. No

Deciding clue. Never infer one privilege from another; check each verb independently, then check column security.

Why this is the best answer. Effective access is evaluated per operation, row access path, and column protection. Ownership plus Read/Write does not imply Delete, Assign, Share, or access to a secured column.

#	Statement	Answer	Why
1	Read the Work Order that Hana owns.	Yes	User-level Read covers rows the user owns.
2	Edit the Work Order that Hana owns.	Yes	User-level Write covers the owned row.
3	Read Estimated Cost on that Work Order.	No	Row access does not bypass the column security profile.
4	Delete, assign, or share the Work Order.	No	None of those operation privileges is stated in Hana's effective roles.

Official reference: [Security roles and privileges](#)

Question 40

Mock 1 item 40 | Create apps by using Microsoft Power Apps | Create model-driven apps - commanding and custom pages

Correct answer: D

Deciding clue. UI logic chooses when to offer the action; Dataverse security decides whether the action is allowed.

Why this is the best answer. Use modern commanding for conditional command visibility and a custom page for the richer dialog. The underlying reassignment operation still requires the caller or automation to have appropriate privileges.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Business Rules do not grant security privileges or implement custom command dialogs.

B - Not selected. This does not meet the command visibility or input-dialog requirement.

C - Not selected. Quick View is read-only related data and form order does not create a command dialog.

D - Correct selection. Modern commanding handles row-aware visibility and the custom page supplies the interactive dialog.

Official reference: [Model-driven custom pages](#)

Mock Exam 2 - Detailed Answers

Detailed explanations for Questions 41-80. The objective label is shown here for targeted revision; it was intentionally hidden in the question section.

Question 41

Mock 2 item 1 | Configure Microsoft Dataverse | Manage the data model - formula and rollup columns

Correct answer: A

Deciding clue. The phrases related rows and delay acceptable point to Rollup; same-row calculation points to Formula.

Why this is the best answer. A rollup column is the built-in Dataverse choice for SUM, COUNT, MIN, MAX, or AVG-style aggregation over related rows when a possible refresh delay is acceptable.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. A rollup aggregates values across related rows and is calculated asynchronously or on demand.

B - Not selected. A formula column is intended for Power Fx calculations, not this related-row aggregation requirement.

C - Not selected. A Choice stores an option, not a numeric aggregate.

D - Not selected. Autonumber generates identifiers and does not aggregate child values.

Official reference: [Define rollup columns](#)

Question 42

Mock 2 item 2 | Create apps by using Microsoft Power Apps | Describe canvas apps - forms and Patch

Correct answer: B

Deciding clue. Choose based on who owns the save transaction: the form points to SubmitForm; custom multi-source or selective writes point to Patch.

Why this is the best answer. SubmitForm is the natural choice when the Edit form owns validation and the app relies on OnSuccess and OnFailure. Patch is better for custom writes not governed by one form's submit lifecycle.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Patch can write data, but this create expression bypasses the intended edit-form submission lifecycle and targets a new row.

B - Correct selection. SubmitForm uses the form's validation and success/failure lifecycle.

C - Not selected. Collect is not the appropriate form-submit operation and can create a new row.

D - Not selected. ResetForm discards pending edits rather than saving them.

Official reference: [Official PL-200 Study Guide - Power Apps objectives](#)

Question 43

Mock 2 item 3 | Create and manage logic and process automation | Create and manage cloud flows - control logic

Correct answer: C

Deciding clue. One value with several equality cases is a Switch clue; Boolean or compound comparisons are usually Condition clues.

Why this is the best answer. Switch communicates mutually exclusive routing from one value more clearly than a long nest of Conditions. Its default branch can terminate, log, or handle unexpected input.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. There is one route value, not an array requiring iteration.

B - Not selected. All branches could run and would not enforce mutually exclusive routing.

C - Correct selection. Switch is concise when one expression is compared with several discrete values.

D - Not selected. The requirement is branching, not repetition until a condition changes.

Official reference: [Official PL-200 Study Guide - automation objectives](#)

Question 44

Mock 2 item 4 | Manage environments | Participate in ALM - dependencies

Correct answer: D

Deciding clue. When a component cannot be removed, investigate required-by dependencies before trying packaging workarounds.

Why this is the best answer. Dependencies determine the order in which components can be changed or removed. Update the app/flow references or retain the component, then validate and export.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. The Default Solution does not remove dependency relationships.

B - Not selected. Versioning does not resolve a component dependency.

C - Not selected. Production is downstream and deletion does not resolve the source solution's dependencies.

D - Correct selection. A required component cannot safely be removed while solution components reference it.

Official reference: [Solution concepts and ALM](#)

Question 45

Mock 2 item 5 | Configure Microsoft Dataverse | Manage the data model - alternate keys

Correct answer: A

Deciding clue. Look for immutable external identifier plus uniqueness or upsert: that is an alternate-key pattern.

Why this is the best answer. Alternate keys expose a stable business identifier in addition to the Dataverse primary key. They are commonly used by integrations that cannot retain Dataverse GUIDs.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. An alternate key enforces uniqueness and lets integrations identify a row by a business key.

B - Not selected. Applicant numbers are row data, not stable option metadata.

C - Not selected. Auditing records changes but does not provide uniqueness or upsert identity.

D - Not selected. Create does not identify or update an existing row and the text column alone does not enforce uniqueness.

Official reference: [Official PL-200 Study Guide - Dataverse objectives](#)

Question 46

Mock 2 item 6 | Create apps by using Microsoft Power Apps | Build Power Pages - forms, web roles, and table permissions

Correct answer: C, D

Deciding clue. Treat Power Pages access as table permission plus web role. Authentication alone is not authorization.

Why this is the best answer. Power Pages security requires both the row rule and its audience. The table permission defines operations and scope; the web role assigns that permission to site users.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Power Pages row access is configured through table permissions and web roles, not a manual row-sharing process.

B - Not selected. Model-driven navigation does not secure or expose Power Pages data.

C - Correct selection. Contact scope limits rows through the configured relationship to the signed-in Contact.

D - Correct selection. Web roles grant the configured site permissions to the correct authenticated users.

E - Not selected. That would expose profile rows to unauthenticated visitors and is the opposite of the requirement.

Official reference: [Power Pages table permissions](#)

Question 47

Mock 2 item 7 | Create and manage logic and process automation | Create and manage cloud flows - approvals

Correct answer: B

Deciding clue. If the next step needs the answer, use a wait-capable approval pattern rather than merely creating an approval.

Why this is the best answer. Start and wait for an approval is appropriate when subsequent actions depend on the approval result in the same flow run. The returned output can drive a Condition and persist comments.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Create an approval does not wait, so the response is not yet available.

B - Correct selection. This action pauses the flow until the approval completes and exposes response data.

C - Not selected. A fixed delay neither guarantees a response nor provides approval comments.

D - Not selected. A posted card is not automatically the approval record or response lifecycle required here.

Official reference: [Official PL-200 Study Guide - automation objectives](#)

Question 48

Mock 2 item 8 | Manage environments | Participate in ALM - solution layers

Correct answer: C

Deciding clue. Unexpected Production behavior after a managed update is often a solution-layer clue.

Why this is the best answer. The effective customization is determined by solution layering. Unmanaged active customizations can mask managed changes until they are removed, after which the underlying managed value becomes effective.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. The layer conflict does not inherently invalidate the form.

B - Not selected. The effective property comes from the top applicable layer rather than concatenating labels.

C - Correct selection. An active unmanaged customization can override the managed component layer.

D - Not selected. A managed update does not automatically remove an active unmanaged customization.

Official reference: [Solution layers](#)

Question 49

Mock 2 item 9 | Configure Microsoft Dataverse | Manage the data model - cascading behavior

Correct answer: D

Deciding clue. Do not equate preserve children with Remove Link: the requirement to block deletion specifically points to Restrict.

Why this is the best answer. Configure relationship cascading per operation. Restrict is the safe choice when child rows must remain and the parent deletion must be stopped until they are handled.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Remove Link would clear the relationship and allow the parent deletion instead of blocking it.

B - Not selected. This still permits cascading deletion for qualifying child rows and does not meet the block requirement.

C - Not selected. Cascade All would delete the related Inspection rows.

D - Correct selection. Restrict prevents deletion of the parent while related child rows exist.

Official reference: [Relationship cascading behavior](#)

Question 50

Mock 2 item 10 | Create apps by using Microsoft Power Apps | Create model-driven apps - pages and forms

Correct answer: 1. Main form; 2. Quick Create form; 3. Quick View form; 4. Custom page

Deciding clue. Form names are strong clues, but verify whether the requirement is create, edit, display, or custom interaction.

Why this is the best answer. Choose the surface based on record operation and interaction depth: full edit, compact create, related read-only display, or flexible custom interaction.

#	Requirement	Correct match	Why
1	Edit the complete current row with tabs, timeline, and subgrids	Main form	The main form is the full record experience.
2	Create a minimal row from a lookup without leaving the current task	Quick Create form	Quick Create provides a compact creation experience.
3	Display selected read-only columns from a related row	Quick View form	Quick View presents related data without editing it.
4	Build an interactive Power Fx dialog with a gallery and custom layout	Custom page	A custom page provides flexible canvas-style controls inside the model-driven app.

Official reference: [Model-driven app form types](#)

Question 51

Mock 2 item 11 | Create and manage logic and process automation | Create and manage cloud flows - expressions and controls

Correct answer: 1. Dynamic content; 2. Expression; 3. Apply to each; 4. Variable

Deciding clue. Identify whether the requirement is reference, transform, iterate, or store before choosing the feature.

Why this is the best answer. Power Automate questions often test the shape of data: a prior output is dynamic content, transformation is an expression, an array needs a loop, and mutable run state needs a variable.

#	Requirement	Correct match	Why
1	Insert the trigger row's Name output into an email	Dynamic content	Dynamic content exposes outputs from earlier triggers and actions.
2	Calculate the number of days between two values	Expression	Expressions transform or calculate values.
3	Run the same action once for every row returned by List rows	Apply to each	List rows returns an array requiring iteration.
4	Maintain a running total during the current flow run	Variable	A variable holds mutable state during the run.

Official reference: [Official PL-200 Study Guide - automation objectives](#)

Question 52

Mock 2 item 12 | Manage environments | Manage environments - environment strategy

Correct answer: A

Deciding clue. Do not confuse Business Units, which segment Dataverse access inside an environment, with environments, which separate apps, data, connections, and ALM stages.

Why this is the best answer. Environment strategy separates authoring from live operation. A dedicated Development environment with Dataverse is the appropriate source for solution-based deployment.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. An isolated development environment supports solution authoring without changing Production.

B - Not selected. A view is not an isolated build environment.

C - Not selected. A business unit is a Dataverse security boundary, not an ALM environment boundary.

D - Not selected. Building in Production increases operational risk and bypasses the stated release process.

Official reference: [Environments overview](#)

Question 53

Mock 2 item 13 | Configure Microsoft Dataverse | Configure security settings - teams and sharing

Correct answer: 1. Yes; 2. Yes; 3. No

Deciding clue. Separate ownership from access. Owner teams can own rows and hold roles; access teams collaborate on individual rows.

Why this is the best answer. Record sharing and access teams extend access to a specific row; access teams do not own rows. A user's security role still supplies the base table privileges required for the operation.

#	Statement	Answer	Why
1	Share W-10 with Mia and grant Read and Write in the share.	Yes	Sharing can grant row-specific rights, subject to Mia's underlying table privileges.
2	Add Mia to an access team template for W-10 that grants Read and Write.	Yes	An access team can provide row-specific access without owning the row.
3	Assign W-10 to an access team containing Mia.	No	Access teams cannot own rows, so the row cannot be assigned to one.

Official reference: [Security roles and privileges](#)

Question 54

Mock 2 item 14 | Create apps by using Microsoft Power Apps | Create model-driven apps - modern commanding

Correct answer: B, D

Deciding clue. A visibility formula improves UX but never replaces the Write privilege needed for the update.

Why this is the best answer. Modern commanding combines a command action with Power Fx-driven visibility. Dataverse security remains authoritative even when the UI hides or shows the command.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A tile does not implement a row command.

B - Correct selection. Modern commanding is solution-aware and supports Power Fx actions and visibility.

C - Not selected. The requirement is command visibility and update logic, not deletion privilege.

D - Correct selection. The formula can conditionally expose the command for Draft selections.

E - Not selected. A Quick View form displays related data and does not define command behavior.

Official reference: [Modern command designer](#)

Question 55

Mock 2 item 15 | Create and manage logic and process automation | Create and manage business process flows

Correct answer: B

Deciding clue. Visible stages and required process steps point to BPF; unattended cross-service actions point to cloud flow.

Why this is the best answer. A business process flow guides people through stages and steps. Use cloud flows or other automation separately if stage changes must launch background work.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A scheduled flow runs on a timetable and does not provide the stage UI.

B - Correct selection. A BPF gives users a guided, stage-based experience across the business process.

C - Not selected. A Business Rule can validate or set values but does not provide the multi-stage process bar.

D - Not selected. A collection is in-memory app data and does not define an organization-wide process.

Official reference: [Business process flows overview](#)

Question 56

Mock 2 item 16 | Create and manage logic and process automation | Create and manage classic Dataverse workflows

Correct answer: C

Deciding clue. Troubleshoot the automation engine that actually ran; do not start with an unrelated client surface.

Why this is the best answer. For classic workflows, confirm whether the process is activated and examine its execution information. A synchronous workflow can stop the transaction and present its configured message.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Web roles do not explain a classic workflow cancellation.

B - Not selected. The prefix identifies components but does not provide execution failure details.

C - Correct selection. Workflow execution information and configuration are the relevant starting points for classic workflow troubleshooting.

D - Not selected. The validation runs in a classic Dataverse workflow and may affect clients other than that canvas app.

Official reference: [Classic real-time workflows](#)

Question 57

Mock 2 item 17 | Configure Microsoft Dataverse | Manage the data model - activity tables

Correct answer: D

Deciding clue. Timeline placement plus activity parties and open/completed lifecycle is a strong custom Activity-table clue.

Why this is the best answer. Use an Activity table when the row is a time-bound interaction that should behave like Dataverse activities and appear with other activities in the Timeline.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A regular table does not automatically gain the activity model and activity-party behavior.

B - Not selected. The requirement is native activity behavior, not live external data.

C - Not selected. A Choice cannot represent individual owned interactions with activity parties and status.

D - Correct selection. Activity tables participate in activity behavior and timeline scenarios.

Official reference: [Official PL-200 Study Guide - Dataverse objectives](#)

Question 58

Mock 2 item 18 | Create apps by using Microsoft Power Apps | Create model-driven apps - multiple forms and form order

Correct answer: A

Deciding clue. Security roles answer which forms are available; form order answers which eligible form has precedence.

Why this is the best answer. Assign main forms to security roles, then configure form order. A user with access to several forms receives the first applicable form, subject to their prior form selection and platform behavior.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. Role assignment filters available forms and form order determines precedence among them.

B - Not selected. Display-name sorting is not the form precedence mechanism.

C - Not selected. Business unit membership does not by itself define main-form order.

D - Not selected. View/navigation order is separate from main-form precedence.

Official reference: [Model-driven app form types](#)

Question 59

Mock 2 item 19 | Create and manage logic and process automation | Create and manage cloud flows - solution-aware flows

Correct answer: B, D

Deciding clue. Connection reference selects a connection; environment variable stores environment-specific configuration such as a URL or identifier.

Why this is the best answer. Solution-aware flows, connection references, and environment variables provide the deployment boundary. Child flows also belong in a solution and use supported invocation patterns.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A personal hard-coded connection is not a portable deployment design.

B - Correct selection. Solution-aware flows can be packaged with their dependencies for ALM.

C - Not selected. Environment variables are configuration values, not a credential store for connector passwords.

D - Correct selection. Connection references allow deployment-time mapping to target-environment connections.

E - Not selected. Manual recreation breaks controlled ALM and dependency tracking.

Official reference: [Benefits of solution-aware flows](#)

Question 60

Mock 2 item 20 | Manage environments | Manage interoperability - email and server-side synchronization

Correct answer: B

Deciding clue. Pending email plus Exchange integration is a mailbox/server-side-sync clue, not an app-form or security-depth problem.

Why this is the best answer. Server-side synchronization uses email server profiles and mailbox configuration. Approval requirements, credentials, delivery methods, alerts, and Test & Enable results are the correct troubleshooting area.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A rollup does not process outgoing email.

B - Correct selection. Server-side synchronization depends on valid mailbox configuration and successful testing/enabling.

C - Not selected. Search configuration does not send pending messages.

D - Not selected. Delete privilege does not configure synchronization.

Official reference: [Server-side synchronization](#)

Question 61

Mock 2 item 21 | Configure Microsoft Dataverse | Configure security settings - column-level security

Correct answer: C

Deciding clue. Form and view visibility are UX; column security profile is enforcement.

Why this is the best answer. First establish row access through roles, ownership, teams, or sharing. Then apply column security for sensitive fields. Both checks must allow access before the value is available.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Ownership type changes row access semantics, not column-level protection.

B - Not selected. Hiding a column in one view is not data security; the value could be available elsewhere.

C - Correct selection. Column security applies independently of row ownership and can restrict read/update of the protected column.

D - Not selected. Append controls relationships and does not protect one column.

Official reference: [Security roles and privileges](#)

Question 62

Mock 2 item 22 | Create apps by using Microsoft Power Apps | Describe canvas apps - variables and collections

Correct answer: D

Deciding clue. The scope and shape of state decide the construct: global scalar means Set.

Why this is the best answer. Use Set for a scalar value needed app-wide, UpdateContext for screen-local state, and collections for table-shaped in-memory data.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. SubmitForm expects a form control and writes its record.

B - Not selected. Collect creates or adds to a collection, which is unnecessary for one scalar value.

C - Not selected. A context variable is scoped to a screen unless explicitly passed during navigation.

D - Correct selection. Set creates or updates a global variable available across screens.

Official reference: [Variables in canvas apps](#)

Question 63

Mock 2 item 23 | Create and manage logic and process automation | Create and manage cloud flows - branches, loops, and conditions

Correct answer: 1. Yes; 2. Yes; 3. No

Deciding clue. Parallel means independent; it is not a way to accelerate steps that require one another's outputs.

Why this is the best answer. Choose controls from dependency and data shape. Arrays are iterated, Boolean decisions branch, and dependent actions stay sequential.

#	Statement	Answer	Why
1	Use Apply to each to update every row in the returned value array.	Yes	List rows returns a collection of rows and each row can be processed in a loop.
2	Use a Condition when two branches depend on whether one Boolean expression is true or false.	Yes	Condition is designed for true/false branching.
3	Use parallel branches when the second action must wait for and consume the first action's output.	No	A dependency requires sequential actions, not independent parallel execution.

Official reference: [Official PL-200 Study Guide - automation objectives](#)

Question 64

Mock 2 item 24 | Manage environments | Participate in ALM - importing a managed solution

Correct answer: Validate the target environment and required dependencies
-> Import the managed solution -> Provide target values and map connection references -> Publish or activate as required and perform smoke tests

Deciding clue. Configuration mapping belongs to deployment; functional smoke testing belongs after the target components are available.

Why this is the best answer. A controlled deployment verifies prerequisites, imports the package, resolves target-environment configuration, and then validates the released behavior.

Correct sequence

1. Validate the target environment and required dependencies
2. Import the managed solution
3. Provide target values and map connection references
4. Publish or activate as required and perform smoke tests

Official reference: [Solution concepts and ALM](#)

Question 65

Mock 2 item 25 | Configure Microsoft Dataverse | Manage Dataverse - duplicate detection

Correct answer: A

Deciding clue. Warning with possible override points to duplicate detection; guaranteed uniqueness points to alternate key.

Why this is the best answer. Duplicate detection is advisory and rule-based; alternate keys are database-enforced uniqueness. Select according to whether duplicates may be reviewed and accepted or must be blocked.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. Duplicate detection rules can identify potential duplicates and present them for review in supported operations.

B - Not selected. An alternate key enforces uniqueness and a duplicate write fails rather than providing a duplicate-review warning that can be overridden.

C - Not selected. Auditing records changes but does not detect duplicates.

D - Not selected. Share is a privilege and does not compare values.

Official reference: [Detect duplicate records](#)

Question 66

Mock 2 item 26 | Create apps by using Microsoft Power Apps | Describe canvas apps - error handling

Correct answer: B

Deciding clue. A successful-looking navigation after a failed write is an exam trap; branch on the operation result first.

Why this is the best answer. Use `IfError`, `Errors` where appropriate, `App.OnError`, and user-facing notification patterns so failures are visible and diagnostic information is retained without pretending the save succeeded.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Delegation settings do not handle a failed write.

B - Correct selection. `IfError` can detect formula errors and run fallback behavior such as `Notify` and collecting diagnostics.

C - Not selected. The user could leave the screen even when the write fails.

D - Not selected. Resetting first can discard the user's data and does not handle connector errors.

Official reference: [Canvas app error handling](#)

Question 67

Mock 2 item 27 | Create and manage logic and process automation | Implement low-code logic - low-code plug-ins

Correct answer: C

Deciding clue. Immediate server-side Power Fx with inputs/outputs points to an instant low-code plug-in.

Why this is the best answer. Low-code plug-ins place Power Fx logic close to Dataverse. An instant plug-in is suited to explicitly invoked request/response logic; automated plug-ins respond to data events.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A web role authorizes site users and does not execute calculation logic.

B - Not selected. A scheduled flow cannot provide an immediate request/response result.

C - Correct selection. An instant low-code plug-in can expose reusable Dataverse server-side logic invoked on demand with inputs and outputs.

D - Not selected. A rollout is asynchronous aggregation and is not a parameterized on-demand operation.

Official reference: [Low-code plug-ins](#)

Question 68

Mock 2 item 28 | Configure Microsoft Dataverse | Manage Dataverse - search and auditing

Correct answer: B, E

Deciding clue. A requirement containing both find and who changed requires two independent configurations, not one catch-all feature.

Why this is the best answer. Search and auditing are separate administrative features. Search determines discoverability; auditing records supported data and configuration changes for authorized review.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Sharing can affect row access but does not enable auditing or search indexing.

B - Correct selection. Search must index the table and configured columns.

C - Not selected. A rollout does not configure Dataverse search.

D - Not selected. Activity behavior is unrelated to search indexing and change history.

E - Correct selection. Auditing must be enabled at the appropriate levels to record changes.

Official reference: [Manage Dataverse auditing](#)

Question 69

Mock 2 item 29 | Create apps by using Microsoft Power Apps | Build Power Pages - authentication

Correct answer: D

Deciding clue. Authenticated does not mean authorized. Always look for a second layer defining page and data access.

Why this is the best answer. Power Pages authentication and authorization are distinct. Configure sign-in with an identity provider, protect pages as needed, and grant only the required table operations and scope through web roles.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. That would overexpose rows and ignores the need for row-scoped authorization.

B - Not selected. External site access should not be implemented with broad internal administrative roles.

C - Not selected. Hidden navigation is not security and anonymous users could reach an exposed URL.

D - Correct selection. Authentication establishes identity; site permissions determine which rows and operations are allowed.

Official reference: [Power Pages authentication](#)

Question 70

Mock 2 item 30 | Create and manage logic and process automation | Create and manage cloud flows - testing and troubleshooting

Correct answer: A

Deciding clue. Do not redesign from the final symptom; trace the run from trigger to the first unexpected action.

Why this is the best answer. Start with evidence from the specific run. Identify the first failed or skipped action, inspect its inputs and outputs, then reproduce with the same data and add guarded expressions or error handling.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. Run history provides the execution-specific data needed to diagnose the expression failure.

B - Not selected. Publisher metadata does not explain one run's data-dependent failure.

C - Not selected. Navigation configuration does not contain the flow execution payload.

D - Not selected. Form precedence is unrelated to cloud-flow action evaluation.

Official reference: [Power Automate error handling](#)

Question 71

Mock 2 item 31 | Configure Microsoft Dataverse | Configure security settings - hierarchy security

Correct answer: B

Deciding clue. Reporting line rather than organizational geography is the hierarchy-security clue.

Why this is the best answer. Hierarchy security is an additional row-access path and does not replace security roles. Evaluate its model, depth, and impact only when reporting-line access is required beyond normal ownership and business-unit scope.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Duplicate detection compares row values and does not extend manager access.

B - Correct selection. Manager hierarchy can extend row access by the configured management chain while roles still provide privileges.

C - Not selected. A form cannot grant cross-owner row access.

D - Not selected. Choice metadata does not represent or secure the reporting hierarchy.

Official reference: [Security roles and privileges](#)

Question 72

Mock 2 item 32 | Create apps by using Microsoft Power Apps | Create model-driven apps - views, charts, and dashboards

Correct answer: C

Deciding clue. Shared and deployable points to a system view; user-specific ad hoc analysis points to a personal view.

Why this is the best answer. System views are solution components intended for shared navigation and filtering. Model-driven charts visualize table data and can work with the current view context.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A form creates a row and does not provide the required shared list and aggregate chart.

B - Not selected. Personal views are user-owned and do not guarantee a common organization definition.

C - Correct selection. A system view provides shared query/columns and a chart visualizes its data in the model-driven experience.

D - Not selected. A local collection is per app session and is unnecessary for a standard shared model-driven analysis.

Official reference: [Model-driven app overview](#)

Question 73

Mock 2 item 33 | Create and manage logic and process automation | Create and manage cloud flows - ownership and sharing

Correct answer: D

Deciding clue. Flow ownership and connector identity are related but different; transferring only one can leave the flow unusable.

Why this is the best answer. Plan operational ownership and connections together. Add appropriate co-owners or service ownership patterns and verify target connections before removing the departing identity.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Run-only access is for invocation and does not supply design ownership of an automated flow.

B - Not selected. Table ownership type does not solve cloud-flow ownership or connector continuity.

C - Not selected. Run history is not an operational replacement for the automation.

D - Correct selection. Co-ownership avoids a single-maintainer dependency, but connections must also remain valid and authorized.

Official reference: [Create team flows](#)

Question 74

Mock 2 item 34 | Manage environments | Participate in ALM - releasing a solution update

Correct answer: Complete changes in the unmanaged solution in Development -> Run solution and app checks and validate dependencies -> Export the release as managed and import it into the downstream environment -> Verify configuration mappings and perform regression tests

Deciding clue. A version number is not a substitute for validation, dependency review, deployment, and post-import testing.

Why this is the best answer. The editable source remains Development. Quality and dependency checks precede export; the managed package is then imported and verified with target configuration.

Correct sequence

1. Complete changes in the unmanaged solution in Development
2. Run solution and app checks and validate dependencies
3. Export the release as managed and import it into the downstream environment
4. Verify configuration mappings and perform regression tests

Official reference: [Update or upgrade a solution](#)

Question 75

Mock 2 item 35 | Configure Microsoft Dataverse | Configure security settings - teams and ownership

Correct answer: A

Deciding clue. Directory synchronization is not enough by itself; the team must also be capable of row ownership for this scenario.

Why this is the best answer. Use an Entra group team when directory-managed membership should drive Dataverse team membership. Configure owner-team behavior when the group must own rows and hold security roles.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. A group team can synchronize membership and, as an owner team, own rows and receive roles.

B - Not selected. An access team cannot own Review Assignment rows or receive security roles.

C - Not selected. A web role controls site authorization and cannot own Dataverse rows.

D - Not selected. Manual sharing does not use existing directory membership and is difficult to maintain.

Official reference: [Manage Dataverse teams](#)

Question 76

Mock 2 item 36 | Create apps by using Microsoft Power Apps | Build Power Pages - multi-step forms

Correct answer: B

Deciding clue. Multiple pages plus resume and one business transaction is a multi-step-form pattern.

Why this is the best answer. Power Pages multi-step forms break a longer data-entry process into steps and can create or update Dataverse rows. Combine them with authentication, table permissions, and web roles.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. The application must be authenticated, resumable, and row-scoped.

B - Correct selection. A multi-step form supports a staged data-entry experience and session/resume behavior when configured appropriately.

C - Not selected. A Quick View form is a model-driven read-only related-data component.

D - Not selected. A chart visualizes data and does not collect a resumable application.

Official reference: [Power Pages multi-step forms](#)

Question 77

Mock 2 item 37 | Create and manage logic and process automation | Create and manage cloud flows - scheduled and event automation

Correct answer: A, E

Deciding clue. Do not force requirements with different timing semantics into one inappropriate flow type.

Why this is the best answer. Use the trigger that matches each requirement: recurrence for periodic scanning and a filtered Dataverse event for immediate row-change processing.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. An event trigger handles completion promptly and filtering limits unnecessary runs.

B - Not selected. Manual invocation does not satisfy daily unattended reminders or immediate event response.

C - Not selected. Business Rules do not perform this cross-service scheduled email process.

D - Not selected. A BPF guides users through stages and is not a batch-loop automation engine.

E - Correct selection. A recurrence trigger fits a daily batch reminder.

Official reference: [Official PL-200 Study Guide - automation objectives](#)

Question 78

Mock 2 item 38 | Manage environments | Manage interoperability and ALM - SharePoint and portable configuration

Correct answer: C

Deciding clue. Separate content location, configuration value, and connector identity; they are three different concerns.

Why this is the best answer. SharePoint integration addresses document storage and surfacing. Environment variables carry values such as URLs, while connection references map solution components to valid connections in each target.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Business Units segment Dataverse security; they do not map connector connections or URLs.

B - Not selected. Credentials are not transported as solution configuration and a personal dependency is unsuitable.

C - Correct selection. This keeps documents in SharePoint and separates deployable logic from target configuration and connections.

D - Not selected. This ignores the storage requirement and makes deployment configuration brittle.

Official reference: [Environment variables](#)

Question 79

Mock 2 item 39 | Configure Microsoft Dataverse | Configure security settings - effective row and column access

Correct answer: 1. Yes; 2. No; 3. No

Deciding clue. Owning or sharing a row never automatically defeats column-level security.

Why this is the best answer. Effective access is cumulative but layered: table privilege plus a row-access path is required, and secured-column rights are an additional check for protected values.

#	Statement	Answer	Why
1	Ravi can read the nonsecured columns of R-5.	Yes	Ownership plus User-level Read gives row access to the owned Review.
2	Ownership alone lets Ravi read Proposed Score.	No	Column security is evaluated separately from row ownership.
3	Adding Ravi to an access team for R-5 would, by itself, grant access to Proposed Score.	No	Row sharing does not grant protected-column permission; a column security profile is still required.

Official reference: [Security roles and privileges](#)

Question 80

Mock 2 item 40 | Create apps by using Microsoft Power Apps | Build Power Pages - table permissions

Correct answer: D

Deciding clue. A UI filter can improve usability but does not replace row authorization through table permissions.

Why this is the best answer. Configure the necessary Create, Read, and Write operations at Contact scope and assign the table permission to the applicant web role. Page access and authentication complete the site security design.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. The stated boundary is the signed-in Contact, not record ownership.

B - Not selected. Global scope would expose all Applications to every member of that role.

C - Not selected. A list filter is not authorization, and the requirement is authenticated access.

D - Correct selection. Contact scope uses the signed-in Contact relationship to limit accessible rows.

Official reference: [Power Pages table permissions](#)

Mock Exam 3 - Detailed Answers

Detailed explanations for Questions 81-120. The objective label is shown here for targeted revision; it was intentionally hidden in the question section.

Question 81

Mock 3 item 1 | Configure Microsoft Dataverse | Manage the data model - standard, custom, and virtual tables

Correct answer: A

Deciding clue. Live external rows plus no replication is the virtual-table clue.

Why this is the best answer. Virtual tables provide a Dataverse table experience over supported external data providers. Feature limitations and provider capabilities must be validated before selection.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. A virtual table represents external data in Dataverse without storing the rows locally.

B - Not selected. An Activity table models interactions and would store Dataverse activity rows.

C - Not selected. A Choice is option metadata, not an external row set.

D - Not selected. That copies data into Dataverse and would not be live.

Official reference: [Official PL-200 Study Guide - Dataverse objectives](#)

Question 82

Mock 3 item 2 | Create apps by using Microsoft Power Apps | Describe canvas apps - structure and navigation

Correct answer: B

Deciding clue. When global scope is explicitly unnecessary, passing context through Navigate is usually cleaner than Set.

Why this is the best answer. Navigate can change screens and pass a context record in one operation. Destination controls can then reference that screen-scoped context variable.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Search operates on tabular data and is not a navigation function.

B - Correct selection. Navigate can pass a context record to the destination screen.

C - Not selected. Collect writes to a collection and does not navigate to a screen.

D - Not selected. SubmitForm requires a form control and does not perform the requested navigation.

Official reference: [Variables in canvas apps](#)

Question 83

Mock 3 item 3 | Create and manage logic and process automation | Create and manage cloud flows - Dataverse trigger filtering

Correct answer: C

Deciding clue. The wording must not create runs is the cue to filter at the trigger, not in the first action.

Why this is the best answer. Use trigger-level filters to suppress irrelevant events. Inside-flow Conditions control actions after a run already exists and therefore do not minimize starts.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Polling delays the reaction and creates unnecessary queries.

B - Not selected. Every unrelated update still starts a flow run.

C - Correct selection. Filtering at the trigger reduces unrelated starts, and a trigger condition applies the required value test before a normal run.

D - Not selected. The flow would still start on unrelated changes and may wait unnecessarily.

Official reference: [Dataverse row-change trigger](#)

Question 84

Mock 3 item 4 | Manage environments | Participate in ALM - managed properties

Correct answer: D

Deciding clue. Downstream customization rights on a managed component point to managed properties.

Why this is the best answer. Managed properties let a solution publisher restrict supported customization and deletion behaviors for managed components. Exact available properties vary by component type.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. App state cannot protect a solution component.

B - Not selected. A personal view does not govern managed customizability.

C - Not selected. A web role controls site access rather than solution customization.

D - Correct selection. Managed properties control which customizations are permitted after a component is installed as managed.

Official reference: [Solution concepts and ALM](#)

Question 85

Mock 3 item 5 | Configure Microsoft Dataverse | Manage the data model - Choice and Lookup columns

Correct answer: A

Deciding clue. If users manage the option as business data, it is usually a table plus Lookup rather than a Choice.

Why this is the best answer. Use Choice for a relatively stable controlled set of labels. Use Lookup when the value is a first-class business entity with attributes, relationships, security, or independent maintenance.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. A lookup relates the Case to a business row that owns additional attributes and lifecycle.

B - Not selected. The Case references one center and centers have their own properties.

C - Not selected. Frequently changing entities with their own data should be rows, not option metadata.

D - Not selected. Autonumber generates identifiers and does not create a relationship.

Official reference: [Official PL-200 Study Guide - Dataverse objectives](#)

Question 86

Mock 3 item 6 | Create apps by using Microsoft Power Apps | Describe canvas apps - galleries and forms

Correct answer: B, E

Deciding clue. Many rows points to Gallery; one selected record with cards points to Form.

Why this is the best answer. A gallery handles row selection; Display/Edit forms handle one record with data cards, modes, validation, and submit behavior.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A report visual is not a data-card editing control.

B - Correct selection. A gallery repeats a template for rows in a table.

C - Not selected. Pen input captures drawings and is not the general record-editing surface.

D - Not selected. A Timer controls time-based behavior, not tabular presentation.

E - Correct selection. A form provides record display/edit behavior and data cards.

Official reference: [Official PL-200 Study Guide - Power Apps objectives](#)

Question 87

Mock 3 item 7 | Create and manage logic and process automation | Create and manage cloud flows - error handling

Correct answer: B

Deciding clue. Run after evaluates action status; it is different from a business-data Condition.

Why this is the best answer. The Try/Catch scope pattern groups work and routes failed, timed-out, or skipped states through Configure run after. A Finally scope can handle cleanup or completion logging.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. An always-success message can be incorrect and does not inspect failure state.

B - Correct selection. Scopes plus run-after settings centralize error handling across a group of actions.

C - Not selected. Delay does not catch failures or log diagnostics.

D - Not selected. Suppressing recovery and diagnostics contradicts the requirement.

Official reference: [Power Automate error handling](#)

Question 88

Mock 3 item 8 | Manage environments | Participate in ALM - environment variables and connection references

Correct answer: C

Deciding clue. Ask whether the changing thing is a value or a connection. That distinction resolves many ALM questions.

Why this is the best answer. Environment variables parameterize solution behavior; connection references decouple connector actions from a maker's specific connection.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. This breaks controlled ALM and creates configuration drift.

B - Not selected. A connection reference should govern the connector, and a plain configuration value is not the right place for credentials.

C - Correct selection. The variable carries a value; the connection reference points the flow to a target-environment connection.

D - Not selected. Business Units control Dataverse security, not connector mapping.

Official reference: [Environment variables](#)

Question 89

Mock 3 item 9 | Configure Microsoft Dataverse | Manage the data model - autonumber columns

Correct answer: D

Deciding clue. Automatic formatted ID points to Autonumber; never assume it provides gapless accounting numbering.

Why this is the best answer. Autonumber is intended for readable row identifiers. It should not be treated as a guarantee of gapless sequencing because numbers can be consumed without a committed business row.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A Choice stores options rather than sequential identifiers.

B - Not selected. That relies on users and does not guarantee automatic generation.

C - Not selected. A rollup aggregates related rows and does not generate identifiers.

D - Correct selection. Autonumber generates formatted identifiers when rows are created.

Official reference: [Official PL-200 Study Guide - Dataverse objectives](#)

Question 90

Mock 3 item 10 | Create apps by using Microsoft Power Apps | Describe canvas apps - Power Fx functions

Correct answer: 1. Filter; 2. LookUp; 3. SortByColumns; 4. Patch

Deciding clue. Know both the operation and the shape of the result: table versus single record is a common exam distinction.

Why this is the best answer. Filter returns a table, LookUp returns one matching record or expression value, SortByColumns changes order, and Patch writes data.

#	Requirement	Correct match	Why
1	Return every open request that meets a predicate	Filter	Filter returns all matching rows.
2	Return the first customer whose account number matches	LookUp	LookUp returns the first matching record or value.
3	Order the result by Created On descending	SortByColumns	SortByColumns orders a table by named columns.
4	Update selected columns without submitting a form	Patch	Patch creates or modifies a record directly.

Official reference: [Official PL-200 Study Guide - Power Apps objectives](#)

Question 91

Mock 3 item 11 | Create and manage logic and process automation | Implement low-code logic - selecting an automation

Correct answer: 1. Business Rule; 2. Business process flow; 3. Automated cloud flow; 4. Instant low-code plug-in

Deciding clue. Several tools can react to data, so focus on whether the requirement is UX guidance, validation, integration, or a callable operation.

Why this is the best answer. Select automation from timing, surface, and boundary: form/table rule, guided human stages, asynchronous cross-service work, or reusable Dataverse server logic.

#	Requirement	Correct match	Why
1	Make a form column required when Category is Safety	Business Rule	A Business Rule can apply conditional form/table logic without a multistage process.
2	Guide users through Intake, Review, and Closure stages	Business process flow	A BPF provides the visible stage experience.
3	Create a SharePoint folder after a Dataverse row is added	Automated cloud flow	A cloud flow handles event-driven cross-service actions.
4	Return an on-demand server-side Power Fx calculation to a caller	Instant low-code plug-in	An instant plug-in is invoked on demand and can return outputs.

Official reference: [Official PL-200 Study Guide - automation objectives](#)

Question 92

Mock 3 item 12 | Manage environments | Participate in ALM - app and solution checker

Correct answer: A

Deciding clue. Static analysis before export is the checker clue; runtime behavior still needs testing.

Why this is the best answer. Checker results are release inputs, not a substitute for functional, security, and user-acceptance testing. Review each finding in context and remediate material issues.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. The checkers provide static analysis and quality guidance before deployment.

B - Not selected. Versioning identifies releases but does not analyze component quality.

C - Not selected. That removes troubleshooting evidence and does not check the app or solution.

D - Not selected. Ownership type is unrelated to automated release analysis.

Official reference: [Use solution checker](#)

Question 93

Mock 3 item 13 | Configure Microsoft Dataverse | Configure security settings - table privileges

Correct answer: 1. Yes; 2. No; 3. No

Deciding clue. Always decompose the verb in the requirement before evaluating privilege depth and row access.

Why this is the best answer. Dataverse operations are separate privileges. Write does not imply Create, Delete, Assign, Share, Append, or Append To.

#	Statement	Answer	Why
1	Read an Account row that the user owns.	Yes	User-depth Read covers owned rows.
2	Create a new Account row.	No	Create is a separate table privilege and is absent.
3	Relate the owned Account to a Contact when the relationship operation requires Append/Append To.	No	Read and Write do not replace the required relationship privileges.

Official reference: [Security roles and privileges](#)

Question 94

Mock 3 item 14 | Create apps by using Microsoft Power Apps | Build Power Pages - search and Power BI

Correct answer: B, E

Deciding clue. Visibility in search or navigation is not proof of authorization; secure the source data and embedded service.

Why this is the best answer. Power Pages search, table permissions, page access, authentication, and Power BI authorization solve different layers. Configure each layer explicitly.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. External portal users should not receive broad internal administrative access.

B - Correct selection. Embedding a report still requires an appropriate Power BI authorization design.

C - Not selected. This would overexpose restricted data.

D - Not selected. Hidden navigation is not an authorization boundary.

E - Correct selection. Search discoverability does not replace row authorization.

Official reference: [Power Pages security](#)

Question 95

Mock 3 item 15 | Create and manage logic and process automation | Create and manage business process flows - multiple tables

Correct answer: B

Deciding clue. Cross-table guided stages point to BPF, not a cloud flow that merely moves data.

Why this is the best answer. Business process flows model the user's stage journey. Configure stage table, steps, branching where supported, ordering, and process security; use automation separately for background actions.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A rollup calculates values and does not guide process stages.

B - Correct selection. A BPF can guide users through supported stages and table transitions within one process.

C - Not selected. A scheduled desktop flow does not provide the model-driven stage experience.

D - Not selected. One create form cannot represent the full cross-table process.

Official reference: [Business process flows overview](#)

Question 96

Mock 3 item 16 | Create and manage logic and process automation | Create and manage classic Dataverse workflows

Correct answer: C

Deciding clue. Background acceptable and system-job monitoring are classic asynchronous workflow clues.

Why this is the best answer. Classic workflows can be background or real-time. Current solutions often favor Power Automate for cloud automation, but PL-200 still expects recognition and administration of classic workflow behavior where it remains in scope.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Real-time is synchronous and is unnecessary when background completion is acceptable.

B - Not selected. A list presents rows and does not execute background automation.

C - Correct selection. A background workflow runs asynchronously and its jobs can be monitored in Dataverse system jobs/process sessions.

D - Not selected. A Business Rule does not provide the same asynchronous process-job model.

Official reference: [Classic real-time workflows](#)

Question 97

Mock 3 item 17 | Configure Microsoft Dataverse | Manage Dataverse - import and export data

Correct answer: D

Deciding clue. One-time clean file plus mapping points to import; recurring transformed sources point toward dataflow/Power Query.

Why this is the best answer. Use the simplest supported data movement tool that meets volume, transformation, frequency, and error-handling needs. Dataflows are more useful when repeatable Power Query shaping and refresh are required.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. That is inefficient and does not use the tabular import capability.

B - Not selected. The requirement is to store the reference rows in Dataverse.

C - Not selected. A recurring Power Query pipeline is unnecessary for a one-time clean load.

D - Correct selection. A one-time structured import is appropriate for a modest, prepared data set.

Official reference: [Official PL-200 Study Guide - Dataverse objectives](#)

Question 98

Mock 3 item 18 | Create apps by using Microsoft Power Apps | Create model-driven apps - embedded canvas apps

Correct answer: A

Deciding clue. Inside a main form plus current-row context points to embedded canvas; a full app-integrated page/dialog points to custom page.

Why this is the best answer. Embedded canvas apps extend a model-driven form with custom canvas controls and Power Fx while using the selected record context. Confirm app sharing and data-source permissions for users.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. An embedded canvas app adds a canvas experience to a form and can receive the host record context.

B - Not selected. A Word template generates a document rather than a live embedded experience.

C - Not selected. A view lists records and is not an interactive canvas component inside the form.

D - Not selected. Duplicate detection checks potential duplicates and does not render UI.

Official reference: [Embed a canvas app in a model-driven form](#)

Question 99

Mock 3 item 19 | Create and manage logic and process automation | Create and manage cloud flows - arrays and variables

Correct answer: A, D

Deciding clue. Be cautious with concurrency when multiple iterations update the same variable; deterministic accumulation may require sequential processing.

Why this is the best answer. An array from List rows normally requires iteration. Initialize mutable state once before the loop, then increment or append within the loop and consume the values afterward.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. Variables can retain the total and accumulated error summary across iterations.

B - Not selected. A BPF is user guidance, not array iteration.

C - Not selected. A form component cannot hold flow-run state.

D - Correct selection. Each invoice line must be evaluated.

E - Not selected. Trigger conditions are evaluated when the flow starts, not after processing an array.

Official reference: [Official PL-200 Study Guide - automation objectives](#)

Question 100

Mock 3 item 20 | Manage environments | Manage interoperability - Word templates

Correct answer: B

Deciding clue. Organization-wide standardized generation points to an organization template, not a personal template.

Why this is the best answer. Create the template from the target table, select only needed relationships, design it in Word using the provided XML mapping, and upload it as an organization template when broad availability is required.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Duplicate detection does not generate documents.

B - Correct selection. An organization template is shared and can generate a Word document from Dataverse data.

C - Not selected. A collection is app-session data and does not define a Word merge template.

D - Not selected. Personal templates do not provide one centrally managed organization standard.

Official reference: [Use Word templates](#)

Question 101

Mock 3 item 21 | Configure Microsoft Dataverse | Manage Dataverse - bulk delete

Correct answer: C

Deciding clue. Large scheduled query-based cleanup points to a bulk deletion job.

Why this is the best answer. Bulk delete is appropriate for large query-defined sets. Verify the filter carefully, required privileges, cascading impact, retention requirements, and job result before treating the cleanup as complete.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. The table and valid rows must remain.

B - Not selected. Auditing configuration does not remove the obsolete rows.

C - Correct selection. Bulk deletion jobs support query-based asynchronous removal and job monitoring.

D - Not selected. Navigation does not delete data.

Official reference: [Bulk deletion jobs](#)

Question 102

Mock 3 item 22 | Create apps by using Microsoft Power Apps | Describe canvas apps - filtering and searching

Correct answer: D

Deciding clue. Large source plus must return all means delegation correctness outranks formula brevity.

Why this is the best answer. Choose connector-supported delegable functions and predicates, then test with matches beyond the client row boundary. A blue delegation warning indicates possible incomplete results.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. LookUp returns only the first matching record.

B - Not selected. The limit does not guarantee complete results.

C - Not selected. A local collection cannot safely contain a very large source and is nondelegable after loading.

D - Correct selection. Delegable operations are evaluated by Dataverse against the complete data set.

Official reference: [Official PL-200 Study Guide - Power Apps objectives](#)

Question 103

Mock 3 item 23 | Create and manage logic and process automation | Implement low-code logic - Business Rules and cloud flows

Correct answer: 1. Yes; 2. Yes; 3. No

Deciding clue. The boundary of the requirement—form/table behavior versus cross-service process—is the key discriminator.

Why this is the best answer. Business Rules provide low-code table/form logic such as setting, validating, showing, hiding, or requiring values. Power Automate orchestrates events, delays, approvals, and connectors.

#	Statement	Answer	Why
1	Use a Business Rule to make Follow-up Date required when Status is Pending on a model-driven form.	Yes	Conditional requiredness is a supported Business Rule use case.
2	Use a cloud flow to create a Teams message after a Dataverse row changes.	Yes	A cloud flow is suited to event-driven cross-service automation.
3	Use a Business Rule to wait seven days and then request an external approval.	No	Business Rules are not a delayed cross-service orchestration engine.

Official reference: [Create Business Rules](#)

Question 104

Mock 3 item 24 | Manage environments | Participate in ALM - solution upgrade

Correct answer: Import version 2 by using the stage-for-upgrade option -> Validate the staged solution and target configuration -> Apply the solution upgrade -> Confirm that intended obsolete components were removed and test the application

Deciding clue. A normal update preserves components omitted from the new version; removal semantics are the upgrade clue.

Why this is the best answer. Staging allows the incoming version to be validated before Apply upgrade consolidates layers and removes components that are absent from the upgrade package as designed.

Correct sequence

1. Import version 2 by using the stage-for-upgrade option
2. Validate the staged solution and target configuration
3. Apply the solution upgrade
4. Confirm that intended obsolete components were removed and test the application

Official reference: [Update or upgrade a solution](#)

Question 105

Mock 3 item 25 | Configure Microsoft Dataverse | Manage the data model - table ownership

Correct answer: A

Deciding clue. Ownership type is a foundational design choice; do not choose user/team ownership when all rows share one security boundary.

Why this is the best answer. Choose ownership at table creation based on whether rows need distinct owners and row-level scope. Organization-owned tables fit shared reference/configuration data.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. Organization-owned tables do not use per-row user/team ownership and are secured at the organization level.

B - Not selected. That introduces row owners and access depths that the requirement rejects.

C - Not selected. Access teams cannot own rows and are not a table ownership type.

D - Not selected. Contact is not a Dataverse table ownership type.

Official reference: [Official PL-200 Study Guide - Dataverse objectives](#)

Question 106

Mock 3 item 26 | Create apps by using Microsoft Power Apps | Create model-driven apps - app sharing and security

Correct answer: B

Deciding clue. App visibility is not data authorization—a recurring PL-200 trap.

Why this is the best answer. Sharing a model-driven app makes the app available to roles or users, but security roles must also grant access to its tables and required operations. Related-table privileges may also be needed.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A display-name collision does not grant data privileges.

B - Correct selection. App access and data access are separate; users need the required privileges for app components.

C - Not selected. Autonumber is unrelated to opening rows.

D - Not selected. A personal view does not supply missing table access.

Official reference: [Share a model-driven app](#)

Question 107

Mock 3 item 27 | Create and manage logic and process automation | Implement low-code logic - automated low-code plug-ins

Correct answer: C

Deciding clue. Automatic Dataverse event plus server-side Power Fx points to automated low-code plug-in.

Why this is the best answer. Automated low-code plug-ins react to Dataverse events; instant low-code plug-ins are called explicitly. Validate current feature limitations and use pro-code plug-ins when the requirement exceeds low-code capabilities.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A chart does not execute data logic.

B - Not selected. Scheduled asynchronous polling does not meet the event/transaction-oriented requirement.

C - Correct selection. An automated low-code plug-in responds to Dataverse data events with server-side Power Fx.

D - Not selected. The logic must run automatically on an event rather than by explicit invocation.

Official reference: [Low-code plug-ins](#)

Question 108

Mock 3 item 28 | Configure Microsoft Dataverse | Manage Dataverse - auditing and data operations

Correct answer: C, E

Deciding clue. Do not confuse traceability with visibility: a field can be audited while remaining protected by column security.

Why this is the best answer. Auditing, column security, and bulk delete are separate controls. Auditing records history, column security governs value access, and bulk delete performs asynchronous cleanup.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. A Choice is not a replacement for staging rows or auditing.

B - Not selected. Access teams cannot own rows and do not schedule cleanup.

C - Correct selection. Auditing records changes when enabled at the necessary levels.

D - Not selected. That increases exposure and is not required for auditing.

E - Correct selection. Bulk delete handles scheduled asynchronous cleanup of matching rows.

Official reference: [Manage Dataverse auditing](#)

Question 109

Mock 3 item 29 | Create apps by using Microsoft Power Apps | Build Power Pages - SharePoint documents

Correct answer: D

Deciding clue. Keep files in SharePoint plus surface them on a portal form points to document integration, not Dataverse file modeling.

Why this is the best answer. Configure the SharePoint integration prerequisites, document-enabled table/form components, authentication, web roles, and table permissions. SharePoint permissions and site security must be considered together.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Rollup columns aggregate supported values and do not store files this way.

B - Not selected. Documents are not option metadata.

C - Not selected. A personal view neither uploads files nor provides Power Pages authorization.

D - Correct selection. The integration can surface SharePoint documents through site forms while keeping files in SharePoint.

Official reference: [SharePoint documents in Power Pages](#)

Question 110

Mock 3 item 30 | Create and manage logic and process automation | Create and manage cloud flows - child flows

Correct answer: A

Deciding clue. Repeated flow logic plus synchronous returned output is a child-flow clue.

Why this is the best answer. Child flows are designed for reusable flow logic. Keep parent and child in a solution, use compatible connections/connection references, define inputs/outputs, and handle child failures in the parent.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. A child flow centralizes reusable automation and supports a request/response pattern within solutions.

B - Not selected. Duplication increases maintenance and change risk.

C - Not selected. Business Units are security structures, not reusable automation components.

D - Not selected. That does not centralize logic or provide portable ALM.

Official reference: [Create child flows](#)

Question 111

Mock 3 item 31 | Configure Microsoft Dataverse | Configure security settings - Business Units and owner teams

Correct answer: B

Deciding clue. Common role plus shared ownership across changing members points to an owner team.

Why this is the best answer. Business Units establish security scope; owner teams group users, hold roles, and own rows. Use access teams for ad hoc row collaboration without ownership.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Access teams cannot own rows or receive security roles.

B - Correct selection. Owner teams can own rows and hold security roles within the Business Unit security model.

C - Not selected. This is high-maintenance compared with a stable team ownership design.

D - Not selected. That removes the user/team row-ownership model required for regional ownership.

Official reference: [Manage Dataverse teams](#)

Question 112

Mock 3 item 32 | Create apps by using Microsoft Power Apps | Create model-driven apps - form components

Correct answer: C

Deciding clue. The requirement often embeds three nouns that map directly to three form components.

Why this is the best answer. Choose form components by relationship and interaction: Timeline for activities/notes, subgrid for a related row set, and Quick View for selected read-only fields from a related record.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Quick Create forms create rows and do not provide the specified read-only/list/timeline surfaces.

B - Not selected. Those do not display the required related records and contact fields.

C - Correct selection. Each component directly matches the required related-data experience.

D - Not selected. Stages guide work and do not replace these related-data form controls.

Official reference: [Model-driven app form types](#)

Question 113

Mock 3 item 33 | Create and manage logic and process automation | Create and manage cloud flows - troubleshooting skipped actions

Correct answer: D

Deciding clue. Skipped after an upstream failure is usually a control-flow configuration issue, not a connector syntax issue.

Why this is the best answer. A skipped action is not necessarily defective. Trace its dependency chain and verify whether run after allows success, failure, timeout, or skipped status as intended.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Form precedence does not control cloud-flow action execution.

B - Not selected. The display name does not explain a skipped dependency.

C - Not selected. A site role is unrelated unless the flow action explicitly uses that identity, and the scenario points to run-after status.

D - Correct selection. An action is commonly skipped because its run-after condition does not include the prior status.

Official reference: [Power Automate error handling](#)

Question 114

Mock 3 item 34 | Manage environments | Manage interoperability - SharePoint document management

Correct answer: Verify the SharePoint site and tenant prerequisites -> Enable and validate server-based SharePoint integration -> Enable document

management for the selected Dataverse table -> Test document locations and user access from the application

Deciding clue. Enabling a form control before its platform integration exists reverses the dependency order.

Why this is the best answer. Document management depends on a valid SharePoint integration before the table experience is enabled. End-to-end testing must include both Dataverse and SharePoint permissions.

Correct sequence

1. Verify the SharePoint site and tenant prerequisites
2. Enable and validate server-based SharePoint integration
3. Enable document management for the selected Dataverse table
4. Test document locations and user access from the application

Official reference: [Set up SharePoint integration](#)

Question 115

Mock 3 item 35 | Configure Microsoft Dataverse | Manage the data model - alternate keys and integration

Correct answer: A

Deciding clue. External immutable identifier plus create-or-update points to alternate key and upsert.

Why this is the best answer. An alternate key is the stable integration identity. Upsert uses the supplied key to update an existing row or create one when no match exists.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. The key enforces business-key uniqueness and lets the integration address rows without a GUID.

B - Not selected. Auditing does not match existing rows or prevent duplicates.

C - Not selected. Counting duplicates after creation does not prevent or upsert them.

D - Not selected. Contract numbers are row identifiers, not option metadata.

Official reference: [Official PL-200 Study Guide - Dataverse objectives](#)

Question 116

Mock 3 item 36 | Create apps by using Microsoft Power Apps | Describe canvas apps - delegation

Correct answer: B

Deciding clue. A collection is not a cache-all solution for a large source; delegation is the correctness requirement.

Why this is the best answer. Filter at the server and return only required rows/columns. Confirm the connector's delegation support for every operator and test with results beyond the client limit.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. This creates stale data and abandons the connected app requirement.

B - Correct selection. Dataverse can evaluate a delegable query across the complete table without preloading it locally.

C - Not selected. The client limit cannot make a 250,000-row preload complete or efficient.

D - Not selected. LookUp returns only the first match.

Official reference: [Delegation overview](#)

Question 117

Mock 3 item 37 | Create and manage logic and process automation | Create and manage cloud flows - recursion and idempotency

Correct answer: A, B

Deciding clue. Recursion and retry duplication are related but separate failure modes, so robust designs address both.

Why this is the best answer. Prevent unwanted starts at the trigger and make the business action idempotent. Trigger filtering controls recurrence; a unique or preexisting-result check controls duplicate side effects.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Correct selection. An idempotency check protects against retries or repeated events creating duplicates.

B - Correct selection. Trigger filtering prevents the flow from starting for its own completed update and unrelated modifications.

C - Not selected. UI visibility does not affect trigger events or duplicate creation.

D - Not selected. That creates another modification and can worsen recursion.

E - Not selected. Polling increases repeated reads and does not guarantee idempotency.

Official reference: [Dataverse row-change trigger](#)

Question 118

Mock 3 item 38 | Manage environments | Participate in ALM - portable configuration

Correct answer: C

Deciding clue. Values use environment variables; connector mappings use connection references.

Why this is the best answer. Package the logic once, then supply target configuration and connections during import or deployment. Keep the unmanaged source in Development and deploy managed releases downstream.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. This violates the managed deployment requirement and causes drift.

B - Not selected. This creates environment coupling and an inappropriate identity dependency.

C - Correct selection. Deployment can supply target values and map references without modifying the managed components.

D - Not selected. Dataverse privilege depth does not parameterize external connectors.

Official reference: [Environment variables](#)

Question 119

Mock 3 item 39 | Configure Microsoft Dataverse | Configure security settings - privilege depth

Correct answer: 1. Yes; 2. No; 3. No

Deciding clue. The exam often gives a broad Read privilege to tempt candidates into assuming broad edit rights.

Why this is the best answer. Determine access one operation at a time. Read depth does not carry over to Write or Delete, and ownership/team/business-unit scope must be evaluated for each privilege.

#	Statement	Answer	Why
1	Read R-200.	Yes	Parent: Child Business Units Read covers rows owned in the child business unit.
2	Edit R-200 solely because she can read it.	No	Write is evaluated separately and User depth does not cover the team's row unless another access path exists.
3	Delete R-200.	No	No Delete privilege exists, regardless of Read scope.

Official reference: [Security roles and privileges](#)

Question 120

Mock 3 item 40 | Create apps by using Microsoft Power Apps | Create model-driven apps - custom pages and commands

Correct answer: D

Deciding clue. Conditional UI and security are separate: hiding a command never grants or removes backend permission.

Why this is the best answer. Use modern commanding for the row-aware entry point and a custom page for richer Power Fx interaction inside the model-driven app. The eventual write still requires Dataverse privileges.

Option analysis. Evaluate each option against the complete requirement, not only one keyword.

A - Not selected. Quick View is read-only related data and cannot implement the calculation dialog.

B - Not selected. Security structure and visualization do not implement the interaction.

C - Not selected. A view does not create a row-context command or return a value to the host.

D - Correct selection. Modern commanding controls the action and visibility; a custom page provides the interactive canvas-style dialog.

Official reference: [Model-driven custom pages](#)

Quick answer keys

Use these tables for marking only. Multi-select answers use a plus sign. Yes/No and matching answers show the statement number followed by its value. Ordering answers use the letters assigned to the displayed steps.

Mock Exam 1

Items 1-10	Items 11-20	Items 21-30	Items 31-40
Q1 - A	Q11 - 1A 2B 3C 4D	Q21 - C	Q31 - B
Q2 - B	Q12 - A	Q22 - D	Q32 - C
Q3 - C	Q13 - 1Y 2N 3Y	Q23 - 1Y 2N 3Y	Q33 - D
Q4 - D	Q14 - A+E	Q24 - D-A-C-B	Q34 - A-C-D-B
Q5 - A	Q15 - B	Q25 - A	Q35 - A
Q6 - B+E	Q16 - C	Q26 - B	Q36 - B
Q7 - B	Q17 - D	Q27 - C	Q37 - A+C
Q8 - C	Q18 - A	Q28 - C+E	Q38 - C
Q9 - D	Q19 - C+E	Q29 - D	Q39 - 1Y 2Y 3N 4N
Q10 - 1A 2B 3C 4D	Q20 - B	Q30 - A	Q40 - D

Mock Exam 2

Items 1-10	Items 11-20	Items 21-30	Items 31-40
Q41 - A	Q51 - 1A 2B 3C 4D	Q61 - C	Q71 - B
Q42 - B	Q52 - A	Q62 - D	Q72 - C
Q43 - C	Q53 - 1Y 2Y 3N	Q63 - 1Y 2Y 3N	Q73 - D
Q44 - D	Q54 - B+D	Q64 - C-D-A-B	Q74 - A-D-B-C
Q45 - A	Q55 - B	Q65 - A	Q75 - A
Q46 - C+D	Q56 - C	Q66 - B	Q76 - B
Q47 - B	Q57 - D	Q67 - C	Q77 - A+E
Q48 - C	Q58 - A	Q68 - B+E	Q78 - C
Q49 - D	Q59 - B+D	Q69 - D	Q79 - 1Y 2N 3N
Q50 - 1A 2B 3C 4D	Q60 - B	Q70 - A	Q80 - D

Mock Exam 3

Items 1-10	Items 11-20	Items 21-30	Items 31-40
Q81 - A	Q91 - 1A 2B 3C 4D	Q101 - C	Q111 - B
Q82 - B	Q92 - A	Q102 - D	Q112 - C
Q83 - C	Q93 - 1Y 2N 3N	Q103 - 1Y 2Y 3N	Q113 - D
Q84 - D	Q94 - B+E	Q104 - C-A-D-B	Q114 - D-C-B-A
Q85 - A	Q95 - B	Q105 - A	Q115 - A
Q86 - B+E	Q96 - C	Q106 - B	Q116 - B
Q87 - B	Q97 - D	Q107 - C	Q117 - A+B
Q88 - C	Q98 - A	Q108 - C+E	Q118 - C
Q89 - D	Q99 - A+D	Q109 - D	Q119 - 1Y 2N 3N
Q90 - 1A 2B 3C 4D	Q100 - B	Q110 - A	Q120 - D

Official skill coverage matrix

This matrix checks the advanced bank against the current official PL-200 Study Guide. Question references are representative; many scenarios assess more than one objective.

Official domain	Skill group	Covered	Representative questions
Configure Microsoft Dataverse	Create and configure tables, relationships, columns, ownership, calculated data	Yes	Q5, Q9, Q17, Q21, Q41, Q45, Q49, Q57, Q81, Q85, Q89, Q105
Configure Microsoft Dataverse	Manage search, auditing, import/export, duplicate detection, bulk delete	Yes	Q13, Q28, Q53, Q65, Q68, Q97, Q101, Q108
Configure Microsoft Dataverse	Configure Business Units, roles, users, teams, hierarchy, and column security	Yes	Q1, Q25, Q31, Q35, Q39, Q53, Q61, Q71, Q75, Q79, Q93, Q111, Q119
Create apps	Create model-driven app forms, views, charts, pages, commands, embedded apps, and sharing	Yes	Q2, Q10, Q18, Q26, Q29, Q32, Q40, Q50, Q54, Q58, Q72, Q98, Q106, Q112, Q120
Create apps	Create Canvas app structure, controls, formulas, variables, collections, errors, and flows	Yes	Q6, Q22, Q42, Q62, Q66, Q82, Q86, Q90, Q102, Q116
Create apps	Build Power Pages pages, forms, lists, security, authentication, documents, search, and Power BI	Yes	Q14, Q36, Q46, Q69, Q76, Q80, Q94, Q109
Logic and automation	Create cloud flows, triggers, actions, control logic, expressions, variables, approvals, errors, and troubleshooting	Yes	Q3, Q7, Q11, Q16, Q19, Q33, Q37, Q43, Q47, Q51, Q59, Q63, Q70, Q73, Q77, Q83, Q87, Q99, Q103, Q110, Q113, Q117
Logic and automation	Create Business Process Flows	Yes	Q15, Q55, Q95
Logic and automation	Manage classic Dataverse workflows	Yes	Q30, Q56, Q96
Logic and automation	Implement Power Fx, Business Rules, and low-code plug-ins	Yes	Q23, Q27, Q67, Q91, Q107
Manage environments	Validate apps and solutions	Yes	Q12, Q52, Q92
Manage environments	Manage solutions, dependencies, layers, configuration, updates, and upgrades	Yes	Q4, Q8, Q34, Q38, Q44, Q48, Q64, Q74, Q78, Q84, Q88, Q104, Q118
Manage environments	Configure email, SharePoint, document management, and Word templates	Yes	Q20, Q24, Q60, Q100, Q109, Q114

Coverage source: [Official PL-200 Study Guide](#)

Practice scoring and review plan

Give one practice point only when the complete item is correct. For choose-two, both options must be correct. For Yes/No, matching, and ordering, all parts must be correct for the point. This strict rule makes weak reasoning visible. It is not Microsoft's official scoring method.

Practice result	Recommended action
34-40	Strong attempt. Review every guessed item and all security/ALM rationales.
28-33	Good foundation. Re-study the objectives behind incorrect items, then retake after a delay.
20-27	Several decision boundaries are unclear. Return to the official Learn modules before retaking.
Below 20	Use the full study guide first, then attempt this advanced bank as a second pass.

Do not treat this as an exam-pass predictor. The live certification exam uses Microsoft scoring and can include unscored or differently structured items. Use these scores only to locate study gaps.

Official reference guide

The answer section links each item to one primary official page. The following grouped sources provide the broader technical foundation. Microsoft documentation remains the source of truth when public training material differs.

Certification and exam experience

[*Official PL-200 Study Guide*](#)

[*Official PL-200 exam page*](#)

[*Exam duration and exam experience*](#)

[*Microsoft certification exam sandbox*](#)

Dataverse data and security

[*Security roles and privileges*](#)

[*Manage Dataverse teams*](#)

[*Manage Microsoft Entra group teams*](#)

[*Create and edit table relationships*](#)

[*Relationship cascading behavior*](#)

[*Define rollup columns*](#)

[*Formula columns*](#)

[*Manage Dataverse auditing*](#)

[*Detect duplicate records*](#)

[*Bulk deletion jobs*](#)

[*Configure Dataverse search*](#)

Power Apps and Power Pages

[*Model-driven app overview*](#)

[*Model-driven app form types*](#)

[*Model-driven custom pages*](#)

[*Modern command designer*](#)

[*Embed a canvas app in a model-driven form*](#)

[*Share a model-driven app*](#)

[*Variables in canvas apps*](#)

[*Delegation overview*](#)

[*Canvas app error handling*](#)

[*Power Pages security*](#)

[*Power Pages table permissions*](#)

[*Power Pages web roles*](#)

[*Power Pages multi-step forms*](#)

[*SharePoint documents in Power Pages*](#)

[*Power Pages authentication*](#)

Power Automate and low-code logic

[*Power Automate error handling*](#)

[*Dataverse row-change trigger*](#)

[*Benefits of solution-aware flows*](#)

[*Create team flows*](#)

[*Create child flows*](#)

[*Business process flows overview*](#)

[*Classic real-time workflows*](#)

[*Low-code plug-ins*](#)

[*Create Business Rules*](#)

Solutions, ALM, and interoperability

[*Solutions overview*](#)

[*Solution concepts and ALM*](#)

[*Environment variables*](#)

[*Solution layers*](#)

[*Update or upgrade a solution*](#)

[*Use solution checker*](#)

[*Environments overview*](#)

[*Server-side synchronization*](#)

[*Set up SharePoint integration*](#)

[*Use Word templates*](#)

Public format references - not technical sources

These public pages informed the scenario-first presentation only. Their protected questions were not reproduced, and technical claims in this bank were checked against Microsoft documentation.

[*Pragmatic Works PL-200 instructor guidance*](#)

[*MeasureUp PL-200 practice-test description*](#)

[*Microsoft Exam Readiness Zone - PL-200*](#)