

MICROSOFT POWER PLATFORM FUNCTIONAL CONSULTANT

PL-200 Complete English Practice Question Bank

220 Original Exam-Style Questions
Answers and Detailed Explanations at the End

Official Learn order: 40 modules | Current blueprint: 4 skill domains

Research cut-off: 17 August 2026

English edition | Simple language | Scenario-first reasoning

Original practice material - not a Microsoft exam dump

How to use this question bank

This book is designed for active practice, not passive reading. Work through the questions in Part I without opening the answer section. For every question, identify the requirement word first - for example own, secure, aggregate, trigger, share, deploy, or guide. Then choose the supported Power Platform feature that meets that requirement with the least unnecessary complexity.

After completing a module, record your answer letters. Part II contains the answer, a plain-English explanation, the decision logic, the common trap, and a link to the matching official Microsoft Learn module. The questions follow the same 40-module order as the current official PL-200 preparation collection, so you can use this book beside the complete study guide.

All 220 questions are original. They imitate the reasoning style of certification questions but do not reproduce live Microsoft exam questions, leaked items, or dumps. The real exam can use several interaction types; this printable bank uses a consistent single-best-answer format so that it is easy to study and mark.

Retirement notice: Microsoft's official pages state that PL-200, the certification, and the renewal assessment retire on 31 August 2026 at 11:59 PM Central Standard Time. Check the official exam page again before scheduling.

Current PL-200 exam blueprint

Official skill domain	Weight	Main focus
Configure Microsoft Dataverse	25-30%	Data model, data management, and security
Create apps by using Microsoft Power Apps	25-30%	Model-driven, Canvas, and Power Pages
Create and manage logic and process automation	25-30%	Flows, BPF, rules, Power Fx, and low-code plug-ins
Manage environments	15-20%	Solutions, ALM, and Microsoft 365 interoperability

Official sources: [PL-200 Study Guide](#) | [Exam PL-200](#) | [Certification page](#)

Learning journey and question map

Module	Official preparation module	Questions	Exam alignment
1	Create and manage environments in Dataverse	Q1-Q5	Manage environments (15-20%)
2	Create tables in Dataverse	Q6-Q10	Configure Microsoft Dataverse (25-30%)

Module	Official preparation module	Questions	Exam alignment
3	Create and manage columns within a table in Dataverse	Q11-Q15	Configure Microsoft Dataverse (25-30%)
4	Work with choices in Dataverse	Q16-Q20	Configure Microsoft Dataverse (25-30%)
5	Create a relationship between tables in Dataverse	Q21-Q25	Configure Microsoft Dataverse (25-30%)
6	Create and define calculation or rollup columns in Dataverse	Q26-Q30	Configure Microsoft Dataverse (25-30%)
7	Load/export data and create data views in Dataverse	Q31-Q35	Configure Microsoft Dataverse (25-30%)
8	Get started with security roles in Dataverse	Q36-Q43	Configure Microsoft Dataverse (25-30%)
9	Use administration options for Dataverse	Q44-Q49	Configure Microsoft Dataverse (25-30%)
10	How to build your first model-driven app with Dataverse	Q50-Q54	Create apps by using Microsoft Power Apps (25-30%)
11	Get started with model-driven apps in Power Apps	Q55-Q60	Create apps by using Microsoft Power Apps (25-30%)
12	Configure forms, charts, and dashboards in model-driven apps	Q61-Q65	Create apps by using Microsoft Power Apps (25-30%)
13	Use specialized components in a model-driven form	Q66-Q70	Create apps by using Microsoft Power Apps (25-30%)
14	Customize the command bar	Q71-Q75	Create apps by using Microsoft Power Apps (25-30%)
15	Get started with Power Apps canvas apps	Q76-Q80	Create apps by using Microsoft Power Apps (25-30%)
16	Customize a canvas app in Power Apps	Q81-Q85	Create apps by using Microsoft Power Apps (25-30%)
17	Navigation in a canvas app in Power Apps	Q86-Q90	Create apps by using Microsoft Power Apps (25-30%)
18	Create formulas to change behaviors in a Power Apps canvas app	Q91-Q96	Create apps by using Microsoft Power Apps (25-30%)
19	Connect to other data in a Power Apps canvas app	Q97-Q101	Create apps by using Microsoft Power Apps (25-30%)
20	Introduction to Power Apps cards	Q102-Q106	Create apps by using Microsoft Power Apps (25-30%)
21	Core components of Power Pages	Q107-Q111	Create apps by using Microsoft Power Apps (25-30%)
22	Access Dataverse in Power Pages websites	Q112-Q116	Create apps by using Microsoft Power Apps (25-30%)
23	Explore Power Pages design studio	Q117-Q121	Create apps by using Microsoft Power Apps (25-30%)

Module	Official preparation module	Questions	Exam alignment
24	Integrate Power Pages websites with Dataverse	Q122-Q126	Create apps by using Microsoft Power Apps (25-30%)
25	Integrate Power Pages with web-based technologies	Q127-Q131	Create apps by using Microsoft Power Apps (25-30%)
26	Explore Power Pages design studio data and security features	Q132-Q136	Create apps by using Microsoft Power Apps (25-30%)
27	Set up Power Pages security	Q137-Q142	Create apps by using Microsoft Power Apps (25-30%)
28	Authentication and user management in Power Pages	Q143-Q147	Create apps by using Microsoft Power Apps (25-30%)
29	Best practices for error handling in Power Automate flows	Q148-Q152	Create and manage logic and process automation (25-30%)
30	Use Dataverse triggers and actions in Power Automate	Q153-Q158	Create and manage logic and process automation (25-30%)
31	Introduction to expressions in Power Automate	Q159-Q163	Create and manage logic and process automation (25-30%)
32	Define and create business rules in Dataverse	Q164-Q169	Create and manage logic and process automation (25-30%)
33	Set up low-code plug-ins	Q170-Q175	Create and manage logic and process automation (25-30%)
34	Use common low-code plug-in scenarios	Q176-Q181	Create and manage logic and process automation (25-30%)
35	Get started building with Power BI	Q182-Q186	Create apps / analytics integration
36	Introduction to solutions for Microsoft Power Platform	Q187-Q194	Manage environments (15-20%)
37	Use Microsoft 365 services with model-driven apps and Microsoft Dataverse	Q195-Q199	Manage environments (15-20%)
38	Use Microsoft Word and Excel templates with Dataverse	Q200-Q204	Manage environments (15-20%)
39	Get started with Power Automate	Q205-Q212	Create and manage logic and process automation (25-30%)
40	Challenge project - Build applications and automation solutions	Q213-Q220	Integrated capstone across all domains

Closed-book attempt checklist

- Read the final sentence of the scenario first and identify what must be configured or selected.
- Separate UI visibility from real security enforcement.

- Check both privilege and access to the specific row in Dataverse security questions.
- Prefer supported, low-code, solution-aware configuration when it fully meets the requirement.
- Eliminate options that solve a different layer, such as using a form setting to solve data security.
- Do not open Part II until you have recorded an answer for every attempted question.

Part I - Questions

Complete all 220 questions before opening Part II. No answers appear in this section.

Part I - Environments and Microsoft Dataverse Foundation

Module 1 - Create and manage environments in Dataverse

Questions 1-5 | Manage environments (15-20%) | [Official Microsoft Learn module](#)

Question 1 | Choose the best answer

A maker must be able to create apps but must not be able to read Dataverse business rows. Which role should be assigned first?

- A. Assign the System Administrator role.
- B. Environment Maker.
- C. Assign the Basic User role and share every table.
- D. Assign the System Customizer role.

Question 2 | Choose the best answer

Which Environment type is suitable when a UAT database must be reinitialised and tested from a production copy?

- A. Use a Production environment and reset it after every test cycle.
- B. Sandbox.
- C. Use a Developer environment copied directly from production.
- D. Use the Default environment because it supports controlled UAT resets.

Question 3 | Choose the best answer

Why can a user with Environment Maker still receive a Dataverse table-access error?

- A. Environment Maker does not grant table privileges.
- B. Environment Maker always includes Organization-level Read on Dataverse tables.
- C. Environment Maker grants access to rows owned by the maker's Business Unit.
- D. Environment Maker grants table access only after the app is published.

Question 4 | Choose the best answer

The company has two regions with different legal data-residency requirements. Are Business Units alone sufficient?

- A. Yes. An Owner Team in each region provides legal data residency.
- B. Usually no. Region and data residency are Environment-level decisions; a Business Unit is a row-security hierarchy inside one Dataverse database.
- C. Yes. Each Business Unit can store its rows in a different geographic region.
- D. Yes. A root Business Unit defines the physical Dataverse region.

Question 5 | Choose the best answer

Should the Default Environment automatically be selected as the controlled production ALM destination?

- A. No. The Default Environment is a broad shared space.
- B. Yes. Automatic environment creation makes it the most controlled ALM target.
- C. Yes. The Default environment is Microsoft's required production destination.
- D. Yes. Every managed Solution must be imported into the Default environment.

Module 2 - Create tables in Dataverse

Questions 6-10 | Configure Microsoft Dataverse (25-30%) | [Official Microsoft Learn module](#)

Question 6 | Choose the best answer

User A should own and assign a row to User B. Which table ownership is required?

- A. An Organization-owned Activity table.
- B. Virtual table.
- C. User/Team-owned.
- D. Organization-owned table.

Question 7 | Choose the best answer

Which table type exposes external data without storing it in Dataverse?

- A. Virtual table.
- B. Elastic table.
- C. Activity table.
- D. Standard table.

Question 8 | Choose the best answer

Can custom table ownership be changed from Organization-owned to User/Team-owned after creation?

- A. Yes. Export the table in a managed Solution and change ownership during import.
- B. Yes. Assigning the first row to a user converts the table ownership type.
- C. No. Current documentation treats ownership type as a creation-time, non-changeable choice.
- D. Yes. Change Ownership in the table properties after publishing.

Question 9 | Choose the best answer

Why is a custom Customer table often wrong when Account already fits?

- A. A new Customer table automatically inherits every Account integration.
- B. It duplicates standard semantics and may lose existing relationships/integrations.
- C. Standard tables cannot be included in a custom Solution.
- D. Standard tables cannot contain custom columns.

Question 10 | Choose the best answer

A requirement demands virtual data plus Dataverse auditing and BPF. What is the correct response?

- A. Enable environment auditing; it removes the Virtual table restrictions.
- B. Build the BPF only in the app so that no persisted Dataverse row is required.
- C. Identify a requirements conflict.
- D. Use a Virtual table and enable all standard auditing and BPF capabilities.

Module 3 - Create and manage columns within a table in Dataverse

Questions 11-15 | Configure Microsoft Dataverse (25-30%) | [Official Microsoft Learn module](#)

Question 11 | Choose the best answer

External system only knows a unique employee number. Which Dataverse feature supports upsert without GUID?

- A. Autonumber column.
- B. The Dataverse primary GUID only.
- C. Duplicate Detection rule.
- D. Alternate Key.

Question 12 | Choose the best answer

A case number should be generated automatically and be readable by agents. Alternate Key or Autonumber?

- A. Alternate Key.
- B. Calculated column.
- C. A manually entered Text column.
- D. Autonumber.

Question 13 | Choose the best answer

Which Date and Time behavior is best for a birthday?

- A. Duration.
- B. Date Only.
- C. Time-Zone Independent Date and Time.
- D. User Local Date and Time.

Question 14 | Choose the best answer

Can a Column Security-enabled column be used in an alternate key?

- A. Yes. Importing the key in a managed Solution bypasses the restriction.
- B. Yes. It is allowed when every user has Read access through a Field Security Profile.
- C. Yes. Secured columns are preferred for alternate keys.
- D. No. Current alternate-key documentation excludes secured columns.

Question 15 | Choose the best answer

Does a Prompt column automatically backfill every existing row when created?

- A. Yes. Every existing row is evaluated immediately when the column is created.
- B. Yes. Publishing the table automatically fills every blank existing row.
- C. No. Current Prompt column documentation says creation/update triggers do not automatically backfill existing rows; plan an explicit population approach if needed.
- D. Yes. Opening each row in a form is the documented automatic backfill process.

Module 4 - Work with choices in Dataverse

Questions 16-20 | Configure Microsoft Dataverse (25-30%) | [Official Microsoft Learn module](#)

Question 16 | Choose the best answer

Departments have manager, budget, and related employees. Choice or Lookup?

- A. Local Choice.
- B. Lookup to a Department table.
- C. Multi-select Choice.
- D. Global Choice.

Question 17 | Choose the best answer

The same simple Risk Rating list is required in four tables. Local or global Choice?

- A. Create a separate Local Choice in each table.
- B. Use a Text column in every table and rely on user spelling.
- C. Create a Department table and four Lookups, even though no related attributes are needed.
- D. Global Choice.

Question 18 | Choose the best answer

Does a global Choice create a 1:N relationship?

- A. Yes. Every option becomes a related Dataverse row.
- B. No. It reuses option metadata; a Lookup creates the relationship.
- C. Yes. A relationship is created as soon as the Choice is added to two tables.
- D. Yes. A Global Choice creates a hidden parent table and a 1:N relationship.

Question 19 | Choose the best answer

Which design supports selecting several tags in one column?

- A. One Lookup column that stores several related rows.
- B. Choices (multi-select Choice).
- C. Single Line of Text with comma-separated values.
- D. Single-select Global Choice.

Question 20 | Choose the best answer

Why should an integration avoid depending only on displayed Choice labels?

- A. Translated labels have the same value in every language and never change.
- B. Displayed labels are permanent and therefore are the safest integration keys.
- C. The integration should ignore option values and compare only the current English label.
- D. Labels can be localized/renamed; integrations should understand stable option values and solution changes.

Module 5 - Create a relationship between tables in Dataverse

Questions 21-25 | Configure Microsoft Dataverse (25-30%) | [Official Microsoft Learn module](#)

Question 21 | Choose the best answer

Where is the Lookup stored in Customer 1:N Orders?

- A. In a required intersection table created for every 1:N relationship.
- B. On the Order (N/child) table.
- C. On the Customer (1/parent) table.
- D. Only in relationship metadata; neither table contains a Lookup.

Question 22 | Choose the best answer

Student-Course enrollment requires Grade. Native N:N or junction table?

- A. A 1:N relationship from Student to Course.
- B. Junction table.
- C. A multi-select Choice on Student that stores Course and Grade together.
- D. Native N:N relationship with Grade stored on the relationship.

Question 23 | Choose the best answer

Which delete behavior blocks deleting a parent while children exist?

- A. Parental with Cascade All.
- B. Referential, Restrict Delete (or matching configurable restriction).
- C. Configurable Cascading with Cascade Delete.
- D. Referential with Remove Link.

Question 24 | Choose the best answer

Does relationship mapping continuously synchronize parent and child columns?

- A. Yes. Continuous synchronization starts when cascade behavior is Parental.
- B. Yes. Refreshing the related-record view copies the latest parent values.
- C. No. It can default values during related-record creation; it is not continuous sync.
- D. Yes. Mapping continuously updates the child whenever the parent changes.

Question 25 | Choose the best answer

Are 1:N and N:1 separate data relationships?

- A. No. They are the parent and child perspectives of the same relationship.
- B. Yes. 1:N controls data while N:1 controls security.
- C. Yes. Each direction stores a different Lookup column.
- D. Yes. 1:N and N:1 always create two independent relationships.

Module 6 - Create and define calculation or rollup columns in Dataverse

Questions 26-30 | Configure Microsoft Dataverse (25-30%) | [Official Microsoft Learn module](#)

Question 26 | Choose the best answer

Which feature calculates the sum of related Order rows?

- A. Calculated column on the parent that never reads related rows.
- B. Cloud Flow that recalculates only when a user opens the form.
- C. Rollup column.
- D. Formula column using only the current Order row.

Question 27 | Choose the best answer

Does a Rollup update synchronously on every child edit?

- A. No. It uses scheduled/system calculation plus supported on-demand recalculation.
- B. Yes. Saving a model-driven form always forces immediate rollup recalculation.
- C. Yes. Opening a view recalculates every rollup displayed in that view.
- D. Yes. It recalculates synchronously inside every child-row transaction.

Question 28 | Choose the best answer

Can a Formula column output type be freely changed later?

- A. Yes. Delete the source data and then select a new output type.
- B. Yes. Any Formula output type can be changed after data exists.
- C. Yes. Output type is fixed only for managed columns.
- D. No. The output type is fixed; edits must keep a compatible type.

Question 29 | Choose the best answer

Does source Column Security automatically protect a calculated output?

- A. Yes. A calculated output automatically inherits every source column's security.
- B. Hiding the source on the form also secures the calculated output through the API.
- C. No additional protection is needed when the source is secured.
- D. No. Secure the derived column separately when sensitive.

Question 30 | Choose the best answer

Which feature is best for a deterministic same-row multiplication?

- A. Business Rule that runs only on a model-driven form.
- B. Scheduled Cloud Flow.
- C. Formula column when its supported Power Fx/type behavior fits.
- D. Rollup column.

Module 7 - Load/export data and create data views in Dataverse

Questions 31-35 | Configure Microsoft Dataverse (25-30%) | [Official Microsoft Learn module](#)

Question 31 | Choose the best answer

Which view type should be transported in a Solution?

- A. System/Public View.
- B. Personal View.
- C. Quick Find View created by one user.
- D. A private Associated View saved outside a Solution.

Question 32 | Choose the best answer

Does sharing a Personal View grant access to rows the recipient cannot Read?

- A. No. Security is evaluated separately.
- B. Yes. Sharing a Personal View also shares every row returned by its query.
- C. Yes. The view owner can grant row access without Share privilege.
- D. Yes. Personal Views bypass Dataverse Security Roles for recipients.

Question 33 | Choose the best answer

Which feature is best for scheduled transformation and load?

- A. A normal Excel export that a user runs manually.
- B. A Duplicate Detection rule without any import process.
- C. A Calculated column on the destination table.
- D. Dataflow with Power Query.

Question 34 | Choose the best answer

Is a normal Excel export continuously synchronized?

- A. Yes. Editing the exported file always updates Dataverse immediately.
- B. Yes. Exported rows no longer use Dataverse security after download.
- C. No. Treat it as a snapshot unless using a specific supported online/edit integration.
- D. Yes. Every Excel export remains live and refreshes automatically.

Question 35 | Choose the best answer

What design element helps repeatable upsert avoid duplicates?

- A. Duplicate Detection alone, with no stable source identifier.
- B. The Modified On timestamp as the permanent business identifier.
- C. The display Name column, even when names can repeat.
- D. A stable Alternate Key (or GUID mapping) plus correct upsert/mapping strategy.

Module 8 - Get started with security roles in Dataverse

Questions 36-43 | Configure Microsoft Dataverse (25-30%) | [Official Microsoft Learn module](#)

Question 36 | Choose the best answer

Sara has Case Write at BU depth, but Case is owned in another unrelated BU. No share/team ownership. Can she edit it?

- A. Yes. App sharing gives Sara Write access to all Cases.
- B. Yes. A Security Role action privilege is sufficient without a row access path.
- C. Yes. Business Unit-depth Write reaches every row in the environment.
- D. No. She has the action privilege but no access path to that row.

Question 37 | Choose the best answer

Which Team type gives changing collaborators rights to a single row without ownership?

- A. Access Team.
- B. Owner Team.
- C. Business Unit default team.
- D. Microsoft Entra ID Group Team.

Question 38 | Choose the best answer

Can a restrictive Security Role remove Organization Read granted by another role?

- A. Yes. A Business Unit-level role subtracts Organization-level access.
- B. Yes. The last role assigned replaces broader privileges from earlier roles.
- C. Yes. The most restrictive assigned Security Role always wins.
- D. No. Grants are cumulative; the broader grant wins.

Question 39 | Choose the best answer

What privileges are commonly required to set a Contact's Account lookup?

- A. Assign on Contact and Share on Account.
- B. Append on Contact and Append To on Account, plus necessary Read/Write/row access.
- C. Append To on Contact and Append on Account.
- D. Read on Contact only.

Question 40 | Choose the best answer

A user can query rows by API but cannot open the model-driven app. What extra gate should be checked?

- A. Model-driven app sharing / associated Security Role access.
- B. Record sharing only.
- C. Business Unit hierarchy only.
- D. Column Security Profile only.

Question 41 | Choose the best answer

Can Column Security grant access to a row the user cannot Read?

- A. No. Column Security restricts columns after table/row access; it does not grant the row.
- B. Yes. A Field Security Profile grants the missing row Read privilege.
- C. Yes. A secured column bypasses table privileges for profile members.
- D. Yes. Sharing the app automatically grants the row through Column Security.

Question 42 | Choose the best answer

Which team type uses Microsoft Entra group membership and can own rows?

- A. Access Team Template.
- B. Business Unit default team.
- C. Microsoft Entra ID Group Team.
- D. Access Team.

Question 43 | Choose the best answer

What minimum base privilege is required before Hierarchy Security can expand Read access?

- A. Organization-level Read is always required.
- B. At least User-level Read on the table, per current hierarchy security documentation.
- C. Business Unit-level Read is always required.
- D. No base Read privilege is required.

Module 9 - Use administration options for Dataverse

Questions 44-49 | Configure Microsoft Dataverse (25-30%) | [Official Microsoft Learn module](#)

Question 44 | Choose the best answer

Which feature records configured changes to Dataverse rows?

- A. Duplicate Detection.
- B. Dataverse auditing.
- C. Bulk Delete.
- D. Change Tracking only.

Question 45 | Choose the best answer

Which feature should enforce a unique external ID?

- A. Alternate Key.
- B. Autonumber without a key.
- C. Duplicate Detection rule.
- D. Form-scoped Business Rule.

Question 46 | Choose the best answer

Does enabling table auditing automatically audit every column if column auditing is off?

- A. Yes. Environment auditing alone captures all table and column changes.
- B. Yes. Enabling table auditing overrides every column-level setting.
- C. Yes. All custom columns are audited automatically when the table is audited.
- D. No. Required audit levels/settings must all be enabled for the intended detail.

Question 47 | Choose the best answer

Which operation is appropriate for recurring deletion of old test rows?

- A. Export to Excel and manually delete matching rows every month.
- B. Delete a parent row and rely on cascade behavior without reviewing children.
- C. Long-term data retention policy used as a deletion job.
- D. Bulk Delete job, with carefully validated query, privileges, and cascade impact.

Question 48 | Choose the best answer

Does Dataverse search expose rows a user lacks Read privilege for?

- A. Yes. Organization-wide search grants temporary Read to every result.
- B. Yes. Adding a column to Quick Find shares all matching rows.
- C. No. Search respects Dataverse security.
- D. Yes. Dataverse search bypasses row security after indexing.

Question 49 | Choose the best answer

Is long-term retention equivalent to a backup?

- A. Yes. Retention is a full environment backup that can be restored anywhere.
- B. Yes. Retention is the same as exporting every table to Excel.
- C. Yes. Retained rows are an editable production copy of deleted data.
- D. No. It is a managed inactive/read-only retention lifecycle, not a general restore copy.

Part II - Model-driven Apps

Module 10 - How to build your first model-driven app with Dataverse

Questions 50-54 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 50 | Choose the best answer

Which app type starts from Dataverse metadata?

- A. Model-driven App.
- B. Canvas App.
- C. Power Pages site.
- D. Power Apps Card.

Question 51 | Choose the best answer

Does adding a table to app navigation grant Read access?

- A. Yes. Publishing the app adds Basic User privileges to every included table.
- B. No. Security Role and row access are separate.
- C. Yes. Sharing the app creates the required table privileges.
- D. Yes. Navigation membership grants Organization-level Read.

Question 52 | Choose the best answer

Is a model-driven app responsive?

- A. No. Model-driven apps support only desktop browsers.
- B. No. Mobile access requires rebuilding the app as a Canvas App.
- C. Yes. The shell is designed for responsive supported clients.
- D. No. Every form requires a fixed pixel layout.

Question 53 | Choose the best answer

When should an embedded canvas/custom page be considered?

- A. For a focused custom experience inside the model-driven shell, without rebuilding the entire app as Canvas.
- B. Use a Business Process Flow as the custom page layout.
- C. Use a Dashboard when the requirement is an interactive task page.
- D. Rebuild the entire model-driven application as a Canvas App.

Question 54 | Choose the best answer

Which comes first: data/security design or command styling?

- A. Sitemap icon selection.
- B. Chart color configuration.
- C. Data/security design.
- D. Command-bar styling.

Module 11 - Get started with model-driven apps in Power Apps

Questions 55-60 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 55 | Choose the best answer

Which form type can be assigned to Security Roles?

- A. Quick Create Form.
- B. Quick View Form.
- C. Main Form.
- D. Card Form.

Question 56 | Choose the best answer

Which form shows related lookup data read-only?

- A. Card Form.
- B. Main Form.
- C. Quick Create Form.
- D. Quick View Form.

Question 57 | Choose the best answer

Can a Quick Create form contain a subgrid?

- A. Yes. Subgrids are supported on Quick Create forms only on mobile clients.
- B. Yes. Quick Create forms support the same subgrids as Main Forms.
- C. No. Current documented Quick Create limits exclude subgrids.
- D. Yes. Add the subgrid with a command-bar customization after publishing.

Question 58 | Choose the best answer

Does form order grant row access?

- A. Yes. Moving a form higher grants access to every column displayed on it.
- B. Yes. The first form in form order grants Read access to its rows.
- C. Yes. Form order replaces Security Role privilege depth.
- D. No. It only decides presentation among accessible Main Forms.

Question 59 | Choose the best answer

Which feature suits a custom model-driven navigation page?

- A. Custom Page.
- B. Embedded Canvas App tied to one form component.
- C. Quick View Form.
- D. Sitemap subarea that contains no page.

Question 60 | Choose the best answer

What must be checked after Copilot generates an app artifact?

- A. Data model, formulas, security, licensing/tenant availability, dependencies, and publish/ALM readiness.
- B. Publish the generated artifact without reviewing its schema or formulas.
- C. Check only whether the generated screen opens for the maker.
- D. Share the app and assume licensing, security, and dependencies are complete.

Module 12 - Configure forms, charts, and dashboards in model-driven apps

Questions 61-65 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 61 | Choose the best answer

Which component displays related rows in a grid?

- A. Timeline.
- B. Quick View Form.
- C. Chart.
- D. Subgrid.

Question 62 | Choose the best answer

Does hiding Salary section secure Salary data?

- A. Yes. A role-based form is a replacement for Column Security.
- B. Yes. A hidden form section prevents API access to its columns.
- C. No. Use Column Security and row privileges.
- D. Yes. A read-only control removes Read privilege from the underlying column.

Question 63 | Choose the best answer

Which artifact combines several lists/charts on one page?

- A. Dashboard.
- B. System View.
- C. Sitemap group.
- D. Chart.

Question 64 | Choose the best answer

What extra permission is commonly required for embedded Power BI?

- A. Dataverse Security Role access automatically grants every Power BI permission.
- B. Environment Maker is the only permission needed for the embedded report.
- C. Power BI report/dataset/workspace sharing and licensing as applicable, in addition to app access.
- D. No additional permission is needed after the model-driven app is shared.

Question 65 | Choose the best answer

Which component suits activities and notes chronologically?

- A. Timeline.
- B. Quick Create Form.
- C. Dashboard.
- D. Subgrid.

Module 13 - Use specialized components in a model-driven form

Questions 66-70 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 66 | Choose the best answer

Which feature shows a stage bar to users?

- A. Business Rule.
- B. Cloud Flow.
- C. Business Process Flow.
- D. Command bar.

Question 67 | Choose the best answer

Which feature sends a cross-service notification after approval?

- A. Business Process Flow.
- B. Calculated column.
- C. Cloud Flow.
- D. Business Rule.

Question 68 | Choose the best answer

Where is BPF instance state stored?

- A. In the user's Business Unit record.
- B. In the BPF table created for that process.
- C. In a System Job record with no BPF table.
- D. Only on the primary business table as ordinary columns.

Question 69 | Choose the best answer

Does the final stage fire a normal Stage Exit transition?

- A. Yes. Every final stage exposes an ordinary Stage Exit event to a next stage.
- B. No. There is no next-stage transition; use completed/abandoned logic.
- C. Yes. Completing the final stage deletes the BPF instance automatically.
- D. Yes. Finishing the final stage always invokes the same transition as moving forward.

Question 70 | Choose the best answer

What must be shared besides the model-driven app when using an embedded Canvas App?

- A. Only a Security Role; it automatically shares every Canvas App and connection.
- B. The embedded Canvas App and its data source permissions/connections as applicable.
- C. Only the Business Process Flow associated with the form.
- D. Only the model-driven app; embedded apps inherit every permission.

Module 14 - Customize the command bar

Questions 71-75 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 71 | Choose the best answer

Which property controls a modern command's action?

- A. Items.
- B. Visible.
- C. DisplayMode.
- D. Power Fx OnSelect.

Question 72 | Choose the best answer

Does hiding a Delete command remove Delete privilege?

- A. Yes. Hiding Delete removes the Dataverse Delete privilege.
- B. Yes. Publishing the app converts the hidden command into a deny rule.
- C. Yes. Removing Delete from one view prevents deletion through every channel.
- D. No. Revoke Delete in Security Role for enforcement.

Question 73 | Choose the best answer

Which feature represents a multi-stage guided process?

- A. Command bar button.
- B. Automated Cloud Flow.
- C. Business Rule.
- D. Business Process Flow.

Question 74 | Choose the best answer

Why test command context on grid and form separately?

- A. Selection/context can differ: none, one, or multiple selected records and different command locations.
- B. A grid command always has exactly one selected row.
- C. A form command always receives several selected records.
- D. Grid and form contexts always expose the same selected-record collection.

Question 75 | Choose the best answer

When might a classic command remain?

- A. When a background Cloud Flow is required and no user command is needed.
- B. Existing legacy customization or a modern commanding feature gap, after supported-path review.
- C. When the goal is to enforce Dataverse security instead of changing the UI.
- D. Never; every classic command is automatically deleted during app upgrade.

Part III - Canvas Apps and Power Apps Cards

Module 15 - Get started with Power Apps canvas apps

Questions 76-80 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 76 | Choose the best answer

Which control displays many records using a repeated template?

- A. Gallery.
- B. Container.
- C. Edit Form.
- D. Display Form.

Question 77 | Choose the best answer

Which control edits one selected row?

- A. Data Table used without an edit form.
- B. Gallery.
- C. Display Form.
- D. Edit Form.

Question 78 | Choose the best answer

Does app sharing grant Dataverse table Read automatically?

- A. Yes. A Connection Reference gives every app user the owner's row privileges.
- B. Yes. Environment Maker is assigned automatically to every shared-app user.
- C. Yes. Sharing a Canvas App grants Dataverse Read on every connected table.
- D. No. Assign Dataverse Security Roles/data permissions separately.

Question 79 | Choose the best answer

Which property usually identifies a Form's row?

- A. DefaultMode.
- B. DataSource.
- C. Item.
- D. Updates.

Question 80 | Choose the best answer

Why use responsive containers?

- A. They replace Dataverse Security Roles with layout rules.
- B. They remove the need for app state and formulas.
- C. They make every Power Fx query delegable.
- D. To adapt layout across screen sizes instead of relying on rigid pixel positions.

Module 16 - Customize a canvas app in Power Apps

Questions 81-85 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 81 | Choose the best answer

Which formula changes a form to create mode?

- A. ViewForm(FormName).
- B. NewForm(FormName).
- C. ResetForm(FormName).
- D. EditForm(FormName).

Question 82 | Choose the best answer

Where should navigation occur only after successful save?

- A. In the destination screen's OnVisible property.
- B. The Form's OnSuccess property.
- C. In the save button's OnSelect before SubmitForm finishes.
- D. In App.OnStart, before the user edits the record.

Question 83 | Choose the best answer

What does ThisItem mean inside a gallery template?

- A. The first record in the data source, regardless of the template row.
- B. The record stored in Gallery.Selected for every template row.
- C. The complete table returned by the gallery's data source.
- D. The record for the current repeated gallery item.

Question 84 | Choose the best answer

Why can unlocking Data Cards be risky?

- A. Unlocking automatically improves validation and can never break metadata wiring.
- B. Unlocking converts the card into a security boundary for the column.
- C. Automatic metadata/validation wiring can be accidentally broken; preserve DataField/Update/error properties.
- D. Unlocking removes the need to set DataField and Update properties.

Question 85 | Choose the best answer

Which function resets unsaved form changes?

- A. Clear(FormName).
- B. Reset(FormName).
- C. ResetForm(FormName).
- D. Refresh(FormName).

Module 17 - Navigation in a canvas app in Power Apps

Questions 86-90 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 86 | Choose the best answer

Which function returns to the previous screen?

- A. Exit().
- B. Back().
- C. Select(PreviousScreen).
- D. Navigate(PreviousScreen).

Question 87 | Choose the best answer

How can a selected record be passed to a detail screen without a global variable?

- A. Pass the record identifier in an unauthenticated URL and trust it as authorization.
- B. Pass a context record in `Navigate(..., {locRecord: ThisItem})`.
- C. Store every selected record in a global variable with `Set`; no other method exists.
- D. Copy the entire data source into a collection before navigation.

Question 88 | Choose the best answer

Does hiding a screen secure its data?

- A. Yes. Removing a screen from the menu revokes Dataverse row privileges.
- B. Yes. A hidden screen prevents connectors from returning its data.
- C. No. Enforce security at the data source.
- D. Yes. A `Navigate` condition is a data-source security rule.

Question 89 | Choose the best answer

When can `OnVisible` run?

- A. Only once after the app is published.
- B. Each time the screen becomes visible, depending navigation.
- C. Never after a screen has been visited for the first time.
- D. Only once when the app first starts.

Question 90 | Choose the best answer

What is the scope of a context variable?

- A. The screen where it is created/updated.
- B. Every session for every user.
- C. The entire app.
- D. The connected data source.

Module 18 - Create formulas to change behaviors in a Power Apps canvas app

Questions 91-96 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 91 | Choose the best answer

Which function returns every matching record?

- A. Last.
- B. Filter (or Search for text search).
- C. First.
- D. LookUp.

Question 92 | Choose the best answer

Which variable type is app-wide?

- A. A temporary value that is scoped to one gallery template row.
- B. A control property that exists only on one screen.
- C. A context variable created with UpdateContext.
- D. A global variable created with Set.

Question 93 | Choose the best answer

What is the current default nondelegation row limit?

- A. 2,000 rows by default and 5,000 maximum.
- B. Unlimited rows for every connector.
- C. 5,000 rows by default with no configurable maximum.
- D. 500 rows, configurable up to 2,000 per current docs.

Question 94 | Choose the best answer

Does increasing it to 2,000 make a 100,000-row nondelegable query correct?

- A. No. Records beyond the local subset remain unprocessed.
- B. Yes. A delegation warning affects performance only, never result correctness.
- C. Yes. The 2,000 setting forces Power Apps to scan all 100,000 rows on the server.
- D. Yes. Dataverse automatically delegates every Power Fx function.

Question 95 | Choose the best answer

Which function is simplest for ordinary Edit Form save?

- A. SubmitForm.
- B. Collect into the data source.
- C. Patch with a fully hand-built change record for every ordinary form save.
- D. UpdateIf across the entire table.

Question 96 | Choose the best answer

Which function handles a formula error and provides fallback behavior?

- A. IsBlank only, which handles connector and formula errors automatically.
- B. IfError; use Errors/Form.OnFailure for detailed data-operation handling.
- C. Switch only, without an error branch.
- D. If only, without evaluating the formula error.

Module 19 - Connect to other data in a Power Apps canvas app

Questions 97-101 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 97 | Choose the best answer

What stores service authentication: Connector or Connection?

- A. On-premises data gateway.
- B. Connection.
- C. Connection Reference.
- D. Connector.

Question 98 | Choose the best answer

Does an on-premises gateway grant SQL row permissions?

- A. No. Database authorization remains required.
- B. Yes. Gateway membership automatically grants SQL row permissions.
- C. Yes. A DLP policy transfers the gateway owner's database rights.
- D. Yes. Every app user inherits the connection owner's database authorization.

Question 99 | Choose the best answer

What can block combining business and non-business connectors?

- A. A Data Loss Prevention (DLP) policy.
- B. Sharing the Canvas App.
- C. On-premises data gateway.
- D. Dataverse Security Role.

Question 100 | Choose the best answer

Why test with a non-maker account?

- A. Makers often have broader roles/connections; ordinary-user test reveals real access gaps.
- B. A maker test is sufficient because all users receive identical roles and connections.
- C. Environment Maker has the same access profile as an ordinary production user.
- D. The maker's personal connections are transferred automatically to every user.

Question 101 | Choose the best answer

Which platform is first choice for complex Power Platform relational security?

- A. Dataverse, when requirements fit its capabilities/licensing.
- B. A disconnected local collection stored only in the app session.
- C. An Excel workbook used as the production system of record.
- D. A SharePoint list with UI hiding as its row-security model.

Module 20 - Introduction to Power Apps cards

Questions 102-106 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 102 | Choose the best answer

Are Power Apps Cards the same as model-driven Card Forms?

- A. Yes. Both features use the same form runtime and security configuration.
- B. No. They are separate features.
- C. Yes. Publishing a Card automatically creates a Card Form for every table.
- D. Yes. A Card is the conversational name for a model-driven Card Form.

Question 103 | Choose the best answer

Which scenario best fits a Card?

- A. A complex ten-screen case-management application.
- B. A concise in-conversation interaction such as one approval or small input.
- C. A multi-dashboard administration center.
- D. A full historical data-migration interface.

Question 104 | Choose the best answer

Does Teams chat membership automatically grant Dataverse row access?

- A. Yes. A supported Card host bypasses the connected data source's security.
- B. Yes. Owning the Teams channel makes the user owner of all Dataverse rows.
- C. Yes. Teams chat membership grants every Dataverse privilege required by the Card.
- D. No. Dataverse/security permissions still apply.

Question 105 | Choose the best answer

Should a Card hold a complex ten-screen process?

- A. Yes. Put each screen into a nested Card and keep all logic in chat.
- B. Yes. Teams conversation history is the recommended database for the process.
- C. Yes. Cards are designed to replace complex multi-screen applications.
- D. No. Use Canvas or Model-driven App for complex workflows.

Question 106 | Choose the best answer

What must be checked before production use?

- A. Only membership in the host conversation.
- B. Current limitations, host support, licensing, connector/data access, sharing, and governance.
- C. Only the maker's development connection.
- D. Only the visual Card layout.

Part IV - Microsoft Power Pages

Module 21 - Core components of Power Pages

Questions 107-111 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 107 | Choose the best answer

Which record generally represents an authenticated Power Pages user?

- A. Account.
- B. Web Role.
- C. Contact.
- D. System User.

Question 108 | Choose the best answer

Which permission protects a Dataverse list's rows?

- A. Web Role without any Table Permission.
- B. Table Permission.
- C. Dataverse View filter.
- D. Page Permission only.

Question 109 | Choose the best answer

Does removing a page from navigation secure its URL?

- A. Yes. A Web Role can see only pages that appear in its navigation menu.
- B. No. Use Page Permission/access control.
- C. Yes. Removing the navigation link denies direct access to the page URL.
- D. Yes. A page that is not in the menu is treated as private by default.

Question 110 | Choose the best answer

What is a template: final security model or starting point?

- A. A starting point; validate/modify components and security.
- B. A managed identity provider for the site.
- C. A final security model that should not be changed.
- D. A replacement for Table Permissions and Web Roles.

Question 111 | Choose the best answer

Which language is used for advanced server-rendered templates?

- A. C# Razor.
- B. Power Query M.
- C. Power Fx.
- D. Liquid (with web templates), plus HTML/CSS/JavaScript as applicable.

Module 22 - Access Dataverse in Power Pages websites

Questions 112-116 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 112 | Choose the best answer

Which component displays multiple Dataverse records?

- A. Web Template.
- B. Business Process Flow.
- C. Form.
- D. List.

Question 113 | Choose the best answer

Which Form mode creates a row?

- A. Edit mode.
- B. Delete mode.
- C. Read-only mode.
- D. Insert/Create mode.

Question 114 | Choose the best answer

Does a View filter securely restrict each customer to their rows?

- A. Yes. A URL query parameter can securely define the allowed customer record.
- B. No. Use scoped Table Permission.
- C. Yes. A List automatically grants access only to the signed-in Contact's rows.
- D. Yes. A View filter is the Power Pages row-authorization boundary.

Question 115 | Choose the best answer

Where should success redirect be configured?

- A. In the Power Pages Form/on-submit configuration.
- B. In the Web Role assigned to the user.
- C. Only in custom JavaScript after the form submits.
- D. In the Dataverse View used by the form.

Question 116 | Choose the best answer

What three user types should security testing include?

- A. Only an anonymous user and a global administrator.
- B. One authenticated test account with broad administrator permissions.
- C. Anonymous, authenticated allowed, and authenticated disallowed/tampered request.
- D. Only the maker who built the site.

Module 23 - Explore Power Pages design studio

Questions 117-121 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 117 | Choose the best answer

Which workspace controls site page hierarchy?

- A. Set up workspace.
- B. Styling workspace.
- C. Pages workspace.
- D. Data workspace.

Question 118 | Choose the best answer

Does custom CSS authorize data?

- A. No. Table/Page permissions enforce security.
- B. Yes. Hiding browser developer tools makes the data secure.
- C. Yes. A protected CSS class is evaluated as a Table Permission.
- D. Yes. CSS display:none removes the user's Dataverse Read privilege.

Question 119 | Choose the best answer

What is the first action after AI generates a form?

- A. Accept every generated field and relationship without schema review.
- B. Review data model, fields, validation, Table Permissions, privacy, and availability.
- C. Add custom CSS first; data permissions can be reviewed after go-live.
- D. Publish it immediately because generated security is always complete.

Question 120 | Choose the best answer

Why prefer standard components before code?

- A. Write custom JavaScript before evaluating standard components.
- B. Embed an iframe for every standard site requirement.
- C. Modify unsupported DOM internals to gain more layout control.
- D. Better supportability, responsiveness, accessibility, and maintainability.

Question 121 | Choose the best answer

Is every AI unit a named PL-200 objective?

- A. Yes. AI-generated site artifacts replace the published exam blueprint.
- B. No. They are current prep content; the blueprint names broader Power Pages capabilities.
- C. Yes. Copilot output does not require maker review when it appears in Learn.
- D. Yes. Every current AI unit is a separate named PL-200 skill objective.

Module 24 - Integrate Power Pages websites with Dataverse

Questions 122-126 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 122 | Choose the best answer

Which feature suits a four-page external application?

- A. Multistep Form.
- B. Business Process Flow exposed directly as a public website form.
- C. One Basic Form containing every field on one page.
- D. Canvas App embedded as the entire anonymous site.

Question 123 | Choose the best answer

Is a Power Pages Multistep Form a BPF?

- A. Yes. Publishing the Multistep Form converts it into a BPF.
- B. Yes. It is the Power Pages rendering of the same BPF instance.
- C. Yes. Both components use identical stage tables and runtime events.
- D. No. Different component/runtime/purpose.

Question 124 | Choose the best answer

What protects a related Notes/Attachment table?

- A. A Dataverse View filter without Table Permissions.
- B. Appropriate Table Permissions and storage/document security.
- C. Page Permission only.
- D. Hiding the notes section with CSS.

Question 125 | Choose the best answer

Which step can route user after completion?

- A. A Redirect step/configuration.
- B. A View filter on the primary table.
- C. A JavaScript alert attached to the submit button.
- D. A Table Permission scope.

Question 126 | Choose the best answer

Why test direct URLs to later steps?

- A. Later steps do not need authorization after the first page is hidden.
- B. To ensure authorization/state prevents step bypass and unauthorized row access.
- C. Removing later steps from navigation is sufficient to prevent bypass.
- D. Direct URLs are always blocked automatically, so no negative test is required.

Module 25 - Integrate Power Pages with web-based technologies

Questions 127-131 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 127 | Choose the best answer

Where are files stored in SharePoint document management?

- A. In a Power Pages Web File record.
- B. In the browser cache of the authenticated Contact.
- C. In SharePoint; Dataverse keeps related location metadata.
- D. In a Dataverse File column.

Question 128 | Choose the best answer

Does a Web Role grant Power BI dataset permission?

- A. Yes. Embedding a report removes all Power BI licensing and RLS requirements.
- B. Yes. A Web Role automatically grants Power BI workspace and dataset access.
- C. No. Configure Power BI permission/embedding separately.
- D. Yes. Dataverse Read privilege is also Power BI dataset permission.

Question 129 | Choose the best answer

Can a URL filter be the only row-level security?

- A. No. Enforce with secure identity/RLS/permissions; parameters are not authorization.
- B. Yes. A URL filter is secure if the row identifier is a GUID.
- C. Yes. CSS can prevent a user from requesting rows outside the filter.
- D. Yes. A hidden query-string field cannot be changed by the user.

Question 130 | Choose the best answer

Which language handles Power Pages server templates?

- A. Liquid.
- B. JavaScript.
- C. Power Fx.
- D. Power Query M.

Question 131 | Choose the best answer

Which file option is directly a Dataverse column?

- A. Power Pages Web File used for a site asset.
- B. SharePoint document location.
- C. Note attachment stored through the Timeline.
- D. A Dataverse File column.

Module 26 - Explore Power Pages design studio data and security features

Questions 132-136 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 132 | Choose the best answer

Which scope is riskiest when only own rows are required?

- A. Account scope.
- B. Global Table Permission.
- C. Self scope.
- D. Contact scope.

Question 133 | Choose the best answer

Why can a maker test pass while customer test fails?

- A. Maker/admin has broader privileges or admin Web Role; ordinary user path is different.
- B. Browser cache grants the maker extra Dataverse access.
- C. The maker and the customer always use identical roles and privileges.
- D. Responsive layout automatically changes row authorization for customers.

Question 134 | Choose the best answer

What secures static page content?

- A. Removing the page from navigation.
- B. Page Permission.
- C. Custom CSS.
- D. Table Permission.

Question 135 | Choose the best answer

What secures row operations?

- A. A Dataverse View filter.
- B. Table Permission with exact privileges/scope.
- C. Web Role without a related Table Permission.
- D. Page Permission only.

Question 136 | Choose the best answer

Which test detects insecure direct object reference?

- A. Inspect the page CSS and assume hidden identifiers cannot be changed.
- B. Change row ID/URL while signed in as another Contact and confirm denial.
- C. Test only the normal link shown to an allowed Contact.
- D. Use an administrator account and confirm that every row opens.

Module 27 - Set up Power Pages security

Questions 137-142 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 137 | Choose the best answer

Which access type gives a signed-in user their own Contact row?

- A. Account scope.
- B. Self.
- C. Contact scope.
- D. Global scope.

Question 138 | Choose the best answer

Which access type lets partner employees see rows for their Account?

- A. Global scope.
- B. Self scope.
- C. Account.
- D. Contact scope.

Question 139 | Choose the best answer

What connects a Table Permission to users?

- A. A Web Role assignment.
- B. Owner Team membership in the internal Dataverse environment.
- C. Business Unit membership.
- D. Dataverse Security Role assigned directly to the Contact.

Question 140 | Choose the best answer

Is sign-in alone enough to Read a Dataverse list?

- A. Yes. Authentication automatically grants Read to every List on the site.
- B. No. Configure Web Role/Table Permission.
- C. Yes. Displaying a List on a protected page grants its row permissions.
- D. Yes. Creating the Contact row assigns all necessary table privileges.

Question 141 | Choose the best answer

What is needed for Order Line rows scoped through an allowed Order?

- A. A View filter that reads the Order ID from the URL.
- B. A Parent Table Permission using correct relationship and parent permission.
- C. A Global permission on Order Line with no parent relationship.
- D. A Page Permission on the Order page only.

Question 142 | Choose the best answer

Are Power Pages Web Roles Dataverse Security Roles?

- A. Yes. Assigning a Web Role adds the Contact to an internal Owner Team.
- B. Yes. Every Web Role inherits the privileges of Basic User.
- C. Yes. Web Roles are the external name for Dataverse Security Roles.
- D. No. Separate authorization systems for external site vs internal Dataverse users.

Module 28 - Authentication and user management in Power Pages

Questions 143-147 | Create apps by using Microsoft Power Apps (25-30%) | [Official Microsoft Learn module](#)

Question 143 | Choose the best answer

Which pattern best controls partner onboarding?

- A. Open registration with no invitation or account validation.
- B. Anonymous access with a URL parameter that names the partner Account.
- C. Invitation-based registration.
- D. Create one shared site identity for every partner employee.

Question 144 | Choose the best answer

A user signs in but cannot open protected page. Which layer first?

- A. Duplicate Detection on Contact, before reviewing page and table permissions.
- B. Password reset, even though the identity is already authenticated.
- C. Authorization: Web Role, Page/Table Permission, relationships.
- D. Authentication provider configuration, because successful sign-in proves authorization.

Question 145 | Choose the best answer

What Dataverse row represents the site user?

- A. Web Role.
- B. Contact.
- C. System User.
- D. Account.

Question 146 | Choose the best answer

Does invitation redemption alone grant all table data?

- A. No. Web Roles and permissions govern access.
- B. Yes. Redeeming an invitation grants Organization access to every site table.
- C. Yes. Identity-provider claims replace Web Roles and Table Permissions.
- D. Yes. The Contact inherits all privileges of its record owner.

Question 147 | Choose the best answer

Which items must match for external provider sign-in?

- A. Only the email address stored on the Contact.
- B. Provider/app registration, redirect URI, credentials, claims/configuration, and site settings per provider documentation.
- C. Only the Web Role assigned after sign-in.
- D. Only the provider client secret.

Part V - Logic and Process Automation

Module 29 - Best practices for error handling in Power Automate flows

Questions 148-152 | Create and manage logic and process automation (25-30%) | [Official Microsoft Learn module](#)

Question 148 | Choose the best answer

Which setting makes an alert run only after failure?

- A. Configure Run After with has failed/timed out as needed.
- B. Retry Policy set to None without a failure branch.
- C. Condition that runs after every successful action only.
- D. Terminate action placed before the operation being monitored.

Question 149 | Choose the best answer

Why can blind retry create duplicate records?

- A. Retrying always rolls back the previous service call before running again.
- B. Every connector action is atomic, so a retry can never duplicate a side effect.
- C. Previous side effect may have succeeded before failure; rerun repeats it.
- D. Run History automatically removes duplicate rows created by a retry.

Question 150 | Choose the best answer

Where do you inspect action inputs/outputs?

- A. The flow's Details page without opening a run.
- B. Run History (unless secure settings hide them).
- C. Solution Checker only.
- D. Environment analytics only, which always shows every action payload.

Question 151 | Choose the best answer

What does skipped often indicate?

- A. It always means a user manually cancelled that specific action.
- B. An upstream branch/action did not meet condition or failed; find the root action.
- C. It proves connector authentication cannot be the root cause.
- D. It always means the skipped action completed successfully.

Question 152 | Choose the best answer

Which pattern groups error logic cleanly?

- A. Scope-based Try/Catch/Finally.
- B. Switch control used without a default or failure path.
- C. Uncoordinated parallel branches with no shared error scope.
- D. A Child Flow that hides every failure from the parent.

Module 30 - Use Dataverse triggers and actions in Power Automate

Questions 153-158 | Create and manage logic and process automation (25-30%) | [Official Microsoft Learn module](#)

Question 153 | Choose the best answer

Which trigger field limits Update events to specified logical columns?

- A. Change type.
- B. Run-only users.
- C. Select columns.
- D. Filter rows.

Question 154 | Choose the best answer

Which action retrieves one known GUID?

- A. Get a row by ID.
- B. List rows and take the first result without a filter.
- C. Search rows.
- D. Get file or image content.

Question 155 | Choose the best answer

Which action safely supports create-or-update by key?

- A. Upsert a row with an Alternate Key/design.
- B. Add a new row on every run.
- C. List all rows, then create one without checking the business key.
- D. Update a row by a GUID that the source system does not know.

Question 156 | Choose the best answer

Why is a Condition after trigger less efficient than Filter rows?

- A. A Condition prevents the trigger from starting the flow.
- B. Filter rows is evaluated only in the flow after all rows are downloaded.
- C. A Condition consumes no flow run after the trigger starts.
- D. The flow already started/consumed a run before the Condition.

Question 157 | Choose the best answer

Can updating the same row cause a trigger loop?

- A. No. Dataverse suppresses every update made by the same flow.
- B. No. Update events cannot trigger a flow that contains an Update action.
- C. Yes. Add a trigger condition/flag/value comparison.
- D. No. Trigger loops can occur only on Delete events.

Question 158 | Choose the best answer

Does an N:N association always fire the ordinary row update trigger?

- A. Yes. Select columns always captures relationship changes as column updates.
- B. No. Current docs state relationship changes do not trigger that row trigger as ordinary updates.
- C. Yes. Adding an N:N link always changes a normal table column value.
- D. Yes. Every N:N associate or disassociate operation is an ordinary row Update.

Module 31 - Introduction to expressions in Power Automate

Questions 159-163 | Create and manage logic and process automation (25-30%) | [Official Microsoft Learn module](#)

Question 159 | Choose the best answer

Which control iterates an array?

- A. Condition.
- B. Do until.
- C. Switch.
- D. Apply to each.

Question 160 | Choose the best answer

Which function returns the first non-null value?

- A. coalesce (account for empty string separately if needed).
- B. first.
- C. empty.
- D. if.

Question 161 | Choose the best answer

Which control best handles Status=A/B/C/D?

- A. A long nested chain of Conditions.
- B. Apply to each.
- C. Switch.
- D. Do until.

Question 162 | Choose the best answer

Why can concurrency with a shared variable be unsafe?

- A. Parallel iterations update a shared variable atomically and in source order.
- B. Apply to each concurrency guarantees deterministic writes to shared state.
- C. Parallel iterations may update/read variable in nondeterministic order.
- D. Variables are isolated automatically for every concurrent iteration.

Question 163 | Choose the best answer

Which function formats a date/time string?

- A. convertTimeZone without a formatting expression.
- B. formatDateTime (and convert timezone explicitly when needed).
- C. utcNow.
- D. addDays.

Module 32 - Define and create business rules in Dataverse

Questions 164-169 | Create and manage logic and process automation (25-30%) | [Official Microsoft Learn module](#)

Question 164 | Choose the best answer

Which feature makes a model-driven field required based on another field?

- A. Scheduled Cloud Flow.
- B. Calculated column.
- C. Business Rule.
- D. Business Process Flow.

Question 165 | Choose the best answer

Which Business Rule scope can apply server-side to supported actions?

- A. Specific Form scope.
- B. Canvas App screen scope.
- C. Table/Entity scope.
- D. All Forms scope only.

Question 166 | Choose the best answer

Which classic workflow type supports a Wait condition?

- A. Instant Cloud Flow.
- B. Real-time workflow.
- C. Background workflow.
- D. Business Rule.

Question 167 | Choose the best answer

Where do you troubleshoot failed background workflows?

- A. Power Automate Run History.
- B. Dataverse Audit History only.
- C. System Jobs / workflow logs with process/owner/security review.
- D. Plug-in Trace Log only.

Question 168 | Choose the best answer

Does a form-scoped Business Rule automatically run in Canvas App UI?

- A. No. Canvas uses Power Fx; test table-scope server effects separately.
- B. Yes. Every form-scoped Business Rule becomes Power Fx in a Canvas App.
- C. Yes. A form-scoped rule is a data-source permission and runs in every client.
- D. Yes. Sharing the Canvas App imports all model-driven form rules into it.

Question 169 | Choose the best answer

Which feature is best for a Teams approval?

- A. Business Process Flow.
- B. Power Automate Cloud Flow.
- C. Business Rule.
- D. Classic real-time workflow without a Teams connector.

Module 33 - Set up low-code plug-ins

Questions 170-175 | Create and manage logic and process automation (25-30%) | [Official Microsoft Learn module](#)

Question 170 | Choose the best answer

Which plug-in type has input/output parameters?

- A. Automated low-code plug-in.
- B. Business Process Flow.
- C. Instant low-code plug-in.
- D. Business Rule.

Question 171 | Choose the best answer

Which type fires for Dataverse row events?

- A. Business Process Flow.
- B. Instant low-code plug-in.
- C. Form-scoped Business Rule.
- D. Automated low-code plug-in.

Question 172 | Choose the best answer

Which stage is best to reject invalid data efficiently?

- A. Pre-operation, using error to rollback invalid save.
- B. A Canvas App notification that does not protect other data-entry channels.
- C. A scheduled Cloud Flow that checks the row the next day.
- D. Post-operation after the invalid data has already committed.

Question 173 | Choose the best answer

What is the default Instant plug-in scope?

- A. Entity-bound scope.
- B. Parent-table scope.
- C. Global.
- D. Connection Reference scope.

Question 174 | Choose the best answer

Can Instant input parameters be optional in current module behavior?

- A. Yes. Omitted inputs automatically receive an empty value without configuration.
- B. No. Current module says all defined inputs require values.
- C. Yes. Importing in a managed Solution makes all inputs optional.
- D. Yes. Every Instant input is optional by default.

Question 175 | Choose the best answer

Where should the plug-in be associated for ALM?

- A. The Default Solution only, with no custom publisher.
- B. A custom Solution with correct publisher/dependencies.
- C. Outside every Solution so it remains environment-specific.
- D. Only in an Environment Variable, which stores the plug-in component itself.

Module 34 - Use common low-code plug-in scenarios

Questions 176-181 | Create and manage logic and process automation (25-30%) | [Official Microsoft Learn module](#)

Question 176 | Choose the best answer

Which function pattern rejects and rolls back an invalid automated operation?

- A. Collect the invalid record into a local collection.
- B. Patch a status message after the invalid row has saved.
- C. Notify the user in one Canvas App and allow the server operation to continue.
- D. Error(...) in automated pre-operation validation.

Question 177 | Choose the best answer

Which stage can change target values before save?

- A. Scheduled Cloud Flow.
- B. Post-operation.
- C. Rollup calculation.
- D. Pre-operation.

Question 178 | Choose the best answer

What deployable component points plug-in connector logic to a connection?

- A. Connection Reference.
- B. The maker's personal Connection object.
- C. On-premises data gateway.
- D. Environment Variable.

Question 179 | Choose the best answer

Global Instant plug-in is bound or unbound?

- A. A Child Flow invoked only by a parent flow.
- B. Automated by a Dataverse row event.
- C. Unbound/Global; Entity is bound.
- D. Bound to an Entity table.

Question 180 | Choose the best answer

Which feature best handles a two-day approval?

- A. Synchronous pre-operation low-code plug-in.
- B. Cloud Flow.
- C. Business Rule.
- D. Business Process Flow.

Question 181 | Choose the best answer

Why avoid slow external calls in pre-operation?

- A. It blocks/extends the synchronous save transaction and increases timeout/failure risk.
- B. Connector calls inside the transaction have unlimited execution time.
- C. Pre-operation runs asynchronously and never delays the save.
- D. The save commits before pre-operation, so external latency cannot affect it.

Part VI - Power BI Foundation

Module 35 - Get started building with Power BI

Questions 182-186 | Create apps / analytics integration | [Official Microsoft Learn module](#)

Question 182 | Choose the best answer

Which artifact holds measures and relationships?

- A. Semantic model.
- B. Dataflow.
- C. Report.
- D. Dashboard.

Question 183 | Choose the best answer

Which artifact is multi-page?

- A. Visual.
- B. Report.
- C. Semantic model.
- D. Dashboard.

Question 184 | Choose the best answer

Does model-driven app sharing grant dataset access?

- A. Yes. Model-driven app sharing grants access to every embedded Power BI dataset.
- B. Yes. Dataverse table Read is identical to Power BI workspace access.
- C. No. Share Power BI content and configure licensing/RLS.
- D. Yes. Embedding removes Power BI licensing and RLS requirements.

Question 185 | Choose the best answer

What may be required for on-prem refresh?

- A. An on-premises data gateway and credentials.
- B. No gateway or credentials are needed for on-premises sources.
- C. A Connection Reference in a Power Platform Solution.
- D. A Dataverse Security Role assigned to the Power BI service.

Question 186 | Choose the best answer

Which is better for cross-source advanced analytics: chart or Power BI?

- A. Quick View Form.
- B. Power BI.
- C. A basic model-driven Chart for all cross-source analysis.
- D. Excel Template used as a governed enterprise analytics model.

Part VII - Solutions, ALM, and Interoperability

Module 36 - Introduction to solutions for Microsoft Power Platform

Questions 187-194 | Manage environments (15-20%) | [Official Microsoft Learn module](#)

Question 187 | Choose the best answer

Which Solution type should be source in Dev?

- A. Default Solution used as the release package.
- B. Unmanaged custom Solution.
- C. Common Data Services Default Solution used as the source package.
- D. Managed Solution.

Question 188 | Choose the best answer

What happens when an unmanaged Solution container is deleted?

- A. All managed and unmanaged layers for those components are removed.
- B. Its unmanaged customizations remain; only container is deleted.
- C. Every component in the container is deleted from the environment.
- D. The environment automatically reverts every component to the base managed layer.

Question 189 | Choose the best answer

Which layer normally overrides managed layers?

- A. The oldest managed layer.
- B. The active unmanaged layer.
- C. A Solution patch always, even when an active unmanaged customization exists.
- D. The base managed layer, regardless of later customizations.

Question 190 | Choose the best answer

What stores a per-environment URL?

- A. Hard-coded Configuration table row with the same value in every environment.
- B. Environment display name.
- C. Environment Variable.
- D. Connection Reference.

Question 191 | Choose the best answer

What points a Flow to an authenticated connection?

- A. Security Role.
- B. Environment Variable.
- C. Connection Reference.
- D. Data Loss Prevention policy.

Question 192 | Choose the best answer

Can a Patch delete obsolete components?

- A. No. Use appropriate upgrade strategy.
- B. Yes. Increasing the patch version deletes components missing from the patch.
- C. Yes. Clone as Patch is the standard deletion mechanism for production components.
- D. Yes. A Patch can remove any obsolete component during import.

Question 193 | Choose the best answer

Does Solution Checker guarantee successful import?

- A. No. It is static analysis; dependencies/config/runtime still require testing.
- B. Yes. Solution Checker automatically supplies every missing dependency.
- C. Yes. A successful checker result guarantees import and runtime success.
- D. Yes. It validates production credentials and every external connection at runtime.

Question 194 | Choose the best answer

Why import same managed artifact to Test and Prod?

- A. Export a different build independently for Test and Production.
- B. Import Unmanaged into Production and edit it until it matches Test.
- C. Recreate each production component manually after Test approval.
- D. It preserves release integrity and reduces environment-specific drift.

Module 37 - Use Microsoft 365 services with model-driven apps and Microsoft Dataverse

Questions 195-199 | Manage environments (15-20%) | [Official Microsoft Learn module](#)

Question 195 | Choose the best answer

Which row is tested/enabled for server-side email sync?

- A. Email Activity.
- B. Server Profile.
- C. The user/queue Mailbox.
- D. Queue record without its Mailbox.

Question 196 | Choose the best answer

Does Dataverse record Read grant SharePoint file Read?

- A. Yes. Dataverse record Read also grants SharePoint document Read.
- B. Yes. A Document Location bypasses SharePoint permissions.
- C. No. SharePoint permissions apply.
- D. Yes. Sharing the model-driven app shares every linked SharePoint library.

Question 197 | Choose the best answer

Which option provides SharePoint versioning/libraries?

- A. SharePoint document management.
- B. Timeline Note attachments.
- C. Dataverse File column.
- D. Word Templates.

Question 198 | Choose the best answer

What should be checked after mailbox approval?

- A. Delete and recreate every Mailbox before reviewing the server profile.
- B. Mailbox approval alone; no test is required.
- C. Assign Environment Maker and ignore synchronization results.
- D. Server profile/method, then Test & Enable Mailbox result/errors.

Question 199 | Choose the best answer

Which app supports tracking Outlook email to Dataverse?

- A. Dynamics 365 App for Outlook (current naming/context).
- B. Microsoft Teams Approvals app.
- C. A generic Outlook desktop connector with no Dataverse tracking capability.
- D. Power Automate mobile app.

Module 38 - Use Microsoft Word and Excel templates with Dataverse

Questions 200-204 | Manage environments (15-20%) | [Official Microsoft Learn module](#)

Question 200 | Choose the best answer

Which template suits a formatted customer letter?

- A. Dataflow.
- B. Excel Template.
- C. Word Template.
- D. Power BI report.

Question 201 | Choose the best answer

Which template suits a forecast workbook?

- A. Dataflow destination.
- B. Excel Template.
- C. Power BI Dashboard.
- D. Word Template.

Question 202 | Choose the best answer

Does a Word Template store version history?

- A. Yes. Dataverse auditing is the same as versioning generated documents.
- B. No. Use SharePoint/document management for lifecycle/versioning.
- C. Yes. Word Templates provide document version history by themselves.
- D. Yes. Every generated file is retained as a new Word Template version.

Question 203 | Choose the best answer

Can a user generate data they cannot Read?

- A. Yes. The template owner lends Read access to every user who runs it.
- B. Yes. Template generation bypasses Dataverse row security.
- C. No. Dataverse security applies.
- D. Yes. Export operations always run as System Administrator.

Question 204 | Choose the best answer

Which feature handles scheduled transformed data load?

- A. Excel Template.
- B. Dataflow/Power Query, not Excel Template.
- C. Word Template.
- D. A normal one-time Excel export.

Part VIII - Validation Learning Path and Capstone

Module 39 - Get started with Power Automate

Questions 205-212 | Create and manage logic and process automation (25-30%) | [Official Microsoft Learn module](#)

Question 205 | Choose the best answer

Which type runs every weekday at 8 AM?

- A. Scheduled Cloud Flow.
- B. Instant Cloud Flow.
- C. Desktop Flow.
- D. Automated Cloud Flow.

Question 206 | Choose the best answer

Which type starts from Canvas App button?

- A. Automated Cloud Flow triggered by any Dataverse update.
- B. Instant Cloud Flow using Power Apps trigger.
- C. Business Process Flow.
- D. Scheduled Cloud Flow.

Question 207 | Choose the best answer

Which permission lets a user run but not edit Flow?

- A. Environment Maker role.
- B. Run-only access.
- C. Basic User Security Role without flow sharing.
- D. Co-owner access.

Question 208 | Choose the best answer

Which approval option requires all approvers?

- A. Wait for one response and ignore the remaining approvers.
- B. First to respond.
- C. Everyone must approve.
- D. Custom responses where any single response completes approval.

Question 209 | Choose the best answer

What ALM components replace hard-coded connection and URL?

- A. Solution and Publisher only.
- B. Environment Maker and Basic User roles.
- C. Connection Reference and Environment Variable.
- D. DLP policy and on-premises data gateway.

Question 210 | Choose the best answer

Which feature shows stages to a user?

- A. Business Rule.
- B. Business Process Flow.
- C. Command-bar button.
- D. Automated Cloud Flow.

Question 211 | Choose the best answer

Is Desktop Flow a current named PL-200 skill objective?

- A. Yes. Every candidate must build an unattended desktop automation for this exam.
- B. Yes. Desktop automation is the primary skill domain of PL-200.
- C. Yes. Desktop Flow is a separately named objective in the current blueprint.
- D. No. Current blueprint names Cloud Flows; know desktop distinction only.

Question 212 | Choose the best answer

Why use a Child Flow?

- A. To control model-driven app navigation instead of automating a subprocess.
- B. To reuse a solution-aware subprocess and avoid duplicated logic.
- C. To duplicate the same logic independently in every parent flow.
- D. To run synchronous Dataverse transaction logic before a row saves.

Module 40 - Challenge project - Build applications and automation solutions

Questions 213-220 | Integrated capstone across all domains | [Official Microsoft Learn module](#)

Question 213 | Choose the best answer

What should be designed before app screens?

- A. Screen colors and control positions.
- B. Command-bar icons.
- C. Cloud Flow action names.
- D. Data model, ownership, relationships, security, and requirements.

Question 214 | Choose the best answer

Where should production components be created for ALM?

- A. Directly in Production with no publisher or version plan.
- B. Only in a maker's personal app, outside a Solution.
- C. In a custom Solution with correct publisher.
- D. Directly in the Default Solution in Production.

Question 215 | Choose the best answer

Which test catches missing dependencies?

- A. Import into a clean Test environment plus dependency/checker review.
- B. Solution Checker alone, without importing the package.
- C. A maker-account test in the development environment only.
- D. A successful export from Development.

Question 216 | Choose the best answer

Which app fits a focused mobile task?

- A. Canvas App.
- B. Power Pages site.
- C. Power BI Dashboard.
- D. Model-driven App.

Question 217 | Choose the best answer

Which app fits relational back-office management?

- A. Canvas App.
- B. Model-driven App.
- C. Power Pages site.
- D. Power Apps Card.

Question 218 | Choose the best answer

Which issue can make Canvas results incomplete without obvious error?

- A. A slow network connection that still returns the complete delegated result.
- B. A responsive container with too many nested controls.
- C. A DLP policy that always displays a clear delegation warning.
- D. Nondelegable query over a large source.

Question 219 | Choose the best answer

Which issue can make a Dataverse-triggered Flow run forever?

- A. An approval timeout with no row update.
- B. A disabled retry policy on an unrelated action.
- C. Updating the same row without trigger guard.
- D. A Power Fx command that only changes the current app screen.

Question 220 | Choose the best answer

What is the final exam-reasoning question for every choice?

- A. "Why is this the supported, least-complex, secure choice - and why are distractors worse?"
- B. Which option is quickest for the maker, even if it is unsupported?
- C. Which option grants the broadest permissions so testing is easier?
- D. Which option is the newest feature, even if it adds complexity?

End of the question section. Stop here if you want to finish a closed-book attempt before checking your answers.

Part II - Answers and Explanations

Each answer includes the correct option, plain-English explanation, decision logic, and common PL-200 trap.

Answer Part I - Environments and Microsoft Dataverse Foundation

Module 1 - Create and manage environments in Dataverse

Answer explanations for Questions 1-5 | [Open the matching Microsoft Learn module](#)

Question 1

Correct answer: B. Environment Maker.

Explanation. Environment Maker. It grants resource-creation capability. Control Dataverse row access separately with Security Roles.

How to reason. Start with the exact requirement in the stem and separate Environment lifecycle and region decisions from Business Unit row security, and separate Environment Maker from Dataverse data privileges. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 2

Correct answer: B. Sandbox.

Explanation. Sandbox. It is the intended non-production type for copy, reset, and UAT workflows. Do not use a Production target for test resets.

How to reason. Start with the exact requirement in the stem and separate Environment lifecycle and region decisions from Business Unit row security, and separate Environment Maker from Dataverse data privileges. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 3

Correct answer: A. Environment Maker does not grant table privileges.

Explanation. Environment Maker does not grant table privileges. Check app sharing, the connection, Environment boundary, Security Roles, and row access separately.

How to reason. Start with the exact requirement in the stem and separate Environment lifecycle and region decisions from Business Unit row security, and separate Environment Maker from Dataverse data privileges. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 4

Correct answer: B. Usually no. Region and data residency are Environment-level decisions; a Business Unit is a row-security hierarchy inside one Dataverse database.

Explanation. Usually no. Region and data residency are Environment-level decisions; a Business Unit is a row-security hierarchy inside one Dataverse database.

How to reason. Start with the exact requirement in the stem and separate Environment lifecycle and region decisions from Business Unit row security, and separate Environment Maker from Dataverse data privileges. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 5

Correct answer: A. No. The Default Environment is a broad shared space.

Explanation. No. The Default Environment is a broad shared space. A dedicated Production Environment can be more appropriate after governance, DLP, lifecycle, and security requirements are evaluated.

How to reason. Start with the exact requirement in the stem and separate Environment lifecycle and region decisions from Business Unit row security, and separate Environment Maker from Dataverse data privileges. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Create and manage environments in Dataverse](#)

Module 2 - Create tables in Dataverse

Answer explanations for Questions 6-10 | [Open the matching Microsoft Learn module](#)

Question 6

Correct answer: C. User/Team-owned.

Explanation. User/Team-owned. It supports owner-based access, Assign, Share, and team ownership.

How to reason. Start with the exact requirement in the stem and choose table type and ownership from the long-term data and security requirement because ownership is a creation-time architecture decision. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 7

Correct answer: A. Virtual table.

Explanation. Virtual table. It presents external rows through Dataverse metadata without replication.

How to reason. Start with the exact requirement in the stem and choose table type and ownership from the long-term data and security requirement because ownership is a creation-time architecture decision. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 8

Correct answer: C. No. Current documentation treats ownership type as a creation-time, non-changeable choice.

Explanation. No. Current documentation treats ownership type as a creation-time, non-changeable choice.

How to reason. Start with the exact requirement in the stem and choose table type and ownership from the long-term data and security requirement because ownership is a creation-time architecture decision. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 9

Correct answer: B. It duplicates standard semantics and may lose existing relationships/integrations.

Explanation. It duplicates standard semantics and may lose existing relationships/integrations. Extend Account when it correctly represents the business concept.

How to reason. Start with the exact requirement in the stem and choose table type and ownership from the long-term data and security requirement because ownership is a creation-time architecture decision. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 10

Correct answer: C. Identify a requirements conflict.

Explanation. Identify a requirements conflict. Those Dataverse capabilities are restricted for virtual tables; use persisted integration or relax the requirements.

How to reason. Start with the exact requirement in the stem and choose table type and ownership from the long-term data and security requirement because ownership is a creation-time architecture decision. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Create tables in Dataverse](#)

Module 3 - Create and manage columns within a table in Dataverse

Answer explanations for Questions 11-15 | [Open the matching Microsoft Learn module](#)

Question 11

Correct answer: D. Alternate Key.

Explanation. Alternate Key. It lets a supported business column combination identify the row.

How to reason. Start with the exact requirement in the stem and distinguish identifiers, generated display numbers, data types, alternate-key restrictions, and modern Prompt-column behavior. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 12

Correct answer: D. Autonumber.

Explanation. Autonumber. It generates a display identifier. A key is about uniqueness/addressing, not necessarily sequence generation.

How to reason. Start with the exact requirement in the stem and distinguish identifiers, generated display numbers, data types, alternate-key restrictions, and modern Prompt-column behavior. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 13

Correct answer: B. Date Only.

Explanation. Date Only. Birthday is a calendar date and should not shift with timezone.

How to reason. Start with the exact requirement in the stem and distinguish identifiers, generated display numbers, data types, alternate-key restrictions, and modern Prompt-column behavior. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 14

Correct answer: D. No. Current alternate-key documentation excludes secured columns.

Explanation. No. Current alternate-key documentation excludes secured columns.

How to reason. Start with the exact requirement in the stem and distinguish identifiers, generated display numbers, data types, alternate-key restrictions, and modern Prompt-column behavior. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 15

Correct answer: C. No. Current Prompt column documentation says creation/update triggers do not automatically backfill existing rows; plan an explicit population approach if needed.

Explanation. No. Current Prompt column documentation says creation/update triggers do not automatically backfill existing rows; plan an explicit population approach if needed.

How to reason. Start with the exact requirement in the stem and distinguish identifiers, generated display numbers, data types, alternate-key restrictions, and modern Prompt-column behavior. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Create and manage columns within a table in Dataverse](#)

Module 4 - Work with choices in Dataverse

Answer explanations for Questions 16-20 | [Open the matching Microsoft Learn module](#)

Question 16

Correct answer: B. Lookup to a Department table.

Explanation. Lookup to a Department table. Department is an entity with attributes and relationships.

How to reason. Start with the exact requirement in the stem and use a Choice for stable option metadata and a Lookup when the value is a real related business entity. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 17

Correct answer: D. Global Choice.

Explanation. Global Choice. Reuse avoids divergent option lists.

How to reason. Start with the exact requirement in the stem and use a Choice for stable option metadata and a Lookup when the value is a real related business entity. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 18

Correct answer: B. No. It reuses option metadata; a Lookup creates the relationship.

Explanation. No. It reuses option metadata; a Lookup creates the relationship.

How to reason. Start with the exact requirement in the stem and use a Choice for stable option metadata and a Lookup when the value is a real related business entity. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 19

Correct answer: B. Choices (multi-select Choice).

Explanation. Choices (multi-select Choice). Verify connector/formula support for the scenario.

How to reason. Start with the exact requirement in the stem and use a Choice for stable option metadata and a Lookup when the value is a real related business entity. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 20

Correct answer: D. Labels can be localized/renamed; integrations should understand stable option values and solution changes.

Explanation. Labels can be localized/renamed; integrations should understand stable option values and solution changes.

How to reason. Start with the exact requirement in the stem and use a Choice for stable option metadata and a Lookup when the value is a real related business entity. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Work with choices in Dataverse](#)

Module 5 - Create a relationship between tables in Dataverse

Answer explanations for Questions 21-25 | [Open the matching Microsoft Learn module](#)

Question 21

Correct answer: B. On the Order (N/child) table.

Explanation. On the Order (N/child) table.

How to reason. Start with the exact requirement in the stem and locate the Lookup on the many side, use a junction table when the association has data, and examine cascade behavior explicitly. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 22

Correct answer: B. Junction table.

Explanation. Junction table. Grade belongs to the association.

How to reason. Start with the exact requirement in the stem and locate the Lookup on the many side, use a junction table when the association has data, and examine cascade behavior explicitly. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 23

Correct answer: B. Referential, Restrict Delete (or matching configurable restriction).

Explanation. Referential, Restrict Delete (or matching configurable restriction).

How to reason. Start with the exact requirement in the stem and locate the Lookup on the many side, use a junction table when the association has data, and examine cascade behavior explicitly. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 24

Correct answer: C. No. It can default values during related-record creation; it is not continuous sync.

Explanation. No. It can default values during related-record creation; it is not continuous sync.

How to reason. Start with the exact requirement in the stem and locate the Lookup on the many side, use a junction table when the association has data, and examine cascade behavior explicitly. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 25

Correct answer: A. No. They are the parent and child perspectives of the same relationship.

Explanation. No. They are the parent and child perspectives of the same relationship.

How to reason. Start with the exact requirement in the stem and locate the Lookup on the many side, use a junction table when the association has data, and examine cascade behavior explicitly. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Create a relationship between tables in Dataverse](#)

Module 6 - Create and define calculation or rollup columns in Dataverse

Answer explanations for Questions 26-30 | [Open the matching Microsoft Learn module](#)

Question 26

Correct answer: C. Rollup column.

Explanation. Rollup column. It aggregates 1:N related rows.

How to reason. Start with the exact requirement in the stem and match same-row formulas, related-row aggregation, timing, and security requirements to the correct calculation mechanism. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 27

Correct answer: A. No. It uses scheduled/system calculation plus supported on-demand recalculation.

Explanation. No. It uses scheduled/system calculation plus supported on-demand recalculation.

How to reason. Start with the exact requirement in the stem and match same-row formulas, related-row aggregation, timing, and security requirements to the correct calculation mechanism. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 28

Correct answer: D. No. The output type is fixed; edits must keep a compatible type.

Explanation. No. The output type is fixed; edits must keep a compatible type.

How to reason. Start with the exact requirement in the stem and match same-row formulas, related-row aggregation, timing, and security requirements to the correct calculation mechanism. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 29

Correct answer: D. No. Secure the derived column separately when sensitive.

Explanation. No. Secure the derived column separately when sensitive.

How to reason. Start with the exact requirement in the stem and match same-row formulas, related-row aggregation, timing, and security requirements to the correct calculation mechanism. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 30

Correct answer: C. Formula column when its supported Power Fx/type behavior fits.

Explanation. Formula column when its supported Power Fx/type behavior fits. A flow is unnecessarily asynchronous.

How to reason. Start with the exact requirement in the stem and match same-row formulas, related-row aggregation, timing, and security requirements to the correct calculation mechanism. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Create and define calculation or rollup columns in Dataverse](#)

Module 7 - Load/export data and create data views in Dataverse

Answer explanations for Questions 31-35 | [Open the matching Microsoft Learn module](#)

Question 31

Correct answer: A. System/Public View.

Explanation. System/Public View. It is solution-aware metadata.

How to reason. Start with the exact requirement in the stem and keep view metadata, row security, snapshots, ETL, and repeatable upsert design as separate concerns. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 32

Correct answer: A. No. Security is evaluated separately.

Explanation. No. Security is evaluated separately.

How to reason. Start with the exact requirement in the stem and keep view metadata, row security, snapshots, ETL, and repeatable upsert design as separate concerns. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 33

Correct answer: D. Dataflow with Power Query.

Explanation. Dataflow with Power Query. It is reusable ETL.

How to reason. Start with the exact requirement in the stem and keep view metadata, row security, snapshots, ETL, and repeatable upsert design as separate concerns. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 34

Correct answer: C. No. Treat it as a snapshot unless using a specific supported online/edit integration.

Explanation. No. Treat it as a snapshot unless using a specific supported online/edit integration.

How to reason. Start with the exact requirement in the stem and keep view metadata, row security, snapshots, ETL, and repeatable upsert design as separate concerns. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 35

Correct answer: D. A stable Alternate Key (or GUID mapping) plus correct upsert/mapping strategy.

Explanation. A stable Alternate Key (or GUID mapping) plus correct upsert/mapping strategy.

How to reason. Start with the exact requirement in the stem and keep view metadata, row security, snapshots, ETL, and repeatable upsert design as separate concerns. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Load/export data and create data views in Dataverse](#)

Module 8 - Get started with security roles in Dataverse

Answer explanations for Questions 36-43 | [Open the matching Microsoft Learn module](#)

Question 36

Correct answer: D. No. She has the action privilege but no access path to that row.

Explanation. No. She has the action privilege but no access path to that row.

How to reason. Start with the exact requirement in the stem and solve security in layers: action privilege, privilege depth, row access path, column security, and Append/Append To direction. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 37

Correct answer: A. Access Team.

Explanation. Access Team. It receives record-specific shared rights and cannot own the row.

How to reason. Start with the exact requirement in the stem and solve security in layers: action privilege, privilege depth, row access path, column security, and Append/Append To direction. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 38

Correct answer: D. No. Grants are cumulative; the broader grant wins.

Explanation. No. Grants are cumulative; the broader grant wins.

How to reason. Start with the exact requirement in the stem and solve security in layers: action privilege, privilege depth, row access path, column security, and Append/Append To direction. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 39

Correct answer: B. Append on Contact and Append To on Account, plus necessary Read/Write/row access.

Explanation. Append on Contact and Append To on Account, plus necessary Read/Write/row access.

How to reason. Start with the exact requirement in the stem and solve security in layers: action privilege, privilege depth, row access path, column security, and Append/Append To direction. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 40

Correct answer: A. Model-driven app sharing / associated Security Role access.

Explanation. Model-driven app sharing / associated Security Role access.

How to reason. Start with the exact requirement in the stem and solve security in layers: action privilege, privilege depth, row access path, column security, and Append/Append To direction. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 41

Correct answer: A. No. Column Security restricts columns after table/row access; it does not grant the row.

Explanation. No. Column Security restricts columns after table/row access; it does not grant the row.

How to reason. Start with the exact requirement in the stem and solve security in layers: action privilege, privilege depth, row access path, column security, and Append/Append To direction. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 42

Correct answer: C. Microsoft Entra ID Group Team.

Explanation. Microsoft Entra ID Group Team. It can have roles and own rows like an owner team.

How to reason. Start with the exact requirement in the stem and solve security in layers: action privilege, privilege depth, row access path, column security, and Append/Append To direction. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 43

Correct answer: B. At least User-level Read on the table, per current hierarchy security documentation.

Explanation. At least User-level Read on the table, per current hierarchy security documentation.

How to reason. Start with the exact requirement in the stem and solve security in layers: action privilege, privilege depth, row access path, column security, and Append/Append To direction. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Get started with security roles in Dataverse](#)

Module 9 - Use administration options for Dataverse

Answer explanations for Questions 44-49 | [Open the matching Microsoft Learn module](#)

Question 44

Correct answer: B. Dataverse auditing.

Explanation. Dataverse auditing. Configure environment/table/column scope as needed.

How to reason. Start with the exact requirement in the stem and distinguish auditing, uniqueness, detection, search security, deletion jobs, and retention instead of treating them as interchangeable administration tools. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 45

Correct answer: A. Alternate Key.

Explanation. Alternate Key. Duplicate Detection is a detection/warning mechanism, not the same uniqueness contract.

How to reason. Start with the exact requirement in the stem and distinguish auditing, uniqueness, detection, search security, deletion jobs, and retention instead of treating them as interchangeable administration tools. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 46

Correct answer: D. No. Required audit levels/settings must all be enabled for the intended detail.

Explanation. No. Required audit levels/settings must all be enabled for the intended detail.

How to reason. Start with the exact requirement in the stem and distinguish auditing, uniqueness, detection, search security, deletion jobs, and retention instead of treating them as interchangeable administration tools. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 47

Correct answer: D. Bulk Delete job, with carefully validated query, privileges, and cascade impact.

Explanation. Bulk Delete job, with carefully validated query, privileges, and cascade impact.

How to reason. Start with the exact requirement in the stem and distinguish auditing, uniqueness, detection, search security, deletion jobs, and retention instead of treating them as interchangeable administration tools. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 48

Correct answer: C. No. Search respects Dataverse security.

Explanation. No. Search respects Dataverse security.

How to reason. Start with the exact requirement in the stem and distinguish auditing, uniqueness, detection, search security, deletion jobs, and retention instead of treating them as interchangeable administration tools. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 49

Correct answer: D. No. It is a managed inactive/read-only retention lifecycle, not a general restore copy.

Explanation. No. It is a managed inactive/read-only retention lifecycle, not a general restore copy.

How to reason. Start with the exact requirement in the stem and distinguish auditing, uniqueness, detection, search security, deletion jobs, and retention instead of treating them as interchangeable administration tools. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Use administration options for Dataverse](#)

Answer Part II - Model-driven Apps

Module 10 - How to build your first model-driven app with Dataverse

Answer explanations for Questions 50-54 | [Open the matching Microsoft Learn module](#)

Question 50

Correct answer: A. Model-driven App.

Explanation. Model-driven App. Forms/views/navigation are generated from metadata.

How to reason. Start with the exact requirement in the stem and start with Dataverse data and security design; app navigation and responsive presentation do not grant data access. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 51

Correct answer: B. No. Security Role and row access are separate.

Explanation. No. Security Role and row access are separate.

How to reason. Start with the exact requirement in the stem and start with Dataverse data and security design; app navigation and responsive presentation do not grant data access. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 52

Correct answer: C. Yes. The shell is designed for responsive supported clients.

Explanation. Yes. The shell is designed for responsive supported clients.

How to reason. Start with the exact requirement in the stem and start with Dataverse data and security design; app navigation and responsive presentation do not grant data access. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 53

Correct answer: A. For a focused custom experience inside the model-driven shell, without rebuilding the entire app as Canvas.

Explanation. For a focused custom experience inside the model-driven shell, without rebuilding the entire app as Canvas.

How to reason. Start with the exact requirement in the stem and start with Dataverse data and security design; app navigation and responsive presentation do not grant data access. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 54

Correct answer: C. Data/security design.

Explanation. Data/security design. UX must follow correct architecture.

How to reason. Start with the exact requirement in the stem and start with Dataverse data and security design; app navigation and responsive presentation do not grant data access. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [How to build your first model-driven app with Dataverse](#)

Module 11 - Get started with model-driven apps in Power Apps

Answer explanations for Questions 55-60 | [Open the matching Microsoft Learn module](#)

Question 55

Correct answer: C. Main Form.

Explanation. Main Form. Quick Create/Quick View/Card forms do not use role assignment.

How to reason. Start with the exact requirement in the stem and choose the form or page type by purpose, and remember that form order or visibility never replaces row and column security. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 56

Correct answer: D. Quick View Form.

Explanation. Quick View Form. It embeds related record data read-only.

How to reason. Start with the exact requirement in the stem and choose the form or page type by purpose, and remember that form order or visibility never replaces row and column security. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 57

Correct answer: C. No. Current documented Quick Create limits exclude subgrids.

Explanation. No. Current documented Quick Create limits exclude subgrids.

How to reason. Start with the exact requirement in the stem and choose the form or page type by purpose, and remember that form order or visibility never replaces row and column security. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 58

Correct answer: D. No. It only decides presentation among accessible Main Forms.

Explanation. No. It only decides presentation among accessible Main Forms.

How to reason. Start with the exact requirement in the stem and choose the form or page type by purpose, and remember that form order or visibility never replaces row and column security. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 59

Correct answer: A. Custom Page.

Explanation. Custom Page. An embedded Canvas App is tied to a form component/context.

How to reason. Start with the exact requirement in the stem and choose the form or page type by purpose, and remember that form order or visibility never replaces row and column security. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 60

Correct answer: A. Data model, formulas, security, licensing/tenant availability, dependencies, and publish/ALM readiness.

Explanation. Data model, formulas, security, licensing/tenant availability, dependencies, and publish/ALM readiness.

How to reason. Start with the exact requirement in the stem and choose the form or page type by purpose, and remember that form order or visibility never replaces row and column security. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Get started with model-driven apps in Power Apps](#)

Module 12 - Configure forms, charts, and dashboards in model-driven apps

Answer explanations for Questions 61-65 | [Open the matching Microsoft Learn module](#)

Question 61

Correct answer: D. Subgrid.

Explanation. Subgrid. Configure relationship and view.

How to reason. Start with the exact requirement in the stem and use form components for presentation while enforcing sensitive data and embedded-service permissions in their own security systems. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 62

Correct answer: C. No. Use Column Security and row privileges.

Explanation. No. Use Column Security and row privileges.

How to reason. Start with the exact requirement in the stem and use form components for presentation while enforcing sensitive data and embedded-service permissions in their own security systems. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 63

Correct answer: A. Dashboard.

Explanation. Dashboard. It composes operational components.

How to reason. Start with the exact requirement in the stem and use form components for presentation while enforcing sensitive data and embedded-service permissions in their own security systems. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 64

Correct answer: C. Power BI report/dataset/workspace sharing and licensing as applicable, in addition to app access.

Explanation. Power BI report/dataset/workspace sharing and licensing as applicable, in addition to app access.

How to reason. Start with the exact requirement in the stem and use form components for presentation while enforcing sensitive data and embedded-service permissions in their own security systems. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 65

Correct answer: A. Timeline.

Explanation. Timeline. It presents activities/notes/posts in context.

How to reason. Start with the exact requirement in the stem and use form components for presentation while enforcing sensitive data and embedded-service permissions in their own security systems. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Configure forms, charts, and dashboards in model-driven apps](#)

Module 13 - Use specialized components in a model-driven form

Answer explanations for Questions 66-70 | [Open the matching Microsoft Learn module](#)

Question 66

Correct answer: C. Business Process Flow.

Explanation. Business Process Flow. It guides stages/steps.

How to reason. Start with the exact requirement in the stem and use a BPF for guided stages, a Cloud Flow for cross-service automation, and separately share embedded app components. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 67

Correct answer: C. Cloud Flow.

Explanation. Cloud Flow. It handles connectors/actions.

How to reason. Start with the exact requirement in the stem and use a BPF for guided stages, a Cloud Flow for cross-service automation, and separately share embedded app components. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 68

Correct answer: B. In the BPF table created for that process.

Explanation. In the BPF table created for that process.

How to reason. Start with the exact requirement in the stem and use a BPF for guided stages, a Cloud Flow for cross-service automation, and separately share embedded app components. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 69

Correct answer: B. No. There is no next-stage transition; use completed/abandoned logic.

Explanation. No. There is no next-stage transition; use completed/abandoned logic.

How to reason. Start with the exact requirement in the stem and use a BPF for guided stages, a Cloud Flow for cross-service automation, and separately share embedded app components. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 70

Correct answer: B. The embedded Canvas App and its data source permissions/connections as applicable.

Explanation. The embedded Canvas App and its data source permissions/connections as applicable.

How to reason. Start with the exact requirement in the stem and use a BPF for guided stages, a Cloud Flow for cross-service automation, and separately share embedded app components. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Use specialized components in a model-driven form](#)

Module 14 - Customize the command bar

Answer explanations for Questions 71-75 | [Open the matching Microsoft Learn module](#)

Question 71

Correct answer: D. Power Fx OnSelect.

Explanation. Power Fx OnSelect.

How to reason. Start with the exact requirement in the stem and treat commands as UI actions, not as a security boundary or a substitute for a multi-stage process. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 72

Correct answer: D. No. Revoke Delete in Security Role for enforcement.

Explanation. No. Revoke Delete in Security Role for enforcement.

How to reason. Start with the exact requirement in the stem and treat commands as UI actions, not as a security boundary or a substitute for a multi-stage process. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 73

Correct answer: D. Business Process Flow.

Explanation. Business Process Flow. Command is an action, not process progression.

How to reason. Start with the exact requirement in the stem and treat commands as UI actions, not as a security boundary or a substitute for a multi-stage process. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 74

Correct answer: A. Selection/context can differ: none, one, or multiple selected records and different command locations.

Explanation. Selection/context can differ: none, one, or multiple selected records and different command locations.

How to reason. Start with the exact requirement in the stem and treat commands as UI actions, not as a security boundary or a substitute for a multi-stage process. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 75

Correct answer: B. Existing legacy customization or a modern commanding feature gap, after supported-path review.

Explanation. Existing legacy customization or a modern commanding feature gap, after supported-path review.

How to reason. Start with the exact requirement in the stem and treat commands as UI actions, not as a security boundary or a substitute for a multi-stage process. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Customize the command bar](#)

Answer Part III - Canvas Apps and Power Apps Cards

Module 15 - Get started with Power Apps canvas apps

Answer explanations for Questions 76-80 | [Open the matching Microsoft Learn module](#)

Question 76

Correct answer: A. Gallery.

Explanation. Gallery. Its template repeats for each record.

How to reason. Start with the exact requirement in the stem and choose Gallery, Form, and responsive layout controls by interaction pattern, then grant data-source permissions separately. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 77

Correct answer: D. Edit Form.

Explanation. Edit Form. Use its mode and SubmitForm.

How to reason. Start with the exact requirement in the stem and choose Gallery, Form, and responsive layout controls by interaction pattern, then grant data-source permissions separately. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 78

Correct answer: D. No. Assign Dataverse Security Roles/data permissions separately.

Explanation. No. Assign Dataverse Security Roles/data permissions separately.

How to reason. Start with the exact requirement in the stem and choose Gallery, Form, and responsive layout controls by interaction pattern, then grant data-source permissions separately. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 79**Correct answer: C. Item.****Explanation.** Item.

How to reason. Start with the exact requirement in the stem and choose Gallery, Form, and responsive layout controls by interaction pattern, then grant data-source permissions separately. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 80**Correct answer: D. To adapt layout across screen sizes instead of relying on rigid pixel positions.**

Explanation. To adapt layout across screen sizes instead of relying on rigid pixel positions.

How to reason. Start with the exact requirement in the stem and choose Gallery, Form, and responsive layout controls by interaction pattern, then grant data-source permissions separately. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Get started with Power Apps canvas apps](#)

Module 16 - Customize a canvas app in Power Apps

Answer explanations for Questions 81-85 | [Open the matching Microsoft Learn module](#)

Question 81

Correct answer: B. NewForm(FormName).

Explanation. NewForm(FormName).

How to reason. Start with the exact requirement in the stem and use the Form lifecycle correctly: mode functions before editing, SubmitForm for save, and OnSuccess for post-save navigation. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 82

Correct answer: B. The Form's OnSuccess property.

Explanation. The Form's OnSuccess property.

How to reason. Start with the exact requirement in the stem and use the Form lifecycle correctly: mode functions before editing, SubmitForm for save, and OnSuccess for post-save navigation. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 83

Correct answer: D. The record for the current repeated gallery item.

Explanation. The record for the current repeated gallery item.

How to reason. Start with the exact requirement in the stem and use the Form lifecycle correctly: mode functions before editing, SubmitForm for save, and OnSuccess for post-save navigation. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 84

Correct answer: C. Automatic metadata/validation wiring can be accidentally broken; preserve DataField/Update/error properties.

Explanation. Automatic metadata/validation wiring can be accidentally broken; preserve DataField/Update/error properties.

How to reason. Start with the exact requirement in the stem and use the Form lifecycle correctly: mode functions before editing, SubmitForm for save, and OnSuccess for post-save navigation. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 85

Correct answer: C. ResetForm(FormName).

Explanation. ResetForm(FormName).

How to reason. Start with the exact requirement in the stem and use the Form lifecycle correctly: mode functions before editing, SubmitForm for save, and OnSuccess for post-save navigation. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Customize a canvas app in Power Apps](#)

Module 17 - Navigation in a canvas app in Power Apps

Answer explanations for Questions 86-90 | [Open the matching Microsoft Learn module](#)

Question 86

Correct answer: B. Back().

Explanation. Back().

How to reason. Start with the exact requirement in the stem and separate screen navigation and variable scope from real data-source authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 87

Correct answer: B. Pass a context record in Navigate(..., {locRecord: ThisItem}).

Explanation. Pass a context record in Navigate(..., {locRecord: ThisItem}).

How to reason. Start with the exact requirement in the stem and separate screen navigation and variable scope from real data-source authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 88

Correct answer: C. No. Enforce security at the data source.

Explanation. No. Enforce security at the data source.

How to reason. Start with the exact requirement in the stem and separate screen navigation and variable scope from real data-source authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 89

Correct answer: B. Each time the screen becomes visible, depending navigation.

Explanation. Each time the screen becomes visible, depending navigation.

How to reason. Start with the exact requirement in the stem and separate screen navigation and variable scope from real data-source authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 90

Correct answer: A. The screen where it is created/updated.

Explanation. The screen where it is created/updated.

How to reason. Start with the exact requirement in the stem and separate screen navigation and variable scope from real data-source authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Navigation in a canvas app in Power Apps](#)

Module 18 - Create formulas to change behaviors in a Power Apps canvas app

Answer explanations for Questions 91-96 | [Open the matching Microsoft Learn module](#)

Question 91

Correct answer: B. Filter (or Search for text search).

Explanation. Filter (or Search for text search). Lookup only returns the first match.

How to reason. Start with the exact requirement in the stem and distinguish table-returning and record-returning functions, understand variable scope, and treat delegation as a result-correctness issue. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 92

Correct answer: D. A global variable created with Set.

Explanation. A global variable created with Set.

How to reason. Start with the exact requirement in the stem and distinguish table-returning and record-returning functions, understand variable scope, and treat delegation as a result-correctness issue. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 93

Correct answer: D. 500 rows, configurable up to 2,000 per current docs.

Explanation. 500 rows, configurable up to 2,000 per current docs.

How to reason. Start with the exact requirement in the stem and distinguish table-returning and record-returning functions, understand variable scope, and treat delegation as a result-correctness issue. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 94

Correct answer: A. No. Records beyond the local subset remain unprocessed.

Explanation. No. Records beyond the local subset remain unprocessed.

How to reason. Start with the exact requirement in the stem and distinguish table-returning and record-returning functions, understand variable scope, and treat delegation as a result-correctness issue. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 95

Correct answer: A. SubmitForm.

Explanation. SubmitForm.

How to reason. Start with the exact requirement in the stem and distinguish table-returning and record-returning functions, understand variable scope, and treat delegation as a result-correctness issue. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 96

Correct answer: B. IfError; use Errors/Form.OnFailure for detailed data-operation handling.

Explanation. IfError; use Errors/Form.OnFailure for detailed data-operation handling.

How to reason. Start with the exact requirement in the stem and distinguish table-returning and record-returning functions, understand variable scope, and treat delegation as a result-correctness issue. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Create formulas to change behaviors in a Power Apps canvas app](#)

Module 19 - Connect to other data in a Power Apps canvas app

Answer explanations for Questions 97-101 | [Open the matching Microsoft Learn module](#)

Question 97

Correct answer: B. Connection.

Explanation. Connection. Connector defines operations.

How to reason. Start with the exact requirement in the stem and separate Connector, Connection, Connection Reference, gateway, DLP, and underlying data-source authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 98

Correct answer: A. No. Database authorization remains required.

Explanation. No. Database authorization remains required.

How to reason. Start with the exact requirement in the stem and separate Connector, Connection, Connection Reference, gateway, DLP, and underlying data-source authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 99

Correct answer: A. A Data Loss Prevention (DLP) policy.

Explanation. A Data Loss Prevention (DLP) policy.

How to reason. Start with the exact requirement in the stem and separate Connector, Connection, Connection Reference, gateway, DLP, and underlying data-source authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 100

Correct answer: A. Makers often have broader roles/connections; ordinary-user test reveals real access gaps.

Explanation. Makers often have broader roles/connections; ordinary-user test reveals real access gaps.

How to reason. Start with the exact requirement in the stem and separate Connector, Connection, Connection Reference, gateway, DLP, and underlying data-source authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 101

Correct answer: A. Dataverse, when requirements fit its capabilities/licensing.

Explanation. Dataverse, when requirements fit its capabilities/licensing.

How to reason. Start with the exact requirement in the stem and separate Connector, Connection, Connection Reference, gateway, DLP, and underlying data-source authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Connect to other data in a Power Apps canvas app](#)

Module 20 - Introduction to Power Apps cards

Answer explanations for Questions 102-106 | [Open the matching Microsoft Learn module](#)

Question 102

Correct answer: B. No. They are separate features.

Explanation. No. They are separate features.

How to reason. Start with the exact requirement in the stem and choose Cards for concise conversational tasks and validate host, sharing, licensing, connector, and data permissions. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 103

Correct answer: B. A concise in-conversation interaction such as one approval or small input.

Explanation. A concise in-conversation interaction such as one approval or small input.

How to reason. Start with the exact requirement in the stem and choose Cards for concise conversational tasks and validate host, sharing, licensing, connector, and data permissions. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 104

Correct answer: D. No. Dataverse/security permissions still apply.

Explanation. No. Dataverse/security permissions still apply.

How to reason. Start with the exact requirement in the stem and choose Cards for concise conversational tasks and validate host, sharing, licensing, connector, and data permissions. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 105

Correct answer: D. No. Use Canvas or Model-driven App for complex workflows.

Explanation. No. Use Canvas or Model-driven App for complex workflows.

How to reason. Start with the exact requirement in the stem and choose Cards for concise conversational tasks and validate host, sharing, licensing, connector, and data permissions. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 106

Correct answer: B. Current limitations, host support, licensing, connector/data access, sharing, and governance.

Explanation. Current limitations, host support, licensing, connector/data access, sharing, and governance.

How to reason. Start with the exact requirement in the stem and choose Cards for concise conversational tasks and validate host, sharing, licensing, connector, and data permissions. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Introduction to Power Apps cards](#)

Answer Part IV - Microsoft Power Pages

Module 21 - Core components of Power Pages

Answer explanations for Questions 107-111 | [Open the matching Microsoft Learn module](#)

Question 107

Correct answer: C. Contact.

Explanation. Contact. Authentication identity links to a Contact.

How to reason. Start with the exact requirement in the stem and combine Contact identity, Web Role assignment, Page Permission, and Table Permission; navigation hiding is never authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 108

Correct answer: B. Table Permission.

Explanation. Table Permission. Also assign it through Web Roles.

How to reason. Start with the exact requirement in the stem and combine Contact identity, Web Role assignment, Page Permission, and Table Permission; navigation hiding is never authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 109

Correct answer: B. No. Use Page Permission/access control.

Explanation. No. Use Page Permission/access control.

How to reason. Start with the exact requirement in the stem and combine Contact identity, Web Role assignment, Page Permission, and Table Permission; navigation hiding is never authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 110

Correct answer: A. A starting point; validate/modify components and security.

Explanation. A starting point; validate/modify components and security.

How to reason. Start with the exact requirement in the stem and combine Contact identity, Web Role assignment, Page Permission, and Table Permission; navigation hiding is never authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 111

Correct answer: D. Liquid (with web templates), plus HTML/CSS/JavaScript as applicable.

Explanation. Liquid (with web templates), plus HTML/CSS/JavaScript as applicable.

How to reason. Start with the exact requirement in the stem and combine Contact identity, Web Role assignment, Page Permission, and Table Permission; navigation hiding is never authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Core components of Power Pages](#)

Module 22 - Access Dataverse in Power Pages websites

Answer explanations for Questions 112-116 | [Open the matching Microsoft Learn module](#)

Question 112

Correct answer: D. List.

Explanation. List. It uses a Dataverse view.

How to reason. Start with the exact requirement in the stem and use Lists and Forms for presentation but enforce per-user rows with scoped Table Permissions and negative tests. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 113

Correct answer: D. Insert/Create mode.

Explanation. Insert/Create mode.

How to reason. Start with the exact requirement in the stem and use Lists and Forms for presentation but enforce per-user rows with scoped Table Permissions and negative tests. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 114

Correct answer: B. No. Use scoped Table Permission.

Explanation. No. Use scoped Table Permission.

How to reason. Start with the exact requirement in the stem and use Lists and Forms for presentation but enforce per-user rows with scoped Table Permissions and negative tests. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 115

Correct answer: A. In the Power Pages Form/on-submit configuration.

Explanation. In the Power Pages Form/on-submit configuration.

How to reason. Start with the exact requirement in the stem and use Lists and Forms for presentation but enforce per-user rows with scoped Table Permissions and negative tests. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 116

Correct answer: C. Anonymous, authenticated allowed, and authenticated disallowed/tampered request.

Explanation. Anonymous, authenticated allowed, and authenticated disallowed/tampered request.

How to reason. Start with the exact requirement in the stem and use Lists and Forms for presentation but enforce per-user rows with scoped Table Permissions and negative tests. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Access Dataverse in Power Pages websites](#)

Module 23 - Explore Power Pages design studio

Answer explanations for Questions 117-121 | [Open the matching Microsoft Learn module](#)

Question 117

Correct answer: C. Pages workspace.

Explanation. Pages workspace.

How to reason. Start with the exact requirement in the stem and treat design studio and AI output as maker accelerators that still require schema, security, privacy, supportability, and availability review. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 118

Correct answer: A. No. Table/Page permissions enforce security.

Explanation. No. Table/Page permissions enforce security.

How to reason. Start with the exact requirement in the stem and treat design studio and AI output as maker accelerators that still require schema, security, privacy, supportability, and availability review. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 119

Correct answer: B. Review data model, fields, validation, Table Permissions, privacy, and availability.

Explanation. Review data model, fields, validation, Table Permissions, privacy, and availability.

How to reason. Start with the exact requirement in the stem and treat design studio and AI output as maker accelerators that still require schema, security, privacy, supportability, and availability review. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 120

Correct answer: D. Better supportability, responsiveness, accessibility, and maintainability.

Explanation. Better supportability, responsiveness, accessibility, and maintainability.

How to reason. Start with the exact requirement in the stem and treat design studio and AI output as maker accelerators that still require schema, security, privacy, supportability, and availability review. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 121

Correct answer: B. No. They are current prep content; the blueprint names broader Power Pages capabilities.

Explanation. No. They are current prep content; the blueprint names broader Power Pages capabilities.

How to reason. Start with the exact requirement in the stem and treat design studio and AI output as maker accelerators that still require schema, security, privacy, supportability, and availability review. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Explore Power Pages design studio](#)

Module 24 - Integrate Power Pages websites with Dataverse

Answer explanations for Questions 122-126 | [Open the matching Microsoft Learn module](#)

Question 122

Correct answer: A. Multistep Form.

Explanation. Multistep Form. It supports staged data capture.

How to reason. Start with the exact requirement in the stem and distinguish a Power Pages Multistep Form from a BPF and protect every related table and direct step URL. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 123

Correct answer: D. No. Different component/runtime/purpose.

Explanation. No. Different component/runtime/purpose.

How to reason. Start with the exact requirement in the stem and distinguish a Power Pages Multistep Form from a BPF and protect every related table and direct step URL. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 124

Correct answer: B. Appropriate Table Permissions and storage/document security.

Explanation. Appropriate Table Permissions and storage/document security.

How to reason. Start with the exact requirement in the stem and distinguish a Power Pages Multistep Form from a BPF and protect every related table and direct step URL. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 125

Correct answer: A. A Redirect step/configuration.

Explanation. A Redirect step/configuration.

How to reason. Start with the exact requirement in the stem and distinguish a Power Pages Multistep Form from a BPF and protect every related table and direct step URL. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 126

Correct answer: B. To ensure authorization/state prevents step bypass and unauthorized row access.

Explanation. To ensure authorization/state prevents step bypass and unauthorized row access.

How to reason. Start with the exact requirement in the stem and distinguish a Power Pages Multistep Form from a BPF and protect every related table and direct step URL. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Integrate Power Pages websites with Dataverse](#)

Module 25 - Integrate Power Pages with web-based technologies

Answer explanations for Questions 127-131 | [Open the matching Microsoft Learn module](#)

Question 127

Correct answer: C. In SharePoint; Dataverse keeps related location metadata.

Explanation. In SharePoint; Dataverse keeps related location metadata.

How to reason. Start with the exact requirement in the stem and keep SharePoint, Dataverse files, Liquid, JavaScript, Power BI permissions, and URL parameters in their correct security boundaries. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 128

Correct answer: C. No. Configure Power BI permission/embedding separately.

Explanation. No. Configure Power BI permission/embedding separately.

How to reason. Start with the exact requirement in the stem and keep SharePoint, Dataverse files, Liquid, JavaScript, Power BI permissions, and URL parameters in their correct security boundaries. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 129

Correct answer: A. No. Enforce with secure identity/RLS/permissions; parameters are not authorization.

Explanation. No. Enforce with secure identity/RLS/permissions; parameters are not authorization.

How to reason. Start with the exact requirement in the stem and keep SharePoint, Dataverse files, Liquid, JavaScript, Power BI permissions, and URL parameters in their correct security boundaries. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 130

Correct answer: A. Liquid.

Explanation. Liquid. JavaScript is client-side.

How to reason. Start with the exact requirement in the stem and keep SharePoint, Dataverse files, Liquid, JavaScript, Power BI permissions, and URL parameters in their correct security boundaries. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 131

Correct answer: D. A Dataverse File column.

Explanation. A Dataverse File column.

How to reason. Start with the exact requirement in the stem and keep SharePoint, Dataverse files, Liquid, JavaScript, Power BI permissions, and URL parameters in their correct security boundaries. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Integrate Power Pages with web-based technologies](#)

Module 26 - Explore Power Pages design studio data and security features

Answer explanations for Questions 132-136 | [Open the matching Microsoft Learn module](#)

Question 132

Correct answer: B. Global Table Permission.

Explanation. Global Table Permission.

How to reason. Start with the exact requirement in the stem and test with ordinary external identities and tampered row identifiers because maker success and hidden UI do not prove authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 133

Correct answer: A. Maker/admin has broader privileges or admin Web Role; ordinary user path is different.

Explanation. Maker/admin has broader privileges or admin Web Role; ordinary user path is different.

How to reason. Start with the exact requirement in the stem and test with ordinary external identities and tampered row identifiers because maker success and hidden UI do not prove authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 134

Correct answer: B. Page Permission.

Explanation. Page Permission.

How to reason. Start with the exact requirement in the stem and test with ordinary external identities and tampered row identifiers because maker success and hidden UI do not prove authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 135

Correct answer: B. Table Permission with exact privileges/scope.

Explanation. Table Permission with exact privileges/scope.

How to reason. Start with the exact requirement in the stem and test with ordinary external identities and tampered row identifiers because maker success and hidden UI do not prove authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 136

Correct answer: B. Change row ID/URL while signed in as another Contact and confirm denial.

Explanation. Change row ID/URL while signed in as another Contact and confirm denial.

How to reason. Start with the exact requirement in the stem and test with ordinary external identities and tampered row identifiers because maker success and hidden UI do not prove authorization. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Explore Power Pages design studio data and security features](#)

Module 27 - Set up Power Pages security

Answer explanations for Questions 137-142 | [Open the matching Microsoft Learn module](#)

Question 137

Correct answer: B. Self.

Explanation. Self.

How to reason. Start with the exact requirement in the stem and map Self, Contact, Account, Parent, and Global scopes precisely; Web Roles and Dataverse Security Roles are separate systems. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 138

Correct answer: C. Account.

Explanation. Account.

How to reason. Start with the exact requirement in the stem and map Self, Contact, Account, Parent, and Global scopes precisely; Web Roles and Dataverse Security Roles are separate systems. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 139

Correct answer: A. A Web Role assignment.

Explanation. A Web Role assignment.

How to reason. Start with the exact requirement in the stem and map Self, Contact, Account, Parent, and Global scopes precisely; Web Roles and Dataverse Security Roles are separate systems. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 140

Correct answer: B. No. Configure Web Role/Table Permission.

Explanation. No. Configure Web Role/Table Permission.

How to reason. Start with the exact requirement in the stem and map Self, Contact, Account, Parent, and Global scopes precisely; Web Roles and Dataverse Security Roles are separate systems. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 141

Correct answer: B. A Parent Table Permission using correct relationship and parent permission.

Explanation. A Parent Table Permission using correct relationship and parent permission.

How to reason. Start with the exact requirement in the stem and map Self, Contact, Account, Parent, and Global scopes precisely; Web Roles and Dataverse Security Roles are separate systems. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 142

Correct answer: D. No. Separate authorization systems for external site vs internal Dataverse users.

Explanation. No. Separate authorization systems for external site vs internal Dataverse users.

How to reason. Start with the exact requirement in the stem and map Self, Contact, Account, Parent, and Global scopes precisely; Web Roles and Dataverse Security Roles are separate systems. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Set up Power Pages security](#)

Module 28 - Authentication and user management in Power Pages

Answer explanations for Questions 143-147 | [Open the matching Microsoft Learn module](#)

Question 143

Correct answer: C. Invitation-based registration.

Explanation. Invitation-based registration. It ties vetted identity to intended Contact/account.

How to reason. Start with the exact requirement in the stem and separate authentication from authorization and ensure provider configuration, Contact identity, invitations, Web Roles, and permissions all align. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 144

Correct answer: C. Authorization: Web Role, Page/Table Permission, relationships.

Explanation. Authorization: Web Role, Page/Table Permission, relationships.

How to reason. Start with the exact requirement in the stem and separate authentication from authorization and ensure provider configuration, Contact identity, invitations, Web Roles, and permissions all align. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 145

Correct answer: B. Contact.

Explanation. Contact.

How to reason. Start with the exact requirement in the stem and separate authentication from authorization and ensure provider configuration, Contact identity, invitations, Web Roles, and permissions all align. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 146

Correct answer: A. No. Web Roles and permissions govern access.

Explanation. No. Web Roles and permissions govern access.

How to reason. Start with the exact requirement in the stem and separate authentication from authorization and ensure provider configuration, Contact identity, invitations, Web Roles, and permissions all align. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 147

Correct answer: B. Provider/app registration, redirect URI, credentials, claims/configuration, and site settings per provider documentation.

Explanation. Provider/app registration, redirect URI, credentials, claims/configuration, and site settings per provider documentation.

How to reason. Start with the exact requirement in the stem and separate authentication from authorization and ensure provider configuration, Contact identity, invitations, Web Roles, and permissions all align. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Authentication and user management in Power Pages](#)

Answer Part V - Logic and Process Automation

Module 29 - Best practices for error handling in Power Automate flows

Answer explanations for Questions 148-152 | [Open the matching Microsoft Learn module](#)

Question 148

Correct answer: A. Configure Run After with has failed/timed out as needed.

Explanation. Configure Run After with has failed/timed out as needed.

How to reason. Start with the exact requirement in the stem and design for failure explicitly with Run After, Scopes, idempotency, and Run History rather than relying on blind retry. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 149

Correct answer: C. Previous side effect may have succeeded before failure; rerun repeats it.

Explanation. Previous side effect may have succeeded before failure; rerun repeats it.

How to reason. Start with the exact requirement in the stem and design for failure explicitly with Run After, Scopes, idempotency, and Run History rather than relying on blind retry. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 150

Correct answer: B. Run History (unless secure settings hide them).

Explanation. Run History (unless secure settings hide them).

How to reason. Start with the exact requirement in the stem and design for failure explicitly with Run After, Scopes, idempotency, and Run History rather than relying on blind retry. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 151

Correct answer: B. An upstream branch/action did not meet condition or failed; find the root action.

Explanation. An upstream branch/action did not meet condition or failed; find the root action.

How to reason. Start with the exact requirement in the stem and design for failure explicitly with Run After, Scopes, idempotency, and Run History rather than relying on blind retry. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 152

Correct answer: A. Scope-based Try/Catch/Finally.

Explanation. Scope-based Try/Catch/Finally.

How to reason. Start with the exact requirement in the stem and design for failure explicitly with Run After, Scopes, idempotency, and Run History rather than relying on blind retry. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Best practices for error handling in Power Automate flows](#)

Module 30 - Use Dataverse triggers and actions in Power Automate

Answer explanations for Questions 153-158 | [Open the matching Microsoft Learn module](#)

Question 153

Correct answer: C. Select columns.

Explanation. Select columns.

How to reason. Start with the exact requirement in the stem and filter at the trigger when possible, choose the correct row action, use stable keys for upsert, and prevent self-trigger loops. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 154

Correct answer: A. Get a row by ID.

Explanation. Get a row by ID.

How to reason. Start with the exact requirement in the stem and filter at the trigger when possible, choose the correct row action, use stable keys for upsert, and prevent self-trigger loops. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 155

Correct answer: A. Upsert a row with an Alternate Key/design.

Explanation. Upsert a row with an Alternate Key/design.

How to reason. Start with the exact requirement in the stem and filter at the trigger when possible, choose the correct row action, use stable keys for upsert, and prevent self-trigger loops. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 156

Correct answer: D. The flow already started/consumed a run before the Condition.

Explanation. The flow already started/consumed a run before the Condition.

How to reason. Start with the exact requirement in the stem and filter at the trigger when possible, choose the correct row action, use stable keys for upsert, and prevent self-trigger loops. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 157

Correct answer: C. Yes. Add a trigger condition/flag/value comparison.

Explanation. Yes. Add a trigger condition/flag/value comparison.

How to reason. Start with the exact requirement in the stem and filter at the trigger when possible, choose the correct row action, use stable keys for upsert, and prevent self-trigger loops. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 158

Correct answer: B. No. Current docs state relationship changes do not trigger that row trigger as ordinary updates.

Explanation. No. Current docs state relationship changes do not trigger that row trigger as ordinary updates.

How to reason. Start with the exact requirement in the stem and filter at the trigger when possible, choose the correct row action, use stable keys for upsert, and prevent self-trigger loops. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Use Dataverse triggers and actions in Power Automate](#)

Module 31 - Introduction to expressions in Power Automate

Answer explanations for Questions 159-163 | [Open the matching Microsoft Learn module](#)

Question 159

Correct answer: D. Apply to each.

Explanation. Apply to each.

How to reason. Start with the exact requirement in the stem and choose controls by data shape, use null-safe expressions, and avoid nondeterministic shared-variable updates under concurrency. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 160

Correct answer: A. coalesce (account for empty string separately if needed).

Explanation. coalesce (account for empty string separately if needed).

How to reason. Start with the exact requirement in the stem and choose controls by data shape, use null-safe expressions, and avoid nondeterministic shared-variable updates under concurrency. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 161

Correct answer: C. Switch.

Explanation. Switch.

How to reason. Start with the exact requirement in the stem and choose controls by data shape, use null-safe expressions, and avoid nondeterministic shared-variable updates under concurrency. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 162

Correct answer: C. Parallel iterations may update/read variable in nondeterministic order.

Explanation. Parallel iterations may update/read variable in nondeterministic order.

How to reason. Start with the exact requirement in the stem and choose controls by data shape, use null-safe expressions, and avoid nondeterministic shared-variable updates under concurrency. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 163

Correct answer: B. formatDateTime (and convert timezone explicitly when needed).

Explanation. formatDateTime (and convert timezone explicitly when needed).

How to reason. Start with the exact requirement in the stem and choose controls by data shape, use null-safe expressions, and avoid nondeterministic shared-variable updates under concurrency. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Introduction to expressions in Power Automate](#)

Module 32 - Define and create business rules in Dataverse

Answer explanations for Questions 164-169 | [Open the matching Microsoft Learn module](#)

Question 164

Correct answer: C. Business Rule.

Explanation. Business Rule. It is declarative immediate form logic.

How to reason. Start with the exact requirement in the stem and use Business Rules for declarative immediate data logic, classic workflow only where still required, and Cloud Flow for connector-based automation. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 165

Correct answer: C. Table/Entity scope.

Explanation. Table/Entity scope.

How to reason. Start with the exact requirement in the stem and use Business Rules for declarative immediate data logic, classic workflow only where still required, and Cloud Flow for connector-based automation. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 166

Correct answer: C. Background workflow.

Explanation. Background workflow. Real-time cannot wait.

How to reason. Start with the exact requirement in the stem and use Business Rules for declarative immediate data logic, classic workflow only where still required, and Cloud Flow for connector-based automation. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 167

Correct answer: C. System Jobs / workflow logs with process/owner/security review.

Explanation. System Jobs / workflow logs with process/owner/security review.

How to reason. Start with the exact requirement in the stem and use Business Rules for declarative immediate data logic, classic workflow only where still required, and Cloud Flow for connector-based automation. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 168

Correct answer: A. No. Canvas uses Power Fx; test table-scope server effects separately.

Explanation. No. Canvas uses Power Fx; test table-scope server effects separately.

How to reason. Start with the exact requirement in the stem and use Business Rules for declarative immediate data logic, classic workflow only where still required, and Cloud Flow for connector-based automation. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 169

Correct answer: B. Power Automate Cloud Flow.

Explanation. Power Automate Cloud Flow. It uses connectors/approval actions.

How to reason. Start with the exact requirement in the stem and use Business Rules for declarative immediate data logic, classic workflow only where still required, and Cloud Flow for connector-based automation. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Define and create business rules in Dataverse](#)

Module 33 - Set up low-code plug-ins

Answer explanations for Questions 170-175 | [Open the matching Microsoft Learn module](#)

Question 170

Correct answer: C. Instant low-code plug-in.

Explanation. Instant low-code plug-in.

How to reason. Start with the exact requirement in the stem and distinguish Instant and Automated low-code plug-ins, their scope and stage, required parameters, and Solution-aware ALM. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 171

Correct answer: D. Automated low-code plug-in.

Explanation. Automated low-code plug-in.

How to reason. Start with the exact requirement in the stem and distinguish Instant and Automated low-code plug-ins, their scope and stage, required parameters, and Solution-aware ALM. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 172

Correct answer: A. Pre-operation, using error to rollback invalid save.

Explanation. Pre-operation, using error to rollback invalid save.

How to reason. Start with the exact requirement in the stem and distinguish Instant and Automated low-code plug-ins, their scope and stage, required parameters, and Solution-aware ALM. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 173

Correct answer: C. Global.

Explanation. Global.

How to reason. Start with the exact requirement in the stem and distinguish Instant and Automated low-code plug-ins, their scope and stage, required parameters, and Solution-aware ALM. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 174

Correct answer: B. No. Current module says all defined inputs require values.

Explanation. No. Current module says all defined inputs require values.

How to reason. Start with the exact requirement in the stem and distinguish Instant and Automated low-code plug-ins, their scope and stage, required parameters, and Solution-aware ALM. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 175

Correct answer: B. A custom Solution with correct publisher/dependencies.

Explanation. A custom Solution with correct publisher/dependencies.

How to reason. Start with the exact requirement in the stem and distinguish Instant and Automated low-code plug-ins, their scope and stage, required parameters, and Solution-aware ALM. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Set up low-code plug-ins](#)

Module 34 - Use common low-code plug-in scenarios

Answer explanations for Questions 176-181 | [Open the matching Microsoft Learn module](#)

Question 176

Correct answer: D. Error(...) in automated pre-operation validation.

Explanation. Error(...) in automated pre-operation validation.

How to reason. Start with the exact requirement in the stem and keep synchronous transaction validation fast and use Connection References for deployable connector-backed plug-in logic. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 177

Correct answer: D. Pre-operation.

Explanation. Pre-operation.

How to reason. Start with the exact requirement in the stem and keep synchronous transaction validation fast and use Connection References for deployable connector-backed plug-in logic. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 178

Correct answer: A. Connection Reference.

Explanation. Connection Reference.

How to reason. Start with the exact requirement in the stem and keep synchronous transaction validation fast and use Connection References for deployable connector-backed plug-in logic. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 179

Correct answer: C. Unbound/Global; Entity is bound.

Explanation. Unbound/Global; Entity is bound.

How to reason. Start with the exact requirement in the stem and keep synchronous transaction validation fast and use Connection References for deployable connector-backed plug-in logic. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 180

Correct answer: B. Cloud Flow.

Explanation. Cloud Flow. Long-running approval is not a database transaction.

How to reason. Start with the exact requirement in the stem and keep synchronous transaction validation fast and use Connection References for deployable connector-backed plug-in logic. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 181

Correct answer: A. It blocks/extends the synchronous save transaction and increases timeout/failure risk.

Explanation. It blocks/extends the synchronous save transaction and increases timeout/failure risk.

How to reason. Start with the exact requirement in the stem and keep synchronous transaction validation fast and use Connection References for deployable connector-backed plug-in logic. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Use common low-code plug-in scenarios](#)

Answer Part VI - Power BI Foundation

Module 35 - Get started building with Power BI

Answer explanations for Questions 182-186 | [Open the matching Microsoft Learn module](#)

Question 182

Correct answer: A. Semantic model.

Explanation. Semantic model.

How to reason. Start with the exact requirement in the stem and distinguish semantic model, report, dashboard, refresh infrastructure, and the separate Power BI permission and licensing layer. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 183

Correct answer: B. Report.

Explanation. Report.

How to reason. Start with the exact requirement in the stem and distinguish semantic model, report, dashboard, refresh infrastructure, and the separate Power BI permission and licensing layer. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 184

Correct answer: C. No. Share Power BI content and configure licensing/RLS.

Explanation. No. Share Power BI content and configure licensing/RLS.

How to reason. Start with the exact requirement in the stem and distinguish semantic model, report, dashboard, refresh infrastructure, and the separate Power BI permission and licensing layer. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 185

Correct answer: A. An on-premises data gateway and credentials.

Explanation. An on-premises data gateway and credentials.

How to reason. Start with the exact requirement in the stem and distinguish semantic model, report, dashboard, refresh infrastructure, and the separate Power BI permission and licensing layer. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 186

Correct answer: B. Power BI.

Explanation. Power BI.

How to reason. Start with the exact requirement in the stem and distinguish semantic model, report, dashboard, refresh infrastructure, and the separate Power BI permission and licensing layer. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Get started building with Power BI](#)

Answer Part VII - Solutions, ALM, and Interoperability

Module 36 - Introduction to solutions for Microsoft Power Platform

Answer explanations for Questions 187-194 | [Open the matching Microsoft Learn module](#)

Question 187

Correct answer: B. Unmanaged custom Solution.

Explanation. Unmanaged custom Solution.

How to reason. Start with the exact requirement in the stem and separate managed and unmanaged layers, package environment-specific configuration correctly, and test dependencies beyond Solution Checker. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 188

Correct answer: B. Its unmanaged customizations remain; only container is deleted.

Explanation. Its unmanaged customizations remain; only container is deleted.

How to reason. Start with the exact requirement in the stem and separate managed and unmanaged layers, package environment-specific configuration correctly, and test dependencies beyond Solution Checker. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 189

Correct answer: B. The active unmanaged layer.

Explanation. The active unmanaged layer.

How to reason. Start with the exact requirement in the stem and separate managed and unmanaged layers, package environment-specific configuration correctly, and test dependencies beyond Solution Checker. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 190

Correct answer: C. Environment Variable.

Explanation. Environment Variable.

How to reason. Start with the exact requirement in the stem and separate managed and unmanaged layers, package environment-specific configuration correctly, and test dependencies beyond Solution Checker. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 191

Correct answer: C. Connection Reference.

Explanation. Connection Reference.

How to reason. Start with the exact requirement in the stem and separate managed and unmanaged layers, package environment-specific configuration correctly, and test dependencies beyond Solution Checker. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 192

Correct answer: A. No. Use appropriate upgrade strategy.

Explanation. No. Use appropriate upgrade strategy.

How to reason. Start with the exact requirement in the stem and separate managed and unmanaged layers, package environment-specific configuration correctly, and test dependencies beyond Solution Checker. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 193

Correct answer: A. No. It is static analysis; dependencies/config/runtime still require testing.

Explanation. No. It is static analysis; dependencies/config/runtime still require testing.

How to reason. Start with the exact requirement in the stem and separate managed and unmanaged layers, package environment-specific configuration correctly, and test dependencies beyond Solution Checker. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 194

Correct answer: D. It preserves release integrity and reduces environment-specific drift.

Explanation. It preserves release integrity and reduces environment-specific drift.

How to reason. Start with the exact requirement in the stem and separate managed and unmanaged layers, package environment-specific configuration correctly, and test dependencies beyond Solution Checker. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Introduction to solutions for Microsoft Power Platform](#)

Module 37 - Use Microsoft 365 services with model-driven apps and Microsoft Dataverse

Answer explanations for Questions 195-199 | [Open the matching Microsoft Learn module](#)

Question 195

Correct answer: C. The user/queue Mailbox.

Explanation. The user/queue Mailbox.

How to reason. Start with the exact requirement in the stem and treat Dataverse email, SharePoint documents, and Outlook tracking as integrations with their own configuration and permission layers. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 196

Correct answer: C. No. SharePoint permissions apply.

Explanation. No. SharePoint permissions apply.

How to reason. Start with the exact requirement in the stem and treat Dataverse email, SharePoint documents, and Outlook tracking as integrations with their own configuration and permission layers. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 197

Correct answer: A. SharePoint document management.

Explanation. SharePoint document management.

How to reason. Start with the exact requirement in the stem and treat Dataverse email, SharePoint documents, and Outlook tracking as integrations with their own configuration and permission layers. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 198

Correct answer: D. Server profile/method, then Test & Enable Mailbox result/errors.

Explanation. Server profile/method, then Test & Enable Mailbox result/errors.

How to reason. Start with the exact requirement in the stem and treat Dataverse email, SharePoint documents, and Outlook tracking as integrations with their own configuration and permission layers. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 199

Correct answer: A. Dynamics 365 App for Outlook (current naming/context).

Explanation. Dynamics 365 App for Outlook (current naming/context).

How to reason. Start with the exact requirement in the stem and treat Dataverse email, SharePoint documents, and Outlook tracking as integrations with their own configuration and permission layers. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Use Microsoft 365 services with model-driven apps and Microsoft Dataverse](#)

Module 38 - Use Microsoft Word and Excel templates with Dataverse

Answer explanations for Questions 200-204 | [Open the matching Microsoft Learn module](#)

Question 200

Correct answer: C. Word Template.

Explanation. Word Template.

How to reason. Start with the exact requirement in the stem and choose Word for formatted documents, Excel for workbook analysis, and Dataflow for repeatable transformed loading; templates never bypass security. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 201

Correct answer: B. Excel Template.

Explanation. Excel Template.

How to reason. Start with the exact requirement in the stem and choose Word for formatted documents, Excel for workbook analysis, and Dataflow for repeatable transformed loading; templates never bypass security. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 202

Correct answer: B. No. Use SharePoint/document management for lifecycle/versioning.

Explanation. No. Use SharePoint/document management for lifecycle/versioning.

How to reason. Start with the exact requirement in the stem and choose Word for formatted documents, Excel for workbook analysis, and Dataflow for repeatable transformed loading; templates never bypass security. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 203

Correct answer: C. No. Dataverse security applies.

Explanation. No. Dataverse security applies.

How to reason. Start with the exact requirement in the stem and choose Word for formatted documents, Excel for workbook analysis, and Dataflow for repeatable transformed loading; templates never bypass security. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 204

Correct answer: B. Dataflow/Power Query, not Excel Template.

Explanation. Dataflow/Power Query, not Excel Template.

How to reason. Start with the exact requirement in the stem and choose Word for formatted documents, Excel for workbook analysis, and Dataflow for repeatable transformed loading; templates never bypass security. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Use Microsoft Word and Excel templates with Dataverse](#)

Answer Part VIII - Validation Learning Path and Capstone

Module 39 - Get started with Power Automate

Answer explanations for Questions 205-212 | [Open the matching Microsoft Learn module](#)

Question 205

Correct answer: A. Scheduled Cloud Flow.

Explanation. Scheduled Cloud Flow.

How to reason. Start with the exact requirement in the stem and select Automated, Instant, or Scheduled Cloud Flow by trigger, and keep run-only sharing, approvals, BPF, and solution-aware reuse distinct. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 206

Correct answer: B. Instant Cloud Flow using Power Apps trigger.

Explanation. Instant Cloud Flow using Power Apps trigger.

How to reason. Start with the exact requirement in the stem and select Automated, Instant, or Scheduled Cloud Flow by trigger, and keep run-only sharing, approvals, BPF, and solution-aware reuse distinct. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 207

Correct answer: B. Run-only access.

Explanation. Run-only access.

How to reason. Start with the exact requirement in the stem and select Automated, Instant, or Scheduled Cloud Flow by trigger, and keep run-only sharing, approvals, BPF, and solution-aware reuse distinct. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 208

Correct answer: C. Everyone must approve.

Explanation. Everyone must approve.

How to reason. Start with the exact requirement in the stem and select Automated, Instant, or Scheduled Cloud Flow by trigger, and keep run-only sharing, approvals, BPF, and solution-aware reuse distinct. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 209

Correct answer: C. Connection Reference and Environment Variable.

Explanation. Connection Reference and Environment Variable.

How to reason. Start with the exact requirement in the stem and select Automated, Instant, or Scheduled Cloud Flow by trigger, and keep run-only sharing, approvals, BPF, and solution-aware reuse distinct. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 210

Correct answer: B. Business Process Flow.

Explanation. Business Process Flow.

How to reason. Start with the exact requirement in the stem and select Automated, Instant, or Scheduled Cloud Flow by trigger, and keep run-only sharing, approvals, BPF, and solution-aware reuse distinct. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 211

Correct answer: D. No. Current blueprint names Cloud Flows; know desktop distinction only.

Explanation. No. Current blueprint names Cloud Flows; know desktop distinction only.

How to reason. Start with the exact requirement in the stem and select Automated, Instant, or Scheduled Cloud Flow by trigger, and keep run-only sharing, approvals, BPF, and solution-aware reuse distinct. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 212

Correct answer: B. To reuse a solution-aware subprocess and avoid duplicated logic.

Explanation. To reuse a solution-aware subprocess and avoid duplicated logic.

How to reason. Start with the exact requirement in the stem and select Automated, Instant, or Scheduled Cloud Flow by trigger, and keep run-only sharing, approvals, BPF, and solution-aware reuse distinct. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Get started with Power Automate](#)

Module 40 - Challenge project - Build applications and automation solutions

Answer explanations for Questions 213-220 | [Open the matching Microsoft Learn module](#)

Question 213

Correct answer: D. Data model, ownership, relationships, security, and requirements.

Explanation. Data model, ownership, relationships, security, and requirements.

How to reason. Start with the exact requirement in the stem and work in requirement order: data, ownership, relationships, security, UX, automation, testing, and ALM; then justify why plausible alternatives are worse. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 214

Correct answer: C. In a custom Solution with correct publisher.

Explanation. In a custom Solution with correct publisher.

How to reason. Start with the exact requirement in the stem and work in requirement order: data, ownership, relationships, security, UX, automation, testing, and ALM; then justify why plausible alternatives are worse. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 215

Correct answer: A. Import into a clean Test environment plus dependency/checker review.

Explanation. Import into a clean Test environment plus dependency/checker review.

How to reason. Start with the exact requirement in the stem and work in requirement order: data, ownership, relationships, security, UX, automation, testing, and ALM; then justify why plausible alternatives are worse. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 216**Correct answer: A. Canvas App.****Explanation.** Canvas App.

How to reason. Start with the exact requirement in the stem and work in requirement order: data, ownership, relationships, security, UX, automation, testing, and ALM; then justify why plausible alternatives are worse. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 217**Correct answer: B. Model-driven App.****Explanation.** Model-driven App.

How to reason. Start with the exact requirement in the stem and work in requirement order: data, ownership, relationships, security, UX, automation, testing, and ALM; then justify why plausible alternatives are worse. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 218**Correct answer: D. Nondelegable query over a large source.****Explanation.** Nondelegable query over a large source.

How to reason. Start with the exact requirement in the stem and work in requirement order: data, ownership, relationships, security, UX, automation, testing, and ALM; then justify why plausible alternatives are worse. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and C either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 219**Correct answer: C. Updating the same row without trigger guard.****Explanation.** Updating the same row without trigger guard.

How to reason. Start with the exact requirement in the stem and work in requirement order: data, ownership, relationships, security, UX, automation, testing, and ALM; then justify why plausible alternatives are worse. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options A, B, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Question 220

Correct answer: A. "Why is this the supported, least-complex, secure choice - and why are distractors worse?"

Explanation. "Why is this the supported, least-complex, secure choice - and why are distractors worse?"

How to reason. Start with the exact requirement in the stem and work in requirement order: data, ownership, relationships, security, UX, automation, testing, and ALM; then justify why plausible alternatives are worse. The correct choice directly satisfies that deciding requirement without assuming extra privileges, hidden behavior, or unsupported automation.

Why the other options are wrong. Options B, C, and D either describe a different Power Platform feature, reverse the documented behavior, or solve only the presentation layer. They do not meet the scenario's complete requirement.

Primary module source: [Challenge project - Build applications and automation solutions](#)

Quick answer key

Use this compact key only for marking. The detailed explanations above are the important part of the learning process.

Question - Answer	Question - Answer	Question - Answer	Question - Answer	Question - Answer
1 - B	45 - A	89 - B	133 - A	177 - D
2 - B	46 - D	90 - A	134 - B	178 - A
3 - A	47 - D	91 - B	135 - B	179 - C
4 - B	48 - C	92 - D	136 - B	180 - B
5 - A	49 - D	93 - D	137 - B	181 - A
6 - C	50 - A	94 - A	138 - C	182 - A
7 - A	51 - B	95 - A	139 - A	183 - B
8 - C	52 - C	96 - B	140 - B	184 - C
9 - B	53 - A	97 - B	141 - B	185 - A
10 - C	54 - C	98 - A	142 - D	186 - B
11 - D	55 - C	99 - A	143 - C	187 - B
12 - D	56 - D	100 - A	144 - C	188 - B
13 - B	57 - C	101 - A	145 - B	189 - B
14 - D	58 - D	102 - B	146 - A	190 - C
15 - C	59 - A	103 - B	147 - B	191 - C
16 - B	60 - A	104 - D	148 - A	192 - A
17 - D	61 - D	105 - D	149 - C	193 - A
18 - B	62 - C	106 - B	150 - B	194 - D
19 - B	63 - A	107 - C	151 - B	195 - C
20 - D	64 - C	108 - B	152 - A	196 - C
21 - B	65 - A	109 - B	153 - C	197 - A
22 - B	66 - C	110 - A	154 - A	198 - D
23 - B	67 - C	111 - D	155 - A	199 - A
24 - C	68 - B	112 - D	156 - D	200 - C
25 - A	69 - B	113 - D	157 - C	201 - B
26 - C	70 - B	114 - B	158 - B	202 - B
27 - A	71 - D	115 - A	159 - D	203 - C

Question - Answer	Question - Answer	Question - Answer	Question - Answer	Question - Answer
28 - D	72 - D	116 - C	160 - A	204 - B
29 - D	73 - D	117 - C	161 - C	205 - A
30 - C	74 - A	118 - A	162 - C	206 - B
31 - A	75 - B	119 - B	163 - B	207 - B
32 - A	76 - A	120 - D	164 - C	208 - C
33 - D	77 - D	121 - B	165 - C	209 - C
34 - C	78 - D	122 - A	166 - C	210 - B
35 - D	79 - C	123 - D	167 - C	211 - D
36 - D	80 - D	124 - B	168 - A	212 - B
37 - A	81 - B	125 - A	169 - B	213 - D
38 - D	82 - B	126 - B	170 - C	214 - C
39 - B	83 - D	127 - C	171 - D	215 - A
40 - A	84 - C	128 - C	172 - A	216 - A
41 - A	85 - C	129 - A	173 - C	217 - B
42 - C	86 - B	130 - A	174 - B	218 - D
43 - B	87 - B	131 - D	175 - B	219 - C
44 - B	88 - C	132 - B	176 - D	220 - A

Coverage verification

The bank includes every Module Knowledge Check prompt from the 40-module English study guide. The table below verifies the official preparation order and the corresponding question range.

Module	Preparation topic	Count	Range	Blueprint alignment
1	Create and manage environments in Dataverse	5	Q1-Q5	Manage environments (15-20%)
2	Create tables in Dataverse	5	Q6-Q10	Configure Microsoft Dataverse (25-30%)
3	Create and manage columns within a table in Dataverse	5	Q11-Q15	Configure Microsoft Dataverse (25-30%)
4	Work with choices in Dataverse	5	Q16-Q20	Configure Microsoft Dataverse (25-30%)

Mod ule	Preparation topic	Cou nt	Range	Blueprint alignment
5	Create a relationship between tables in Dataverse	5	Q21-Q25	Configure Microsoft Dataverse (25-30%)
6	Create and define calculation or rollup columns in Dataverse	5	Q26-Q30	Configure Microsoft Dataverse (25-30%)
7	Load/export data and create data views in Dataverse	5	Q31-Q35	Configure Microsoft Dataverse (25-30%)
8	Get started with security roles in Dataverse	8	Q36-Q43	Configure Microsoft Dataverse (25-30%)
9	Use administration options for Dataverse	6	Q44-Q49	Configure Microsoft Dataverse (25-30%)
10	How to build your first model-driven app with Dataverse	5	Q50-Q54	Create apps by using Microsoft Power Apps (25-30%)
11	Get started with model-driven apps in Power Apps	6	Q55-Q60	Create apps by using Microsoft Power Apps (25-30%)
12	Configure forms, charts, and dashboards in model-driven apps	5	Q61-Q65	Create apps by using Microsoft Power Apps (25-30%)
13	Use specialized components in a model-driven form	5	Q66-Q70	Create apps by using Microsoft Power Apps (25-30%)
14	Customize the command bar	5	Q71-Q75	Create apps by using Microsoft Power Apps (25-30%)
15	Get started with Power Apps canvas apps	5	Q76-Q80	Create apps by using Microsoft Power Apps (25-30%)
16	Customize a canvas app in Power Apps	5	Q81-Q85	Create apps by using Microsoft Power Apps (25-30%)
17	Navigation in a canvas app in Power Apps	5	Q86-Q90	Create apps by using Microsoft Power Apps (25-30%)
18	Create formulas to change behaviors in a Power Apps canvas app	6	Q91-Q96	Create apps by using Microsoft Power Apps (25-30%)
19	Connect to other data in a Power Apps canvas app	5	Q97-Q101	Create apps by using Microsoft Power Apps (25-30%)
20	Introduction to Power Apps cards	5	Q102-Q106	Create apps by using Microsoft Power Apps (25-30%)
21	Core components of Power Pages	5	Q107-Q111	Create apps by using Microsoft Power Apps (25-30%)
22	Access Dataverse in Power Pages websites	5	Q112-Q116	Create apps by using Microsoft Power Apps (25-30%)
23	Explore Power Pages design studio	5	Q117-Q121	Create apps by using Microsoft Power Apps (25-30%)
24	Integrate Power Pages websites with Dataverse	5	Q122-Q126	Create apps by using Microsoft Power Apps (25-30%)
25	Integrate Power Pages with web-based technologies	5	Q127-Q131	Create apps by using Microsoft Power Apps (25-30%)

Module	Preparation topic	Count	Range	Blueprint alignment
26	Explore Power Pages design studio data and security features	5	Q132-Q136	Create apps by using Microsoft Power Apps (25-30%)
27	Set up Power Pages security	6	Q137-Q142	Create apps by using Microsoft Power Apps (25-30%)
28	Authentication and user management in Power Pages	5	Q143-Q147	Create apps by using Microsoft Power Apps (25-30%)
29	Best practices for error handling in Power Automate flows	5	Q148-Q152	Create and manage logic and process automation (25-30%)
30	Use Dataverse triggers and actions in Power Automate	6	Q153-Q158	Create and manage logic and process automation (25-30%)
31	Introduction to expressions in Power Automate	5	Q159-Q163	Create and manage logic and process automation (25-30%)
32	Define and create business rules in Dataverse	6	Q164-Q169	Create and manage logic and process automation (25-30%)
33	Set up low-code plug-ins	6	Q170-Q175	Create and manage logic and process automation (25-30%)
34	Use common low-code plug-in scenarios	6	Q176-Q181	Create and manage logic and process automation (25-30%)
35	Get started building with Power BI	5	Q182-Q186	Create apps / analytics integration
36	Introduction to solutions for Microsoft Power Platform	8	Q187-Q194	Manage environments (15-20%)
37	Use Microsoft 365 services with model-driven apps and Microsoft Dataverse	5	Q195-Q199	Manage environments (15-20%)
38	Use Microsoft Word and Excel templates with Dataverse	5	Q200-Q204	Manage environments (15-20%)
39	Get started with Power Automate	8	Q205-Q212	Create and manage logic and process automation (25-30%)
40	Challenge project - Build applications and automation solutions	8	Q213-Q220	Integrated capstone across all domains

Total verified coverage: 40 modules and 220 questions. The question count is a study-bank count, not a statement about the number of items on the live Microsoft exam.

How to interpret your practice score

Use your score to find weak topics, not to predict the official scaled exam score. Microsoft certification scoring is not a simple one-to-one percentage conversion, and this practice bank is not calibrated by Microsoft. A strong study method is to review

every incorrect answer, write the deciding requirement word, and explain why the correct feature fits better than each distractor.

Before the exam, repeat the security, Dataverse data-model, Canvas delegation, Power Automate trigger, Power Pages authorization, and Solution/ALM modules until you can solve their scenarios without guessing. Recheck the current official Study Guide because Microsoft documentation and exam availability can change.

Final verification source: [Official PL-200 Study Guide](#)