



યુરોકેર

હોસ્પિટલ

અત્યાધુનિક સુવિધાઓથી સજ્જ સૌરાષ્ટ્ર-કચ્છની
કિડની સુપર સ્પેશ્યાલિટી હોસ્પિટલ

CONSULTATION First Visit

Reg No : UCH10505
Patient Name : Mr. Valjibhai Bhikhabhai Ranoliya
Age/Gender : 71Y / M
Mobile No : 9825997073

Appt No : PRAT1100125-9
Date/Time : 10/01/2025 11:30AM
Sponsor : CASH
Consultant : Dr. Pratik Amlani

① Tsb Niftek

1-0-1

(100)

Tsb

Mirckem

1-0-1

(50)

x

(20) EXKUP

Tsb

Dosm

(8)

1x1x1

ડૉ. જીતેન્દ્ર અમલાણી

એમ.એસ., એમ. સી.એચ. (યુરોલોજી)
ગોલ્ડ મેડાલીસ્ટ
સિનિયર યુરોલોજિસ્ટ & એન્ડ્રોલોજિસ્ટ

ડૉ. જીગેન ગોહેલ

એમ.એસ., ડી.એન.બી. (યુરોલોજી)
યુરોલોજિસ્ટ & એન્ડ્રોલોજિસ્ટ

ડૉ. પ્રતીક અમલાણી

એમ.એસ. (જનરલ સર્જરી) ગોલ્ડ મેડાલીસ્ટ,
ડી.એન.બી. (યુરોલોજી)
યુરોલોજિસ્ટ & એન્ડ્રોલોજિસ્ટ

ડૉ. ધૃતિ કલસરીયા અમલાણી

એમ.એસ. (જનરલ સર્જરી),
એમ.સી.એચ. (પીડિયાટ્રીક સર્જરી) ગોલ્ડ મેડાલીસ્ટ,
ફેલો.: પીડિયાટ્રીક યુરોલોજી, યુ.એસ.એ.
પીડિયાટ્રિક યુરોલોજિસ્ટ

T/A
 p. acm
 soc: 28-5
 Bp 148/82
 00008

40- urgent
 urgent Incontinence

Mild to dx LUTs

060 Ger II
 Consistent ?

AF
 • 4cm
PSA
 • ~~4000~~
PVR = 20ml

AF



Mr. VALJIBHAI BHIKHABHAI RANOLIYA
RAJKOT,RAJKOT Rajkot..
Tel No : +919825997073
PIN No: 360001
PID NO: P63824538688277
Age: 71 Year(s) Sex: Male



Reference: DR.PRATIK AMLANI
Sample Collected At:

VID: 240153109894439
Registered On:
10/01/2025 12:20 PM
Collected On:
10/01/2025 12:15PM
Reported On:
10/01/2025 01:39 PM

Investigation

Observed Value

Unit

Biological Reference Interval

Total PSA (Prostate Specific Antigen) 2.57
(Serum,ECLIA)
ng/mL
Conventional for all ages: 0 - 4
70 - 79 yrs: 0 - 6.5

INTERPRETATION :

- Total PSA exists in serum mainly in two forms, complexed (PSA-ACT complex) and unbound (free PSA).
- Increased levels are seen in prostatic and tissue damage caused by benign prostatic hypertrophy, prostatitis, or prostate cancer.
- Transient increase in PSA can also be seen following per rectal digital or sonological examinations.
- PSA measurements are also used in the monitoring of therapy in cancer patients.
- For results between 4-10 ng/ml, free PSA & free/total ratio is recommended.

NOTE:

- Patients on Biotin supplement may have interference in some immunoassays. With individuals taking high dose Biotin (more than 5 mg per day) supplements, at least 8-hour wait time before blood draw is recommended.

Disclaimer

- The above results obtained cannot be compared to or interchanged with results determined by different assays due to differences in assay methods and reagent specificity

Reference

- Thompson IM, Pauler DK, Goodman PJ, Tangen CM, Lucia MS, Parnes HL, Minasian LM, Ford LG, Lippman SM, Crawford ED, Crowley JJ, Coltman CA Jr. Prevalence of prostate cancer among men with a prostate-specific antigen level $\leq$ 4.0 ng per milliliter. N Engl J Med. 2004 May 27;350(22):2239-46.
- Arch Pathol Lab Med—Vol 141, November 2017
- Pack Insert



Tests marked with NABL symbol are accredited by NABL vide Certificate no MC-2724

METROPOLIS
METROPOLIS
The Pathology Specialist

This is computer generated medical diagnostics report. It has been validated by an Authorized Medical Practitioner / Doctor.
The Report does not need physical signature. Results are only for the sample as received. Refer to conditions of reporting overleaf.

**Referred Test
This is computer generated medical diagnostics report. It has been validated by an Authorized Medical Practitioner / Doctor.
The Report does not need physical signature. Results are only for the sample as received. Refer to conditions of reporting overleaf.

INNER HEALTH REVEALED
INNER HEALTH REVEALED

VALJIBHAI BHIKHABHAI RANOLIYA
RAJKOT, RAJKOT Rajkot.
+919825997073
Tel No :
PIN No: 360001
PID NO: P63824538688277
Age: 71 Year(s) Sex: Male

Reference: DR.PRATIK AMLANI
Sample Collected At:

VID: 240153109894439
Registered On:
10/01/2025 12:20 PM
Collected On:
10/01/2025 12:15PM
Reported On:
10/01/2025 01:39 PM

Routine Examination Profile - Urine

Investigation

Routine Examination Profile - Urine

General Examination

	Observed Value	Unit	Biological Reference Interval
Colour	Pale Yellow		Pale Yellow
Transparency (Appearance)	Slightly Turbid		Clear
Reaction (pH)	5		4.5-8
Specific gravity	1.015		1.010-1.030
Chemical Examination			
Urine Protein (Albumin)	Absent		Absent
Urine Ketones (Acetone)	Absent		Absent
Urine Glucose (sugar)	Absent		Absent
Bile pigments	Absent		Absent
Bile salts	Absent		Absent
Urobilinogen	Normal		Normal
Nitrite	Negative		Negative
Microscopic Examination			
Red blood cells	Absent	/hpf	Absent
Pus cells (WBCs)	43.0	/hpf	0-5
Epithelial cells	2.0	/hpf	0-4
Crystals	Absent		Absent
Cast	Absent		Absent
Bacteria	Present 1+		Absent

Note :1.Chemical examination through Dipstick includes test methods as Protein (Protein Error Principle), Glucose (Glucose oxidase-Peroxidase), Ketone (Legals Test), Bilirubin (Azo- Diazo reaction),Urobilinogen (Diazonium ion Reaction) Nitrite (Griess Method). Abnormal results of chemical examination are confirmed by manual methods. 2. Negative nitrite test does not exclude the urinary tract infections, Trace proteinuria can be seen with many physiological conditions like prolonged recumbency, exercise, high protein diet. False positive reactions for bile pigments, proteins, glucose and nitrites can be caused by peroxidase like activity by disinfectants, therapeutic dyes, ascorbic acid and certain drugs.3. Pre-test conditions : Void first urine ,collect mid-stream urine in clean sterile container to avoid contamination with perineal, vaginal or urethral discharge.

-- End of Report --



Tests marked with NABL symbol are accredited by NABL vide Certificate no MC-2724



This is computer generated medical diagnostics report that has been validated by an Authorized Medical Practitioner / Doctor. The Report does not need physical signature. Results relate only to the sample as received. Refer to conditions of reporting overleaf.
Page 2 of 2
Dr. Hardip Dharsandja
M.B. DCP (PATH)
INNER HEALTH REVEALED
INNER HEALTH REVEALED