https://petstore.swagg   **Explore**

Swagger Petstore 1.0.5

[Base URL: petstore.swagger.io/v2]

https://petstore.swagger.io/v2/swagger.json

This is a sample server Petstore server. You can find out more about Swagger at http://swagger.io or on irc.freenode.net, #swagger. For this sample, you can use the api key `special-key` to test the authorization filters.

Terms of service

Contact the developer

Apache 2.0

Find out more about Swagger

Schemes

HTTPS

Authorize 🔓

pet Everything about your Pets   Find out more: http://swagger.io ⌃

POST   /pet/{petId}/uploadImage   uploads an image   ⌃ 🔓

Parameters   **Cancel**

Name	Description

petId * required
`integer($int64)`
`(path)`
	ID of pet to update
	
	`11`

additionalMetadata
`string`
`(formData)`
	Additional data to pass to server
	
	`additionalMetadata`

Name	Description

file

file

(formData)

file to upload

[Choose File] be…g

Execute	Clear

Responses

Response content type [application/json]

Curl

```
curl -X 'POST' \
  'https://petstore.swagger.io/v2/pet/11/uploadImage' \
  -H 'accept: application/json' \
  -H 'Content-Type: multipart/form-data' \
  -F 'file=@berkay-gumustekin-ngqyo2AYYnE-unsplash.jpg;type=image/jpeg'
```

Request URL

```
https://petstore.swagger.io/v2/pet/11/uploadImage
```

Server response

Code	Details

200

Response body

```
{
  "code": 200,
  "type": "unknown",
  "message": "additionalMetadata: null\nFile uploaded to ./berkay-gumustekin-ngqy
o2AYYnE-unsplash.jpg, 1258080 bytes"
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 14:54:26 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description

Code	Description
200	successful operation

Example Value   Model

```
{
  "code": 0,
  "type": "string",
  "message": "string"
}
```

POST   **/pet**   Add a new pet to the store   ∧ 🔓

Parameters   Cancel

Name	Description
body * required **object** *(body)*	Pet object that needs to be added to the store

Edit Value   Model

```
{
  "id": 1,
  "category": {
    "id": 0,
    "name": "dog"
  },
  "name": "doggie",
  "photoUrls": [
    "string"
  ],
  "tags": [
    {
      "id": 0,
      "name": "string"
    }
  ],
  "status": "available"
}
```

Cancel

Parameter content type

application/json

Execute	Clear

Responses   Response content type   application/json

Curl

```
curl -X 'POST' \
  'https://petstore.swagger.io/v2/pet' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 1,
  "category": {
    "id": 0,
    "name": "dog"
  },
  "name": "doggie",
  "photoUrls": [
    "string"
  ],
  "tags": [
    {
      "id": 0,
      "name": "string"
    }
  ],
  "status": "available"
}'
```

Request URL

```
https://petstore.swagger.io/v2/pet
```

Server response

Code	Details

200
Undocumented

Response body

```
{
  "id": 1,
  "category": {
    "id": 0,
    "name": "dog"
  },
  "name": "doggie",
  "photoUrls": [
    "string"
  ],
  "tags": [
    {
      "id": 0,
      "name": "string"
    }
  ],
  "status": "available"
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 14:59:10 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description

Code	Description
405	Invalid input

PUT   **/pet**   Update an existing pet   ⌃ 🔓

Parameters

Cancel

Name	Description
body * required object *(body)*	Pet object that needs to be added to the store **Edit Value** Model

```
{
  "id": 1,
  "category": {
    "id": 0,
    "name": "dogu"
  },
  "name": "doggie",
  "photoUrls": [
    "string"
  ],
  "tags": [
    {
      "id": 0,
      "name": "string"
    }
  ],
  "status": "available"
}
```

Cancel

Parameter content type

application/json

Execute	Clear

Responses

Response content type   application/json

Curl

```
curl -X 'PUT' \
  'https://petstore.swagger.io/v2/pet' \
  -H 'accept: application/json' \
```

```
-H 'Content-Type: application/json' \
-d '{
"id": 1,
"category": {
  "id": 0,
  "name": "dogu"
},
"name": "doggie",
"photoUrls": [
  "string"
],
"tags": [
  {
    "id": 0,
    "name": "string"
  }
],
"status": "available"
}'
```

Request URL

```
https://petstore.swagger.io/v2/pet
```

Server response

Code	Details

200 *Undocumented*	**Response body**

```
{
  "id": 1,
  "category": {
    "id": 0,
    "name": "dogu"
  },
  "name": "doggie",
  "photoUrls": [
    "string"
  ],
  "tags": [
    {
      "id": 0,
      "name": "string"
    }
  ],
  "status": "available"
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 14:59:42 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description
400	Invalid ID supplied
404	Pet not found

Code	Description
405	Validation exception

GET /pet/findByStatus Finds Pets by status ∧ 🔓

Multiple status values can be provided with comma separated strings

Parameters

Cancel

Name	Description
status * required `array[string]` *(query)*	Status values that need to be considered for filter available pending sold ▲ ▼

Execute	Clear

Responses

Response content type: application/json

Curl

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/pet/findByStatus?status=sold' \
  -H 'accept: application/json'
```

Request URL

```
https://petstore.swagger.io/v2/pet/findByStatus?status=sold
```

Server response

Code	Details

Code	Details
200	

Response body

```
[
  {
    "id": 4649961,
    "category": {
      "id": 2,
      "name": "Small"
    },
    "name": "AngryBird2",
    "photoUrls": [
      "https://google.img"
    ],
    "tags": [
      {
        "id": 4,
        "name": "bird"
      },
      {
        "id": 5,
        "name": "red"
      }
    ],
    "status": "sold"
  },
  {
    "id": 21299660,
    "category": {
      "id": 2,
      "name": "Small"
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 15:00:04 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description

Code	Description

200

successful operation

Example Value   Model

```
[
  {
    "id": 0,
    "category": {
      "id": 0,
      "name": "string"
    },
    "name": "doggie",
    "photoUrls": [
      "string"
    ],
    "tags": [
      {
        "id": 0,
        "name": "string"
      }
    ],
    "status": "available"
  }
]
```

400

Invalid status value

GET   /pet/findByTags   Finds Pets by tags   ⌄   🔓

GET   /pet/{petId}   Find pet by ID   ⌃   🔓

Returns a single pet

Parameters   Cancel

Name	Description

petId * required
integer($int64)
(path)

ID of pet to return

```
11
```

Execute	Clear

Responses

Response content type

application/json

Curl

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/pet/11' \
  -H 'accept: application/json'
```

Request URL

```
https://petstore.swagger.io/v2/pet/11
```

Server response

Code	Details

200

Response body

```
{
  "id": 11,
  "name": "teroSr",
  "photoUrls": [],
  "tags": [
    {
      "id": 11,
      "name": "teroSr"
    }
  ],
  "status": ""
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 15:00:42 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

| Code	Description

Code	Description

200

successful operation

Example Value   Model

```
{
  "id": 0,
  "category": {
    "id": 0,
    "name": "string"
  },
  "name": "doggie",
  "photoUrls": [
    "string"
  ],
  "tags": [
    {
      "id": 0,
      "name": "string"
    }
  ],
  "status": "available"
}
```

400

Invalid ID supplied

404

Pet not found

POST   **/pet/{petId}**   Updates a pet in the store with form data   ∧ 🔓

Parameters   Cancel

Name	Description

petId * required
integer($int64)
(path)

ID of pet that needs to be updated

```
11
```

name
string
(formData)

Updated name of the pet

```
dolu
```

status
string
(formData)

Updated status of the pet

```
status
```

Execute	Clear

Responses   Response content type   application/json

Curl

```
curl -X 'POST' \
  'https://petstore.swagger.io/v2/pet/11' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'name=dolu'
```

Request URL

```
https://petstore.swagger.io/v2/pet/11
```

Server response

Code	Details

200
Undocumented

Response body

```
{
  "code": 200,
  "type": "unknown",
  "message": "11"
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 15:01:13 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description
405	Invalid input

DELETE   **/pet/{petId}**   Deletes a pet   ⌃ 🔓

Parameters   Cancel

Name	Description
api_key string *(header)*	api_key

Name	Description

petId * required
integer($int64)
(path)

Pet id to delete

<div style="border:1px solid #ccc; padding:8px;">11</div>

Execute	Clear

Responses

Response content type

<div style="border:2px solid #333; padding:6px;">application/json</div>

Curl

```
curl -X 'DELETE' \
  'https://petstore.swagger.io/v2/pet/11' \
  -H 'accept: application/json'
```

Request URL

```
https://petstore.swagger.io/v2/pet/11
```

Server response

Code	Details

200
Undocumented

Response body

```
{
  "code": 200,
  "type": "unknown",
  "message": "11"
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 15:02:09 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description

400

Invalid ID supplied

404

Pet not found

store Access to Petstore orders ∧

GET **/store/inventory** Returns pet inventories by status ∧ 🔓

Returns a map of status codes to quantities

Parameters [Cancel]

No parameters

[Execute] [Clear]

Responses Response content type [application/json]

Curl

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/store/inventory' \
  -H 'accept: application/json'
```

Request URL

```
https://petstore.swagger.io/v2/store/inventory
```

Server response

Code **Details**

Code	Details

200

Response body

```
{
  "sold": 16,
  "string": 202,
  "My status: 2473or": 1,
  "pending": 3,
  "available": 742,
  "My status: n8oycm": 1,
  "My status: 14o9hr": 1,
  "omega": 1,
  "My status: 4yvp8": 1,
  "My status: 79wlq2": 1,
  "Р' PSP°P»PëC‡PëPë": 1,
  "ok": 2,
  "OK": 1,
  "sucesso": 1,
  "PµCЬPsPrP°PS": 1
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 15:07:58 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description

200

successful operation

Example Value   Model

```
{
  "additionalProp1": 0,
  "additionalProp2": 0,
  "additionalProp3": 0
}
```

POST   /store/order   Place an order for a pet ⌃

Parameters Cancel

Name	Description

Name	Description

body * **required**

object
(body)

order placed for purchasing the pet

Edit Value   Model

```
{
  "id": 0,
  "petId": 44,
  "quantity": 0,
  "shipDate": "2021-07-28T15:08:15.207Z",
  "status": "placed",
  "complete": true
}
```

Cancel

Parameter content type

application/json

Execute	Clear

Responses   Response content type   application/json

Curl

```
curl -X 'POST' \
  'https://petstore.swagger.io/v2/store/order' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 0,
  "petId": 44,
  "quantity": 0,
  "shipDate": "2021-07-28T15:08:15.207Z",
  "status": "placed",
  "complete": true
}'
```

Request URL

```
https://petstore.swagger.io/v2/store/order
```

Server response

Code	Details

200

Response body

```
{
  "id": 9223372036854776000,
  "petId": 44,
  "quantity": 0,
  "shipDate": "2021-07-28T15:08:15.207+0000",
  "status": "placed",
  "complete": true
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 15:08:48 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description

200

successful operation

Example Value   Model

```
{
  "id": 0,
  "petId": 0,
  "quantity": 0,
  "shipDate": "2021-07-28T18:24:40.845Z",
  "status": "placed",
  "complete": true
}
```

400

Invalid Order

GET   **/store/order/{orderId}**   Find purchase order by ID   ∧

For valid response try integer IDs with value >= 1 and <= 10. Other values will generated exceptions

Parameters   Cancel

Name	Description

Name	Description

orderId * required

integer($int64)

(path)

ID of pet that needs to be fetched

> 2

Execute	Clear

Responses   Response content type   application/json

Curl

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/store/order/2' \
  -H 'accept: application/json'
```

Request URL

```
https://petstore.swagger.io/v2/store/order/2
```

Server response

Code	Details

200

Response body

```
{
  "id": 2,
  "petId": 1,
  "quantity": 0,
  "shipDate": "2021-07-13T04:42:52.676+0000",
  "status": "placed",
  "complete": true
}
```
Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 15:09:35 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description

| Code	Description

200	successful operation
	
	Example Value Model
	
	`{`
	`  "id": 0,`
	`  "petId": 0,`
	`  "quantity": 0,`
	`  "shipDate": "2021-07-28T18:24:40.855Z",`
	`  "status": "placed",`
	`  "complete": true`
	`}`

400	Invalid ID supplied
404	Order not found

DELETE   **/store/order/{orderId}**   Delete purchase order by ID   ⌃

For valid response try integer IDs with positive integer value. Negative or non-integer values will generate API errors

Parameters   [**Cancel**]

Name	Description

orderId * required
`integer($int64)`
`(path)`
	ID of the order that needs to be deleted
	
	[2]

[Execute]   [Clear]

Responses   Response content type   [**application/json**]

Curl

```
curl -X 'DELETE' \
  'https://petstore.swagger.io/v2/store/order/2' \
  -H 'accept: application/json'
```

Request URL

https://petstore.swagger.io/v2/store/order/2

Server response

Code	Details

200
Undocumented

Response body

```
{
  "code": 200,
  "type": "unknown",
  "message": "2"
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 15:09:51 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description
400	Invalid ID supplied
404	Order not found

user   Operations about user

Find out more about our store: http://swagger.io   ∧

POST   /user/createWithList   Creates list of users with given input array   ∧

Parameters

Cancel

Name	Description

Name	Description

body * ^{required}

`array[object]`
(body)

List of user object

Edit Value   Model

```
[
  {
    "id": 0,
    "username": "kalpesh16",
    "firstName": "kalpesh",
    "lastName": "dhalpe",
    "email": "ahsjsj",
    "password": "1111111",
    "phone": "9999999999",
    "userStatus": 0
  }
]
```

Cancel

Parameter content type

application/json

Execute	Clear

Responses   Response content type   application/json

Curl

```
curl -X 'POST' \
  'https://petstore.swagger.io/v2/user/createWithList' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '[
  {
    "id": 0,
    "username": "kalpesh16",
    "firstName": "kalpesh",
    "lastName": "dhalpe",
    "email": "ahsjsj",
    "password": "1111111",
    "phone": "9999999999",
    "userStatus": 0
  }
]'
```

Request URL

```
https://petstore.swagger.io/v2/user/createWithList
```

Server response

Code	Details
200	**Response body**

```
{
  "code": 200,
  "type": "unknown",
  "message": "ok"
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 18:13:26 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description
default	successful operation

GET	/user/{username} Get user by user name	^

Parameters   Cancel

Name	Description
username * required string (path)	The name that needs to be fetched. Use user1 for testing. kalpesh16

Execute	Clear

Responses   Response content type   application/json

Curl

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/user/kalpesh16' \
  -H 'accept: application/json'
```

Request URL

```
https://petstore.swagger.io/v2/user/kalpesh16
```

Server response

Code	Details
200	**Response body**

```
{
  "id": 9223372000000200000,
  "username": "kalpesh16",
  "firstName": "kalpesh",
  "lastName": "dhalpe",
  "email": "ahsjsj",
  "password": "1111111",
  "phone": "9999999999",
  "userStatus": 0
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 18:19:50 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description
200	successful operation

Example Value   Model

```
{
  "id": 0,
  "username": "string",
  "firstName": "string",
  "lastName": "string",
  "email": "string",
  "password": "string",
  "phone": "string",
  "userStatus": 0
}
```

400	Invalid username supplied
404	User not found

PUT   **/user/{username}** Updated user   ⌃

This can only be done by the logged in user.

Parameters

Name	Description

username ***** required
string
(path)

name that need to be updated

kalpesh16

body ***** required
object
(body)

Updated user object

Edit Value   Model

```
{
    "id": 0,
    "username": "kalpesh16",
    "firstName": "kalpesh",
    "lastName": "dhalpe",
    "email": "ahsjsj",
    "password": "11111112",
    "phone": "9999999999",
    "userStatus": 0
}
```

Cancel

Parameter content type

application/json

Execute	Clear

Responses   Response content type   application/json

Curl

```
curl -X 'PUT' \
  'https://petstore.swagger.io/v2/user/kalpesh16' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 0,
    "username": "kalpesh16",
    "firstName": "kalpesh",
    "lastName": "dhalpe",
```

```
    "email": "ahsjsj",
    "password": "11111112",
    "phone": "9999999999",
    "userStatus": 0
  }'
```

Request URL

    https://petstore.swagger.io/v2/user/kalpesh16

Server response

Code	Details
200 *Undocumented*	**Response body** ```{ "code": 200, "type": "unknown", "message": "9223372036854775807" }``` Download **Response headers** access-control-allow-headers: Content-Type,api_key,Authorization access-control-allow-methods: GET,POST,DELETE,PUT access-control-allow-origin: * content-type: application/json date: Wed,28 Jul 2021 18:21:52 GMT server: Jetty(9.2.9.v20150224)

Responses

Code	Description
400	Invalid user supplied
404	User not found

DELETE   **/user/{username}**   Delete user   ∧

This can only be done by the logged in user.

Parameters   [Cancel]

Name	Description
username * required string (path)	The name that needs to be deleted kalpesh16

| Execute | Clear |

Responses   Response content type   application/json

Curl

```
curl -X 'DELETE' \
  'https://petstore.swagger.io/v2/user/kalpesh16' \
  -H 'accept: application/json'
```

Request URL

```
https://petstore.swagger.io/v2/user/kalpesh16
```

Server response

Code	Details

200
Undocumented

Response body

```
{
  "code": 200,
  "type": "unknown",
  "message": "kalpesh16"
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 18:24:19 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description
400	Invalid username supplied
404	User not found

GET   **/user/login**   Logs user into the system   ⌃

Parameters   Cancel

Name	Description

Name	Description

username * required
string
(query)

The user name for login

> kalpesh16

password * required
string
(query)

The password for login in clear text

> 123456

Execute	Clear

Responses   Response content type   application/json

Curl

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/user/login?username=kalpesh16&password=123456' \
  -H 'accept: application/json'
```

Request URL

```
https://petstore.swagger.io/v2/user/login?username=kalpesh16&password=123456
```

Server response

Code	Details

200

Response body

```
{
  "code": 200,
  "type": "unknown",
  "message": "logged in user session:1627496081271"
}
```
Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 18:14:41 GMT
server: Jetty(9.2.9.v20150224)
x-expires-after: Wed Jul 28 19:14:41 UTC 2021
x-rate-limit: 5000
```

Responses

Code	Description

Code	Description

200

successful operation

Example Value   Model

```
"string"
```

Headers:

| Name	Description	Type
X-Expires-After	date in UTC when token expires	string
X-Rate-Limit	calls per hour allowed by the user	integer

400

Invalid username/password supplied

GET   **/user/logout** Logs out current logged in user session   ∧

Parameters   Cancel

No parameters

| Execute | Clear |

Responses   Response content type   application/json

Curl

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/user/logout' \
  -H 'accept: application/json'
```

Request URL

```
https://petstore.swagger.io/v2/user/logout
```

Server response

Code	Details

Code	Details

200

Response body

```
{
  "code": 200,
  "type": "unknown",
  "message": "ok"
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 18:24:40 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description

default

successful operation

POST **/user/createWithArray** Creates list of users with given input array ⌃

Parameters Cancel

Name	Description

Name	Description

body * required

array[object]
(body)

List of user object

Edit Value   Model

```
[
  {
    "id": 7,
    "username": "ajay8",
    "firstName": "ajay",
    "lastName": "ajak",
    "email": "string",
    "password": "string",
    "phone": "string",
    "userStatus": 0
  }
]
```

Cancel

Parameter content type

application/json

Execute	Clear

Responses   Response content type   application/json

Curl

```
curl -X 'POST' \
  'https://petstore.swagger.io/v2/user/createWithArray' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '[
  {
    "id": 7,
    "username": "ajay8",
    "firstName": "ajay",
    "lastName": "ajak",
    "email": "string",
    "password": "string",
    "phone": "string",
    "userStatus": 0
  }
]'
```

Request URL

  https://petstore.swagger.io/v2/user/createWithArray

Server response

Code	Details
200	**Response body**

```
{
  "code": 200,
  "type": "unknown",
  "message": "ok"
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 18:23:06 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description
default	successful operation

POST   **/user**   Create user   ∧

This can only be done by the logged in user.

Parameters   [Cancel]

Name	Description

Name	Description

body * required
object
(body)

Created user object

Edit Value   Model

```
{
    "id": 0,
    "username": "kalpesh16",
    "firstName": "kalpesh",
    "lastName": "dhalpe",
    "email": "ahsjsj",
    "password": "1111111",
    "phone": "9999999999",
    "userStatus": 0
}
```

Cancel

Parameter content type

application/json

Execute   **Clear**

Responses   Response content type   application/json

Curl

```
curl -X 'POST' \
  'https://petstore.swagger.io/v2/user' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d ' {
    "id": 0,
    "username": "kalpesh16",
    "firstName": "kalpesh",
    "lastName": "dhalpe",
    "email": "ahsjsj",
    "password": "1111111",
    "phone": "9999999999",
    "userStatus": 0
}'
```

Request URL

```
https://petstore.swagger.io/v2/user
```

Server response

Code	Details

200

Response body

```
{
  "code": 200,
  "type": "unknown",
  "message": "9223372000000200138"                    Download
}
```

Response headers

```
access-control-allow-headers: Content-Type,api_key,Authorization
access-control-allow-methods: GET,POST,DELETE,PUT
access-control-allow-origin: *
content-type: application/json
date: Wed,28 Jul 2021 18:19:10 GMT
server: Jetty(9.2.9.v20150224)
```

Responses

Code	Description

default

successful operation

Models ∧

ApiResponse   {
    code   integer($int32)
    type   string
    message   string
}

Category

Pet

Tag

Order

User

VALID {···}