100

Duration: 2.057 s Start: Oct 10, 10:21:02.918 PM End: Oct 10, 10:21:04.975 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 3 3 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
As a user I would like to verify Login Functionality of given URL	2.057 s	1	0	1	0	3	0	0	3

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	As a user I would like to verify Login Functionality of given URL	Verify if User can login Successfully


TAG	Scenario			Feature					
Name	T	P	F	S	T	P	F	S	
@login	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	As a user I would like to verify Login Functionality of given URL	1	0	1	0	2.057 s


SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	As a user I would like to verify Login Functionality of given URL	Verify if User can login Successfully	3	0	0	3	2.054 s

DETAILED SECTION ---

As a user I would like to verify Login Functionality of given URL



Verify if User can login Successfully



#	Step / Hook Details	Status	Duration
	BEFORE - com.nopcommerce.demo.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	2.028 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 400. Message: Argumentremote-alloworigins can't be set via capabilities. Host info: host: 'HRIDAY', ip: '192.168.1.13' Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession (capabilities=[Capabilities {acceptlnsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {args: [disable-notifications,remote-allow-origins=*,incognito,lang=fr], binary: C:\Program Files\Mozilla Fi}}}]]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:163) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:163) at org.openqa.selenium.firefox.FirefoxDriver.	FAILED	2.028 S
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:156) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132)</init></init></init>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.nopcommerce.demo.driverfactory.ManageDriver.setupBrowser(ManageDriver.java:47) at com.nopcommerce.demo.Hooks.setUp(Hooks.java:31)</init></init>		
1	Given I am on home page of given URL	SKIPPED	0.001 s
2	When I click on Login URL	SKIPPED	0.000 s
3	Then I verify if I navigates to Login Page	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException at com.nopcommerce.demo.utility.Utility.getBase64Screenshot(Utility.java:391) at com.nopcommerce.demo.Hooks.tearDown(Hooks.java:38)		