Harish Rajagopal

Fourth Year Undergraduate

Computer Science and Engineering · Indian Institute of Technology Kanpur

 \bigcirc rharish101 · \square rharish@iitk.ac.in · \square +91-7318019201

EDUCATIONAL QUALIFICATIONS

Degree	Year	Institution/Board	CGPA/%
B. Tech	2016 - Present	IIT Kanpur	9.7/10.0
Sr. Secondary	2016	Maharashtra H.S.C	90.46%
Secondary	2014	Maharashtra S.S.C	93.6%

Academic Achievements

- Secured 7 $\mathbf{A} \star$ grades for exceptional performance across 6 semesters.
- Awarded Academic Achievement Awards for notable performance in 1st and 2nd years.
- Secured All India Rank of 185 in JEE (Advanced) 2016 given by about 200 thousand students.
- Secured All India Rank of 205 in JEE (Mains) 2016 given by about 1.4 million students.

Internships

• Research Intern, NYU Tandon

Prof. Paweł Korus, Prof. Nasir Memon

May '19 - July '19

- Researched robust image hashes that are immune to typical image transformations, while being sensitive to malicious image edits such as face swaps, deep fakes, object addition/deletion.
- Constructed models that take an image and output a binary hash that would give lower *Hamming distances* for hashes of similar images while giving more considerable distances for dissimilar images.
- Trained various novel network architectures on the triplet loss along with mining of examples for improved training.
- Trained Various novel network architectures on different loss functions, notably the *triplet loss*, along with *mining* of examples for improved training by targeting semi-hard examples, similar to FaceNet.
- The baseline architecture was a C++ based non-learning model that uses the Discrete Cosine Transform (DCT) coefficients to calculate the hash, interfaced with Python using Cython.
- Tested other architectures including one with MobileNet as the feature extractor and a fully-connected layer, another neural network to approximate the baseline model, and a third one to combine both of these.
- Tested the networks against adversarial attacks such as FGSM, Projected Gradient Descent, Boundary Attack.
- Developed a *framework* for testing against transformations like compression, contrast changes, blurring, warping.
- Developed a test framework to obtain metrics based on Hamming distances of hashes of images against common transformations such as JPEG compression, gamma correction, contrast adjustments, blurring, warping.
- Carried out black-box attack against the baseline model using an approximate substitute architecture.
- Advanced adversarial attacks and defences to make the models robust will be implemented.

• Research Intern (Remote), NYU Tandon

May '18 - July '18

Prof. Yao Wang

https://github.com/rharish101/Plasticity-Networks

- Researched differentiable plasticity for domain transfer in images using Convolutional Neural Networks.
- Used differentiable plasticity for transfer learning in domain change by training model for classification on one dataset and then adjusting for classification on another dataset.
- Tested three architectures on the *Street View House Numbers (SVHN)* dataset: standard ResNet, ResNet with plasticity on the fully-connected layer and ResNet with plasticity on all layers, using 20 and 56 layer variants.
- Improved efficiency in the temporal update rule for the Hebbian weights by using transpose convolution.
- Modified the standard temporal update rule for the Hebbian matrix (plastic weights) for convolutional layers, by using transpose convolution for an efficient method of obtaining the plasticity update.
- Tested bilinear interpolation followed by convolution as an alternative to transpose convolution.
- Accounted for downsampling of the image (due to the usage of stridden convolution) in the new update rule by using bilinear interpolation of the initial convolution output as the kernel.

- Achieved notable improvement in classification accuracy for the 20 layer models using full plasticity, when adapting
 models trained on the SVHN dataset for the MNIST dataset.
- Initial results indicate notable improvement in classification accuracy by usage of differentiable plasticity in convolutional layers for the 20 layer models, while negligible improvement was observed for the 56 layer models.

• Intern, Machine Learning Team, New York Office of IIT Kanpur Prof. Manindra Agrawal

May '17 - July '18

- Implemented an *online* document vectorisation model based on the *Distributed Memory paragraph vectors* model.
- Created an online Doc2Vec model based on the Distributed Memory model, initially trained offline, then deployed.
- Used the RAKE algorithm to assign word importance scores to each word in the document and use them for a
 weighted average of GloVe word vectors for the document vector, later concatenated with the Doc2Vec vector.
- Integrated Apache Kafka with the model for efficient stream implementations of the input-output pipeline.
- Created a *Docker* image of the combined model for online deployment.
- Used the RAKE algorithm to assign word importance scores to each word in the short RSS summary and use them for a weighted average of Google News *Word2Vec* word vectors for the news' vector.
- Developed an *online* text clustering model using a fully-online modification of the *DBSCAN* algorithm.
- Created an online clustering model for the news' vector to identify articles having follow-up articles, using a modification of DBSCAN optimized for discrete & bounded data, to updates clusters on a per-article basis.
- Used a tf-idf weighted time series analysis of article words to assign a trend score to top articles.
- Integrated Apache Kafka with the model for efficient stream implementations of the input-output pipeline.
- Created a *Docker* image of the combined model for online deployment.
- Studied scraping websites in Python, using the BeautifulSoup library to parse HTML.
- Studied threading in Python for sending parallel web requests, and created scrapers to scrape financial websites.
- Created scrapers for various websites to obtain content and various metadata.
- Studied the CouchDB and Couchbase NOSQL databases and stored scraped data on a Couchbase database.
- Created a program to use these scrapers to obtain content from different websites, while avoiding duplicates by using a Redis server, and store them internally for later processing.
- Developed a Word2Vec model to identify duplicate documents using Word Mover's Distance on word vectors.
- Studied the Word2Vec model for converting words in a vocabulary into vectors.
- Created a Word2Vec model using the python library Gensim using the continuous bag-of-words (CBOW) model.
- Trained the Word2Vec model, using content from the articles scraped, to predict the next word using n-grams.
- Compared article contents using Word Mover's Distance with the trained Word2Vec model.
- Using HTTP requests in Python, created a program that incorporates the *Word2Vec* model and *Word Mover's Distance* to obtain articles from a website stream and append original articles on a stream of trending content.
- Trained a Convolutional Neural Network with sliding windows for English Optical Character Recognition (OCR).
- Studied Convolutional Neural Networks for learning from images.
- Used OpenCV to augment the dataset using elastic deformations, rotations in images, slimming of the characters.
- Implemented sliding windows using the image pyramids to scan images for characters and remove multiple windows
 on a character using non-maximum suppression.
- Moved to using the *Tesseract OCR* engine for the task, though preprocessing of images was required.
- Using adaptive Gaussian thresholding for images with less noise, and absolute thresholding for noisy images.

PROJECTS

• Improving GANs through Test-Time Constraints

Jan '19 - Present

Prof. Vinay Namboodiri and Prof. Chetan Arora

https://cse.iitk.ac.in/users/rharish/ugp2

- Pre-trained Generative Adversarial Networks (GANs) are fine-tuned using interactive user input, inspired by the iGAN paper and the paper Exploiting Test Time Evidence to Improve Predictions of Deep Neural Networks.
- The user provides sketches of edges on a single output of the generator, and a difference-of-Gaussians based loss is backpropagated through the generator to fine-tune the generator's weights.
- A regularisation term in the loss prevents the weights from deviating away from the weights learned initially.

• Multi-Agent GANs for Image Super-Resolution

Prof. Vinay Namboodiri

https://cse.iitk.ac.in/users/rharish/ugp1

- A Multi-agent generalisation of SRGAN inspired by MADGANs for image super-resolution in TensorFlow.

- Four generators (with shared lower layers) get the four corner sections of the input (with a slight overlap), and their outputs are joined (negating the overlap) to get the final high-resolution image.
- Each generator pairs with a discriminator, while a global discriminator acts on the final output.

• Higher-Order Optimisation in Deep Learning

Sept '18 - Nov '18

Aug '18 - Dec '18

Prof. Piyush Rai, CS771A Course Project

https://github.com/rharish101/CS771-Project

- A survey on the use of quasi-Newton methods in deep learning as part of a course.
- Surveyed Hessian-Free optimisation, AdaQN, and Sum of Functions Optimiser (SFO).
- Benchmarked Hessian-Free optimisation on an MLP against the ${\it Adam}$ and SGD optimisers in ${\it TensorFlow}.$

• 7th Inter-IIT Tech Meet (Silver Medal)

Dec '18

IIT Kanpur Contingent

https://github.com/rharish101/eye-in-the-sky

- The Eye in the Sky: Semantic segmentation of satellite images using a dataset of only 14 images.
- Won 2nd place using the P-Net architecture, trained on an augmented dataset generated by slicing each image into multiple images and using rotations.
- Tuned model hyperparameters using the Tree of Parzen Estimators method from the Hyperopt library.

• Compiler for Golang in Python

Jan '19 - Apr '19

Dec '17 - Jan '18

Prof. Amey Karkare, CS335A Course Project

https://github.com/rharish101/CS335A

- A compiler for translating Golang to MIPS written in Python as part of a course.
- Implemented basic C-like features like data types, variables, expressions, control statements (if-else, switch, loops), arrays, functions, pointers, structs, library imports, and I/O.
- Implemented advanced features like composite literals, struct embeddings, typedefs/aliases, operator overloading, multiple value returns, multiple parallel assignments, short declarations, and short-circuit evaluation.

• No-Frills Cab Locator - Android App

Sept '18 - Nov '18

Prof. Nisheeth Srivastava, CS252A Course Project

https://nfcl.pythonanywhere.com

• 6th Inter-IIT Tech Meet

IIT Kanpur Contingent

https://cse.iitk.ac.in/users/rharish/sixth-tech-meet

• Reinforcement Learning in Atari Games
Association of Computing Activities, IIT Kanpur

Jan '17 - July '17 https://github.com/rharish101/ACA-Project

• Depression Therapy Chatbot Programming Club, IIT Kanpur May '17 - July '17 https://github.com/rharish101/PClub-Project

• Visual Attention in Image Captioning (Mentored)

Programming Club, IIT Kanpur

May '18 - July '18 https://github.com/DEVANSH99/Image cptning2018

TECHNICAL SKILLS

- Programming Languages: Python, Bash, C, C++, LATEX, PHP, HTML+CSS, MySQL, Typescript
- Software and Utilities: TensorFlow, PyTorch, Keras, Numpy, Git, OpenCV, Hyperopt, Gensim, Ionic, AutoCAD

Relevant Courses

Visual Recognition Introduction to Machine Learning Algorithms II Data Structures and Algorithms Propositional and First Order Logic Introduction to Linear Algebra $(A\star)$ Computational Cognitive Science

Operating Systems

Computing Laboratory - II $(A\star)$

Probability and Statistics Introduction to Abstract Algebra

Multivariate Calculus

Compiler Design $(A\star)$

Theory of Computation

Computing Laboratory - I

Discrete Mathematics Introduction to Electronics

Fundamentals of Computing $(A\star)$

Positions of Responsibility

• Secretary, Programming Club, IIT Kanpur

Aug '17 - Apr '18

• Academic Mentor, Counselling Service, IIT Kanpur