

**REQUEST FOR PROPOSAL
OF
DESIGN & BUILD, SITE PREPARATION,
SUPPLY, INSTALLATION,
TESTING & COMMISSIONING
OF
SECURITY OPERATION CENTRE (SOC)
SETUP FOR TSOC PROJECT
ON TURNKEY BASIS
AT
DOT, DELHI**



**Centre for Development of Telematics
C-DOT Campus, Mehrauli, New Delhi - 110030.**

Contents

Contents

1 INTRODUCTION	4
2 GENERAL INFORMATION AND INSTRUCTIONS TO BIDDERS	6
2.1. CONTACT INFORMATION	6
2.2. CRITICAL DATES	6
2.3. DOWNLOADING TENDER DOCUMENT	6
2.4. VISIT TO THE SITE (SANCHAR BHAWAN, NEW DELHI)	6
2.5. PRE-BID MEETING	7
2.6. SUBMISSION OF BID.....	7
2.6.1 ONLINE SUBMISSION OF BID.....	7
2.6.2 INSTRUCTIONS FOR SUBMISSION OF BIDS.....	8
2.6.3 ASSISTANCE TO BIDDERS – CPP PORTAL.....	8
2.6.4 EARNEST MONEY DEPOSIT (EMD)	8
2.6.5 TERMS AND CONDITIONS FOR SUBMISSION OF BID	9
2.6.6 BID DOCUMENTS.....	9
2.6.7 BID DOCUMENT DETAILS	9
2.6.8 SIGNATURES IN THE TENDER DOCUMENT BY THE BIDDER.....	12
2.7. RATES IN TENDER DOCUMENTS	12
2.8. WARRANTY TERMS	12
2.9. COMPREHENSIVE ANNUAL MAINTENANCE CONTRACT (CAMC) TERMS	13
2.10. RIGHT TO ACCEPT OR REJECT A BID	14
2.11. SUB-CONTRACTING	14
2.12. AMENDMENTS BY C-DOT	14
2.13. GENERAL CONDITION	15
2.14. PROJECT EXECUTION PLAN.....	16
2.15. SERVICE LEVEL AGREEMENT (SLA)	16
2.16. SPACE ALLOCATION.....	16
2.17. PROJECT MANAGEMENT	17
2.17.1 ROLES AND RESPONSIBILITIES	17
2.17.2 PROGRAM MANAGEMENT	17
2.17.3 REVIEW MECHANISM.....	18
2.17.4 ESCALATION MECHANISM.....	18
2.18. DETAIL OF UNPRICED BOQ FORMAT	18
3 TECHNICAL REQUIREMENTS AND SPECIFICATIONS.....	19
3.1. TECHNICAL REQUIREMENTS.....	19
3.1.1 GENERAL DESIGN REQUIREMENT	19
3.1.2 ITEM WISE PROJECT REQUIREMENTS	20
3.1.3 ACTIVITY WISE PROJECT REQUIREMENTS.....	21
3.2. TECHNICAL SPECIFICATION	21
3.2.1 CIVIL, FLOORING & INTERIOR RELATED WORK	21
3.2.2 FURNITURE	29
3.2.3 ELECTRICAL WORK	31
3.2.4 COOLING SYSTEM.....	33
3.2.5 RODENT REPELLENT SYSTEM	34
3.2.6 ACCESS CONTROL SYSTEM	34
3.2.7 IT EQUIPMENTS.....	35

3.2.8 ON-SITE SUPPORT	36
3.2.9 SCOPE OF DOCUMENTATION	37
3.2.10 SCOPE OF OTHER WORKS	37
3.2.11 COMMON SPECIFICATIONS FOR QUOTED ITEMS	37
3.3. LIST OF MAKES/BRANDS/MODELS	38
3.3.1 CIVIL, FLOORING & INTERIOR RELATED WORK	38
3.3.2 FURNITURE	38
3.3.3 ELECTRICAL WORK WITH CABLING SYSTEM	39
3.3.4 COOLING SYSTEM	39
3.3.5 RODENT REPELLENT SYSTEM	39
3.3.6 ACCESS CONTROL SYSTEM	40
3.3.7 IT EQUIPMENTS	40
4 CRITERIA OF EVALUATION OF ACCEPTED BIDS & SELECTION	41
4.1. ELIGIBILITY CRITERIA	41
4.2. TECHNICAL COMPLIANCE	43
4.3. DELIVERY & SITC	43
4.4. EVALUATION OF TECHNICAL BID	43
5 CRITERIA OF EVALUATION OF ACCEPTED BIDS	44
5.1. CLARIFICATION OF OFFERS	44
6 OTHER TERMS, CONDITIONS AND GUIDELINES	45
6.1. PAYMENTS TERMS	45
6.2. OTHER TERMS, CONDITIONS AND GUIDELINES	45
7 DISPUTE SETTLEMENT	49
8 ANNEXURES	50
8.1. ANNEXURE-A: LAYOUT PLAN OF THE SECURITY OPERATION CENTRE	50
8.2. ANNEXURE -B: INDICATIVE BOQ (Bill of Quantity)	52
8.3. ANNEXURE -C: TENDER ACCEPTANCE LETTER	56
8.4. ANNEXURE -D: DECLARATION LETTER FOR RULE 144	58
8.5. ANNEXURE -E: FORMAT OF PBG (BOND FORM) DURING WARRANTY PERIOD	61
8.6. ANNEXURE -F: Bidder's Profile	63
8.7. ANNEXURE -G: Format of Technical Compliance Statement	65
8.8. ANNEXURE -H: Price Bid Undertaking	66
8.9. ANNEXURE -I: Non-Disclosure Agreement (NDA)	67
8.10. ANNEXURE -J: Proof of site visit by bidder	73
8.11. ANNEXURE -K: Proforma for Contract	74
8.12. ANNEXURE -L: EMD FORMAT	85
8.13. ANNEXURE -M: Self Certification regarding Local Content (LC)	86

1 INTRODUCTION

CENTRE FOR DEVELOPMENT OF TELEMATICS (henceforth referred as “C-DOT”) is scientific society set up by the Government of India under Department of Telecommunications (DoT), registered under the Societies Registration Act, 1860, for pursuing research and development in the sector of telecommunications. It provides solutions for current and future requirements of telecommunications and converged networks including those required for rural applications.

C-DOT invites signed online quotations through CPP portal <https://eprocure.gov.in/eprocure/app> on single-stage two-bid system (Technical and Financial bids) to commission the Security Operation Centre (hereinafter referred to as “SOC”) for **TSOC Project at Room no 1315, Sanchar Bhawan, Ashoka Road, New Delhi.**

Through this document, C-DOT invites bids for Design & Build, Site Preparation, Supply, Installation, Testing, and Commissioning of the Security Operation Centre (SOC) Infrastructure comprising of:

- Civil Work with Interior & Furniture
- Electrical Work with Cabling System
- Cooling System
- Rodent Repellent System
- Access control system
- IT Equipments including Interactive panel
- Testing and commissioning
- Documentation as specified in this tender
- Other related items/activities

on Turnkey basis from the bidders having adequate skill sets and experience as per requirements mentioned in section 2 and section 3 of this document.

The designated space of the SOC is at Room no 1315, Sanchar Bhawan, Ashoka Road, New Delhi.

C-DOT intends to build a modern and state of art Security Operation Centre, within the aforementioned premises with existing video wall solution deployed at site. The activity shall have to be carried out with minimal disruption to the office functioning. The layout diagram as shown in ANNEXURE – A is tentative and the bidder may, at his discretion and with the approval from the concerned authorities of C-DOT, modify the layout of the SOC considering the requirements of C-DOT.

The entire project shall be completed at site within 12 weeks from the date of release of Purchase Order.

All the terms and conditions of this Tender document, will be binding on the Bidders. These terms and conditions shall become part of the Purchase Order, to be placed on the contractor by C-DOT, as a result of the bidding process.

The Bidders are advised to study the Tender Document carefully. Submission of Bid shall be deemed to have been done after careful study and examination of the Tender Document with full understanding of its implications.

2 GENERAL INFORMATION AND INSTRUCTIONS TO BIDDERS

The English version of the tender document shall always prevail and be considered to be valid, in case of any discrepancy or inconsistency between the English version and its Hindi translated version.

2.1.CONTACT INFORMATION

All communications regarding this tender are to be sent to:

Address: Manager- Purchase
Centre for Development of Telematics
C-DOT Campus, Mehrauli
New Delhi – 110030

Phone: 011-26598236, 011-26598135

E-mail: tenderd@cdot.in

2.2.CRITICAL DATES

Critical dates related to this tender are specified in Notice Inviting Tender (NIT).

In case the Bid opening date happens to be an unscheduled holiday, the bids shall be opened on the next working day at the same time.

2.3.DOWNLOADING TENDER DOCUMENT

The Tender document is a non-transferable document. The tender documents consisting of specifications and schedule of quantities, and terms and conditions, may be downloaded on or after publication of this tender from C-DOT website www.cdot.in (for reference only) and CPP portal <https://eprocure.gov.in/eprocure/app>.

2.4.VISIT TO THE SITE (SANCHAR BHAWAN, NEW DELHI)

Since this is Turnkey project, the Interested Bidders are requested to visit the site (Sanchar Bhawan, New Delhi). The bidders shall visit the site during the dates indicated in section 2.2, to assess the scope and extent of the work to be carried out as part of this tender. The bidders can visit the site at a maximum on two occasions. The bidders must ensure that the complete scope of work is fully understood without any ambiguity as C-DOT would not allow any further visit after the end date of site visit. The Bidders also need to take permission from DOT before visiting the site.

The following officials may be contacted for site visit:

- Dr. Jugal Kishore Sharma, Email: jugal@cdot.in, Phone: 7065713452
- Mr. Shive Narayan, Email: snarayan@cdot.in, Phone: +91-11-26598475/ 9871675460
- Mr. Naveen Khichar, Email: adettsoc-dot@gov.in, Phone: 8902001129

For site visit the Office working hours are 9:00 Hrs TO 17:30 Hrs excluding Saturdays, Sundays and public holidays.

2.5.PRE-BID MEETING

1. Pre-bid meeting of all Bidders will be held on the day as indicated in the Section 2.2 “Critical Dates” of this document, at C-DOT Campus, Mehrauli, New Delhi-110030. The Bidders can seek clarification on the complete tender documents available on CPP Portal. The Bidders shall submit their points for clarifications as per schedule given in Critical Dates. Written clarification and amendments, where necessary, will be uploaded in CPP portal. The Bidders are advised to check the portal before submitting their bids. Clarifications and Corrigendum issued will form a part of the tender documents. In view of clarifications as above, the Bidders shall sign and attach the clarifications/documents along with the bid as called for in the tender documents. All queries shall be submitted to tenderd@cdot.in in the given ‘xls’ format indicated below:

Name of the Bidder:				
Sr. No.	Section / Page No	Clause Reference	Query	C-DOT Response

2. If no such clarification is sought, it will be deemed that the Bidder has completely understood the parameters and requirements as indicated, enunciated and described in the tender document and is complying with the same at the time of submission of the bid.
3. The Bidder may also note that no request for clarifications will be entertained after the dates indicated in section 2.2.
4. Replies to such queries will be uploaded on CPP Portal only. It will be bidder’s responsibility to check the same on the portal.
5. The bid shall be submitted in conformance with the clarifications and amendments, as necessary, issued by C-DOT. In the event fresh request for clarifications are found to be additionally attached with the bid submitted by the Bidder, the bid will be considered as not eligible and will be liable to be rejected.

2.6.SUBMISSION OF BID

2.6.1 ONLINE SUBMISSION OF BID

Bids submitted online through CPP portal on or before the **end of bid submission** date as mentioned in **Section 2.2 Critical Dates, shall only be considered**. Bids sent through fax, e-mail or any offline mode will not be considered.

Not more than one bid shall be submitted against this tender, by one Bidder.

Please note that, in this document, the terms, **Financial Bid, Commercial Bid and Price Bid** are used interchangeably, and refer to the same. Similarly, **Bidder, Contractor, Supplier and Agency** are used interchangeably, and refer to the same.

2.6.2 INSTRUCTIONS FOR SUBMISSION OF BIDS

The bidders are required to submit their bids electronically through the portal (<https://eprocure.gov.in/eprocure/app>) using valid Digital Signature Certificates (DSC). The instructions given below are meant to provide assistance in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

2.6.3 ASSISTANCE TO BIDDERS – CPP PORTAL

Any query relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24*7 CPP Portal Helpdesk on: - +91 120 4001 002, +91 120 4001 005, +91 120 6277 787 or send e-mail for technical support to support-eproc@nic.in.

The Purchaser does not take any responsibility towards technical snags pertaining to CPP Portal and/or connectivity issues.

2.6.4 EARNEST MONEY DEPOSIT (EMD)

- i. Bidders shall submit EMD of Rupees 3,00,000 (INR Three Lakhs) as per format specified in ANNEXURE -L: EMD FORMAT, in the form of BG/DD in a sealed envelope at the office of C-DOT, New Delhi, before the last date specified for submitting bids. Bids without EMD will be rejected outright.
- ii. C-DOT will not be responsible for delays of any nature including due to postal and/or force majeure delays. Original instrument in respect of EMD received after end of bid submission day will not be accepted – the bid will be rejected outright and no communication pertaining to the same will be entertained.
- iii. The sealed envelope containing EMD amount through DD/BG will be opened only at the time of technical bids opening and, if the EMD DD/BG is not found to be in order, the bid will be rejected.
- iv. If EMD is submitted in BG form, the validity of the same should be 6 months from the end date of bid submission. If any extension of validity of the EMD is required, the same shall be done by the bidder as per instruction of C-DOT. The Bidder is not allowed to modify the bid for the extended period. In case of DD, the validity is to be extended by the bidder before the expiry till the required period.
- v. EMD amount can also be paid to C-DOT through online transfer like NEFT/RTGS, as per following bank details:

Beneficiary Name	:	Centre for Development of Telematics (C-DOT)
Account Number	:	0347101002508
Bank & Branch	:	Canara Bank, C-DOT Branch Chhattarpur, New Delhi
IFSC	:	CNRB0008657
Account Type	:	Savings

- vi. EMD shall be exempted for Government bodies, Central/State PSUs, SSI & MSE organizations (who are exempted from payment of EMD) on production of relevant certificate as a proof according to GeM GTC.
- vii. The EMD of the Bidder may be forfeited, if the Bidder withdraws his bid or modifies his offer in a manner unacceptable to C-DOT during the period of validity of tender. The EMD of the Bidder may also be forfeited, if bidder fails to sign the Contract or to furnish the Performance Bank Guarantee for contract.
- viii. The EMD of the unsuccessful Bidders will be refunded by C-DOT within 02 (two) months after opening of financial bid. No interest will be paid on the EMD.

2.6.5 TERMS AND CONDITIONS FOR SUBMISSION OF BID

The Bidder is advised to study the terms and conditions of the tender carefully and submit the bids accordingly. Any bid/quotation received against this tender and resulting from this tender will be governed by the terms and conditions indicated in this tender document and the Bidder quoting against this tender will be deemed to have read, understood and accepted the same unconditionally.

It is mandatory to provide the technical details in the exact format of Technical Details column given in the technical specifications. The offer may not be evaluated by C-DOT in case of non-adherence to the format or non-submission / partial submission of technical details as per the format given in the tender. C-DOT will not allow/permit changes in the technical specifications once it is submitted. The relevant product or service information, brand and model number offered, printed product brochure, technical specification sheets etc. should be submitted along with the offer. Failure to submit this information along with the offer could result in disqualification.

The Bidder shall submit the bid strictly according to the terms and conditions of the tender documents and not stipulate any deviation. The Bidder shall seek clarification, if any, in the pre-bid meeting. C-DOT will upload the clarifications on CPP Portal, if any, after the pre-bid meeting which will form the part of the tender document. The Bidder shall submit his bid strictly in conformity with such documents and no deviation in any manner will be acceptable in the bid to be submitted by the Bidder.

At any time prior to the date of submission of tender, the C-DOT may, for any reason, modify the tender documents by the issuance of an addendum/clarification. The same shall be considered to form a part of this tender document.

2.6.6 BID DOCUMENTS

The documents to be submitted by the Bidder are:

- Part I: Technical bid documents, along with addenda/corrigenda, if any
- Part II: Financial bid documents, along with addenda/corrigenda, if any.

2.6.7 BID DOCUMENT DETAILS

Details and documents to be submitted along with the bid are:

Part I: Technical bid documents

The technical bid shall contain the following documents:

1. Following technical documents, to be uploaded as an individual PDF files for each required document
 - Index of technical documents.
 - Brief Introduction of the Bidder – Background, Experience along with ANNEXURE –F ‘Bidder’s Profile’
 - Compliance Statement as per format in ANNEXURE -G including all subsections of “Section 2.13, 2.14, 2.15, 2.17, 2.18 and 3 of the document.
 - Price Bid Undertaking as per ANNEXURE -H duly signed and stamped
 - Scanned copy of TENDER document duly signed and stamped
 - A document mentioning year of launch and EOL of all the equipment.
 - Proforma for Contract of 3-years Warranty and Post Warranty CAMC of 3 years inclusive of SLAs as per ANNEXURE –K for the whole project.
 - List of Clients clearly enunciate the address of the premises, with phone nos. /fax nos. email and the names of the contact persons. C-DOT may at its discretion carry out verification/inspection of the site(s).
 - List of OEMs and authorization certificates from all OEMs
 - Manpower and resource deployment plan for the project. This should consist of a Program Manager and other Managers, domain expertise, etc.
 - List of relevant documents along with copies of these documents as per Criteria for technical evaluation of section 4.4.
 - Schedule of Delivery and Project Implementation
 - Copy of documents required as per “section 3.2.9 Common Specifications for quoted items”.
 - Software details (if applicable)
2. Following technical documents, to be uploaded as an individual PDF files for each required document:
 - Technical details of design, make & model quoted along with detailed specifications, etc. including Data Sheets/Technical literature/Catalogues having proper tags w.r.t. the technical specifications of the tender along with the complete technical penalty al documentation clearly mentioning the relevant product information, its brand and model number offered, supported by printed product brochure, manuals, part nos. of the BOM for all the items quoted

- Eligibility Criteria documents as per Section 4.1 to be enclosed. C-DOT reserves the right to summarily reject the bid in case the same is not adhered to. No clarifications will be acceptable by C-DOT in case, the same is not enclosed with the Technical Bid.
 - The escalation matrix as per section 2.17.4.
 - An undertaking by bidder for insurance as per section 6 (xiii).
 - An undertaking by bidder for not publicizing as per section 6 (xvi).
 - As quantity of items depend on the design proposed by bidder, the detailed UNPRICED BoQ (individual line items with quantities in BoQ) shall be submitted mandatorily. The bid will be rejected, in case the detailed UNPRICED BoQ is not submitted.
3. Following EMD related details to be clubbed and uploaded as a single PDF file:
- Transaction details of submission of EMD For Rs.3,00,000 (Rupees Three Lakhs), including GST, by online transfer of the amount in favor of 'Centre for Development of Telematics', as per the Bank details / Scanned copy of an EMD mentioned in clause 2.6.4
4. Following declaration/undertaking, duly filled, signed, stamped and date affixed, to be clubbed and uploaded as a single PDF file:
1. 'Tender Acceptance Letter' as per ANNEXURE -C.
 2. 'Declaration Letter for Rule 144' as per ANNEXURE -D.
 3. Acceptance for submission of PBG (Performance Bank Guarantee), as per ANNEXURE -E, for 3% of the PO value (excluding CAMC) for a period of 'total warranty period plus 02 months' and 3% of CAMC Value before the expiry of warranty period and signing of CAMC agreement for a period of CAMC plus 02 month.
 4. PoA (Power of Attorney) of the signatory of the Bidder.
5. Following Statutory related documents/details required, to be clubbed and uploaded in single PDF file:
1. The Bidder should be registered & incorporated in India under the Companies Act, 1956/2013. The company should be operational in India for at least the last five financial years as on date of RFP.
 2. Self-Attested copies of PAN
 3. Self-Attested copies of GST Registration
 4. CA/ CS certified Income tax return and turnover certificate.
- Bidders are requested to upload the technical documents of their products as part of the technical bid. However, the Bidder shall provide any additional technical document as may be required by the Technical Evaluation Committee.
 - The technical bid should not contain any price information; non-compliance to this stipulation will lead to rejection of the submitted Bid.

Part II: Financial bid documents

The financial bid shall comprise of the following:

- The financial bid should be strictly as per the Price bid format of BoQ (Bill of Quantity) in the form of an Excel file along with signed and scanned PDF file of same. Since quantity depends on design proposed by the bidder, the total price against each line item shall be quoted in the BoQ mandatorily
- Detailed PRICED BoQ which shall include prices of individual line items with total quantities shall be submitted as PDF files. The bid will be rejected, in case the detailed PRICED BoQ is not submitted as per Section 2.18.
- Quotations should be valid for a period of at least 06 (six) months from the end of bid submission date.
- Incomplete quotes and quotes without data sheet will not be considered.
- If there is any missing item, which is not covered in submitted financial, offer and, the same is required for functioning of the equipment, the same shall be supplied free of cost by the successful bidder.
- Addenda or corrigenda, if any, issued to the financial bid documents.
- The Purchaser may seek Bidder's consent for extension of the validity period. Such request and the response to the same shall be made in writing only. The bidder agreeing to the request for extension of validity period shall not seek to modify the previously submitted bid.

2.6.8 SIGNATURES IN THE TENDER DOCUMENT BY THE BIDDER

The tender document should be signed on each page by the Bidder or his duly authorized representative. Tender documents should be accompanied by a certified true penalty copy of an absolute PoA (Power of Attorney) in favour of the signatory to the documents.

The tender shall contain the name, residence and place of business of person or persons submitting the tender and shall be signed by the Bidder with his usual signature. A copy of constitution of the firm with names of all partners shall be furnished. Bid by a corporation shall be signed by an authorized representative and a PoA on that behalf shall accompany the bid.

2.7.RATES IN TENDER DOCUMENTS

The Bidder is not permitted to quote his rates in units other than the units mentioned in the tender documents against the individual items. In case the rates are quoted in units other than the unit mentioned in the tender documents, the units mentioned by the Bidder will be ignored and units mentioned in the tender documents will be deemed to apply for evaluation of the bid as well as the execution the items.

2.8.WARRANTY TERMS

The contractor shall warrant that all the items to be supplied shall be new and free from all defects and faults in materials used, workmanship and manufacture, and shall be of the highest grade and consistent with the established and generally accepted standards for items of the type ordered and shall perform in full conformity with the defined specifications and drawings. The contractor shall be responsible for any defect that may develop under the conditions provided by the contract and under proper use, and shall remedy such defects at his own cost during the warranty period of three (03) years from the date of handing over the project to C-DOT/ DOT after the successful acceptance as specified in section 2.17 of this document. If any such defect is not remedied by the contractor within a reasonable time, C-DOT may proceed to get the defects remedied from other sources at the contractor's risk and expenses.

It may be noted here that all equipment supplied shall not be reaching the End of Life within eight years (8 years) from the date of successful commissioning of the project, failing which the contractor shall have to replace the item(s) with a new model meeting all specifications at his cost.

Replacement under warranty clause shall be made by the contractor free of all charges at site of work, including freight, insurance and other incidental charges.

The warranty will be for the whole project inclusive of all items.

In case of warranty default, C-DOT may impose penalty up to 10% of CAMC value and recover from PBG.

2.9.COMPREHENSIVE ANNUAL MAINTENANCE CONTRACT (CAMC) TERMS

The contractor shall be required to enter into a CAMC, conforming to the already prescribed SLAs, while acceptance of the PO with a warranty period of three (03) years and CAMC for further period of Three (03) years. Year wise CAMC shall be quoted by the Bidder explicitly as per BoQ format. The calculated CAMC amount for Three (03) years shall be included for calculating the bid value. Terms and conditions of the CAMC shall be governed as per a separate agreement. The CAMC charges shall be paid after the completion of each quarter.

- I. CAMC is required to be quoted for 03 years after the completion of the warranty period.
- II. CAMC Charges will be paid on deferred quarterly basis, subject to satisfactory completion of services that is to be confirmed by C-DOT.
- III. During the CAMC period, responsibility for the preventive maintenance and repairs in the supplied Solution shall rest with the successful Bidder. The successful Bidder shall attend to all the hardware and software problems on site and replace any defective parts at no extra cost to the Purchaser.
- IV. The Bidder must quote for comprehensive on-site CAMC, which shall include labor and cost of the material, strictly as per SLA terms, for a period of 3 (three) years after the expiry of 03 years warranty period as mentioned above.
- V. The cost of all the spares and consumables shall have to be borne by the bidder during warranty and CAMC period.

- VI. In case of software, Operating System, Equipment Firmware and Equipment OS, during installation, integration, acceptance testing, warranty period, extended warranty period and CAMC, all updates, upgrades, licenses including renewals, etc. shall be supplied and installed free of cost. The support shall have to be mandatorily on-site. The time limit within penalty which such calls shall be attended to shall be only based on the SLAs mentioned in this document.
- VII. In case of CAMC default, C-DOT may impose penalty up to 10% of CAMC value and recover from PBG.

2.10. RIGHT TO ACCEPT OR REJECT A BID

- I. The right to accept or reject the bid will rest with C-DOT and C-DOT reserves its right to reject any or all the bids received with reasons duly recorded in writing.
- II. Incomplete compliance statement or compliance statement in a different format other than prescribed may lead to rejection of the bid. (as per section 4.2 Technical Compliance)
- III. If the Bidder withdraws his bid, i.e., Part II (financial bid), before the said validity period, or makes any modifications in terms and conditions of the bid, then, C-DOT, without prejudice to any right or remedy, will be at liberty to take appropriate action.
- IV. Canvassing in connection with tenders is strictly prohibited and the bids submitted by the Bidders, who resort to canvassing, will be liable to rejection.
- V. A bid in which any of the prescribed conditions is not fulfilled or is incomplete or is modified in any respect, will be rejected. Any document found incorrect or insufficient will be liable to be rejected. C-DOT reserves the right to investigate all/any of such documents at any time.
- VI. C-DOT reserves the right to reject or accept any part or the full tender without indicating any reason whatsoever.
- VII. Disputes, if any, arising out of the above tender will be referred to courts having jurisdiction over New Delhi only and shall be subjected to Indian laws including the law relating to consumer protection.
- VIII. C-DOT shall be under no obligation to accept any or all offers received in response to this tender notice and shall be entitled to reject any or all offers including those received late or incomplete offers, without assigning any reason whatsoever. C-DOT reserves the right to make any changes in the terms and conditions of purchase. C-DOT will not be obliged to meet and have discussions with any bidder, and or to listen to any representations. C-DOT reserves the right to accept or reject, fully or partially, any or all offers without assigning any reason. The decision of C-DOT in this regard shall be final and no further correspondence in this regard will be entertained.

2.11. SUB-CONTRACTING

The Bidder may choose to sub-contract any of the services/ components, mentioned under Scope of Work as described in this document. However, the timely completion of deliverables/ milestones shall be the responsibility of the contractor and such arrangement, in no way, shall relieve the contractor

from any liability or responsibility during the contract including warranty and post warranty obligations. However the manpower for operation and maintenance shall have to be on bidders' pay roll. C-DOT shall also not be responsible for any cost incurred (of whatsoever nature) due to sub-contracting, over and above what is due to the contractor under the scope of work. Sub-contracting shall be subject to prior written approval of C-DOT, and subcontractors shall be bound by same obligations as prime contractor.

2.12.AMENDMENTS BY C-DOT

C-DOT reserves the right to modify the issued TENDER Document, prior to submission of bids, by way of issuing written amendment and suitably extending the due date of submission of bids, if required.

All corrigendum shall be uploaded at CPP portal.

2.13.GENERAL CONDITION

For installation & commissioning work, it shall be the responsibility of the Bidder to arrange and provide requisite tools, testing & measurement equipment etc. for carrying out the installation job as per industry practice and safety norms at their own cost.

The Bidder shall ensure that no equipment / structure / setup get damaged due to their activities. Any damages caused to DOT's property due to Bidder's negligence shall be repaired/replaced by the bidder at his own risk and cost.

In order to declare the Security Operation Centre setup to be complete, the Bidder has to complete all the aspects of the SOC activity as mentioned in the scope of work.

The successful Bidder shall carry out the following activities:

- Providing the layout designs of the Security Operation Centre
- Providing detailed design documents for all the Security Operation Centre subsystems under scope.
- Preparation and submission of detailed specifications and bill of materials of the Security Operation Centre components.
- Preparation and submission of detailed execution and coordination drawings of all the subsystems.
- Turnkey Implementation of the Security Operation Centre
- Project Management during the implementation period of Security Operation Centre.
- Providing and submitting final built drawings of all the system/subsystems on commissioning of Security Operation Centre.
- Providing Schedule of work completion, weekly progress reports, and milestones achieved etc. as part of project management deliverables.

- Providing detailed proof of Warranty and Service Support documents from respective OEMs (wherever applicable).
- Complete the entire work and make all the systems operational (Supply, Installation & commissioning, Acceptance of the systems and handing over to C-DOT within 12 weeks + 4 weeks of the Order).
- Neither Party shall be liable for any failure to perform its obligations under this Contract if such failure is caused by an event of Force Majeure, which shall mean any event beyond the reasonable control of the affected Party, including but not limited to acts of God, natural calamities, epidemic, pandemic, war, terrorism, civil commotion, strikes, lockouts, government actions, or restrictions imposed by law.

The Party affected by such event shall notify the other Party in writing within 7 (seven) days of its occurrence, and the obligations of the Parties shall be suspended to the extent affected by the Force Majeure event.

- Providing Warranty and O&M Service Support on 24*7 basis.
- Furnishing an undertaking for providing products /services support as per the requirement along with uninterrupted, timely supply of spare parts for all the equipment / system at least for 08 (Eight) years including the warranty period along with upgrade support (if required).

2.14.PROJECT EXECUTION PLAN

The schedule and plan shall have to be submitted by the successful bidder within 02 weeks of receiving the Purchase Order. The Schedule and the Plan for all relevant components and system(s) would require approval by C-DOT. In case C-DOT is not satisfied with execution plan for installation/configuration, the party must resubmit solution within 01 weeks.

Plan shall generally comprise of the following activities at Security Operation Centre Site:

- Verification of the BoM (along with measurements of all parameters of quoted items having variable units of consumption)
- Checking of the Configuration as per the Purchase Order. In case the supplier has supplied a material of higher configuration/rating, the quoted configuration/rating shall be accepted.
- Performance and load testing plan for all the supplied items as per the specification of the tender.

2.15.SERVICE LEVEL AGREEMENT (SLA)

Service Level Agreement (hereinafter referred to as SLA) clearly defines the levels of service which shall be provided by the Agency/contractor to C-DOT for the duration of this contract. The complete details of SLA Performa, Terms and Conditions, Penalty etc. to be referred vide ANNEXURE - K.

1. The Service Level Agreement (SLA) is defined in this document for all the deliverables and Operation & Maintenance services during the Warranty & CAMC Period. These Service levels are defined as the minimum requirement.

2. These SLAs are associated with penalty clauses to have desired uptime availability and delivery of service to C-DOT. The successful party will maintain logs for each of the services provided and shall provide necessary reports which help ascertain the service levels and calculation of penalty.
3. Root cause analysis data for each event to be maintained along with solutions deployed and to provide status reports (in hard copy and soft copy formats).The Bidder shall provide necessary training to the C-DOT personnel.
4. Bidders shall also provide two sets of hard copies along with soft copy for each module of training material for all the modules.

2.16.SPACE ALLOCATION

The proposed Security Operation Centre area is located at **Sanachar Bhawan, DOT, Delhi**. The layout Plan (not up to the scale) of the site is enclosed as ANNEXURE –A in this document. The bidder is expected to plan individual space allocation for various facilities of the Security Operation Centre. The area of each facility shall be suggested by the bidder keeping in view the best utilization of infrastructure and the effective delivery of services. Security Operation Centre is located in the Room no 1315, Sanchar Bhawan, Ashoka Road, New Delhi having an approximate area of 500 sq feet.

2.17.PROJECT MANAGEMENT

2.17.1 ROLES AND RESPONSIBILITIES

The following matrix shall broadly govern the roles and responsibilities of the Contractor and C-DOT under the complete Scope of Work:

S.N.	Activities	Contractor	C-DOT
1	Overall Project Management Ownership	P	
2	Preparation of the Project Plan	P	
3	Approval of Project Plan		P
4	Site Handover to contractor		P
5	Access to the facilities and movement of material/ equipment as per the requirement	S	P
6	Engineering and Execution Drawings submission	P	A
7	Requisition for Access Passes for Working Staff	P	A
8	Making Detailed Bill of Material	P	
9	Submitting samples / material, for make and quality approval	P	A
10	Supply Installation Testing & Commissioning of In-scope works	P	
11	Approval for Design Guidelines submitted by Bidder		P
12	Formulation of Acceptance Test Procedures	P	A
13	Availability of test Equipment/instrument	P	A
14	Co-ordination between subcontractors	P	
15	Storage Space, Project Insurance and Physical Security of	P	

S.N.	Activities	Contractor	C-DOT
	Equipment at site		
16	Arranging weekly review meetings	P	S
17	Tracking Project Plan	P	S
18	Regulatory Approvals – Municipal Committee; Electrical; Pollution Control Board, Landlord, Approval for Electrical	P	S
19	Final Acceptance Testing	S	P
20	Documentation and Training	P	S
21	Project commissioning and Hand over to C-DOT	P	A
22	Project takeover by C-DOT	S	P

Legends: P = Primary S = Secondary A= Approval (With Approval from C-DOT)

2.17.2 PROGRAM MANAGEMENT

The bidder shall appoint a Project Manager to head a team of technical experts for each area of work head under the contract. The project manager shall be responsible for all the coordination work at site and represent the contractor in review meetings. The technical experts of the contractor shall also make themselves available on-site for any clarifications/technical discussions, if required.

2.17.3 REVIEW MECHANISM

Weekly review shall be done with the C-DOT and DOT team to assess the progress of the project. Weekly status report shall be submitted one day before the scheduled review meeting.

2.17.4 ESCALATION MECHANISM

The bidder shall provide an escalation matrix (including names and contact details of responsible persons from bidder's organization) at the time of bid submission for smooth execution of the project. It is the responsibility of the bidder to ensure that no issue is pending for more than two days after escalation by C-DOT / DOT.

2.18.DETAIL OF UNPRICED BOQ FORMAT

S.N.	Item Description per technical Specs	Make & Model	Quantity	Unit Price without GST	GST %	Total Price without GST	Total Price with GST
	Design & build, site preparation, supply, installation, testing & commissioning of Security Operation Centre on turnkey basis including 03 years Warranty						
1							
2							
...							
	Comprehensive Annual Maintenance Contract (CAMC) after 3 years warranty period						
1	CAMC charges for 4th year						
2	CAMC charges						

	for 5th year						
3	CAMC charges for 6th year						

Note

- The Bidder shall furnish the detailed Bill of Material (BOM) for each item. The detailed Bill of Material should clearly mention all the components including quantities constituting the SOC. There should not be any difference in the items and quantities in the priced (for Financial Bid) and unpriced (for technical Bid) BOMs.
- Breakup of the quoted price to be submitted in the format as above. Refer Section 2.18 and Section 3 of the Tender Document for line item details.

3 TECHNICAL REQUIREMENTS AND SPECIFICATIONS

3.1. TECHNICAL REQUIREMENTS

3.1.1 GENERAL DESIGN REQUIREMENT

DOT Security Operation Centre design and solution is completely Bidder/SI's responsibility in this project. However, while doing so, the bidder must consider the considerations/assumptions/suggestions as mentioned in this document. In case there is any discrepancy or contradiction, the same may be brought to the notice of C-DOT during pre-bid meeting only.

The following are general design requirements. The requirements are not limited to the following and the best practices and standards prevalent for the Security Operation Centre have to be adhered to while designing. The successful bidder has to execute the project according to the detailed scope as mentioned in the RFP.

- I. The scope of the work shall comprise of supply, installation, testing, commissioning training and handing over of all materials, equipment, hardware, software, appliances including civil works that are not specifically mentioned in the specifications and design details but are required for successful commissioning of the project. It shall also include the necessary labor to commission said system complete with all the required components strictly as per the latest ISO standards for processes and procedures.
- II. The successful bidder has to submit the coordinated drawing for the entire solution.
- III. The successful bidder shall be responsible for performing verification tests at their factory and at site to ensure all proposed software and hardware are functioning as per design at their own cost. The decision to waive off this requirement would solely be at the discretion of C-DOT.
- IV. The successful bidder shall take the necessary clearance / approval of the drawings, design, quality of material, make and model of the quoted material etc. prior to the execution of the project.
- V. Any Partitions or Brick walls requiring any repair will be in scope of bidder. Removing of wall and relocation of devices (if required) with all material required will be in scope of bidder.
- VI. The design of the ceiling in SOC Room should maintain the existing AC and Fire infrastructures.
- VII. The walls, partitioning surfaces shall be treated adequately for surface correction and evenness. The Interior walls and ceilings shall be painted with best quality acrylic emulsion fire retardant paint of approved shade, to create aesthetic ambience.
- VIII. The SOC Room shall be designed with sufficient room acoustics to minimize the ambient noise.
- IX. The Security Operation Centre shall achieve high-availability by implementing fully redundant, fault-tolerant, and concurrently maintainable IT and support infrastructure.
- X. The Security Operation Centre shall be designed in a modular fashion such that it is able to scale up with the IT hardware deployment progressively and Technology up-gradation.

XI. The design and implementation of the relevant areas of the Security Operation Centre shall be done keeping in view Availability, Flexibility and Modularity.

XII. The Security Operation Centre shall follow high-efficiency design in equipment type / capacity selection to achieve high overall operational efficiency at optimized expenses.

XIII. The Security Operation Centre shall be designed with adequate optimization to have maximum availability of all critical facilities. The Redundancy will be assigned at various levels to ensure minimum MTTR (Mean Time to Repair) and solutions will be designed at various levels in all the concerned areas so as to achieve maximum availability.

XIV. The currently prevailing infrastructure in the DOT SOC location should be used to the extent possible after assessing their re-usability keeping in view the requirement. Wherever additional infrastructure is required, the bidder shall quote for the respective heads.

3.1.2 ITEM WISE PROJECT REQUIREMENTS

The SOC will be functional on 24x7 basis for cyber security threats event monitoring on national telecom network

Scope of TSOC SOC activities.

1. SOC space approximately 7360 mm (24.147 feet) x 5860 mm (19.223 feet) = 43129600 sq mm (464 sq feet)
2. Existing ceiling, flooring, partitions, lightings, wirings, doors, windows etc., as may be dismantled/demolished or utilized if required as per the requirements of the Security Operation Centre with the prior approval of C-DOT/DOT Sanchar Bhawan.
3. The malba/debris shall be disposed to the suitable location as directed by Engineer In charge.
4. Customized furniture and workstations for 4 persons.
5. Customized furniture and workstations of two managers.
6. Furniture for guests (sofa)
7. Relocation of existing infrastructure. Furniture and equipment's where necessary.
8. Existing system for centralized cooling in the proposed SOC setup area shall be re-utilized.
9. Duct for existing Comfort cooling.
10. Smart board
11. Connecting all workstations to existing video wall
12. Extension of storage under existing video wall.
13. Rack for existing equipment.
14. Glass door with wooden frame
15. Closing of existing second door of the room

16. Security system
17. Warranty of 3 year from date of acceptance
18. Separate price quotation for 3-year CAMC after completion of 3-year Warranty
19. Back-to-Back OEM support for 3 year warranty and 3 year CAMC period for all major supplied items of SOC

3.1.3 ACTIVITY WISE PROJECT REQUIREMENTS

The Bidder shall perform the following tasks as per C-DOT requirement and satisfaction for the areas mentioned in section 3.1.2 of this document:

1. Designing,
2. Site Preparation,
3. Supply,
4. Installation,
5. Configuration,
6. Documentation (Drawings as per plan and as built) and Acceptance Test Plan,
7. Acceptance Testing,
8. Training,
9. Handover to C-DOT / DOT with full functionality
10. Support for the supplied solution

3.2. TECHNICAL SPECIFICATION

The general specifications shall be of the best available quality in the market with EN/UL/ISO/BIS/ISI certification whichever is applicable. In any case no work shall be accepted below the latest CPWD specifications (as applicable). The selected bidder shall ensure an uptime more than 99.982% on a quarterly basis for a period of minimum eight years after Go Live. The Security Operation Centre solution to be setup at the site comprising of following tasks as per specifications mentioned in this document

3.2.1 CIVIL, FLOORING & INTERIOR RELATED WORK

The scope of work to be undertaken by the bidder for Design, Supply, Installation, testing, Commissioning, Operations and Maintenance of the proposed C-DOT Security Operation Centre at Sanchar Bhawan, Delhi as per the scope mentioned below.

The work to be undertaken by the bidder for setting up and operating the proposed Security Operation Centre, has been categorized as under:

A. ACOUSTICS TREATMENT ON SOC ROOM WALLS

Acoustic treatment shall be constructed for Security Operation Centre as per room dimension and the layout diagram in ANNEXURE -A. The suggestive specifications are

A.1 Description of Work

Providing and fixing channelled woodworks perforated panels of specified dimensions, material composition, perforation pattern, acoustic backing, and humidity resistance, complete with approved fixing system, to achieve the designed acoustic performance in terms of sound absorption, reverberation control, and noise reduction, all as per directions of the Engineer-in-Charge.

A.2 Technical Specification

A.2.1 Panel Dimensions

- **Width:** 192 mm
- **Thickness:** 15 mm
- **Length:** 2400 mm
- Dimensional tolerance: ± 0.5 mm in width, ± 1.0 mm in length, ± 0.2 mm in thickness.

A.2.2 Material Composition

- **Core Material:** High-density, **moisture-resistant fibreboard (MDF)**, density ≥ 750 kg/m³, manufactured from eco-friendly wood fibres bonded with moisture-resistant resins.
- **Face Finish:** High-pressure laminated decorative surface in approved shades (*Portland Maple, Sea Beech, Siam Wood, Mystique Walnut, Interior White, Alumina Pearl, or equivalent*).
- **Reverse Finish:** Melamine balancing layer for dimensional stability and prevention of warping.

A.2.3 Perforation Pattern

- Helmholtz fluted perforations on the reverse surface: (Approx)
 - Groove width: **3 mm**
 - Visible pane: **13 mm** between grooves
 - Perforation depth: **3–5 mm**
- Pattern designed to create **Helmholtz resonance** for enhanced absorption in the **mid-frequency range (250–2000 Hz)**, critical for speech clarity in offices, conference rooms, and auditoria.

A.2.4 Edge Detailing

- Tongue-and-groove edges to accommodate **concealed inside clips** for secure fixing.
- Seamless jointing with ± 0.5 mm joint tolerance to maintain continuous acoustic surface.

A.2.5 Acoustic Backing

- Reverse side of panel hot-pressed with **nonwoven Soundtex acoustical fleece**.
- Minimum mass per unit area of fleece: **110 g/m²**.
- NRC (Noise Reduction Coefficient): **0.60 $\pm$ 0.05**, tested as per **ASTM C423** in a reverberation room.
- Frequency-specific absorption coefficients (minimum values):

Frequency (Hz)	Absorption Coefficient (α)
125	0.25
250	0.50
500	0.65
1000	0.70
2000	0.75
4000	0.80

- Designed to control **speech frequency band (500–4000 Hz)** and reduce reverberation time by up to **35%** in treated spaces.

A.2.6 Humidity Resistance & Dimensional Stability

- Humidity tolerance: **Up to 70% RH** without visible swelling, delamination, or loss of acoustic performance.
- Dimensional stability:
 - **Camber:** < 1 mm per 1000 mm
 - **Bow:** < 1 mm per 300 mm

A.3 Installation

- Panels mounted on **special aluminium splines (keels)** with concealed inside clips (Knauf or approved equivalent).
- Installation to follow manufacturer's instructions for acoustic panels to maintain tested NRC values.
- All gaps at perimeter to be sealed with acoustically transparent trim or sealant to avoid flanking sound leakage.
- Panels to be installed **off the hard wall surface** with a minimum **25 mm air gap** behind where required by acoustic consultant for improved low-frequency absorption.

A.4 Standards & Compliance

- **Acoustic Testing:** ASTM C423 (NRC) & ISO 354 (Sound Absorption Coefficients).
- **Fire Safety:** Class 1 surface spread of flame (BS 476 Part 7) or equivalent.
- **Workmanship:** As per CPWD Specifications, New Technologies & Materials, latest edition.
- **Environmental Compliance:** E1 formaldehyde emission standard ($\leq 0.124 \text{ mg/m}^3$).

A.5 Quality Assurance

- All acoustic panels to be factory-tested for NRC before dispatch.
- Installation team to be trained in acoustic panel fixing to ensure no compromise in absorption performance.
- Final on-site acoustic verification to be carried out where specified, measuring reverberation time reduction to confirm compliance with design intent.

B. GYPSUM PARTITION WITH SOUND DAMPENING

Full height partition walls shall be made by putting 12 mm Gypsum board on both sides of the aluminum structure. Out-side wall face to be painted and In-side wall to be covered with premium quality wallpaper and PVC Louvers. A layer of Sound Dampening sheet to be applied inside the partition wall. This partition will be required where the door is to be permanently closed.

C. FALSE CEILING WORK

False ceiling shall be constructed for Security Operation Centre as per room dimension and the layout diagram in ANNEXURE -A.

C.1 MATERIALS

C.1.1 Tiles

Mineral Fiber Ceiling Tiles shall be made of granulated high-density Mineral Wool as the main material and top production technique which gives it superior features of fire-proofing, sound

absorption, heat insulation & sag resistance. They are cost effective and are mainly used for acoustics and decoration.

Tiles shall be appropriate class and of finished thickness as specified in the description of the item. Only selected tiles of uniform width shall be used. Unless otherwise specified in the description of the item or shown in the drawings, the width of tiles selected for use shall not be less than 595 × 595 mm in size and of approved texture, design and patterns, and shall be of 16 mm / 20 mm thick Beveled Tegral edge type.

Where the width of room/corridor is in multiple of standard width of tiles, the same pattern shall be maintained throughout the length. Where the width of room/corridor is not in multiple of standard width of tiles, borders with appropriate width and material of boards shall be provided in a design approved by the Engineer-in-Charge and maintained uniformly throughout the length/width of room/corridor.

Mineral Fibre Tiles shall have the following properties:

- a) **Surface:** Approved texture, design and pattern.
- b) **Dimensions:** 595 mm × 595 mm × 16 mm (20 mm) thick Beveled Tegral edge type.
- c) **Relative Humidity:** 99% RH resistant.
- d) **Fire Resistance:** Fire performance as per BS:476 (Part-6 & 7).
- e) **Thermal Conductivity:** 0.052 W/m-K – 0.057 W/m-K.
- f) **Acoustic Control:** NRC = 0.50 to 0.60.
- g) **Light Reflectance:** >85%.
- h) **Weight:** 3.10 kg/m² (for 16 mm thick) & 5.29 kg/m² (for 20 mm thick).
- i) **Suspension System:** Interlocking metal T-grids of hot-dipped, all-round galvanized steel.

C.1.2 Frame

Frame shall be made of interlocking metal T-grids of hot-dipped, all-round galvanized steel sections of 0.33 mm thickness (Galvanized @ 120 g/m² including both sides) comprising:

- Main T-runners: 15 × 32 mm, length 3000 mm
- Cross T: 15 × 32 mm, length 1200 mm
- Secondary Intermediate Cross T: 15 × 32 mm, length 600 mm

This grid shall be suspended from the ceiling using galvanized mild steel members (Galvanized @ 80 g/m² including all sides) i.e.:

- 50 mm long, 8 mm outer diameter M-6 dash fasteners
- 6 mm dia fully threaded hanger rod up to 1000 mm length
- L-shaped level adjuster of size 85 × 25 × 2 mm

The frame shall also consist of galvanized iron perimeter wall angle of size 24 × 24 × 0.40 mm, length 3000 mm, fixed on periphery wall/partition with plastic rawl plugs at 450 mm c/c and 40 mm long dry wall SS screws.

The bottom surface of the frame shall be checked and corrected to true plans and slopes.

C.2 FIXING

Outer wall angle shall be fixed accurately and truly at the required height and level, parallel and close to the wall. Thereafter, all the T-members shall be placed and fixed carefully to form the grid.

The grid comprises main T-runners at 1200 mm centres, securely fixed to the structural soffit by approved and adjustable hanger rods at 1200 mm maximum centres and not more than 150 mm from spliced joints of main T-runners. The last hanger at the end of each runner should not be greater than 600 mm from the adjacent wall.

Similarly, cross T-runners of 1200 mm length shall be placed at 600 mm centres. Modules of 600 × 600 mm shall be formed by fitting 600 mm long flush fitting cross Tees (secondary cross T) centrally between 1200 mm cross T-runners.

The tiles shall then be placed properly in the grids as per required pattern, texture and design/drawing and as per directions of the Engineer-in-Charge.

If required, the level of the false ceiling grid shall be checked after placing of calcium silicate tiles and necessary adjustment shall be made wherever required through level adjuster.

C.3 FINISHING

Care should be taken while placing calcium silicate tiles into the grid so that there will be no displacement to the grid and no stains/dirty marks are put by the workers.

D. FLOORING: Raise Flooring:

Suitable raised false flooring as per prevailing standards should be provided as per site requirements. The entire Access floor system shall be made from high density cementitious board and provide Class O as per BS 476 PART 6 for Fire propagation index and Class 1 as per BS 476 Part 7. Fire Ratings tested as per CIRC 91/61 or BS 476 Part 6 & 7 fire resistance up to 60 min as per NFPA. System should have antistatic property and air leakage resistance. The system shall be able to withstand a minimum UDL of 2500 kg per sq meter and a point load of minimum 600 kg. and rolling load of minimum of 300 Kg.

D.1. Raised Access Flooring System

Item

Specification

Performance & Quality Requirements

Compliance / Testing Criteria

D.1 Raised Access Flooring System

Specification: Finished Floor Height: 150 mm (± tolerance as per site conditions) measured from the structural slab to the top of the raised floor panel.

Performance & Quality Requirements:

- Core Material: High-Density Cementitious Board with load-bearing steel encasement.

- Fire Classification:
 - Class 'O' as per BS 476 Part 6 – Fire Propagation Index.
 - Class '1' as per BS 476 Part 7 – Surface Spread of Flame.
- Fire Resistance: Minimum 60 minutes as per NFPA and BS 476 Part 6 & 7.
- Surface Finish: Factory-finished with anti-static High Pressure Laminate (HPL) or conductive vinyl.
- Antistatic Property: Resistance between $1 \times 10^6 \Omega$ to $1 \times 10^9 \Omega$ as per IEC 61340.
- Air Leakage Resistance: Compliant with Cisca/BS EN standards for pressurized underfloor air distribution.
- Environmental Resistance: Moisture-resistant, termite-proof, and dimensionally stable under temperature/humidity variations.
- Panel Size: 600 mm $\times$ 600 mm $\times$ thickness suitable to meet load requirements.

Compliance / Testing Criteria:

- Manufacturer's type test reports for fire rating, antistatic properties, and air leakage.
- Third-party certification from NABL/UL/FM accredited lab.
- On-site inspection for finish uniformity and dimensional accuracy.

D.2. Load-Bearing Performance

Specification:

Uniformly Distributed Load (UDL): $\geq 2500 \text{ kg/m}^2$.

Point Load: $\geq 600 \text{ kg}$ on a $25 \times 25 \text{ mm}$ area.

Rolling Load: $\geq 300 \text{ kg}$ over 10 passes without damage.

Performance & Quality Requirements:

- No permanent deflection exceeding 2.5 mm under point load.
- Permanent set after load removal $\leq 0.20 \text{ mm}$.
- Load distribution through pedestal and under-structure must prevent localized failure.
- Panels shall withstand heavy IT equipment and operational loads without vibration or instability.

Compliance / Testing Criteria

- Load test certificates for UDL, point load, and rolling load.
- Field load test on randomly selected installed panels before handover.

D.3. Under-Structure (Pedestals & Stringers)

Specification:

Pedestals: Hot-Dip Galvanized Steel (minimum zinc coating 80 microns) with height adjustment $\pm$ 20 mm.

Stringers: Galvanized rectangular steel tubes with locking clips to pedestal heads.

Performance & Quality Requirements:

- Pedestals fixed to the structural floor using mechanical anchor fasteners.
- Stringers must provide lateral stability and eliminate rocking.
- Provision for electrical earthing in pedestal heads.
- Under-structure must ensure vibration-free walking and minimum noise transfer.
- Pedestal head must have a precise panel seating system to maintain a flush floor surface.

Compliance / Testing Criteria

- Galvanization thickness test.
- Earthing continuity test.
- Noise and vibration inspection.
- Dimensional verification of pedestal assembly.

D.4. Installation & Workmanship

Specification:

All installation to follow Cisca / BS EN 12825 guidelines.

Performance & Quality Requirements

- Panels cut to fit around columns, walls, and service penetrations without gaps $>$ 3 mm.
- Height level tolerance: $\pm$ 1.5 mm over 10 meters.:
- All cut edges to be sealed to prevent moisture ingress.
- Work area kept dust-free during installation to protect anti-static properties.

Compliance / Testing Criteria

- On-site QA/QC inspection.
- Levelness check with laser leveling tools.
- Post-installation cleaning and protection until handover.

E. STORAGE EXTENSION

Wooden storage extension sized 1032 mm L x 520 mm W approx or as per the room dimensions. The height of the storage will be in accordance of the other furniture in the room.

F. DOORS

New Glass Door with solid wooden frame is required. The suggestive specifications are:

Thickness: 12mm thick

Glass Type: frameless tempered clear glass

type: double door

Size :- 1500mm X 2400mm

With door spring and locking arrangements and both way handle and patch fittings.

Properties:

- 1) **Safety** (tempered): when broken, it spits into tiny harmless pieces
- 2) **Strong intensity:** heat-strengthened glass is approximately twice as strong as annealed glass of the same thickness, and tempered glass is about 4 times
- 3) Resisting thermal stress and wind-load
- 4) Tempered glass cannot be cut, drill hole and other further processed.

G. POWER SUPPLY POINTS & ROOM LIGHTING

Sufficient Power Supply 6Amp/ 16Amp sockets & switches for all the equipment's shall be provided across the SOC room.

Sufficient Ceiling Lighting in the room.

- Ceiling Tiles lights of 2ft x 2ft, 36 W, 3000 to 4000 lmns, Flicker Free Lighting Effects, THD<10%, Pf >0.9, CRI >80.
- Round ceiling lights 4-inch min warm white in color. To be fitted in the ceiling near walls. Room light shall be constructed for Security Operation Centre (SOC) as per room dimension and the layout diagram.
- Ceiling lights will be zonally operated, and their quantity shall be finalized based on Lux level requirements, ensuring an average illuminance of approximately 600–750 Lux across the room

H. NETWORK I/O BOXES

Installation of I/O Boxes with RJ45 Female sockets, connected with network cable CAT6 shall be provided. The Patch cords of sufficient length to be provided for backend connectivity with the DOT Security Operation Centre.

This will provide network data connectivity to all the work stations and devices.

I. AIR-CONDITIONER DUCTING

1. Existing Duct extended with grill 1.2 Grill (refer section 3.2.3)
2. Two 2 Ton Split AC including copper piping.(refer section 3.2.3)

J. MASONRY WORKS

Any masonry work, if required, shall be done by the bidder. Such work should be of fine quality, mainly for Return Air Duct in the existing lab.

Finishing

Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.

Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.

Providing and applying two coats of fire retardant paint on cleaned wood / ply surface @ 3.5 sqm per litre per coat including preparation of base surface as per recommendations of manufacturer to make the surface fire retardant

K. HARDWARE AND METALS

Any hardware/metals will be taken into consideration by bidders to work for the Security Operation Centre. The hardware throughout shall be of high quality and ISI mark wherever possible. Fitting generally shall be brass oxidized, unless otherwise specified and shall be suitable for their intended purpose. Screws are to match the finish of the article to be fixed, and to be round or flat headed or counter sunk as required. Aluminum and stainless steel shall be of reputed manufacturer and suitable for the application.

L. SAFETY, SECURITY

The Access Control system shall have the option of authorization through Biometric and Proximity Card for the entries. The access control system should be centrally manageable.

An access control system consisting of a central PC, intelligent controllers, proximity readers, power supplies, proximity cards, and all associated accessories is required to make a fully operational on-line access control system.

The scope of work involves supply, installation, testing and commissioning of Tamper Proof Access Control system.

M. GENERAL HOUSEKEEPING DURING THE PROJECT EXECUTION

The successful bidder will remove the dismantled/demolished material with prior permission from the client on a daily basis.

3.2.2 FURNITURE

A. WOODEN FURNITURE

Bidder may provide storage boxes/Almira in SOC Room for storing required documents of daily routine work of operators.

While selecting furniture, ergonomics, ease of maintenance, fire and moisture resistant properties and saving the environment aspect must be taken care of. The Ply to be used shall be ISI mark and laminated to have aesthetic look.

B. CHAIRS

Chairs shall be ergonomically designed in such a manner that long hour seating does not become tiring. The suggestive specifications are:

1. High Back with adjustable Headrest and Lumbar support.

2. Adjustable and Handle-ADJUSTABLE PP
3. Seat-PU waterfall
4. Ply-15mm thick hot press
5. Mechanism- SYNCHRO TILT
6. Locking single point
7. Base: MS chrome plated SPIDER
8. Upholstery Back-Mesh
9. Upholstery-seat-fabric

C. CONTROL DESK/TECHNICAL FURNITURE

The suggestive technical specifications are:

1. Technical Workstation table Structure Is Made of Powder Coated Heavy Duty Aluminum Extrusions with supporting, CRCA Top & Bottom Frame.
2. Slat wall made of Aluminum Extrusions
3. Table Top is Made of 25mm thk. Laminated MDF Board with PU Nosing on Front Edge.
4. Side Panel is Made of 36mm thick. Laminated MDF Board (Fixed Side panel.
5. 18mm thick. Laminated MDF Front & Back Modesty Panel/Shutter (Openable With Hinge And Locks).
6. Wire Managers – For routing LAN & Power Cables within the Desk
7. Power Distribution Sockets – within the Desk for Powering of Active Devices.
8. Adequate Heat management provision for Exhaust of Heat from within the desk Assembly.
9. Adequate space for CPUs and other active devices.
10. CPU mounted on CPU Tray & CPU Sliding Tray made of Powder Coated CRCA Sheet.
11. LED light provided by cabinet.

D. MANAGER TABLE

The suggestive specifications for Manager Table are:

1. Table of size 1500mm x750mm (concave shape), with return unit of size 1050mm x 450mm.
2. Two laminate pedestals Size of 400x450x650.
3. TABLE TOP - Taber abrasion & lipping tested quality 25mm thick PLPB with 2mm PVC Edge banding.
4. GABLE END -Taber abrasion & lipping tested quality 25mm thick PLPB with 2mm PVC Edge banding.
5. MODESTY PANEL- Taber abrasion & lipping tested quality 18 mm thick PLPB with 2mm PVC Edge banding.
6. WIRE CARRIER - 0.8 - 1 MM Thick CRC sheet with with lab tested quality powder coated metal WIRE RISER COVER - 0.8 – 1 MM Thick CRC sheet with with lab tested quality powder coated metal
7. FLAPPER - Access Flap Powder Coated Finish
8. Manager table will be well equipped with socket for PC and other utility.

E. TWO SEATER SOFA

The suggestive specifications for two seater sofa are:

1. Two seater sofa in LEATHERITE with dimension 1500Wx750Dx830H
2. Seat / Back & Armrest : Ply base Construction with High Density foam & high grade Leatherite Upholstery.
3. Leg/ Frame : Chrome / Powder Coated Finish

3.2.3 ELECTRICAL WORK

A. Electrical Distribution – Minimum Requirements

The electrical distribution system for the Security Operation Centre (SOC) shall be designed to support an estimated load of up to 5 kVA UPS Power and 9 kVA Raw Power. The bidder shall lay appropriate cabling with perforated cable tray from the existing UPS and Raw Power supply sources up to the SOC, using 3-Core × 6 Sq.mm copper cables and two - single run for double earthing. At the SOC location, two separate Distribution Boards (DBs) are to be installed—one for UPS power and one for Raw power—at appropriate and accessible locations within the room.

B. UPS Power

The UPS power input shall be made available from existing UPS panels and the bidders are required to visit the site to assess and connect accordingly. Each UPS supply shall be protected with 40A, 4-Pole MCBs, and shall include the necessary output with equal distribution of load per phase, and Install Dual pole RCCBs (30mA) ranging from 10A to 32A based on the circuit requirements. The

wiring from these panels to the SOC DBs is to be executed by the bidder, including supply and installation of all components. If required, additional cable trays shall be provided by the bidder and must match the existing tray systems in both design and strength.

C. Raw power

The bidder shall take supply from the designated Raw Power Panel using 3-Core $\times$ 6 Sq.mm copper cable & two - single run for double earthing, and install a DB in the SOC room with an input protection of 63A, 4-Pole MCCB and suitable output MCBs (10A–32A). All general lighting fixtures shall be connected to raw power, while only 1–2 emergency light points shall be routed through the UPS supply for uninterrupted operation during outages. The bidder shall also supply and install all modular power sockets and switches within the SOC room.

Internal wiring from DBs to various loads shall be carried out using 3-Core $\times$ 2.5 Sq.mm flexible copper FRLS cable for light points, switches, and 6A sockets, while 3-Core $\times$ 4 Sq.mm flexible copper FRLS cables shall be used for 16A power sockets with proper earthing. The wiring for the two no. 2 Ton split-type air conditioners shall be done using hard-wired connections, each protected by a 20A MCB mounted near the indoor units for operational safety.

All cables and wires shall be properly identified using numbered ferrule markers, and shall be routed neatly through Cable tray, PVC conduits, flexible pipes, plastic battens wherever feasible. In locations where cable trays are missing or inadequate, the bidder shall supply and install additional trays compatible with the existing systems. The overall installation must ensure a safe, well-organized, and easily maintainable electrical infrastructure tailored for continuous SOC operations.

D. SUPPLY & INSTALLATION OF INDOOR LIGHTING FIXTURES:

The bidder shall carry out the Supply, Erection, Testing, and Commissioning of ceiling-mounted light fixtures, complete with driver, control gear, and all necessary standard accessories. The lighting system shall include the following:

1. 2' x 2', 36-Watt LED Tile Light Fixtures, with a luminous flux output between 3000 to 4000 lumens, providing flicker-free lighting and a Total Harmonic Distortion (THD) of less than 10%, CRI >80.
2. 4-inch Round Shaped Warm White Ceiling Lights, to be installed along wall peripheries and false ceiling edges, contributing to ambient lighting enhancement.

All fixtures shall be recessed and mounted within the false ceiling of the Security Operation Centre (SOC) as per the room dimensions and approved layout drawings. The lighting system shall be designed to ensure uniform illumination, with an average lux level of approximately 650–750 Lux, and quantity of fixtures shall be finalized accordingly during execution.

Lighting shall be arranged in zones, allowing group-wise control for operational flexibility and energy efficiency. The entire wiring for the lighting system shall be carried out using 3-Core $\times$ 2.5 Sq.mm copper flexible FRLS cables, routed through conduits and terminated neatly at the designated Distribution Board (DB). All materials and workmanship shall conform to standard electrical and safety codes.

E. POINT WIRING:

Wiring for all light points and 6A light-load sockets shall be done using 3×2.5 Sq.mm FRLS copper wires (1100V grade) in concealed conduits, GI trunking, or through cable trays as applicable. It includes supply and installation of 6A modular flush-type switches with polycarbonate cover plates. The scope covers complete wiring from the DB to the points, ensuring proper routing, neat termination, and full compliance with electrical standards.

F. UPS WIRING

UPS wiring using 2.5 Sq.mm FRLS copper wires in concealed GI conduits shall be provided for 6A plug outlets, including switches, MS boxes, modular cover plates, and earthing. In the SOC room, UPS wiring shall be arranged for Access Control, Video Wall, 7 Workstations, Emergency Lights, and other equipment as per site requirements. Separate MCBs shall be provided for individual circuit protection.

G. POWER OUTLET POINTS

Wiring for 16A power outlet points shall be done using 4 Sq.mm FRLS PVC insulated copper conductor wires (1100V grade) in concealed conduits. Each point shall include a 16A, 6-pin flush-type socket with switch, mounted on MS outlet boxes with approved polycarbonate modular cover plates and proper earthing. Only two outlets shall be connected per circuit, with power supply sourced from both UPS and Raw Power as required. All points shall be individually protected through MCBs for safety and circuit isolation.

3.2.4 COOLING SYSTEM

1. Dismantling and removal of old duct, if required, including disposal and site clearance. The existing Centralized Air-Conditioning System for the Security Operation Centre (SOC) shall be maintained while provisioning the cooling requirement in SOC. This may require openings in the existing HVAC ducts and necessary extension into the false ceiling. Additional openings with controllable air flow grills may be created in the AC ducts, similar to those already installed. Extension of ducting from the facility to the nearest present air outlets shall also be carried out as needed. The existing return air opening grill inside the SOC room shall be replaced to match the room aesthetics. All square supply air ducts in the false ceiling should have airflow control features, except for the return air ducts.
2. Additionally, bidders shall provide for the Supply, Installation, Testing & Commissioning (SITC) of 2 Nos. Split-Type Air Conditioners of 2 Ton Capacity each, Inverter Type, Wall Mounted, 5-Star BEE Rated (latest available rating year), with energy-efficient design and eco-friendly refrigerant (R-32 or R-410A). The scope includes indoor and outdoor units, cordless remote controls, standard copper refrigerant piping of adequate length, drainage piping, outdoor mounting stands (painted MS), vibration isolation pads, and all accessories required for full and safe operation. The copper piping shall be of sufficient length and installed with proper aesthetic routing. The drain pipe shall be extended to an appropriate discharge point; in absence of natural drainage slope, a compact drain pump shall be provided. The outdoor unit shall be

securely mounted on a painted mild steel stand. For electrical supply, the units shall be hard-wired and connected via a 20A MCB, installed at a specified location near the indoor unit, for operational control and safety.

3. Bidder shall supply and install a timer panel to enable automatic operation and control of the air conditioning system.

3.2.5 RODENT REPELLENT SYSTEM

Rodent panel with capacity of connecting sufficient satellites. Satellite / transducers will cover as per void and as per the specification

3.2.6 ACCESS CONTROL SYSTEM

Supply installation and testing and commissioning for the following is required for access control system. The suggestive specifications are:

1. Microprocessor based Networkable 8 door Access Controller with with Power Supply & Battery Charger and TCP/IP connectivity. Programmable communication encryption, Flash memory for application firmware complete with all accessories as required.
2. Door 2 Reader Access Control Panel with Enclosure
3. Central computer system comprising of workstation for loading Access Management software-ACS & Workstation Processor - Intel Core i-7 OS - Genuine Windows 11 and above. Colour Monitor - 21" Flat Panel LCD/ LED Monitor RAM - 16 GB DDR3 SDRAM Memory - 1 TB HDD Network: 100/1000 Mb Ethernet network card, MS Office with Antivirus software.
4. Access Control System Application cum Management Software & Door License with the capability to handle the readers, controllers & other devices in the system
5. proximity Card readers with necessary mounting accessories.
6. Biometric based Fingerprint reader with inbuilt iclass Smart Card reader with necessary mounting accessories & power supply unit.
7. Biometric based Iris reader with necessary mounting accessories & power supply unit.
8. Proximity Access Card.
9. Double Leaf (600lbs x 2) EM Lock
10. Door Magnetic contacts to monitor "door open too long" status.
11. SS type Exit Push button for granting exit
12. Emergency resettable break glass release units
13. laying of 2 core 1.0 sq .mm cu. Shielded armoured cable
14. laying of 4 core 1.0 sq .mm cu. Shielded armoured cable
15. laying of CAT 6 cable
16. 22mm PVC conduit as per requirement.

3.2.7 IT EQUIPMENTS

A. WORKSTATIONS FOR MANAGERS and DESK

The suggestive specifications are:

Processor: Intel® Core™ i9 13th gen or higher

RAM: 64 GB or higher

SSD: NVME SSD 1 TB or higher

Ports: RJ45 (LAN) , Display port, DVD-RW, HDMI, USB-C 20 Gbps

Connectivity: LAN, Wi-fi 2.5G/5G, Bluetooth

OS and Software: Windows 11, Antivirus, Latest MS Office Offline License

Monitor: 22” or larger Curved LCD Monitor

Keyboard & Optical Mouse: USB based or Wireless

B. INTERACTIVE PANEL

The suggestive specifications are:

Display

Resolution: 4K Ultra HD (3840 x 2160) or higher

Panel Type: IPS, with optical bonding for brighter images and wide viewing angles

Screen Sizes: Commonly 75 inches

Brightness: Minimum 350-450 nits

Color Depth: 10-bit color (1.07 billion colors) or higher

Interactive Touch

Technology: Infrared touch with 20 points (Preferred)

Touch Response: Less than 10ms

Surface Protection: 4mm toughened glass with anti-glare and germ-resistant properties

System & Software

Operating System: Built-in Android OS (e.g., Android 8.0 or 11)

Performance: Equipped with quad-core processors, 8GB RAM, and 128GB internal storage

Connectivity: Multiple HDMI, USB 2.0/3.0, and USB-C ports

Wireless: Built-in Wi-Fi for screen sharing and projection

Features & Accessories

Connectivity: Compatible with OPS (Open Pluggable Specification) devices for seamless switching between Android and Windows systems

Audio: Integrated speakers and microphones

Accessories: Touch pens, remote control, wall mount, and cables are often included

Environmental Protection: Protective coating on the PCB to prevent damage from humidity and dust

C. RACK

15 U Rack

D. PRINTER

The suggestive specifications are:

Colored standard Ink tank printer with the features of Copy Scan and printing. Usb and Wifi both connectivity should be available. It should be able to do duplex printing. Paper size of A4, and letter should be supported.

E. SWITCH/ NETWORKING ACCESSORIES

As per requirements to make internal and external connectivity. The specification of the switch required are: 24 x 1G + 2 x 10G port (L3) switch with dual power supply.

E. UPS FOR WORKSTATIONS

UPS with approx 30 min or more backup are required with individual workstations.

The suggestive specifications are:

Power: 650 VA approx

Backup: up to 30 min approx

3.2.8 ON-SITE SUPPORT

The bidder shall be able to provide the onsite operations support for the day-to-day operations and issue resolutions such as:

- Problem Resolution / Troubleshooting during entire contract period of 06 (six) years which includes 03 (three) years of warranty and 03(three) years of CAMC.
- Coordination with offsite technical support and the Help Desk.
- Any other related services not included in this document.

Spares: Successful Bidder shall maintain spare of important (possible) components at DOT premises for immediate replacements/ repairs.

3.2.9 SCOPE OF DOCUMENTATION

The successful bidder shall provide detailed design, documentation, make, and model efficiency including user, system, and operation manuals along with the necessary diagrams, design drawings and detailed bifurcation of Bill of Quantity (BOQ) along with detailed description.

The drawing (to be submitted before execution or as on when required) may include but not limited to the following

- Site layout
- Equipment placement layout
- All drawing for Electrical scheme including single line diagram All GA drawing of equipment
- Power Sockets, Wiring Drawing, Grounding and Earth Lights fixture layout
- Furniture placement Network cabling
- Ceiling drawing with AC outlet and Fire pipe outlets Sectional views
- 3D drawing as required Others relevant drawings
- Drawings as per plan and as built shall be handed over in hard copy as well as in soft copy
- Manual of operation and maintenance will be handed over in hard copy as well as in soft copy
- The Bidder should prepare & submit along with the bid documents, datasheets of the hardware used in the system.
- Documentation of the Installed Network with the Diagram and labeling details of the I/O's and Patch Panels and Penta Scanning Results of UTP Nodes will be submitted in soft as well as hard copy.
- Any other diagram/documents wherever applicable for the Security Operation Centre shall be submitted in hard copy and soft copy.

3.2.10 SCOPE OF OTHER WORKS

Since this is a Turnkey project, the bidders shall include any other components/equipment required for completion of this project and submit their bid accordingly. Bidders will have to do the work which is not written or partially written in this document but required for the Security Operation Centre to design, operate or for aesthetic look.

3.2.11 COMMON SPECIFICATIONS FOR QUOTED ITEMS

The bidder shall ensure for the compliance of below criteria for the items/equipment to be quoted for the Security Operation Center:

1. Items or the devices meeting at least above-mentioned specifications or higher, will be accepted. Except those parameters which are already mentioned as maximum or in given range.
2. LED/Display manufacturer should have registered office in India from 10 years (Incorporation Certificate Required).
3. LED/Display manufacturer/authorized representative should have registered Service office in Delhi & NCR from 5 years with skilled manpower to provide onsite Service support through Toll-free/Website.

4. LED/ Display manufacturer should have GSTN, PF certificates.
5. OEM/ Its Authorized Representative must provide 3 years of warranty on all the above active electronic devices and should be able to provide 8 years of support on parts from the date of Bidder's Tax invoice to CDOT.

3.3.LIST OF MAKES/BRANDS/MODELS

List of APPROVED Makes/Brands/Models of the major components/ equipment is given. Bidders should adhere to the same for the Proposed Security Operation Centre

3.3.1 CIVIL, FLOORING & INTERIOR RELATED WORK

S.No.	Item	Brand
1.	Acoustic Panel	Standard
2.	False Ceiling	Armstrong or equivalent
3.	Room signage	Standard
4.	Fire Stop for closing all cable opening	Standard
5.	Raised Floor	Unitile or equivalent
6.	Glass Door	Saint Gobin or equivalent
7.	File Cabinet	Standard
8.	Lock	Ebco/ Godrej/ Harrison or equivalent
9.	Antistatic flooring (IF ANY)	LG Luck Strong Galaxy/ type 86115/ Tri Polarcon or equivalent
10.	Adhesive(IF ANY)	Dunlop/ Fevicol/ Vamicol/ Pidilite or equivalent
11.	Paints and distemper	Asian Paints/ Shalimar/ Berger/ ICI/ Nerolac or equivalent
12.	Glass film	3M/ Llumar or equivalent

3.3.2 FURNITURE

S.No.	Item	Brand
1.	Manager Table	Godrej/ Durian/ Nilkamal/ Harmony/ cosmos/ Phyrotech or equivalent
2.	Sofa	Godrej/ Durian/ Nilkamal/ Harmony/ cosmos/ Phyrotech or equivalent
3.	Technical Workstation table	Godrej/ Durian/ Nilkamal/ Harmony/ cosmos/ Phyrotech or equivalent
4.	Chair	Godrej/ Durian/ Nilkamal/ Harmony/ cosmos/

	Phyrotech or equivalent
--	-------------------------

3.3.3 ELECTRICAL WORK WITH CABLING SYSTEM

S.No.	Item	Brand
1.	Light fixtures - LED type	Philips / GE/Havells/ Syska/ Jaguar or equivalent
2.	Modular type switch, socket, regulator, GI boxes (Mounting back plate should be of metal) PVC Plate, Socket	Roma/Anchor/MK/Legrand/Siemens or equivalent
3.	Distribution box	Schneider/Havells/Legrand/ABB/Siemens/L&K or equivalent
4.	GI conduit (ISI Marked)	AKG/BEC/Jindal/Tata or equivalent
5.	MS/PVC Conduit	AKG/BEC/NIC or equivalent
6.	MCB, MCCB, RCCB	Schneider/Havells/ABB/Siemens/L&K or equivalent
7.	Lugs & Ferrules	Dowells/Johnson/action or equivalent
8.	Power Cable & Wire (ISI Marked)	KEI/Polycab/Finox/Havells or equivalent

3.3.4 COOLING SYSTEM

S.No.	Item	Brand
1.	Duct	Standard
2.	Grill	Standard
3.	2 Ton Split AC	Blustar/ Voltas/ Carrier/ MITSUBISHI/ Daikin or equivalent

3.3.5 RODENT REPELLENT SYSTEM

S.No.	Item	Brand
1.	Rodent Repellent System	C-System or equivalent

3.3.6 ACCESS CONTROL SYSTEM

S.No.	Item	Brand
1.	Door 2 Reader Access Control Panel with Enclosure	Spectra or equivalent

2.	Proximity Access Card.	HID or equivalent
3.	Door Magnetic contacts	Standard
4.	break glass release units	Ravel or equivalent
5.	Iris Reader	Standard

3.3.7 IT EQUIPMENTS

S.No.	Item	Brand
1.	Work Stations	HP/ Dell or equivalent
2.	Ink tank Printers	HP/ Epson/ Sharp/ Cannon or equivalent
3.	Switch	CISCO/ JUNIPER/ Arista/HPE/ Nexus/ Netgear/ Dlink or equivalent
4.	HDMI Cable	Kramer/ Belden/ Crestron or equivalent
5.	Patch Chord	Standard
6.	Interactive Panel	LG/ Samasung or equivalent
7.	15 U Rack	D-link or equivalent
8.	Computer UPS	APC/ Microteck/ Luminous or equivalent

Note: “Equiv.” means any equivalent brand

The items which are not mentioned in above shall be used after approval of Engineer In Charge.

4 CRITERIA OF EVALUATION OF ACCEPTED BIDS & SELECTION

4.1.ELIGIBILITY CRITERIA

The Bidder should fulfill the following mandatory requirements in order to qualify as an eligible Bidder and shall submit the corresponding supporting documents as part of his bid.

- a) **Make in India: Only Class-I Local Supplier and Class-II Local Supplier as defined under the Revised Public Procurement (Preference to Make in India) order 2017, issued vide DPIIT Order No. P-45021/2/2017-PP (BE-II) dated 19th July, 2024 and further as amended from time to time, if any, shall be eligible to bid in the tender. All rulings with respect to Local content, Class-I Local supplier/Class-II Local supplier shall be as per the cited order. The bidder shall submit the Declaration of Local Content (LC) as per ANNEXURE -M in the technical bid.**
- b) The Bidder should be registered & incorporated in India under the Companies Act, 1956/2013. The BIDDER shall submit registration certificates along with the bid. The company should be operational in India for at least the last five financial years as on date of RFP.
- c) Consortium of companies/ firms are not allowed to participate in the tender.
- d) The BIDDER should have supplied, installed and commissioned along with providing O&M services currently to at least two (2) number of Network Operation Centers (NOC) /Security Operation Centers (SOC)/Data Centres (DC) for items (as Civil, Electrical, air-conditioning, Videowall etc.) with each purchase order value of 2.0 Crore or higher. These NOC/SOC/Data Centres should have been built in India within the last three years (i.e. FY 2022-23 to 2024-25). Copy of successful completion certificate from the customer along with Purchase Order should be provided.

The BIDDER should have undertaken the required activities in the aforesaid Security Operation Centers (SOC) built by them.

- e) The bidder must be a profit-making company in the last three financial years ending 31st March 2025. The average annual turnover of the BIDDER in the preceding three financial years as on the date of bid opening shall not be less than Rs. 3 Crores. The bidder shall have to submit their audited balance sheet for the last 3 fiscal years i.e., 2022-2023, 2023-2024 & 2024-25. Provisional may be provided for year 2024-25.
- f) Details & brief description of Projects and self-certification for successful completion of the projects clearly indicating the complete scope of work shall be submitted along with the bid.
- g) The validity of the certificate shall be continuing at the time of submission of the bid. A copy of the latest certificate shall be enclosed with the bid.
- h) The BIDDER should hold a valid GST registration and a copy of the same shall be furnished along with the PAN No. and PF/ESI no. The Bidder should be an established company for more than 5 years in INDIA and should have an ISO 9001 and ISO14001 certification. Certificate should be at least 6 months before bid date

- i) The bidder should not have been blacklisted /debarred in the past by any Govt. Agency. An undertaking to the effect that “the bidder should not have been banned/blacklisted by any Govt. Department, Central Govt. Unit/PSU/Financial Institutions/court during preceding three years till date”, is to be submitted.
The Bidder shall submit a self-declaration confirming that:
- i. They have not been blacklisted, debarred, or banned from business dealings by any Ministry/Department of Government of India, any State Government, PSU, or any Multilateral Development Bank (World Bank/ADB, etc.) during the last 3 (three) years.
 - ii. If at any stage of the tendering process or during contract execution it is found that the bidder has submitted false information in this regard, their bid/contract shall be liable to rejection/termination, and the bidder shall be blacklisted for future procurements.
- j) The Bidder shall not be insolvent, bankrupt or being wound up, not have its affairs administered by a court or a judicial officer, not have its business activities suspended and must not be the subject of legal proceedings for any of the foregoing reasons. An undertaking in this regard has to be submitted by the bidder.
- k) The Bidder shall not have, and their directors and officers not have, been convicted of any criminal offence related to their professional conduct or the making of false statements or misrepresentations as to their qualifications to enter into a procurement contract within a period of five years preceding the commencement of the procurement process, or not have been otherwise disqualified pursuant to debarment proceedings. An undertaking in this regard has to be submitted by the bidder.
- l) Bidders/OEMs must have a full-fledged service and support Centre at Delhi/NCR and are able to provide services to their customer’s onsite. The Bidder must submit details of their office and the responsible officer. The bidder must also give details about their support management at least one of the already commissioned NOC/SOC facilities provided as proof. Certification about the same from the authorized signatory of the customer (on their official letterhead) regarding the satisfactory service delivery shall also be submitted.
- m) The bidder shall provide a list of the OEMs / main technology partners along with the bid whose equipment/solutions are being offered in the bid. Only one combination for the whole set of equipment shall be quoted. Alternative technology options within the bid are not acceptable and such bids shall be rejected.
- n) The bidder shall submit valid documents from all the OEMs, whose equipment / solutions are being offered in the bid, with regard to being their authorized Indian representative. The date of such authorization should be current as on the date of release of the tender and should have a validity of at least another six months, thereafter.
- o) The bidder shall submit a joint undertaking/MAF duly signed by themselves and all the OEMs for their proposed major equipment/ solution, to provide support as per tender terms & conditions, to C-DOT for a minimum period of six (6) years. The Bidder shall have back-to-back support agreements for major items as Video Wall, Technical Control Desk for the entire duration of contract. A copy of such undertaking shall be made available to C-DOT at the time of submission of the bid. Technical bids will not be accepted without OEM agreements with the components in the following areas of work

- SOC Infrastructure including technical furniture
- Desktop Workstations
- Access Control System
- Networking Infrastructure,

The decision in this regard would be at the discretion of C-DOT.

4.2. TECHNICAL COMPLIANCE

Technical Compliance statement strictly as per the format in **ANNEXURE -G** for each tendered item is a prerequisite for evaluation. **Therefore, the same must be submitted with the technical bid. Any falsification / suppression in the compliance statement would lead to the rejection of the bid with forfeiture of the Bid Security. Corresponding to each technical specification in the compliance statement, relevant serial no. / page no. / line no. etc., in the data sheet should be indicated and highlighted. Incomplete compliance statement or compliance statement in a different format may lead to rejection of the bid. It is mandatory to attach the compliance statement, signed by the concerned authority, of the respective terms and conditions enclosed with the technical specifications.**

4.3. DELIVERY & SITC

The delivery of all the items along with installation and commissioning of the entire project, shall be completed at site within **12 weeks** from the date of Purchase Order.

In case the **delivery along with installation and commissioning schedules (i.e. 12 weeks from the date of PO)** are not adhered to, liquidated damages (LD)/penalties shall be imposed on the vendor/bidder by C-DOT and the **penalty to be imposed** will be @ 0.5% for every week or part thereof subject to the maximum being 10% of the total PO value (inclusive of all Taxes & Levies). Delay beyond this period will be treated as an exception and C-DOT reserves the right to cancel the purchase order.

In case the party fails to deliver the material/software or services even beyond the extra time allowed with **penalty** as mentioned above, C-DOT reserves the right to make alternate procurement and arrangements only at the suppliers' cost and risk. For this, the supplier shall be served with a notice of 2 weeks under a registered cover and in case of non-performance, on expiry of the notice period, the cost of alternate procurement /arrangements shall be recovered from the vendor.

However CAMC value shall not be considered for the calculation of LD/Penalty.

No counter terms and conditions will be accepted by C-DOT. Bids not complying to C-DOT terms & conditions will be summarily rejected. No clarifications will be entertained.

4.4. EVALUATION OF TECHNICAL BID

Technical Evaluation criteria: Shall be based on the technical compliance given by the vendor. It will be verified by the technical evaluation committee in the technical presentation given by the vendor.

The eligible BIDDERS are required to give a presentation at C-DOT of their proposed solution in detail. During the presentation the complete compliance statement (in C-DOT prescribed format), elaborate layout diagrams (Civil, Electrical, Air Conditioning and Structured cabling etc.), BOQ and details of quoted products along with product brochures and drawings shall be available in soft copy format which can be displayed using a projector. The presentation shall be a complete walk through of the proposed solution and shall not deviate from the submitted bid. **The technical team of the Bidder shall be present during the presentation to answer the queries regarding their quoted solution.**

The BIDDER will be informed about the date of presentation two days in advance.

5 CRITERIA OF EVALUATION OF ACCEPTED BIDS

Bids will be evaluated as per the sequence given below:

1. Technical evaluation: Bids to be evaluated first for technical compliance as per the specifications given as mentioned in section 4.4.
2. Financial evaluation:
 - a. Price bids of only the technically qualified bidders to be opened for financial evaluation.
 - b. Procedure for arriving at L1, the lowest quoted Bidder:
 - L1 shall be decided based on the lowest quoted price in totality which includes cost with 03-year warranty and 03-year CAMC rates.
 - GST will be considered for deciding L1. Bidders are required to mention the SAC code & GST rate for turnkey project and CAMC distinctly. *

* This being a turnkey project shall be treated as a single service only and not supply of goods. SAC code shall not be changed by the bidder at the time of invoicing and GST rate as applicable for the SAC code on the date of invoicing shall be paid.

5.1. CLARIFICATION OF OFFERS

To assist in the scrutiny, evaluation and comparison of offers, C-DOT may, at its discretion, ask some or all bidders for clarification of their offer. The request for such clarifications and the response will necessarily be in writing. Response to such clarifications by bidder shall be submitted well within the due date and time, failing which the bid may not be processed. Any unsolicited clarification initiated by the bidder shall not be entertained by C-DOT.

6 TERMS, CONDITIONS AND GUIDELINES

6.1. PAYMENTS TERMS

Milestone	Percentage of Total Contract Value to be paid (excluding CAMC)
Delivery, Installation and Commissioning and verification of all equipment, accessories etc. as per the BoM of the tender (required for the project), as certified by the C-DOT representative. *	70%
Acceptance Testing of Security Operation Centre with IT Load.	20%
Post successful running of Security Operation Centre for a month with actual IT load, as certified by C-DOT Representative	10%
Payments towards CAMC shall be done on deferred quarterly basis on submission of an appropriate invoice subject to satisfactory services rendered & accepted by C-DOT.	Deferred quarterly basis

* In case all items are not deliverable at once, Payment may be made as per above milestones for the verified items only in parts,

Note:

- Invoicing shall be done for the turnkey project on milestone basis and for CAMC on time-period basis (quarterly). GST shall be applicable as on the date of invoice for the SAC codes quoted by the bidder.
- Invoice shall be submitted within 7 days from date of invoice. Payment shall be made within 15 days from date of receipt, subject to verification.
- Payments to be made for the above milestones will be subject to recovery, if any, for the defects noticed in the work undertaken by the contractor till the handing over of the Security Operation Centre.
- Payment will be made only after receipt of back-to-back agreements with all OEMs (wherever applicable) and submission of valid PBG.
- It may please be noted that deduction of penalty due to delayed delivery and installation & commissioning shall be deducted from the milestone payment.
- For the calculation of penalty wherever mentioned in the document will take the values of PO/ CAMC with GST.

6.2. OTHER TERMS, CONDITIONS AND GUIDELINES

(i) Performance Bank Guarantee (PBG):

- The successful Bidder, after placement of Purchase Order by C-DOT, shall submit Performance Bank Guarantee for an amount equal to 3% of the Total PO value (excluding CAMC price) within 30 days from receipt of PO, and shall remain valid for the duration up to the total warranty period plus 3 months; towards faithful performance of the Bidder during the term of the contract including warranty obligations. The same can be deposited through a crossed DD in favour of '**Centre for Development of Telematics**' or a PBG in the format provided in issued by a nationalized or scheduled bank. If the security deposit or PBG of the requisite amount stipulated in the PO is not submitted, payments will not be made by C-DOT, even after the receipt of order acknowledgement. Fixed Deposits will not be considered as PBG. EMD shall be released within 1 month of verification of received PBG.
- The successful bidder shall have to submit a Performance Bank Guarantee (PBG) within 30 (thirty) days from the date of acceptance of Work Order / Purchase Order.
- However, a penal interest at the rate of 15% per annum on PBG value shall be charged for the delay beyond 30 (thirty) days, i.e., from 31st day after the date of acceptance of Work Order / Purchase Order. Applicable penalty will be deducted from first payment, as and when due to the bidder, after fulfilling all other required payment terms and conditions.
- In case, extension of time is denied by the competent authority or the bidder fails to submit the requisite PBG even after 60 days, the purchaser reserves the right to cancel the purchase order.
- Any payment for the supply of items / services rendered shall not be made till PBG is submitted by the bidder.
- In case the Work Order / Purchase Order is cancelled due to non-submission of PBG, EMD submitted by the bidder shall also be forfeited and/or further action of debarment/blacklisting may also be taken against the defaulting bidder.
- All decision of the purchaser / competent authority, in this regard, shall be binding on the bidder.
- Before the completion of the three years warranty period, the bidder must submit a PBG of 3 percent of the CAMC PO value for a further period as specified in the PO plus two months.

(ii) The Purchaser reserves the right to amend the commercial terms & conditions, scope of supply and the technical specifications and publish them before the specified last date of submission of the Bid.

(iii) The Purchaser reserves the right to cancel the tender process partially or entirely before placement of Purchase Order, without assigning any reasons thereof.

- (iv) The Purchaser reserves the right to reject any OEM or its subsidiary, who is found to indulge in any corrupt or fraudulent practices, while competing for this tender.
- (v) The Purchaser reserves the right to declare a Bidder ineligible, either indefinitely, or, for a stated duration, for being awarded a contract, if, at any stage of the bidding process, it is found that the Bidder has engaged in corrupt or fraudulent practices, before, during or after the award/execution of contract.
- (vi) If, at any time, during the performance of the Purchase Order, the Bidder encounters conditions impeding timely delivery of material, then they should promptly notify C-DOT, in writing, of the fact of the delay, the cause of delay and its likely duration. C-DOT shall evaluate the situation and at its discretion, decide to extend for the Bidders, the time for performance. C-DOT's decision in this regard will be final and binding.
- (vii) **FORCE MAJEURE** shall mean and be limited to War hostilities, riot or civil commotion, earthquake, flood or other natural physical disaster and striction imposed by the Government or their statutory bodies which prevents or delays the execution of the contract. In the event of delay lasting over one month, if arising out of cases of Force Majeure, C-DOT will still reserve the right to cancel the order/contract.
- (viii) **INSPECTION:** Materials, on their arrival at sites specified by DOT, will be inspected for transit damage and short shipment against invoice / delivery note /copy of PO by C-DOT / DOT officials. Any deviation/ difference, has to be certified by the OEM with appropriate reason for the same and shall provide a fool-proof mechanism for BOM verification, acceptable to C-DOT. The bidder shall install, commission and test the installation as per scope defined in this document under C-DOT site officer's directions. The installation report shall be sent / emailed to C-DOT to enable them to assess readiness of the site for installation and commissioning of the application software. The rejected material(s) will need to be collected by the supplier within a reasonable period of time from the site and all the charges on the same will have to be borne by the supplier. Replacements will have to be delivered at the site by the vendor before he is allowed to collect the rejected materials (except any type of storage media like hard disk, tapes, DVDs etc.) from the site. All formalities for import of replacements etc., if needed, will have to be taken care of by the vendor. In case we do not receive any response to our letters asking the suppliers to collect the rejected material within 10 weeks from the receipt of the rejected material at site, the same may be disposed of through auction, and the proceeds thereof shall be treated as earnings to the purchaser.
- (ix) The Purchaser shall release payments after 30 days of receipt of Bill subjective to satisfactory completion of work confirmation certification from user group, as per terms and payment milestones agreed and mentioned in the PO, to the successful Bidder, on completion of the specified milestones. All payments made to the successful Bidder shall be subject to deduction of applicable taxes as per applicable rules/laws. No requests for advance payment will be entertained. Please note that GST Number of C-DOT, New Delhi is 07AAATC3895K1ZD.

- (x) In case of any ambiguity in interpretation of any clause in this tender, the interpretation of Purchaser shall be final.
- (xi) **INSURANCE:** The contractor shall procure in his name a Contractor's All Risk (CAR) Insurance Cover towards optimizing the risks associated with the contract and submit an undertaking in this regard.
- (xii) **WORK DISRUPTION:** In no circumstances the project work shall be disrupted unless otherwise directed by C-DOT. If there is any disruption of work due to reasons other than what involves C-DOT, the same shall be restarted within two days failing which C-DOT may get the work completed at the Risk and Cost of the contractor.
- (xiii) **NON-DISCLOSURE AGREEMENT (NDA):** Successful Bidder shall be required to sign NDA with C-DOT on Non-Judicial Stamp Paper of Value of Rs. 100/- as per **ANNEXURE –H**.
- (xiv) **SAFETY OF SITE PROPERTY:** The contractor shall ensure that adequate precautions are exercised by his personnel working under the Contract towards safety of site property and all his personnel adhere and comply with prescribed discipline, safety and security norms of C-DOT.
- (xv) **LIMITATION OF LIABILITY:** Except as provided in any applicable laws/rules, the aggregate liability of the supplier under this Tender shall be limited to 100% (one hundred percent) of basic value of the respective Contract (contemplated by the Tender) Price. For clarification, such limitation, shall not apply to liability arising out of (i) breach of Confidentiality or Intellectual Property related obligations under this Contract; (ii) fraudulent or criminal acts or omissions or willful default of the supplier; (iii) damages to equipment / structure / setup of this Project. Amount indemnified by Supplier to purchaser under this Clause shall be liable to GST.
- (xvi) **Conflict of Interest & Anti-Collusion:** The Bidder shall disclose any conflict of interest that may affect the bidding process or contract execution. A conflict of interest arises when a bidder (or its affiliates):
- has a relationship with another bidder that directly or indirectly results in cartelization or restrictive competition;
 - has been engaged by C-DOT as a consultant for preparing the tender/specifications; or
 - has business/ownership links that compromise independent bidding.
- The Bidder shall also submit an Anti-Collusion Undertaking, declaring that its bid is genuine and not made in collusion with any other bidder(s).
- Breach of this clause shall result in rejection of bid, termination of contract, forfeiture of Performance Security, and blacklisting.”


7 DISPUTE SETTLEMENT

Any dispute, difference or claim arising out of or relating to this Tender, the Purchase Order or the Contract, including its interpretation, performance, breach or termination, shall be resolved in the following manner:


- a) The Parties shall attempt to resolve such dispute amicably through mutual discussions within 30 (thirty) days.
- b) Failing such resolution, the dispute shall be referred to arbitration in accordance with the Arbitration & Conciliation Act, 1996 (as amended). The arbitral tribunal shall consist of a mutually agreed Sole Arbitrator appointed by CEO, C-DOT.
- c) The seat and venue of arbitration shall be New Delhi. The language of the arbitration shall be English.
- d) The decision of the Arbitrator shall be final and binding on the Parties.
- e) Subject to the above, the Courts at New Delhi shall have exclusive jurisdiction.”

8.1.ANNEXURE-A: LAYOUT PLAN OF THE SECURITY OPERATION CENTRE

OPTION 1



OPTION 2



8.2.ANNEXURE -B: INDICATIVE BOQ (Bill of Quantity)

S.No	Description	Unit	QTY	Remarks
A	CIVIL FLOORING AND INTERIOR RELATED WORK			
1	Existing door remove	Lot	1	
2	Sound proofing Acoustic Panel	Lot	1	
3	False ceiling	Lot	1	
4	House keeping services for general cleanliness of site, removal of debris, site-office maintenance etc for project duration	Lsum	1	
5	Supply & Fixing of Room signage	Lsum	1	
6	Fire Stop for closing all cable opening in Server room/Electrical Room	Lsum	1	
7	Floor cutting for Piping and cable (if required)	Lot	1	
8	Raised Floor	Lot.	1	
9	New Glass Door with solid wooden frame	Nos.	1	
10	Black Film	Sqmtr	APR	
11	Storage Extension	Lot	1	
12	One door seal with gypsum partition	Lot	1	
B	FURNITURE			
1	Manager Table	Nos.	2	
2	Two Seater Sofa	Nos	2	
3	Technical Workstation table	Nos	4	
4	Chairs	Nos	10	
C	ELECTRICAL WORK WITH CABLING SYSTEM			
1	Supply, installation, testing & commissioning of lighting fixtures and associated electrical fittings with complete wiring in conduits and/or cable trays, including: – Wiring from UPS panel to UPS DB and Raw panel to Raw DB – Wiring and installation of 6A/16A switches and sockets – Internal lighting and socket arrangement for workstations, manager's table, and other appropriate locations as per layout.	Job	As per Requirement (APR)	
D	COOLING SYSTEM			
	Dismantling and removal of old duct, if	Job	APR	

	required, including disposal and site clearance.			
	Extension of air duct including supply and installation of grills and diffusers in false ceiling.	Job	APR	
	Supply, installation, testing & commissioning of 2 Ton Split-Type AC, including all associated fittings, required length of copper piping, drain pipe arrangement, and mounting of outdoor unit on painted MS channels. Work includes hard-wired electrical connection with 20A MCB, and proper routing of wiring, copper pipe, and drain pipe to ensure an aesthetic finish.	Nos	2	
E	IT EQUIPMENTS			
1	Workstation for Desk	Nos	4	
2	Workstation for Managers	Nos	2	
3	Ink Tank Coloured Printer	Nos	1	
4	24 x 1G + 2 x 10G port (L3) switch dual power supply	Nos	2	
5	HDMI cable 6 mtr	Nos	4	
6	Patch Cord 2 mtr	Nos	10	
7	75 inch Interactive Panel	Nos	1	
8	15 U Rack	Nos	1	
9	UPS with upto 30 min backup	Nos	6	
F	RODENT REPELLENT SYSTEM			
1	Rodent panel with capacity of connecting satellites (number as per specifications)	Nos	1	
2	Satellite / transducers to cover as per void and as per the specification	Nos	APR	
3	Rodent cable unarmoured	Mtrs	APR	
4	20mm PVC Conduit	Mtrs	APR	
G	ACCESS CONTROL SYSTEM			
1	Microprocessor based Networkable 8 door Access Controller with with Power Supply & Battery Charger and TCP/IP connectivity.,Programmable communication encryption, Flash memory for application firmware complete with all accessories as required.		APR	
2	Supply, installation, testing and	Nos	1	

	commissioning of Door 2 Reader Access Control Panel with Enclosure			
3	Supply, installation, testing & commissioning of Central computer system comprising of workstation for loading Access Management software-ACS & Workstation Processor - Intel Core i-7 OS - Genuine Windows 7 and above. Colour Monitor - 21" Flat Panel LCD/ LED Monitor RAM - 16 GB DDR3 SDRAM Memory - 1 TB HDD Network: 100/1000 Mb Ethernet network card, MS Office with Antivirus software.	Nos	1	
4	Supply, installation, testing and commissioning of Access Control System Application cum Management Software & Door License with the capability to handle the readers, controllers & other devices in the system	Nos	1	
5	Supply, installation, testing and commissioning of proximity Card readers with necessary mounting accessories	Nos	APR	
6	Supply, installation, testing and commissioning of Biometric based Fingerprint reader with inbuilt iclass Smart Card reader with necessary mounting accessories & power supply unit	Nos	2	
7	Supply, installation, testing and commissioning of Proximity Access Card.	Nos	10	
8	Supply, Installation, Testing and Commissioning of Single Leaf (600lbs) EM Lock	Nos	APR	
9	Supply, Installation, Testing and Commissioning of Double Leaf (600lbs x 2) EM Lock	Nos	1	
10	Supply, installation, testing and commissioning of Door Magnetic contacts to monitor "door open too long" status.	Nos	1	
11	Supply, installation, testing and commissioning of SS type Exit Push button for granting exit	Nos	APR	
12	Supply, installation, testing and commissioning of Emergency resettable break glass release units	Nos	1	
13	Supply and laying of 2 core 1.0 sq .mm cu. Shielded armoured cable	Mtr	APR	
14	Supply and laying of 4 core 1.0 sq .mm cu. Shielded armoured cable	Mtr	APR	

15	Supply and laying of 8 core 1.0 sq .mm cu. Shielded armoured cable	Mtr	APR	
16	Supply and laying of CAT 6 cable	Mtr	APR	
17	22mm PVC conduit.	Mtr	APR	
18	Iris Reader	Nos	1	
H	Any Other charges			
1	Installation charges (if any)	Nos	1	
2	Additional required items list [if any])	Set	1	
3	Training and Handover	Set	1	
I	3 Year CAMC (after 3 years of warranty)			
1	1 st Year CAMC	Lot	1	
2	2 nd Year CAMC	Lot	1	
3	3 rd Year CAMC	Lot	1	

Note: This is a tentative BOQ. The actual quantity may change and will be arranged by the supplier based on the final design of the SOC room to be prepared by the supplier.

8.3.ANNEXURE -C: TENDER ACCEPTANCE LETTER

(To be given on Company's Letter Head)

Date:

To,

Centre for Development of Telematics (C-DOT)

C-DOT Campus,

Mandi Road, Mehrauli

New Delhi-110030

Sub: Acceptance of Terms & Conditions of Tender.

Tender Reference No: _____

Name of Tender / Work: _____

Dear Sir,

1. I/ We have downloaded / obtained the Tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely:

_____ as per
your advertisement, given in the above-mentioned website(s).

2. I / We hereby certify that I / we have read the entire terms and conditions of the Tender documents from Page No. _____ to _____ (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall hereby abide by the terms / conditions / clauses contained therein.
3. The corrigendum(s) issued from time to time by your department/ organization have also been taken into consideration, while submitting this acceptance letter.
4. I / We hereby unconditionally accept the Tender conditions of above-mentioned Tender document(s) / corrigendum(s) in its totality / entirety which include but not limited to supply, installation, testing and commissioning of the entire components of the Security Operation Centre and provide support during warranty period and post warranty CAMC period.
5. I / We do hereby declare that our Firm has not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.
6. I / We hereby confirm that we will provide services as per the terms and conditions of the contract awarded, failing which C-DOT will be free to make alternate arrangements at our risk and cost. We also confirm that in case of unsatisfactory services, C-DOT has the right to take any legal course of action against us.

7. I / We certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely

Yours Faithfully,

(Signature of the bidder, with Official Seal)

8.4.ANNEXURE -D: DECLARATION LETTER FOR RULE 144

DECLARATION UNDER RULE 144(XI) IN GENERAL FINANCIAL RULES (GFR), 2017

To,
Centre for Development of Telematics
Delhi / Bangalore

FROM: Vendor/Bidder Name:

1. I, _____ the undersigned,
.....(full name), do hereby declare, in my capacity as
....., Authorized signatory of M/s.....
..... having registered address at
.....
(referred to as the Vendor/ Bidder), that:

We, the Vendor / bidder are desirous of participating in the Tender/Enquiry process in response to your RFPs and in this connection we hereby declare, confirm and agree as under:

- A) We, the Vendor / Bidder have read and understood the contents of the Office Memorandum & the Order (Public Procurement No.1, 2 & 3) dtd 23 Jul 2020 & 24 Jul 2020 office memorandum (OM) No. F.18/37/2020-PPD Dt:08.02.2021, OM NO. F.12/1/2021-PPD (Pt) dated 02.03.2021 and OM No. F.7/10/2021-PPD dated 08.06.2021 and OM No.F.7/10/2021-PPD dated 23.02.2023 issued by Department of Expenditure, Ministry of Finance, Government of India on insertion of Rule 144(xi) in the General Financial Rules (GFRs) 2017 and the amendments & clarifications thereof, regarding restrictions on availing / procurement of goods and services , of any bidder from a country which shares a land border with India.
- B) We, the vendor / Bidder understands that as per the Rule 144(xi) of General Financial Rule, 2017, any vendor / bidder from a country which shares a land border with India and any bidder who has a specified Transfer of Technology arrangement with an entity from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non-consultancy services) or works (including turnkey projects) only if the vendor / bidder is registered with the competent authority ie., Department for Promotion of Industry and Internal Trade (DPIIT). Hence, Vendors or Agents of a Vendor (Indian or others) from a country sharing boarder with India shall submit copy of valid registration made with Department for Promotion of Industry and Internal Trade (DPIIT), Government of India mandatorily, without which any offer made by such a vendor / bidder will be treated as invalid.
- C) In terms of the above and after having gone through the said amendments including in particular the words defined therein (which shall have the same meaning for the purpose of this Declaration cum Undertaking), I/we the vendor / Bidder hereby declare and confirm that:

- (i) * We, the Vendor / Bidder are not from such a country which shares a land border with India, in terms of the said amendments to GFR, 2017.

OR

- (ii) * We, the Vendor / bidder are from such a country and has/have been registered with the competent authority i.e. the Registration Committee constituted by the Department of Promotion of Industry and Internal Trade, as stated under Annexure I to the said Office memorandum / Order and we submit proof of registration herewith.

OR

- (iii) We, the Bidder are from such a country which shares a land border with India, however our country has been extended lines of credit by Government of India or/and Government of India is engaged in development projects in our Country.

(* Delete whichever is not applicable)

- D) I/we the vendor / Bidder understand that any bidder (including bidder from India) having specified Transfer of Technology (ToT) arrangement with an entity from a country which shares land border with India, shall also require to be registered with the same competent authority and we comply with the same as per OM No.F.7/10/2021-PPD dated 23.02.2023.
- E) We, the Vendor / Bidder agree and undertake that if the Purchase order is awarded to us, we will not sub-contract or outsource the order, and / or any part thereof unless such subcontract / outsourcing is permitted by Centre for Development of Telematics (C-DOT) in writing, in which case the aforesaid OM and clarifications shall be equally applicable to such sub-contractor/vendor. Thus, subject to the aforesaid OM & clarifications thereof, we shall not sub-contract or outsource the order to a vendor from such countries, unless such vendor is registered with the Competent Authority and proof of same is obtained.
2. We the vendor/ bidder, also certify that this vendor/bidder/products/any component of the products offered by us fulfils all requirements in this regard and is eligible to be considered. We also agree and accept that if our declaration and confirmation is found to be false at any point of time including after awarding the Purchase Order, Centre for Development of Telematics (C-DOT) shall be within its right to forthwith terminate the Enquiry /Purchase Order without notice to us and initiate such action including legal action against us.
3. This declaration cum undertaking is executed by us through our Authorized signatory/ies after having read and understood the Office Memorandum and Order (Public Procurement No. 1) both bearing F. No. 6/18/2019/PPD of 23rd July 2020 of Ministry of Finance, Department of Expenditure, Public Procurement Division, Government of India and clarification issued in pursuance to the aforesaid OM from Government of India from time to time.

Executed at _____ on this _____ day of _____
Authorized Signatory

M/s _____

Signature

Name_____

Seal of the Bidder

** Note: Where applicable, evidence of valid registration by the competent authority shall be attached.*

8.5.ANNEXURE -E: FORMAT OF PBG (BOND FORM) DURING WARRANTY PERIOD

1. In consideration of the CENTRE FOR DEVELOPMENT OF TELEMATICS having agreed to exempt..... (hereinafter called 'the said Contractor(s)')
from the demand, under the terms and conditions of an
agreement/ Purchase Order
No.dated.....made
between.....and.....for the
supply of
..... (Hereinafter called 'the said Agreement') of
Security
Deposit for the due fulfilment by the said Contractor(s) of the terms and conditions contained in the said Agreement, of production of the Bank Guarantee for.....
we..... [name of the Bank] (hereinafter referred to as 'the Bank') at
the request of [the said Contractor(s)] do hereby undertake to pay to
the CENTRE FOR DEVELOPMENT OF TELEMATICS an amount not
exceeding..... against any loss or damage caused to or suffered or would be caused
to or suffered by the CENTRE FOR DEVELOPMENT OF TELEMATICS by reason of any
breach by the said Contractor(s) of any of the terms or conditions contained in the said
Agreement.
2. We [name of the Bank] do hereby undertake to pay the amounts
due and payable under this Guarantee without any demur, merely on a demand from the
CENTRE FOR DEVELOPMENT OF TELEMATICS stating that the amount claimed is due
by way of loss or damage caused to or would be caused to or suffered by the CENTRE FOR
DEVELOPMENT OF TELEMATICS by reasons of breach by the said Contractor(s) of any
of the terms or conditions contained in the said agreement. Any such demand made on the
Bank shall be conclusive as regard the amount due and payable by the Bank under this
guarantee where the decision of the CENTRE FOR DEVELOPMENT OF TELEMATICS in
these counts shall be final and binding on the bank. However, our liability under this guarantee
shall be restricted to an amount not exceeding.....
3. We undertake to pay the CENTRE FOR DEVELOPMENT OF TELEMATICS any money so
demanded notwithstanding any dispute or disputes raised by the Contractor(s)/Supplier(s) in
any suit or proceeding pending before any court or tribunal relating thereto our liability under
this present being absolute and unequivocal. The payment so made by us under this bond shall
be valid discharge of our liability for payment there under and the Contractor(s)/Supplier(s)
shall have no claim against us for making such payment.
4. We[name of the Bank] further agree that the Guarantee therein
contained shall remain in full force and effect during the period that would be taken for the
performance of the said agreement and that it shall continue to be enforceable till all the dues
of the CENTRE FOR DEVELOPMENT OF TELEMATICS under or by virtue of the said
Agreement have been fully paid and its claims satisfied or discharged or
till [office/department] (CENTRE FOR DEVELOPMENT OF

TELEMATICS) certifies that the terms and conditions of the said agreement have been fully and properly carried out by the said contractor (s) and accordingly discharges this guarantee. Unless a demand or claim under this Guarantee is made on us in writing on or before the expiry of Thirty-Nine months (as stipulated in the Purchase Order) from the date thereof, we shall be discharged from all liabilities under this guarantee thereafter.

5. We [name of the Bank] further agree with the CENTRE FOR DEVELOPMENT OF TELEMATICS that the CENTRE FOR DEVELOPMENT OF TELEMATICS shall have the fullest liberty without our consent and without affecting in any manner our obligation hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said Contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the CENTRE FOR DEVELOPMENT OF TELEMATICS against the said Contractor(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Contractor(s) or for any forbearance, act or omission on the part of CENTRE FOR DEVELOPMENT OF TELEMATICS or any indulgence by the CENTRE FOR DEVELOPMENT OF TELEMATICS to the said Contractor(s) or by any such matter or thing whatsoever which under the law relating to the sureties would, but for this provision, have effect of so relieving us.
6. This Guarantee will not be discharged due to change in the constitution of the Bank or the Contractor(s)/Supplier(s).
7. We..... [name of the Bank] lastly undertake not to revoke this Guarantee during its currency except with the previous consent of the CENTRE FOR DEVELOPMENT OF TELEMATICS in writing.

Dated the day of

8.6.ANNEXURE -F: Bidder's Profile

(To be given on Company's Letter Head)

Bidder Particulars for <Tender NUMBER>dated <DD/MM/YYYY>

S .No.	Area of the details to be provided		Responding Firm's/Company Details to be provided
1.	Name of the Bidder		
2.	Address of the Bidder		
3.	Telephone number of the Firm/company		
4.	Name of the contact person to whom all references shall be made regarding this tender		
5.	Designation of the person to whom all references shall be made regarding this tender		
6.	Address of the person to whom all references shall be made regarding this tender		
7.	E-mail address of the Firm/company		
8.	Website address of the Firm/company		
9.	Details of Registration	1. Registration Number of the Firm/company 2. Name of the place where the firm/company was registered 3. Date when the company was registered 4.Product /Service for which registered 5. Validity Period, if applicable	
10.	Goods and Service Tax Registration No. (GST No.)		
11.	PAN No.		
12.	Average Annual Turnover for the last Three (3) audited financial Years 2020-21, 2021-22 and 2022-23)		
13.	Details of ownership of the firm (Name and Address of the Board of Directors, Partners etc.)		
14.	Name of the authorized signatory who is authorized to quote in the tender and enter into the Contract (Power of Attorney to be submitted)		
15.	Name of the Bankers along with the branch (as appearing in MICR cheque) & Account #		
16.	Status of Firm/company like Pvt. Ltd. etc.		
17.	Locations and addresses of the offices.	1. Delhi or NCR region 2. The corporate address 3. The official address of the service delivery centre.	
18.	Name and contact details of the Project	1. Name of the Project Manager assigned for	

	Manager	2. Contact details viz; telephone number, official address of the Project Manager assigned.	
--	---------	---	--

Signature of Bidder with Stamp

Date:

Place:

8.7.ANNEXURE -G: Format of Technical Compliance Statement

Technical Compliance Statement
(To be given on Company's Letter Head)
("Technical Specifications")

Section / Subsection/Item

S. No.	Clause No.	Details	Complied / Not Complied	Deviation	Reason

(Signatures of Authorized Signatory of the Bidder)

8.8.ANNEXURE -H: Price Bid Undertaking

(To be given on Company's Letter Head)

Date		Tender reference No.	
Tender Name			

From

.....

.....

.....

[Full name and address of the Bidder]

I certify that,

1. I have submitted the price bid for above mentioned tender and related activities as envisaged in the tender document.
2. I have thoroughly examined and understood all the terms and conditions as contained in the tender document.
3. I offer to work at the rates as indicated in the price bid, inclusive of all applicable taxes/charges except GST.

Yours faithfully,

[Name, signature and seal of authorized representative]

8.9.ANNEXURE -I: Non-Disclosure Agreement (NDA)

(To be given on Notarised Rs. 100/- Stamp Paper)

NON - DISCLOSURE AGREEMENT

This Agreement made on this _____ day of _____, _____ (the 'Effective Date')

BETWEEN:

(1) **Centre for Development of Telematics (C-DOT)**, the Telecommunication Technology Centre of Government of India, having its Corporate Office at C-DOT Campus, Mandi Road, Mehrauli, New Delhi

– 110 030, India.

AND

(2) *(Name of the Company/Organization)* _____ having its Registered Office at _____

(Hereinafter referred to, individually, as the "**Party**" and collectively, as the "**Parties**")

Background:

i) The Parties are, or will be, evaluating, discussing and negotiating a potential contractual relationship concerning the _____

(the '**Project**').

ii) The Parties may, in these evaluations, discussions and negotiations, disclose to each other information that is technically and /or commercially confidential.

iii) The Parties have agreed that disclosure and use of such technical and/or commercial confidential information shall be made and, on the terms, and conditions of this Agreement.

Now it is agreed as follows:

1.0 Definitions:

In this Agreement the following terms shall, unless the context otherwise requires, have the following meanings:

1.1 '**Disclosing Party**' means the Party disclosing Confidential Information to the other Party under this Agreement.

1.2 '**Receiving Party**' means the Party receiving Confidential Information from the other Party under this Agreement.

1.3 '**Confidential Information**' means any information, which shall include but is not limited to, design, fabrication & assembly drawings, know-how, processes, product specifications, raw materials, trade secrets, market opportunities, or business or financial affairs of the Parties or their customers, product samples, inventions, concepts and any other technical and/or commercial

information, as well as any ideas, techniques, works of authorship and formulae related to the current, future and proposed products and services of the party disclosing the Confidential Information, disclosed directly or indirectly and in any form whatsoever (including, but not limited to, disclosure made in writing, oral or in the form of samples, models, computer programs, drawings or other instruments) furnished by the Disclosing Party to the Receiving Party under this Agreement.

Such Confidential Information shall also include but shall not be limited to: (a) Information disclosed by the Disclosing Party in writing marked as confidential at the time of disclosure; (b) Information disclosed by the Disclosing Party orally which is slated to be confidential at the time of disclosure; (c) Information disclosed in any other manner is designated in writing as Confidential Information at the time of disclosure; or

Notwithstanding anything mentioned in the preceding para of this definition, Confidential Information will also include any information whose nature makes it obvious that it is confidential.

“Confidential Information” does not include information which the Receiving Party can demonstrate to be any of the following: (i) at the time of disclosure, publicly known or generally available to the public through no act or omission on the part of the Receiving Party or its officers, employees or representatives; (ii) known to the Receiving Party or was in possession of such information before receipt under this agreement; (iii) legitimately disclosed to the Receiving Party by a third party without violation of any obligation of confidentiality under this Agreement or otherwise; or (iv) independently developed by the Receiving Party without use of, reference to, or reliance on the Confidential Information disclosed.

1.4 **‘Affiliate’** means any legal entity which, at the time of disclosure to it on any Confidential Information, is directly or indirectly controlling, controlled by or under common control with any of the Parties. **“Control”** means ownership of more than 50% of the outstanding shares or other ownership interest representing the right to vote for members of the board of directors or other managing officers, of an entity.

1.5 **‘Contemplated Agreement’** means any future legally binding Agreement between the Parties in respect of the Project envisaged under this Agreement.

2.0 Non-Disclosure of Confidential Information:

2.1 In consideration of the disclosure of Confidential Information by the Disclosing Party (or Parties) to the Receiving Party (or Parties) solely for the Purpose, the Receiving Party (or Parties) undertakes whether by itself, its successors and heirs, not to disclose Confidential Information to any third party, unless in accordance with Clause 4.

2.2 The Receiving Party shall be liable for:

- (a) any loss, theft or other inadvertent disclosure of Confidential Information, and
- (b) any unauthorized disclosure of Confidential Information by persons (including, but not limited to, present and former employees) or entities to whom the Receiving Party (or Parties) under this Agreement has the right to disclose Confidential Information, except where, the Receiving Party (or Parties) has used the same degree of care in safeguarding such Confidential Information as it uses for its own Confidential Information of like importance and in no event less than a reasonable degree of care; and upon becoming aware of such inadvertent or unauthorized disclosure the Receiving Party (or Parties) has promptly notified the Disclosing Party (or Parties) thereof and taken all reasonable measures to mitigate the effects of such disclosure and to prevent further disclosure.

(c) For disclosure of information shared by C-DOT with any other party (party/parties other than the one authorized under the terms of this agreement). In case the information is being shared with associated party or subsidiaries of the receiving party after obtaining due/prior permission of C-DOT, then such other party shall be bound by the terms of this agreement signed by the receiving party. Any unauthorized disclosure of the confidential information shall be considered as breach of this agreement.

2.3 The Receiving Party understands and agrees that:

- (a) any information known only to a few people to whom it might be of commercial interest and not generally known to the public is not public knowledge;
- (b) a combination of two or more parts of the Confidential Information is not public knowledge merely because each part is separately available to the public.

2.4 The Receiving Party acknowledges the technical, commercial and strategic value of the Confidential Information to the Disclosing Party and understands that unauthorized disclosure of such Confidential Information will be injurious to the Disclosing Party.

2.5 Bidder shall indemnify C-DOT against any loss arising from breach of confidentiality, data misuse, or IPR infringement.

3.0 Use of Confidential Information:

The Receiving Party is entitled to use the Confidential Information but only for the Purpose of this Agreement.

4.0 Permitted Disclosure of Confidential Information:

4.1 The Receiving Party may disclose in confidence Confidential Information to any of its Affiliates and employees, in which event the Affiliate and employee shall be entitled to use the Confidential Information but only to the same extent the Receiving Party (or Parties) is permitted to do so under this Agreement. The Receiving Party (or Parties) agrees that such Affiliates or employees are subject to confidentiality obligations no less restrictive than those of this Agreement.

4.2 The Receiving Party (or Parties) may disclose Confidential Information to its officers, Directors, professional advisors, sales representatives, consultants, contractors, sub-contractors, agents or similar persons and entities having a need to receive such information to carry out the Purpose. The Receiving Party agrees that such Affiliates or employees are bound by a written agreement, or by a legally enforceable code of professional responsibility, to protect the Confidential Information subject to confidentiality obligations no less restrictive than those of this Agreement.

4.3 Notwithstanding Clause 2.1, the Receiving Party shall not be prevented from disclosing Confidential Information, where (i) such disclosure is in response to a valid order of a court or any other governmental body having jurisdiction over this Agreement or (ii) such disclosure is otherwise required by law, provided that the Receiving Party, to the extent possible, has first given prior written notice to the Disclosing Party and made reasonable efforts to protect the Confidential Information in connection with such disclosure.

5.0 Copying and Return of Furnished Instruments:

5.1 The Receiving Party (or Parties) shall not be entitled to copy samples, models, computer programs, drawings, documents or other instruments furnished by the Disclosing Party (or Parties)

hereunder and containing Confidential Information, unless and to the extent it is necessary for the Purpose.

5.2 All samples, models, computer programs, drawings, documents and other instruments furnished hereunder and containing Confidential Information shall remain the Disclosing Party's property.

5.3 At any time upon request from the Disclosing Party (or Parties) or upon the conclusion of the Purpose or expiry of this Agreement, the Receiving Party (or Parties), at its own cost, will return or procure the return, promptly and in any event within 14 days of receipt of such request, of each and every copy of Confidential Information given by the Disclosing Party (or Parties), and satisfy the Disclosing Party (or Parties) that it no longer holds any further Confidential Information.

6.0 Non-Disclosure of Negotiations

Except as provided in Clause 4, each Party agrees that it will not, without the other Party's prior written approval, disclose to any third party the fact that the Parties are discussing the Project. The Parties acknowledge that the provisions of this Agreement shall apply in respect of the content of any such discussions. The undertaking set forth in this Clause 7 shall survive the termination of this Agreement.

7.0 Term and Termination:

7.1 This Agreement shall become effective on the Effective Date. The provisions of this Agreement shall however apply retroactively to any Confidential Information, which may have been disclosed in connection with discussions and negotiations regarding the Project prior to the Effective Date.

7.2 This Agreement shall remain in force for five (5) years from the Effective Date, except to the extent this Agreement is superseded by stipulations of the Contemplated Agreement.

7.3 The rights and obligations of each Party with respect to all Confidential Information of the other Party that is received under this Agreement shall survive the termination of this Agreement between the parties and shall be binding upon the Recipient's heirs, successors and assigns. Those terms and conditions of this Agreement, which are, by their nature, construed to survive the term of this Agreement, shall also survive the expiration or termination of this Agreement.

7.4 The Receiving Party shall: (a) promptly return all originals, copies, reproductions and summaries of the CONFIDENTIAL INFORMATION furnished by the Disclosing Party upon the written request of the Disclosing Party after termination or expiration of this Agreement; and/or (b) at the Disclosing Party's instruction, destroy or delete the same. In the event of such destruction or deletion, the Receiving Party shall certify in writing to the Disclosing Party, within fourteen (14) days, that such destruction or deletion has been accomplished.

8.0 Warranty:

The Discloser warrants that it has the right to make the disclosures under this Agreement. Each party makes no warranties, express or implied or otherwise, regarding its Accuracy, Completeness or Performance. No other warranties, including warranties against Infringement, are made by either party under this agreement. All information exchanged under this agreement is provided "As Is". Disclosing party accepts no responsibility or liability for any expenses, losses or actions incurred or undertaken by or against recipient as a result of its use of confidential information.

9.0 Intellectual Property Rights:

All Confidential Information disclosed herein shall remain the sole property of the Disclosing Party and the Receiving Party (or Parties) shall obtain no right thereto of any kind by reason of this Agreement. "The parties recognize and agree that nothing in this Agreement shall be construed as granting any property rights, by license or otherwise, to any Confidential Information of the other party, or to any invention or any patent, copyright, trademark, or other intellectual property right that has issued or that may issue, based on such Confidential Information. Without limiting any other restriction set forth in this Agreement, neither party (or Parties) shall make, have made, use, import, offer to sell or sell for any purpose any product or service or other item using incorporating or derived from any Confidential Information of the other party, nor make any filing for or registration of any rights in or to any intellectual property right based on, incorporating or derived from any such Confidential Information, absent separate written approval which approval may be granted or refused by the party in its sole discretion.

10.0 Future Agreements:

Nothing in this Agreement shall obligate either Party to enter into any further Agreements.

11.0 Amendments:

Any amendment to this Agreement shall be agreed in writing by both Parties and shall refer to this Agreement.

12.0 Severance:

If any term or provision in this Agreement is held to be either illegal or unenforceable, in whole or in part, under any enactment or rule of law, such term or provision or part shall to that extent be deemed not to form part of this Agreement, but the validity and enforceability of the remainder of this Agreement shall not be affected.

13.0 Employees:

Recipient shall not use any information obtained under this Agreement to solicit any employees of the Discloser, or to assist others to solicit such employees, to leave his or her employment with the Discloser.

14.0 Governing Law and Dispute Settlement:

This Agreement shall be governed by and construed in accordance with the laws of India. Any legal suit, action, or proceeding relating to the construction, meaning, scope, operation or effect of this contract or validity or breach of this Agreement, shall at first be settled through amicable negotiation between the Parties in good faith and by all reasonable and appropriate means. If the Parties are unable to resolve the dispute, then it shall be referred to and finally be resolved in accordance with the Arbitration and Conciliation Act, 1996 (as amended from time to time). The language of arbitration shall be English. The venue of arbitration proceedings shall be New Delhi.

Each Party irrevocably submits to the exclusive jurisdiction of courts at New Delhi, in any such suit, action, or proceeding.

15.0 General:

15.1 Upon 45 days written notice, the Disclosing Party (or Parties) may audit the use of the programs, materials, marketing materials, services, and such additional disclosed resources. The Receiving Party (or Parties) agrees to co-operate with the Disclosing Party's audit and to provide reasonable assistance and access to information.

15.2 The Disclosing Party (or Parties) shall not have any liability to the Receiving Party (or Parties) for any claims made by third parties arising out of their use of the Disclosing Party's trademarks (including "Logo") or marketing materials. The Receiving Party (or Parties) agrees to indemnify the Disclosing Party (or Parties) for any loss, liability, damages, cost or expense (including attorney's fees) arising out of any claims, which may be made against the Disclosing Party (or Parties) arising out of their use of the Logo or marketing materials where such claim relates to their activities, products or services. Notwithstanding above, the Receiving Party (or Parties) shall have no obligation to indemnify the Disclosing Party (or Parties) with respect to a claim of trademark or copyright infringement based upon their use of the Logo or marketing materials, as expressly permitted under this Agreement.

15.3 This agreement is being entered into on a non-exclusive basis. The parties are free to enter into further agreements and negotiations with other parties, provided confidential information of each party under this agreement is not disclosed and the same shall be protected against any unauthorized disclosure as per the prudence of an ordinary man.

15.4 The Receiving Party shall disclose of any similar agreements explicit or otherwise, for similar purpose/application with in its own organization, or any other third party.

15.5 In the event of a breach or threatened breach by the Receiving Party (or Parties) of any provisions of this Agreement, the Disclosing Party (or Parties), in addition to and not in limitation of any other rights, remedies or damages available to the Disclosing Party at law or in equity, shall be entitled to a temporary restraining order / preliminary injunction in order to prevent or to restrain any such breach by the Receiving Party (or Parties), or by any or all persons directly or indirectly acting for, on behalf of, or with the Receiving Party (or Parties).

IN WITNESS WHEREOF, this Agreement was duly executed on behalf of the Parties on the day and year first above written.

For and on behalf of
C-DOT

Sign : _____
Name :

Title :

For and on behalf of
M/s_____

Sign : _____
Name :

Title :

8.10.ANNEXURE -J: Proof of site visit by bidder

(To be given on Company's Letter Head)

Proof of site visit by bidder

This is to certify that M/s.....has visited DOT Site, SOC area for the tender No..... on date This visit includes survey of all the areas defined in the bid for the purpose of SOC Build.

(Signature of Authorized Representative of Bidder) (Signature of Authorized Representative of C-DOT)

8.11.ANNEXURE -K: Proforma for Contract

Proforma for Contract

(on a Non Judicial Stamp Paper)

THIS AGREEMENT made the on _____ day of _____ 2025

BETWEEN

The **Centre for Development of Telematics (C-DOT)** (hereinafter referred to as “**the Purchaser**”) which expression shall unless repugnant to the context or meaning thereof mean and be deemed to include its authorized agents, representatives and permitted assigns of the First Part.

AND

The **Party** (hereinafter referred to as “**the Agency (AGENCY)**”) which expression shall unless repugnant to the context or meaning thereof mean and be deemed to include their successors and permitted assigns having its registered office at _____ of the Second Part

WHEREAS

- (a) The Purchaser had invited bids vide its Tender No.dated (hereinafter referred to as “Tender”) **for “Appointment of an agency for Design, Site Preparation, Supply, Installation, Testing, Commissioning, Operations and Maintenance of Infrastructure built for the establishment of a Security Operation Centre on Turnkey basis at DOT at Delhi” (the “Contract”)**
- (b) That M/s _____ (hereinafter referred to as the “AGENCY”) had submitted its proposal dated _____ for the provisioning of services in accordance with the requirements as set out in the Tender dated _____ and have emerged as the Successful Bidder for the execution of the Contract. The Successful bidder has been appointed as the Agency by the Purchaser vide No. _____ dated _____ and the Agency has agreed to provide services as are represented in the Tender, including the terms of this Contract, the Schedules attached hereto and in accordance with the terms of the Tender, and in terms of the discussions, negotiations and clarifications in relation to the implementation of the scope of work. (The tender document along with all the correspondences exchanged between the Purchaser and the Agency forms an integral part of this contract).

Whereas the tender document states that a Service Level Agreement is a condition precedent for the execution of the Contract.

In consideration of the foregoing and the mutually agreed covenants and terms of the service level contract the purchaser and the agency hereby agree as is outlined in the tender document.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- I. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the General Conditions of Contract referred to.
- II. The following documents shall be deemed to form and be read and construed as part of this Agreement viz:
 - a. the Scope of Work
 - b. the General Conditions of Contract
 - c. the Service Level Agreement (SLA)
- III. In consideration of the payments to be made by the Purchaser to the AGENCY as hereinafter mentioned, the AGENCY hereby covenants with the Purchaser to provide the Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- IV. The Purchaser hereby covenants to pay the AGENCY in consideration of the provision of the Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written

For the Purchaser:

(Sign and seal of the Authorised personnel)

Witness:

For the Agency:

(Sign and seal of the Authorised personnel)

Witness:

Purpose of this Agreement

1. Scope of Work

The scope of work under the proposed contract involves the successful bidder to Design & Build, Site preparation; Supply, Installation, Testing and Commissioning of Security Operation Centre on a Turnkey basis to complete the system with every aspect.

The successful Bidder shall carry out the following activities:

- a) Providing the layout designs of the Security Operation Centre
- b) Providing detailed design documents for all the Security Operation Centre subsystems under scope
- c) Preparation and submission of detailed specifications and bill of materials of the Security Operation Centre components
- d) Preparation and submission of detailed execution and coordination drawings of all the subsystems
- e) Turnkey Implementation of the Security Operation Centre
- f) Project Management during the implementation period of security Operation Centre.
- g) Providing final built drawings of all the system/subsystems on commissioning of Security Operation Centre
- h) Providing Schedule of work completion, weekly progress reports, milestones achieved etc as part of project management deliverables
- i) Providing detailed proof of Warranty and Service Support documents from respective OEMs (wherever applicable)
- j) Complete the entire work and make all the systems operational (Supply, Installation & commissioning, Acceptance of the systems and handing over to C-DOT/ DOT within 12 weeks of the Order).
- k) Providing Warranty and O&M Service Support on 24*7 basis.
- l) Build and maintain the infrastructure necessary for the establishment of the Security Operation Centre
- m) Furnishing an undertaking for providing products / services support as per the requirement along with uninterrupted, timely supply of spare parts for all the equipment / system at least for 08 (Eight) years including the warranty period along with upgrade support (if required)
- n) The exact scope and area of services provided as part of this Contract Agreement are detailed in SECTION 2, SECTION 3 and annexures therein of this tender

2. General Conditions of Contract

- a) Bidders are requested to visit & study the infrastructure at Security Operation Centre site to understand the scope clearly
- b) For installation & commissioning work, it shall be the responsibility of the Bidder to arrange and provide requisite tools, testing & measurement equipment etc. for carrying out the installation job as per industry practice and safety norms at their own cost
- c) The Bidder shall ensure that no equipment / structure / setup get damaged due to their activities. Any damages caused to DOT's property due to Bidder's negligence shall be repaired/replaced by the bidder at his own risk and cost

- d) In order to declare the Security Operation Centre setup to be complete, the Bidder has to complete all the aspects of the SOC activity as mentioned in the scope of work
- e) The successful bidder shall be responsible for performing verification tests at their factory and at site to ensure all proposed software and hardware are functioning as per design at their own cost. The decision to waive off this requirement would solely be at the discretion of C-DOT
- f) The successful bidder shall take the necessary clearance / approval of the drawings, design, quality of material, make and model of the quoted material etc. prior to the execution of the project
- g) The SOC Room shall be designed with sufficient room acoustics to minimize the ambient noise
- h) The Security Operation Centre shall be designed in a modular fashion such that it is able to scale up with the IT hardware deployment progressively and Technology up-gradation.
- i) The currently prevailing infrastructure in the DOT location should be used to the extent possible after assessing their re-usability keeping in view the requirement. Wherever additional infrastructure is required, the bidder shall quote for the respective heads.

3. Service Level Agreements (SLA) & Targets with Applicable Penalties

The purpose of this Service Level Agreement (hereinafter referred to as SLA) is to clearly define the levels of service(s) which shall be provided by the Agency to C-DOT for the duration of this contract which includes SITC, 03 years of Warranty and 05 years of CAMC.

The benefits of this SLA are to:

- a. Trigger a process that applies C-DOT and the Agency management attention to some aspect of performance when that aspect drops below an agreed upon threshold, or target
- b. Makes explicit the expectations that C-DOT has for performance
- c. Helps C-DOT control the levels and performance of Agency services.

The Agency and C-DOT shall maintain a monthly contact to monitor the performance of the services being provided by the Agency and the effectiveness of this SLA

This Service Level Agreement is between the Agency and C-DOT.

This SLA scope provides for the minimum level of services required as per contractual obligations based on performance indicators and measurements thereof. The Agency shall ensure provisioning of all required services while monitoring the performance of the same to effectively comply with the performance levels.

The services provided by the Agency shall be reviewed by the C-DOT and C-DOT shall:

- a. Check performance of the Agency against this SLA over the review period and consider any key issues of the past period's performance statistics including major incidents, service trends, etc
- b. Discuss escalated problems, new issues and matters still outstanding for resolution
- c. Review of statistics related to rectification of outstanding faults and agreed changes
- d. Obtain suggestions for changes to improve the service levels

In case desired, C-DOT may initiate an interim review to check the performance and the obligations of the Agency.

C-DOT has the right to review and revise the SLA.

The following measurements and targets shall be used to track and report performance on a regular basis. The targets shown in the following table are applicable for the duration of the contract.

The table below summarizes the SLA terms for the services to be offered by the successful bidder:

S/N	SLA Terms	Description
1.	Availability	“Availability” shall mean the time for which the services and facilities offered by the Agency are available for conducting operations from the equipment hosted in the Security Operation Centre.
2.	Downtime	“Downtime” is the time the services and facilities are not available to C-DOT/ DOT and excludes the scheduled outages planned in advance for the Security Operation Centre.
3.	Incidence	“Incidence” refers to any event / abnormalities in the functioning of the Security Operation Centre Equipment / Services that may lead to disruption in normal operations of the Security Operation Centre services.
4.	Incidence Categorization	The outage or performance related issues impacting the availability/performance and leading to unavailability of the services. Resolution of incidence as per below priority Levels: Critical: Incidents, which require immediate action(s) and whose resolution shall require additional investment in component or time or shall involve coordination with OEMs. These incidents shall impact the overall functioning of the SOC. Medium: Incidents, whose resolution shall require replacement of hardware or software parts, requiring significant interruption in working of that individual component, for example, installation of operating system, replacement of switch, etc. Low: Incidents, whose resolution shall require changes in configuration of hardware or software, which will not significantly interrupt working of that component. The criticality & priority level shall be decided by C-DoT. The decision of C-DoT shall be final.
5.	Planned Maintenance	‘Planned Maintenance’ refers to unavailability of services due to infrastructure maintenance activities such as configuration changes, upgrade or changes to any supporting infrastructure. Details related to such planned maintenance shall be approved by the C-DOT/ DOT or authorized authority and shall be notified to all the concerned stakeholder in advance (at least seven working days). It is desirable that such maintenance shall be taken on Sundays or other Government holidays to the extent possible.
6.	Unplanned	‘Unplanned Outage’ refers to an instance in which Service(s) cannot be provided to the users or the stakeholders

7.	Escalation	The Agency shall provide at least three level contacts (L1, L2, and L3) escalation matrix (including names and contact details of responsible persons from Agency) at the time of bid submission for smooth commissioning and operation of the SOC. It is the responsibility of the successful bidder to ensure that no issue is pending for more than two days after escalation by C-DOT/ DOT. It is the responsibility of the Agency to immediately inform the concerned authority in C-DOT/DOT for the changes in contact officers and escalation matrix. The escalation matrix support shall be provided by the Agency throughout the entirety of the contract which includes the SITC, warranty (03 years), and CAMC periods (03 years)																
8.	Incidence Resolution	<table><tr><th>#</th><th>Severity</th><th>Initial Response Time</th><th>Issue Resolution Time</th></tr><tr><td>1</td><td>Critical</td><td>60 Min</td><td>24Hour</td></tr><tr><td>2</td><td>Medium</td><td>120 Min</td><td>48 Hour</td></tr><tr><td>3</td><td>Low</td><td>240 Min</td><td>72 Hour</td></tr></table> Note: Incidents will be logged as per the escalation matrix provided by the successful bidder with an agreed mechanism. The successful bidder will have to resolve the incident and provide necessary updates and co-ordinate with the stakeholders. Root Cause should be identified for all incidents; if root cause is not identified then additional penalties will be levied	#	Severity	Initial Response Time	Issue Resolution Time	1	Critical	60 Min	24Hour	2	Medium	120 Min	48 Hour	3	Low	240 Min	72 Hour
#	Severity	Initial Response Time	Issue Resolution Time															
1	Critical	60 Min	24Hour															
2	Medium	120 Min	48 Hour															
3	Low	240 Min	72 Hour															
9.	Change Management	Measurement of quality and timeliness of changes to the Security Operation Centre facilities and the service(s). Decision of C-DoT shall be final.																
10.	Maintenance of Inventory	The Agency should maintain an inventory of items that will be required on an ongoing basis for maintenance. For e.g. Multifunction Printer, Keyboard, Mouse, Cables and accessories etc. 100% as per the inventory committed by Agency																

Appropriate Penalties will be recovered from the quarterly payment if successful bidder is not able to achieve required Service levels as mentioned below:

S.N.	SLA	Target	Penalties
1	Delay in the delivery schedules (i.e. 8 weeks from the date of PO	100% as per the committed inventory and as per the agreed implementation timelines	Delay beyond schedules, penalties shall be imposed on the vendor/bidder by C-DOT @0.5% for every week or part thereof subject to maximum being 10% of total PO value. Delay beyond this period shall be treated as an exception and C-DOT reserve the right to cancel the PO
2	Delay in implementation	100% as per the committed inventory	Delay beyond schedules, penalties shall be imposed on the vendor/bidder by C-DOT

	(Installation, Testing, commissioning) of SOC at the site location (i.e. 12 weeks from the date of PO)	and as per the agreed implementation timelines	@0.5% for every week or part thereof subject to maximum being 10% of total PO value Once the maximum penalty reached, the C-DOT may terminate the contract and Forfeit the PBG In case the party fails to deliver the material/software or services even beyond the extra time allowed with penalty as mentioned above, C-DOT reserves the right to make alternate procurement and arrangements only at the suppliers' cost and risk. For this, the supplier shall be served with a notice of 2 weeks under a registered cover and in case of non-performance, on expiry of the notice period, the cost of alternate procurement /arrangements shall be recovered from the vendor.
3	Availability/Uptime of SOC infrastructure	99.00%	Penalty in case of Downtime*: 99.00% or Better= NIL 98.00% to 98.99%=1.00% 95.00 to 97.99% = 2.00% Less than 95% = 5% % is of Monthly CAMC value. *Downtime means the time when the critical event persists
4	Delay in resolution of support/incidents by successful bidder This will be valid and applicable throughout the entirety of the contract includes the 03 Year Warranty and 03 Year CAMC period	As per SLA	Critical: 10% of Monthly CAMC value for every 12 Hours Delay in resolution over and above the incidence Resolution time as provided in the above table at point 8 , (During warranty phase, amount shall be deducted from SD). Medium: 5% of Monthly CAMC value for every 12 Hours delay in resolution over and above the incidence Resolution time given above Low: 5% of Monthly CAMC value for every 24 Hours delay in resolution over and above the incidence Resolution time as provided in the above table.
5	Change Management	100% of changes should follow formal change control procedure. All changes need to be approved by C-DOT. It should be implemented on the	25% of the Monthly CAMC value for each non-compliance.

		time and as per schedule without any disruption of the services	
--	--	--	--

4. CONFIDENTIALITY Definitions:

"Confidential Information" means all information hereafter disclosed by the Purchaser to Agency, whether directly or through a third person, concerning its business and technical capabilities, processes, plans, designs, business methods, customer list, financial information, marketing plans, other business information or products. This information may be in the form of documents, electronic media, charts, graphs or other physical form, and also includes oral, visual or written information. Confidential Information includes information gathered by a party by visits to the other party's offices and factories. Information shall no longer be considered Confidential Information under the following circumstances also:

- a. the information becomes generally available to the public other than as a result of a disclosure in violation of this Agreement by a Party or its Representatives
- b. the information is received by a party from a source other than the other party or its representative provided that such source is not prohibited from disclosing such information
- c. the information is already known to the receiving party on a non-confidential basis prior to its disclosure the information is already known to the receiving party on a non-confidential basis prior to its disclosure
- d. the information is developed by a party independently of the Confidential Information received from the other party, provided such independent development is accomplished by personnel who had no access to the Confidential Information
- e. the information is disclosed in a product marketed by a party
- f. the information is approved for release upon the written permission of the Discloser
- g. the information is required by law to be disclosed by the Receiver, in which case the Receiver shall first inform the Discloser of all relevant facts relating to such a disclosure and shall provide such opportunity as is possible in the circumstances for the Discloser to object to such disclosure and shall provide reasonable assistance to the Discloser in seeking to prevent such disclosure

5. COVENANT NOT TO DISCLOSE

The Agency will not use Confidential Information received from Purchaser (C-DOT) or its Representatives except for the purposes for which the same is being extended to it. The Agency shall protect and safeguard all Confidential Information received from the Purchaser (C-DOT). The Agency shall not disclose Confidential Information received from the Purchaser to any other Person except to its employee, advisors, or any other person on a need to know basis, who have prior to the disclosure of or access to any such Confidential Information agreed in writing to receive it under terms of this agreement. The Agency may, however, disclose Confidential Information least as restrictive as those specified in this agreement.

The Agency shall use at least the same degree of care in safeguarding the Confidential Information as it uses or would use in safeguarding its own Confidential Information and shall take necessary steps to protect the Confidential Information from any unauthorized or inadvertent use.

6. RETURN OF MATERIAL

All confidential information shall remain the property of Purchaser (C-DOT) and the Agency shall return the promptly redeliver all Confidential Information received from Purchaser (C-DOT) upon termination of Agreement or upon written request from Purchaser (C-DOT) at any time during the course of contemplated communications. The Agency shall not retain any copies, extracts or other reproductions of such Confidential Information.

7. GOVERNING LAW AND JURISDICTION

This Agreement shall be construed according to and governed by the laws of India. In the event of any dispute between the Parties arising under this Agreement, either Party may notify the other in writing of the substance of the complaint or the Parties shall use their best efforts to resolve such dispute amicably through discussion. The dispute is not settled within 30 (thirty) days of notification, unless the Parties otherwise agree in writing, such dispute shall be finally settled by binding arbitration at New Delhi (India). The arbitration shall be conducted under the terms of and in accordance with the Indian Arbitration and Conciliation Act, 1996. The proceedings shall be conducted in English.

In the event that any lawsuit is commenced by either party to enforce the provisions of this Agreement, the party who prevails in the lawsuit or on any claim therein will be entitled to recover from the other party, in addition to any damages, such reasonable legal fees and other expenses incurred in connection therewith as the court may determine.

8. NON WAIVER

It is expressly agreed that a failure or delay by any party to require the enforcement of his rights under any of the article of this Agreement shall not be construed as a waiver by such Party of any of its rights nor will it affect in any way the validity of this Agreement or any of its provisions, or the right to enforce such provisions at any time thereafter.

9. SEVERABILITY

Should any or one or several of the provisions of this Agreement be or become invalid, this shall not affect the validity of the other provisions. The Parties agree to replace the legally invalid provision, if possible, by an effective provision whose economic effect is as similar as possible to the original provision, and the Parties agree that this new provision shall be deemed to have been agreed upon from the time when the original provision became invalid.

10. ASSIGNMENT OF RIGHTS AND OBLIGATIONS OF THE AGREEMENT

The Agency shall not assign or transfer this Agreement or part of this Agreement or any rights or obligations thereunder to or for the benefit of any third party without the prior written consent from the contractor/ Purchaser and any assignment without such consent shall be null and void and would lead to termination.

11. ENTIRE AGREEMENT AND MODIFICATION

This Agreement shall constitute the entire agreement between the Parties with respect to the transactions contemplated herein and shall not in any manner be supplemented, amended or modified except by a written instrument executed on behalf of each of the Parties by their duly authorized representatives.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written, duly executed by its authorized representative.

For the Purchaser:

(Sign and seal of the Authorised personnel)

Witness:

Signature: _____

Name:

Address

For the Agency:

(Sign and seal of the Authorised person

Witness:

Signature: _____

Name:

8.12.ANNEXURE -L: EMD FORMAT

Whereas..... (hereinafter called "the Bidder") has submitted its bid dated.....for Tender No..... dated.....
KNOW ALL MEN by these presents that WE..... of..... having our registered office at (Hereinafter called "the Bank") are bound unto **Centre for Development of Telematics (C-DOT)** (hereinafter called "the Purchaser") in the sum of Rs..... For which payment will and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns by these present.

THE CONDITIONS of the obligation are:

1. 1. If the Bidder withdraws or amends its bid or impairs or derogates from the bid in any respect during the period of bid validity specified by the Bidder on the Bid form or extended subsequently;
or
2. If the Bidder, having been notified of the acceptance of its bid by the Purchaser during the period of bid validity.
(a) **fails or refuses to execute the Contract, if required; or**
(b) **fails or refuses to furnish the Performance Security within the specified time, in accordance with the instructions to Bidders.**

We undertake to pay to the Purchaser up to the above amount upon receipt of its first written demand, without the purchaser having to substantiate its demand, provided that in its demand, the purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force and valid as specified in **section 2.6.4** of the tender document and any demand in respect thereof should reach the Bank not later than the specified date/ dates.

(Signature of the Bank Officer)

Rubber stamp of the bank:

Place:

Authorized Power of Attorney Number:

Date:

.....

Name of the Bank officer:

.....

Designation:

Complete Postal address of Bank:

Name & Signature of witness

Address of witness Telephone Numbers

8.13.ANNEXURE -M: Self Certification regarding Local Content (LC)

(To be given on Company's Letter Head)

MAKE IN INDIA

Date:

_____, S/o, D/o, W/o _____, Resident of

_____ do hereby solemnly affirm and declare as under:

That I agree to abide by the terms and conditions of Department of Telecommunications, Government of India issued vide Notification No:.....dated.....

That the information furnished hereinafter is correct to best of my knowledge and belief and I undertake to produce relevant records before the procuring entity or any other authority so nominated by the Department of Telecommunications, Government of India for the purpose of assessing the LC.

That the LC for all inputs which constitute the said Telecom Product/Services/Works has been verified by me and I am responsible for the correctness of the claims made therein.

That in the event of the LC of the Telecom Product/Services/Works mentions herein is found to be incorrect and not meeting the prescribed LC norms, based on the assessment of an authority so nominated by the Department of Telecommunications, Government of India and I will be liable as under clause 9(f) of Public Procurement (Preference to Make in India) Order 2017.

I agree to maintain all information regarding my claim for LC in the Company's record for a period of 2 years and shall make this available for verification to any statutory authorities.

- I. Name and details of the Local supplier (Registered Office, Manufacturing unit location, nature of legal entity)
- II. Date on which this certificate is issued
- III. Telecom Product/Services/Works for which the certificate is produced
- IV. Procuring agency to whom the certificate is furnished
- V. Percentage of LC claimed
- VI. Name and contact details of the unit of the manufacturer
- VII. Sale Price of the product
- VIII. EX-Factory Price of the product
- IX. Freight, Insurance and handling
- X. Total Bill of Material
- XI. List and total cost value of inputs used for manufacture of the Telecom Product/Services/ Works
- XII. List and total cost inputs which are locally sourced. Please attach LC certificates from local suppliers, if the input is not in- House.
- XIII. List and cost of inputs which are imported, directly or indirectly

For and on behalf of (Name of firm/entity)
Authorized signatory (To be duly authorized by the Board of Directors) <Insert Name, Designation and Contact No. and date>

END OF DOCUMENT