

CSS TIPS & SET TO SET T

STYLING A CSS BUTTON

http://codepen.io/rcacademy/pen/JXMPRa

BACKGROUND IMAGES

```
div {
  background-image: url(path/to/image.jpg);
}
```

CSS PSUEDO-CLASSES

- :visited
- :hover
- :checked
- :first-child
- :last-child
- :only-child

CSS PSUEDO-ELEMENTS

• ::after

• ::before

• ::selection

• ::first-letter

• ::first-line

CHROME DEVELOPER TOOLS

FLOATS!

http://codepen.io/rcacademy/pen/MyrEWJ

UL LIST AS A NAV

http://codepen.io/rcacademy/pen/GZyMBJ

BUILD TIME

CSS Layout Exercise

https://github.com/rcacademy/webdevcamp/tree/master/week1/w1d3

CSS RESET

- Resets allow you to set things to make your website look consistent across browsers
- You can add more than one stylesheet to a page
- Alternatively, you can do a normalize.css that sets all of your elements to a common baseline that is not 0.

USER BADGES

http://codepen.io/rcacademy/pen/yOpLWd



Colin Loretz

You can follow him at @colinloretz.



US Dept of Interior

You can follow them at @interior.



NASA

You can follow them at @nasa.

BUILD TIME



https://about.me/colin.loretz

BUILD TIME

