

HTML & CSS

The structure and the style of every web page

HTML = Structure

+

CSS = Style



Skeleton > Content > Links & Forms > Styling > Selectors

Presentation time: 2 min 30 s

The Page Skeleton

HTML

HyperText Markup Language; the standard language that gives a web page its structure.

<!DOCTYPE html>

Tells the browser this is an HTML5 document.

<html>

The root container that holds the whole page.

<head>

Hidden information: character encoding and the page title.

<body>

Everything visitors see: text, images, lists, forms.

Tag & Attribute

A tag marks an element, like **<p>**. An attribute adds detail, like **src="photo.jpg"**.



Text, Images & Lists

Headings

`<h1>` (largest) to `<h6>` (smallest). Never skip levels.

Paragraph

`<p>` holds a block of body text; always close it with `</p>`.

Image

`<img>` is self-closing. `src` = file location; `alt` = text shown if the image fails, and read by screen readers.

Unordered List

`<ul>`: bullet points, when order does not matter.

Ordered List

`<ol>`: numbered steps, when sequence matters.

List Item

`<li>`: one item inside a `<ul>` or `<ol>`.

index.html

```
<h1>My Page</h1>
<p>Hello!</p>

<ul><li>HTML</li><li>CSS</li></ul>
<ol><li>Learn</li><li>Build</li></ol>
```



Links & Forms

Hyperlink

`<a href="URL">`: the anchor tag; href is the destination address.

New Tab / Page Jump

`target="_blank"` opens a new tab. `href="#id"` jumps to a section on the same page.

Form

`<form>`: the container that wraps all input controls.

Input

`<input>`: self-closing one-line field. Types: text, email, number.

Textarea & Label

`<textarea>` is a multi-line box. `<label>` describes a field.

Button & Placeholder

`<button>` submits the form. placeholder is faded hint text.

localhost:5500/index.html

[Visit my university](#) `<a href>`

Leave a Message

Your Name: `<label>`

<input>

Your Message: `<textarea>`

Share your greeting...

`<button>`

`<form> wraps everything`

Styling the Page

CSS

Cascading Style Sheets; controls color, fonts and layout.
HTML = skeleton, CSS = clothes.

Inline Style

A style attribute on one tag. Quick tests only.

Internal Style

A `<style>` block in the head. Covers one page.

External Stylesheet


A separate `style.css` file. The industry standard.

Linking

```
<link rel="stylesheet" href="style.css">
```

CSS Rule

```
selector { property: value; }
```



```
style.css
#profile-name {
  color: #1db954;
  font-size: 28px;
}
```

● selector ● property ● value

Selectors & Inheritance

Tag Selector

p, h1, body: every matching tag. Low specificity.

Class Selector

.card-info: all elements with that class. Medium.

ID Selector

#profile-name: exactly one element. High.

Specificity

Decides which rule wins: ID beats class, class beats tag.

Inheritance

Children receive styles set on their parent, e.g. font-family on body.

HEX Color & Contrast

A 6-digit code like **#1db954**. White text on white is invisible; check contrast.

SPECIFICITY LADDER

Tag

p

Low

School uniform

Class

.card-info

Medium

Club jersey

ID

#profile-name

High

Student ID card

INHERITANCE

body { font-family }

<h1>

<p>

Parent
passes style
down to children

Recap

HTML

Structure: the skeleton

- Skeleton: doctype, html, head, body
- Content: headings, p, img, lists
- Interaction: links and forms

+

CSS

Style: the clothing

- 3 ways: inline, internal, external
- Selectors: tag < class < ID
- Inheritance: parent to child

Thank you!

Questions?