



Diabetic Patient Readmission Analysis

Quick measure

Total_patients
102K

Readmission Rate
46.52

< 30 day Readmission
11K

>30 day Readmission
36K


No_Readmission
55K

Executive
Summary

Readmission
Drivers

Clinic Action
Plan

Readmission Distribution



HIGH-RISK PATIENT SUMMARY

Highest Risk Age Group
70–90 Years

Highest Risk Diagnosis Group
Patients with Multiple Diagnoses

Highest Risk Inpatient Group
2+ Prior Inpatient Admissions

Highest Risk Emergency Group
Multiple Emergency Visits


Diabetic Patient Readmission Analysis

Executive
Summary


Readmission
Drivers

Clinic Action
Plan


Age Vs Readmission




Previous Inpatient Visits vs Readmission




Emergency Visits vs Readmission




Number Diagnoses vs Readmission



Glucose Result vs Readmission



A1C Result vs Readmission



High-Risk Patient Focus

Patients with prior inpatient visits, multiple emergency visits, and 70–90 age group show the highest readmission risk.

Prioritize these patients for structured follow-up within 7 days of discharge.

Implement proactive care coordination for patients with multiple chronic conditions.

Ensure mandatory A1C and glucose testing for better monitoring coverage.

Focus clinic resources on high-risk groups to reduce avoidable readmissions.