- Compute Match — Temporal Workflows and Schedules
  - Summary
  - ReservationRequestWorkflow
  - OfferingLifecycleWorkflow
  - CsvImportWorkflow
  - ProviderOnboardingWorkflow
  - Salesforce workflows
  - Retry policies (`shared/workflows/workflow_common/retry.py`)
  - Viewing workflows locally

Compute Match — Temporal Workflows and Schedules

Workflows are defined in `shared/workflows/` and run by the worker in `workflow_worker/` (`main.py` registers workflows, activities and schedules). Activities call the backend System APIs; the backend owns the domain logic.

Summary

Workflow	Trigger	Business purpose
`ReservationRequestWorkflow`	Backend, when a request is created (workflow id = request id)	Orchestrates a reservation request end to end
`OfferingLifecycleWorkflow`	Child of the above, one per routed NCP offering	Magic link, acceptance window, contract window, reminders
`CsvImportWorkflow`	Backend, on capacity CSV upload (`csv-import-{job_id}`)	Validate, import, wait for admin review of future capacity

Workflow	Trigger	Business purpose
`ProviderOnboardingWorkflow`	Backend, on NCP onboarding CSV upload	Create NCP organizations and users
`InProcessAlertWorkflow`	Schedule `in-process-requests-alert-daily`, cron `0 9 * * *` UTC	Daily admin digest of In Process offerings near deadline
`AuditRetentionWorkflow`	Schedule `audit-retention-daily`, cron `30 3 * * *` UTC	Delete audit log rows older than about 395 days
`SfdcCreateBatchWorkflow` (mode `create`)	Schedule, default `0 5 * * *` UTC	Create Salesforce Offtake records from the outbox
`SfdcCreateBatchWorkflow` (mode `status`)	Schedule, every 2 minutes	Push status updates to existing Offtakes
`SfdcPartnerDomainSyncWorkflow`	Schedule `20 2,14 * * *` (twice daily)	Refresh partner email domains from Salesforce

ReservationRequestWorkflow

1. Send “request received” email to the customer.
2. Wait for signal `routed_to_providers` or `reservation_request_closed`. Open/custom requests wait indefinitely.
3. On routing, start one child `OfferingLifecycleWorkflow` per offering.
4. Wait until any child is Contracted, all children finish, or the parent is closed.
5. If one contracts: cancel siblings (superseded) and approve the request.
6. If all expire: send one consolidated customer expiry email and expire the request.
7. Closure reasons send emails: Cancelled (customer + NCPs), Rejected, Matched, Unserviceable.

Signals: `routed_to_providers`, `reservation_request_closed`. Child workflow retry up to 100 attempts; expire activity 20 attempts over about 75 minutes.

OfferingLifecycleWorkflow

1. Send the magic-link email (critical retry policy).

2. Acceptance phase (7 days by default): reminder 3 days before; on timeout expire the offering and email the NCP.
3. On `provider_accepted`: send the introduction email; start the contract phase (45 days).
4. Reminder 3 days before contract expiry; on timeout expire and email.
5. On `offering_contracted`: send contracted email. On reject or cancel: handle and email (superseded if a sibling won).

Signals: `provider_accepted`, `acceptance_expiry_extended`, `contract_expiry_extended`, `offering_contracted`, `offering_rejected`, `offering_cancelled`.

CsvImportWorkflow

VALIDATING → IMPORTING → (if future rows) PENDING_REVIEW: email admins and wait for `approve_import` / `reject_import` → activate or reject offerings → email the NCP. Activities: `validate_csv`, `execute_atomic_import`, `activate_offerings`, `reject_offerings`, `update_import_job_status`, `notify_admin_for_review`, `notify_provider_result`. Workflow max attempts 1; import activities 3 attempts.

ProviderOnboardingWorkflow

`validate_provider_csv` → `execute_provider_onboarding` (30-minute timeout) → `notify_onboarding_complete` (sent even on failure). 3 attempts; validation errors are not retried.

Salesforce workflows

- `SfdcCreateBatchWorkflow` drains the `salesforce_create_sync` outbox. **Create** mode retries 13 times every 5 minutes; **status** mode runs once per tick. Gated by `SFDC_SYNC_ENABLED`; when false, schedules are deleted and the workflow is not registered.
- `SfdcPartnerDomainSyncWorkflow` is gated by `SFDC_PARTNER_DOMAIN_SYNC_ENABLED`. It refuses empty or suspiciously shrunk snapshots so partners are not mass-demoted.

Retry policies (`shared/workflows/workflow_common/retry.py`)

Policy	Budget	Used for
`NOTIFICATION_RETRY_POLICY`	5 attempts, ~2.5 min	Ordinary email

Policy	Budget	Used for
`CRITICAL_NOTIFICATION_RETRY_POLICY`	10 attempts, ~25 min	Magic-link email
`STATUS_UPDATE_RETRY_POLICY`	5 attempts, ~1 min	Intermediate import status
`TERMINAL_STATUS_UPDATE_RETRY_POLICY`	8 attempts, ~20 min	Final import status

Abandoned steps increment `clustruffle_workflow_activity_abandoned` and can be queried with `get_abandoned_steps`.

Viewing workflows locally

Temporal UI: `http://localhost:7600`. Temporal gRPC: `localhost:7233`. Run the worker on your laptop with `make worker`.