VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

---

1. Use MongoDB to implement the following DB operations

   1. Create a database called 'vehicles' and *write* a MongoDB query to select database as "vehicles".

```
test> use vehicles
switched to db vehicles
```

   2. Write a MongoDB query to display all the databases.

```
vehicles> show dbs
admin   40.00 KiB
config  16.00 KiB
local   40.00 KiB
vehicles>
```

   3. Create a collection called 'two_wheelers'. (use capping) and Create a collection called 'four_wheelers'.

```
vehicles> db.createCollection("two_wheelers", { capped: true, size: 50000, max: 10 })
{ ok: 1 }
vehicles>
```

```
vehicles> db.createCollection("four_wheelers")
{ ok: 1 }
```

   4. Add 5 two-wheeler details to the collection named 'two_wheelers'. Each document consists of following fields as bike_name, model (gear or gearless), category (100cc, 125cc, 150cc, 200cc), colors_available (red, black, blue, sport red etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

```
vehicles> db.two_wheelers.insertMany([
| {
| bike_name: "Honda Shine",
| model: "gear",
| category: "125cc",
| colors_available: ["red","black","blue"],
| manufacturer: "Honda",
| performance: 8,
| timestamp: new Date("2022-05-10"),
| price: 80000
| },
|
| {
| bike_name: "TVS Jupiter",
| model: "gearless",
| category: "125cc",
| colors_available: ["white","black","blue"],
| manufacturer: "TVS",
| performance: 7,
| timestamp: new Date("2021-03-12"),
| price: 75000
| },
|
| {
| bike_name: "Yamaha R15",
| model: "gear",
| category: "150cc",
| colors_available: ["sport red","black"],
| manufacturer: "Yamaha",
| performance: 9,
| timestamp: new Date("2023-01-20"),
| price: 180000
| },
```

```
|
| {
| bike_name: "Bajaj Pulsar",
| model: "gear",
| category: "150cc",
| colors_available: ["red","black"],
| manufacturer: "Bajaj",
| performance: 8,
| timestamp: new Date("2020-11-15"),
| price: 120000
| },
|
| {
| bike_name: "Suzuki Access",
| model: "gearless",
| category: "125cc",
| colors_available: ["blue","white"],
| manufacturer: "Suzuki",
| performance: 7,
| timestamp: new Date("2022-07-01"),
| price: 82000
| }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b19c099e80bf36aa7c2907'),
    '1': ObjectId('69b19c099e80bf36aa7c2908'),
    '2': ObjectId('69b19c099e80bf36aa7c2909'),
    '3': ObjectId('69b19c099e80bf36aa7c290a'),
    '4': ObjectId('69b19c099e80bf36aa7c290b')
  }
}
vehicles>
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

---

5. Add 5 four-wheeler details to the collection named 'four_wheelers'. Each document consists of following fields as vehicle_name, model (commercial or own), category (car, lorry, bus, mini truck, heavy truck, containers), variants (vxi, zxi, petrol, diesel etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

```
vehicles> db.four_wheelers.insertMany([
| {
| vehicle_name: "Swift",
| model: "own",
| category: "car",
| variants: ["petrol","vxi","zxi"],
| manufacturer: "Maruti",
| performance: 8,
| timestamp: new Date("2021-02-10"),
| price: 700000
| },
|
| {
| vehicle_name: "Tata Ace",
| model: "commercial",
| category: "mini truck",
| variants: ["diesel"],
| manufacturer: "Tata",
| performance: 7,
| timestamp: new Date("2020-06-15"),
| price: 500000
| },
|
| {
| vehicle_name: "Ashok Leyland Bus",
| model: "commercial",
| category: "bus",
| variants: ["diesel"],
| manufacturer: "Ashok Leyland",
| performance: 8,
| timestamp: new Date("2019-04-11"),
| price: 2000000
| },
|
```

```
|
| {
| vehicle_name: "Mahindra Bolero",
| model: "own",
| category: "car",
| variants: ["diesel","zxi"],
| manufacturer: "Mahindra",
| performance: 7,
| timestamp: new Date("2022-01-05"),
| price: 900000
| },
|
| {
| vehicle_name: "Eicher Truck",
| model: "commercial",
| category: "heavy truck",
| variants: ["diesel"],
| manufacturer: "Eicher",
| performance: 8,
| timestamp: new Date("2023-03-21"),
| price: 2500000
| }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b19ccb9e80bf36aa7c290c'),
    '1': ObjectId('69b19ccb9e80bf36aa7c290d'),
    '2': ObjectId('69b19ccb9e80bf36aa7c290e'),
    '3': ObjectId('69b19ccb9e80bf36aa7c290f'),
    '4': ObjectId('69b19ccb9e80bf36aa7c2910')
  }
}
vehicles>
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

---

6. Write a MongoDB query to display all documents available in two_wheelers and four_wheelers.

```
vehicles> db.two_wheelers.find()
[
  {
    _id: ObjectId('69b19c099e80bf36aa7c2907'),
    bike_name: 'Honda Shine',
    model: 'gear',
    category: '125cc',
    colors_available: [ 'red', 'black', 'blue' ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: ISODate('2022-05-10T00:00:00.000Z'),
    price: 80000
  },
  {
    _id: ObjectId('69b19c099e80bf36aa7c2908'),
    bike_name: 'TVS Jupiter',
    model: 'gearless',
    category: '125cc',
    colors_available: [ 'white', 'black', 'blue' ],
    manufacturer: 'TVS',
    performance: 7,
    timestamp: ISODate('2021-03-12T00:00:00.000Z'),
    price: 75000
  },
  {
    _id: ObjectId('69b19c099e80bf36aa7c2909'),
    bike_name: 'Yamaha R15',
    model: 'gear',
    category: '150cc',
    colors_available: [ 'sport red', 'black' ],
    manufacturer: 'Yamaha',
    performance: 9,
    timestamp: ISODate('2023-01-20T00:00:00.000Z'),
    price: 180000
  },
  {
    _id: ObjectId('69b19c099e80bf36aa7c290a'),
    bike_name: 'Bajaj Pulsar',
    model: 'gear',
    category: '150cc',
    colors_available: [ 'red', 'black' ],
    manufacturer: 'Bajaj',
    performance: 8,
    timestamp: ISODate('2020-11-15T00:00:00.000Z'),
    price: 120000
  },
  {
    _id: ObjectId('69b19c099e80bf36aa7c290b'),
    bike_name: 'Suzuki Access',
    model: 'gearless',
    category: '125cc',
    colors_available: [ 'blue', 'white' ],
    manufacturer: 'Suzuki',
    performance: 7,
    timestamp: ISODate('2022-07-01T00:00:00.000Z'),
    price: 82000
  }
```

```
vehicles> db.four_wheelers.find()
[
  {
    _id: ObjectId('69b19ccb9e80bf36aa7c290c'),
    vehicle_name: 'Swift',
    model: 'own',
    category: 'car',
    variants: [ 'petrol', 'vxi', 'zxi' ],
    manufacturer: 'Maruti',
    performance: 8,
    timestamp: ISODate('2021-02-10T00:00:00.000Z'),
    price: 700000
  },
  {
    _id: ObjectId('69b19ccb9e80bf36aa7c290d'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [ 'diesel' ],
    manufacturer: 'Tata',
    performance: 7,
    timestamp: ISODate('2020-06-15T00:00:00.000Z'),
    price: 500000
  },
  {
    _id: ObjectId('69b19ccb9e80bf36aa7c290e'),
    vehicle_name: 'Ashok Leyland Bus',
    model: 'commercial',
    category: 'bus',
    variants: [ 'diesel' ],
    manufacturer: 'Ashok Leyland',
    performance: 8,
    timestamp: ISODate('2019-04-11T00:00:00.000Z'),
    price: 2000000
  },
  {
    _id: ObjectId('69b19ccb9e80bf36aa7c290f'),
    vehicle_name: 'Mahindra Bolero',
    model: 'own',
    category: 'car',
    variants: [ 'diesel', 'zxi' ],
    manufacturer: 'Mahindra',
    performance: 7,
    timestamp: ISODate('2022-01-05T00:00:00.000Z'),
    price: 900000
  },
  {
    _id: ObjectId('69b19ccb9e80bf36aa7c2910'),
    vehicle_name: 'Eicher Truck',
    model: 'commercial',
    category: 'heavy truck',
    variants: [ 'diesel' ],
    manufacturer: 'Eicher',
    performance: 8,
    timestamp: ISODate('2023-03-21T00:00:00.000Z'),
    price: 2500000
  }
]
vehicles>
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

---

7. Write a MongoDB query to display only vehicle name and price in all the collection of the database

```
vehicles> db.two_wheelers.find({}, {bike_name:1, price:1, _id:0})
[
  { bike_name: 'Honda Shine', price: 80000 },
  { bike_name: 'TVS Jupiter', price: 75000 },
  { bike_name: 'Yamaha R15', price: 180000 },
  { bike_name: 'Bajaj Pulsar', price: 120000 },
  { bike_name: 'Suzuki Access', price: 82000 }
]
vehicles>
```

```
vehicles> db.four_wheelers.find({}, {vehicle_name:1, price:1, _id:0})
[
  { vehicle_name: 'Swift', price: 700000 },
  { vehicle_name: 'Tata Ace', price: 500000 },
  { vehicle_name: 'Ashok Leyland Bus', price: 2000000 },
  { vehicle_name: 'Mahindra Bolero', price: 900000 },
  { vehicle_name: 'Eicher Truck', price: 2500000 }
]
vehicles>
```

8. Write a MongoDB query to display two_wheelers from a particular company

```
vehicles> db.two_wheelers.find({manufacturer:"Honda"})
[
  {
    _id: ObjectId('69b19c099e80bf36aa7c2907'),
    bike_name: 'Honda Shine',
    model: 'gear',
    category: '125cc',
    colors_available: [ 'red', 'black', 'blue' ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: ISODate('2022-05-10T00:00:00.000Z'),
    price: 80000
  }
]
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

---

9. Write a MongoDB query to display four_wheelers available in diesel variants

```
vehicles> db.four_wheelers.find({variants:"diesel"})
[
  {
    _id: ObjectId('69b19ccb9e80bf36aa7c290d'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [ 'diesel' ],
    manufacturer: 'Tata',
    performance: 7,
    timestamp: ISODate('2020-06-15T00:00:00.000Z'),
    price: 500000
  },
  {
    _id: ObjectId('69b19ccb9e80bf36aa7c290e'),
    vehicle_name: 'Ashok Leyland Bus',
    model: 'commercial',
    category: 'bus',
    variants: [ 'diesel' ],
    manufacturer: 'Ashok Leyland',
    performance: 8,
    timestamp: ISODate('2019-04-11T00:00:00.000Z'),
    price: 2000000
  },
  {
    _id: ObjectId('69b19ccb9e80bf36aa7c290f'),
    vehicle_name: 'Mahindra Bolero',
    model: 'own',
    category: 'car',
    variants: [ 'diesel', 'zxi' ],
    manufacturer: 'Mahindra',
    performance: 7,
    timestamp: ISODate('2022-01-05T00:00:00.000Z'),
    price: 900000
  },
  {
    _id: ObjectId('69b19ccb9e80bf36aa7c2910'),
    vehicle_name: 'Eicher Truck',
    model: 'commercial',
    category: 'heavy truck',
    variants: [ 'diesel' ],
    manufacturer: 'Eicher',
    performance: 8,
    timestamp: ISODate('2023-03-21T00:00:00.000Z'),
    price: 2500000
  }
]
vehicles>
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

---

10. Write a MongoDB query to display vehicles name, category and manufacturer details whose rating is more than 5.

```
vehicles> db.two_wheelers.find(
| {performance: {$gt:5}},
| {bike_name:1, category:1, manufacturer:1, _id:0}
| )
[
  { bike_name: 'Honda Shine', category: '125cc', manufacturer: 'Honda' },
  { bike_name: 'TVS Jupiter', category: '125cc', manufacturer: 'TVS' },
  { bike_name: 'Yamaha R15', category: '150cc', manufacturer: 'Yamaha' },
  { bike_name: 'Bajaj Pulsar', category: '150cc', manufacturer: 'Bajaj' },
  {
    bike_name: 'Suzuki Access',
    category: '125cc',
    manufacturer: 'Suzuki'
  }
]
vehicles>
```

```
vehicles> db.two_wheelers.find(
| {performance: {$gt:5}},
| {bike_name:1, category:1, manufacturer:1, _id:0}
| )
[
  { bike_name: 'Honda Shine', category: '125cc', manufacturer: 'Honda' },
  { bike_name: 'TVS Jupiter', category: '125cc', manufacturer: 'TVS' },
  { bike_name: 'Yamaha R15', category: '150cc', manufacturer: 'Yamaha' },
  { bike_name: 'Bajaj Pulsar', category: '150cc', manufacturer: 'Bajaj' },
  {
    bike_name: 'Suzuki Access',
    category: '125cc',
    manufacturer: 'Suzuki'
  }
]
vehicles> db.four_wheelers.find(
| {performance: {$gt:5}},
| {vehicle_name:1, category:1, manufacturer:1, _id:0}
| )
[
  { vehicle_name: 'Swift', category: 'car', manufacturer: 'Maruti' },
  {
    vehicle_name: 'Tata Ace',
    category: 'mini truck',
    manufacturer: 'Tata'
  },
  {
    vehicle_name: 'Ashok Leyland Bus',
    category: 'bus',
    manufacturer: 'Ashok Leyland'
  },
  {
    vehicle_name: 'Mahindra Bolero',
    category: 'car',
    manufacturer: 'Mahindra'
  },
  {
    vehicle_name: 'Eicher Truck',
    category: 'heavy truck',
    manufacturer: 'Eicher'
  }
]
vehicles>
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

---

2. Use MongoDB to implement the following DB operations for a Zoo

1. Create a database called 'animal' and *write* a MongoDB query to select database as 'animal'.

```
vehicles> use animal
switched to db animal
animal>
```

2. Write a MongoDB query to display all the databases.

```
animal> show dbs
admin      40.00 KiB
config     92.00 KiB
local      40.00 KiB
vehicles   80.00 KiB
animal>
```

3. Create a collection called 'wild_animals'.(use capping) and Create a collection called 'domestic_animals'.

```
animal> db.createCollection("wild_animals",{ capped:true, size:50000, max:10 })
|
| db.createCollection("domestic_animals")
{ ok: 1 }
animal>
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

---

4. Add 5 wild_animal details to the collection named 'wild_animals'. Each document consists of following fields as animal_name, nature (harm or harmless), favorite_foods (meat, rabbits, deer etc) as array, care_taker_name, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

```
animal> db.wild_animals.insertMany([
| {
| animal_name:"Lion",
| nature:"harm",
| favorite_foods:["meat","deer"],
| care_taker_name:"Ramesh",
| life_span:14,
| timestamp:new Date("2023-01-10"),
| expenses:50000
| },
|
| {
| animal_name:"Tiger",
| nature:"harm",
| favorite_foods:["meat","rabbit"],
| care_taker_name:"Suresh",
| life_span:16,
| timestamp:new Date("2022-06-11"),
| expenses:60000
| },
|
| {
| animal_name:"Elephant",
| nature:"harmless",
| favorite_foods:["grass","fruits"],
| care_taker_name:"Mahesh",
| life_span:60,
| timestamp:new Date("2021-03-14"),
| expenses:70000
| },
|
| {
| animal_name:"Leopard",
| nature:"harm",
| favorite_foods:["meat","deer"],
| care_taker_name:"Ramesh",
| life_span:15,
| timestamp:new Date("2020-05-20"),
| expenses:45000
| },
|
```

```
| {
| animal_name:"Leopard",
| nature:"harm",
| favorite_foods:["meat","deer"],
| care_taker_name:"Ramesh",
| life_span:15,
| timestamp:new Date("2020-05-20"),
| expenses:45000
| },
|
| {
| animal_name:"Bear",
| nature:"harm",
| favorite_foods:["fish","fruits"],
| care_taker_name:"Naresh",
| life_span:25,
| timestamp:new Date("2019-09-09"),
| expenses:40000
| }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b19f6c9e80bf36aa7c2911'),
    '1': ObjectId('69b19f6c9e80bf36aa7c2912'),
    '2': ObjectId('69b19f6c9e80bf36aa7c2913'),
    '3': ObjectId('69b19f6c9e80bf36aa7c2914'),
    '4': ObjectId('69b19f6c9e80bf36aa7c2915')
  }
}
animal>
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

---

5. Add 5 domestic-animal details to the collection named 'domestic_animals'. Each document consists of following fields as animal_name, gender (male or female), favorite_foods (meat, rabbits, deer etc) as array, animal_petname, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

```
animal> db.domestic_animals.insertMany([
| {
| animal_name:"Dog",
| gender:"male",
| favorite_foods:["meat","biscuits"],
| animal_petname:"Tommy",
| life_span:12,
| timestamp:new Date("2023-02-01"),
| expenses:10000
| },
|
| {
| animal_name:"Cat",
| gender:"female",
| favorite_foods:["fish","milk"],
| animal_petname:"Kitty",
| life_span:10,
| timestamp:new Date("2022-04-15"),
| expenses:8000
| },
|
| {
| animal_name:"Cow",
| gender:"female",
| favorite_foods:["grass","grain"],
| animal_petname:"Ganga",
| life_span:20,
| timestamp:new Date("2021-07-10"),
| expenses:15000
| },
|
| {
| animal_name:"Goat",
| gender:"male",
| favorite_foods:["grass"],
| animal_petname:"Ramu",
| life_span:15,
| timestamp:new Date("2020-06-01"),
| expenses:7000
| },
```

```
|
| {
| animal_name:"Goat",
| gender:"male",
| favorite_foods:["grass"],
| animal_petname:"Ramu",
| life_span:15,
| timestamp:new Date("2020-06-01"),
| expenses:7000
| },
|
| {
| animal_name:"Rabbit",
| gender:"female",
| favorite_foods:["carrot","grass"],
| animal_petname:"Bunny",
| life_span:8,
| timestamp:new Date("2023-03-05"),
| expenses:5000
| }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b19fc89e80bf36aa7c2916'),
    '1': ObjectId('69b19fc89e80bf36aa7c2917'),
    '2': ObjectId('69b19fc89e80bf36aa7c2918'),
    '3': ObjectId('69b19fc89e80bf36aa7c2919'),
    '4': ObjectId('69b19fc89e80bf36aa7c291a')
  }
}
animal>
```

6. Write a MongoDB query to display all documents available in wild_animals and domastic_animals.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

```
animal> db.wild_animals.find()
|
| db.domestic_animals.find()
[
  {
    _id: ObjectId('69b19fc89e80bf36aa7c2916'),
    animal_name: 'Dog',
    gender: 'male',
    favorite_foods: [ 'meat', 'biscuits' ],
    animal_petname: 'Tommy',
    life_span: 12,
    timestamp: ISODate('2023-02-01T00:00:00.000Z'),
    expenses: 10000
  },
  {
    _id: ObjectId('69b19fc89e80bf36aa7c2917'),
    animal_name: 'Cat',
    gender: 'female',
    favorite_foods: [ 'fish', 'milk' ],
    animal_petname: 'Kitty',
    life_span: 10,
    timestamp: ISODate('2022-04-15T00:00:00.000Z'),
    expenses: 8000
  },
  {
    _id: ObjectId('69b19fc89e80bf36aa7c2918'),
    animal_name: 'Cow',
    gender: 'female',
    favorite_foods: [ 'grass', 'grain' ],
    animal_petname: 'Ganga',
    life_span: 20,
    timestamp: ISODate('2021-07-10T00:00:00.000Z'),
    expenses: 15000
  },
```

```
  {
    _id: ObjectId('69b19fc89e80bf36aa7c2918'),
    animal_name: 'Cow',
    gender: 'female',
    favorite_foods: [ 'grass', 'grain' ],
    animal_petname: 'Ganga',
    life_span: 20,
    timestamp: ISODate('2021-07-10T00:00:00.000Z'),
    expenses: 15000
  },
  {
    _id: ObjectId('69b19fc89e80bf36aa7c2919'),
    animal_name: 'Goat',
    gender: 'male',
    favorite_foods: [ 'grass' ],
    animal_petname: 'Ramu',
    life_span: 15,
    timestamp: ISODate('2020-06-01T00:00:00.000Z'),
    expenses: 7000
  },
  {
    _id: ObjectId('69b19fc89e80bf36aa7c291a'),
    animal_name: 'Rabbit',
    gender: 'female',
    favorite_foods: [ 'carrot', 'grass' ],
    animal_petname: 'Bunny',
    life_span: 8,
    timestamp: ISODate('2023-03-05T00:00:00.000Z'),
    expenses: 5000
  }
]
animal>
```

7. Write a MongoDB query to display only animal name and expenses in all the collection of the database

```
animal> db.wild_animals.find({}, {animal_name:1, expenses:1, _id:0})
|
| db.domestic_animals.find({}, {animal_name:1, expenses:1, _id:0})
[
  { animal_name: 'Dog', expenses: 10000 },
  { animal_name: 'Cat', expenses: 8000 },
  { animal_name: 'Cow', expenses: 15000 },
  { animal_name: 'Goat', expenses: 7000 },
  { animal_name: 'Rabbit', expenses: 5000 }
]
animal>
```

8. Write a MongoDB query to display domestic_animals whose life is a particular year

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

```
animal> db.domestic_animals.find({life_span:10})
[
  {
    _id: ObjectId('69b19fc89e80bf36aa7c2917'),
    animal_name: 'Cat',
    gender: 'female',
    favorite_foods: [ 'fish', 'milk' ],
    animal_petname: 'Kitty',
    life_span: 10,
    timestamp: ISODate('2022-04-15T00:00:00.000Z'),
    expenses: 8000
  }
]
animal>
```

9. Write a MongoDB query to display wild_animals available under a particular care_taker

```
animal> db.wild_animals.find({care_taker_name:"Ramesh"})
[
  {
    _id: ObjectId('69b19f6c9e80bf36aa7c2911'),
    animal_name: 'Lion',
    nature: 'harm',
    favorite_foods: [ 'meat', 'deer' ],
    care_taker_name: 'Ramesh',
    life_span: 14,
    timestamp: ISODate('2023-01-10T00:00:00.000Z'),
    expenses: 50000
  },
  {
    _id: ObjectId('69b19f6c9e80bf36aa7c2914'),
    animal_name: 'Leopard',
    nature: 'harm',
    favorite_foods: [ 'meat', 'deer' ],
    care_taker_name: 'Ramesh',
    life_span: 15,
    timestamp: ISODate('2020-05-20T00:00:00.000Z'),
    expenses: 45000
  }
]
```

10. Write a MongoDB query to display animal name, favorite_foods and expenses details whose lifespan is more than 5 years.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date: 11-03-2026**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: Kalyan Sai **Reg. no.: 23bce8102**

```
animal> db.wild_animals.find(
| {life_span:{$gt:5}},
| {animal_name:1, favorite_foods:1, expenses:1, _id:0}
| )
|
| db.domestic_animals.find(
| {life_span:{$gt:5}},
| {animal_name:1, favorite_foods:1, expenses:1, _id:0}
| )
[
  {
    animal_name: 'Dog',
    favorite_foods: [ 'meat', 'biscuits' ],
    expenses: 10000
  },
  {
    animal_name: 'Cat',
    favorite_foods: [ 'fish', 'milk' ],
    expenses: 8000
  },
  {
    animal_name: 'Cow',
    favorite_foods: [ 'grass', 'grain' ],
    expenses: 15000
  },
  { animal_name: 'Goat', favorite_foods: [ 'grass' ], expenses: 7000 },
  {
    animal_name: 'Rabbit',
    favorite_foods: [ 'carrot', 'grass' ],
    expenses: 5000
  }
]
animal>
```