SUITELET SCRIPT

1. Create a custom form with fields and sublist and link it with the client script.

Ans.

- Create a suitlet form to save vendor record using 'serverWidget.createForm()'
- Here we will use form.clientScriptFileId to link client script with suitelet script
- Then we will create fields like name, phone, email etc.
- Here we will trigger client script 2 times through suitelet
- One for pageInit and second for fieldchange
- In suitelet form we have field i.e. 'Type' of vendor
- If type == 'company' then first name and last name field will be disabled
- If type == 'individual' then company name will be disabled

1.Suitelet script to create custom form

```
/**
 * @NApiVersion 2.x
 * @NScriptType Suitelet
 */
define(['N/ui/serverWidget'], function(serverWidget) {
    function onRequest(context) {
        if (context.request.method === 'GET') {

            // Section One - Forms - See 'Steps for Creating a Custom Form' in topic 'Sample Custom Form Script'
            var form = serverWidget.createForm({
                title: 'Vendor Information'
            });
            form.clientScriptFileId =  8776;
            form.layoutType = serverWidget.FieldLayoutType.NORMAL;
            var usergroup = form.addFieldGroup({
                id: 'usergroup',
                label: 'Primary Information'
            });

            var companygroup = form.addFieldGroup({
                id: 'companygroup',
                label: 'Company Information'
            });

            var select1 = form.addField({
                id: 'titlefield',
                type: serverWidget.FieldType.SELECT,
                label: 'Title',
                container: 'usergroup'
            });
```

```
});
select1.addSelectOption({
    value: 'MS.',
    text: 'Ms.'
});
select1.addSelectOption({
    value: 'Dr.',
    text: 'Dr.'
});

var select2 = form.addField({
    id: 'typefield',
    type: serverWidget.FieldType.SELECT,
    label: 'Type',
    container: 'usergroup'
});
select2.addSelectOption({
    value: '0',
    text: ''
});
select2.addSelectOption({
    value: '1',
    text: 'Company'
});
select2.addSelectOption({
    value: '2',
    text: 'Individual'
});
```

```
select2.addSelectOption({
    value: '2',
    text: 'Individual'
});


var fname = form.addField({
    id: 'fnamefield',
    type: serverWidget.FieldType.TEXT,
    label: 'First Name',
    container: 'usergroup'
});


var lname = form.addField({
    id: 'lnamefield',
    type: serverWidget.FieldType.TEXT,
    label: 'Last Name',
    container: 'usergroup'
});
var companyname = form.addField({
    id: 'companyfield',
    type: serverWidget.FieldType.TEXT,
    label: 'Company Name',
    container: 'usergroup'

});

select1.updateBreakType({
    breakType: serverWidget.FieldBreakType.STARTCOL
```

```
            var email = form.addField({
                id: 'emailfield',
                type: serverWidget.FieldType.EMAIL,
                label: 'Email',
                container: 'companygroup'
            });
            var phone = form.addField({
                id: 'phonefield',
                type: serverWidget.FieldType.PHONE,
                label: 'Phone Number',
                container: 'companygroup'
            });

            var website = form.addField({
                id: 'urlfield',
                type: serverWidget.FieldType.URL,
                label: 'Website',
                container: 'companygroup'
            });

            email.updateBreakType({
                breakType: serverWidget.FieldBreakType.STARTCOL
            });
            phone.updateBreakType({
                breakType: serverWidget.FieldBreakType.STARTCOL
            });
            website.updateBreakType({
                breakType: serverWidget.FieldBreakType.STARTCOL
```

```
            });

            email.updateBreakType({
                breakType: serverWidget.FieldBreakType.STARTCOL
            });
            phone.updateBreakType({
                breakType: serverWidget.FieldBreakType.STARTCOL
            });
            website.updateBreakType({
                breakType: serverWidget.FieldBreakType.STARTCOL
            });



            form.addSubmitButton({
                label: 'Submit'
            });


            context.response.writePage(form);
        } else {
            // Section Four - Output - Used in all sections
            var delimiter = /\u0001/;

        }
    }
    return {
        onRequest: onRequest
    };
});
```

2.Client script to add field Changed

```
/**
 * @NApiVersion 2.x
 * @NScriptType ClientScript
 * @NModuleScope SameAccount
 */
define(['N/currentRecord'],
    /**
     * @param{currentRecord} currentRecord
     */
    function (currentRecord) {


        function pageInit(scriptContext) {
            alert('Client Script has been link')

        }


        function fieldChanged(scriptContext) {
            var objRecord = currentRecord.get();
            var selectOption = objRecord.getValue({
                fieldId: 'typefield'
            });
            var objfname = objRecord.getField({
            fieldId: 'fnamefield'
            });
            var objlname = objRecord.getField({
            fieldId: 'lnamefield'
            });
            var objcompanyname = objRecord.getField({
            fieldId: 'companyfield'
```

```
                fieldId: 'typefield'
            });
            var objfname = objRecord.getField({
            fieldId: 'fnamefield'
            });
            var objlname = objRecord.getField({
            fieldId: 'lnamefield'
            });
            var objcompanyname = objRecord.getField({
            fieldId: 'companyfield'
            });

            if(selectOption === '1'){

            objfname.isDisabled = true;
            objlname.isDisabled = true;
            objcompanyname.isDisabled = false;

            }
            else{

            objcompanyname.isDisabled = true
            objfname.isDisabled = false;
            objlname.isDisabled = false;

        }
        }

        /**
         * Function to be executed when field is slaved.
         *
```

3.Vendor Form



4.If type is company, then First name and last name has been disabled.



5.If type is individual, then company name has been disabled.



2. Create an employee form as shown in the picture below, with all the field groups, buttons and the marked fields.

Ans.

1.Create a new suitlet form using 'serverWidget.createForm()'

2.Add field in form using 'form.addField()':

-Employee name (TEXT)

-Phone (TEXT)

-Email (TEXT)

-Subsidiary, Location, Class etc. (SELECT)

-Address (TEXTAREA)

-Image (IMAGE)

3.Create fields mandatory using 'field.isMandatory = true'

4.Add submit button

5.Store all fields value in variables using 'scriptContext.request.parameters.field_Id'

6.Create new employee record using 'record.create()'

7.Using new record object add all fields value in standard employee form field using 'obj.setValue()'

8.Save this employee record using 'obj.save()'

9.Get Id of new created record

10.Use 'redirect.toRecord()' and redirect page to employee page which we have created in suitlet form

```
/**
* @NApiVersion 2.x
* @NScriptType Suitelet
*/
define(['N/ui/serverWidget', 'N/record' , 'N/redirect'],
  function (serverWidget, record , redirect) {
    function onRequest(scriptContext) {
      if (scriptContext.request.method === 'GET') {
        var form = serverWidget.createForm({
          title: 'Employee Form'
        });
         form.addSubmitButton({
                label: 'Save'
            });
        var fieldGroup1 = form.addFieldGroup({
          id: 'custpage_fieldgroup1',
          label: 'Primary Information'
        });
        fieldGroup1.isSingleColumn = true;

        var fieldGroup2 = form.addFieldGroup({
          id: 'custpage_fieldgroup2',
          label: 'Email | Phone | Address'
        });
        fieldGroup2.isSingleColumn = true;

        var fieldGroup3 = form.addFieldGroup({
            id: 'custpage_fieldgroup3',
            label: 'Classification'
          });
         fieldGroup3.isSingleColumn = false;
```

```
          id: 'custpage_fieldgroup2',
          label: 'Email | Phone | Address'
        });
        fieldGroup2.isSingleColumn = true;

        var fieldGroup3 = form.addFieldGroup({
            id: 'custpage_fieldgroup3',
            label: 'Classification'
          });
         fieldGroup3.isSingleColumn = false;



        var initials =  form.addField({
          id: 'custpage_initials',
          type: serverWidget.FieldType.SELECT,
          label: 'Initials',
          container: 'custpage_fieldgroup1'
        });
        initials.addSelectOption({
                value: '0',
                text: ''
            });
        initials.addSelectOption({
                value: '1',
                text: 'Mr.'
            });
            initials.addSelectOption({
                value: '2',
                text: 'Mrs.'
```

```
initials.addSelectOption({
        value: '1',
        text: 'Mr.'
    });
    initials.addSelectOption({
        value: '2',
        text: 'Mrs.'
    });
    initials.addSelectOption({
        value: '3',
        text: 'Miss.'
    });

    initials.updateBreakType({
        breakType: serverWidget.FieldBreakType.STARTCOL
    });



form.addField({
  id: 'custpage_name',
  type: serverWidget.FieldType.TEXT,
  label: 'Name',
  container: 'custpage_fieldgroup1'
});
 form.addField({
  id: 'custpage_job_title',
  type: serverWidget.FieldType.TEXT,
  label: 'Job Title',
  container: 'custpage_fieldgroup1'
});
```

```
});
 form.addField({
  id: 'custpage_job_title',
  type: serverWidget.FieldType.TEXT,
  label: 'Job Title',
  container: 'custpage_fieldgroup1'
});
 form.addField({
  id: 'custpage_image',
  type: serverWidget.FieldType.IMAGE,
  label: 'Image',
  container: 'custpage_fieldgroup1'
});



var email = form.addField({
  id: 'custpage_email',
  type: serverWidget.FieldType.EMAIL,
  label: 'Email',
  container: 'custpage_fieldgroup2'
});
email.updateBreakType({
        breakType: serverWidget.FieldBreakType.STARTCOL
});

form.addField({
  id: 'custpage_phone',
  type: serverWidget.FieldType.PHONE,
  label: 'Phone',
```

```
form.addField({
  id: 'custpage_phone',
  type: serverWidget.FieldType.PHONE,
  label: 'Phone',
  container: 'custpage_fieldgroup2'
});
form.addField({
  id: 'custpage_address',
  type: serverWidget.FieldType.TEXTAREA,
  label: 'Address',
  container: 'custpage_fieldgroup2'
});

form.addField({
  id: 'custpage_subsidiary',
  type: serverWidget.FieldType.SELECT,
  label: 'Subsidiary',
  source: 'subsidiary',
  container: 'custpage_fieldgroup3'
});

form.addField({
  id: 'custpage_location',
  type: serverWidget.FieldType.SELECT,
  label: 'Location',
  source: 'location',
  container: 'custpage_fieldgroup3'
});

form.addField({
  id: 'custpage_department',
```

```
  source: 'department',
  container: 'custpage_fieldgroup3'
});
form.addField({
  id: 'custpage_supervisor',
  type: serverWidget.FieldType.SELECT,
  label: 'Supervisor',
  source: 'employee',
  container: 'custpage_fieldgroup3'
});



form.addField({
    id: 'custpage_jobtitle',
    type: serverWidget.FieldType.SELECT,
    label: 'Currency',
    source: 'currency',
    container: 'custpage_fieldgroup3'
  });

form.addField({
  id: 'custpage_class',
  type: serverWidget.FieldType.SELECT,
  label: 'Class',
  source: 'classification',
  container: 'custpage_fieldgroup3'
});
```

```
    form.addButton({
      id: 'custpage_cancel_button',
      label: 'Cancel',
      functionName: 'cancelRecord'
    });


    form.getField({
      id: 'custpage_name'
    }).isMandatory = true;
    form.getField({
        id: 'custpage_subsidiary'
    }).isMandatory = true;


    scriptContext.response.writePage(form);
  }


  else
{
        const delimiter = /\u0001/;
        const employeeName = scriptContext.request.parameters.custpage_name;
        const employeeJobTitle = scriptContext.request.parameters.custpage_job_title;
        const employeeEmail = scriptContext.request.parameters.custpage_phone;
        const employeePhone = scriptContext.request.parameters.custpage_email;
        const employeeSubsidary = scriptContext.request.parameters.custpage_subsidiary;
        const employeeCurrency =  scriptContext.request.parameters.custpage_currency;
        const employeeImage = scriptContext.request.parameters.custpage_image;
```

```
        const employeeName = scriptContext.request.parameters.custpage_name;
        const employeeJobTitle = scriptContext.request.parameters.custpage_job_title;
        const employeeEmail = scriptContext.request.parameters.custpage_phone;
        const employeePhone = scriptContext.request.parameters.custpage_email;
        const employeeSubsidary = scriptContext.request.parameters.custpage_subsidiary;
        const employeeCurrency =  scriptContext.request.parameters.custpage_currency;
        const employeeImage = scriptContext.request.parameters.custpage_image;


        log.debug('name' , employeeName);
        log.debug('JOB title' , employeeJobTitle);
        log.debug('Email' , employeeEmail);
        log.debug('Phone' , employeePhone);
        log.debug('Subsidary' , employeeSubsidary);
        log.debug('Currency' , employeeCurrency);
        log.debug('Image' , employeeImage);

        // scriptContext.response.write(`Employee has been saved : ${employeeName}`);



        var employeeRecord = record.create({
            type: record.Type.EMPLOYEE,
            isDynamic: true,
        });


        employeeRecord.setValue({
            fieldId: 'firstname',
            value: employeeName,
```

```
        var employeeRecord = record.create({
            type: record.Type.EMPLOYEE,
            isDynamic: true,
        });

        employeeRecord.setValue({
            fieldId: 'firstname',
            value: employeeName,
        });
        employeeRecord.setValue({
            fieldId: 'subsidiary',
            value: employeeSubsidary,
        });
        employeeRecord.setValue({
            fieldId: 'image',
            value: employeeImage,
        });
        var employeeId = employeeRecord.save();
        log.debug(employeeId);


        redirect.toRecord({
        type: record.Type.EMPLOYEE,
        id: employeeId
        });

    }
  }

  return {
    onRequest: onRequest
  };
});
```

11.Employee form





11.Employee record has been created in NetSuite standard record, and redirect to employee record page



ORACLE NETSUITE

Search

Help | Feedback | Kathryn Glass
KBC Pvt ltd - Administrator

Activities | Payments | Transactions | Lists | Reports | Analytics | Customization | Documents | Setup | Administration & Controls | Fixed Assets | SuiteApps | Support

Email | Phone | Address

EMAIL

PHONE
TestEmp777@gmail.com

OFFICE PHONE

MOBILE PHONE

HOME PHONE

FAX

ADDRESS

Classification

SUBSIDIARY
Canada

LOCATION

BILLING CLASS

DEPARTMENT

CLASS

EMAIL ADDRESS FOR PAYMENT NOTIFICATION

Communication | Address | Human Resources | Related Records | Access | System Information | Custom | Bank Payment Details | Time Tracking

Messages | Files | User Notes

VIEW
Case Default

3. Create a customer record in netsuite using the same suitelet.

Ans.

- Create a new suitlet form using 'serverWidget.createForm()'
- Add field in form using 'form.addField()':

  -Customer name (TEXT)

  -Phone (TEXT)

  -Customer status (SELECT)

  -Subsidiary (SELECT)

- Create all fields mandatory using 'field.isMandatory = true'
- Add submit button
- Store all fields value in variables using 'scriptContext.request.parameters.field_Id'
- Create new customer record using 'record.create()'
- Using new record object add all fields value in standard customer form field using 'obj.setValue()'
- Save this customer record using 'obj.save()'
- Get Id of new created customer record
- Use 'redirect.toRecord()' and redirect page to customer page which we have created in suitlet form

1.Suitelet script for customer record

```
/**
 * @NApiVersion 2.1
 * @NScriptType Suitelet
 */
define(['N/ui/serverWidget' , 'N/record', 'N/redirect'], (serverWidget , record , redirect) => {
    const onRequest = (scriptContext) => {
        if (scriptContext.request.method === 'GET') {
            let form = serverWidget.createForm({
                title: 'Customer Form'
            });

            let field1 = form.addField({
                id: 'custpage_customer_name',
                type: serverWidget.FieldType.TEXT,
                label: 'Customer Name'
            });

            field1.layoutType = serverWidget.FieldLayoutType.NORMAL;
            field1.updateBreakType({
                breakType: serverWidget.FieldBreakType.STARTCOL
            });
            field1.isMandatory = true;

            let field2 = form.addField({
                id: 'custpage_customer_phone',
                type: serverWidget.FieldType.TEXT,
                label: 'Phone'
            });
            field2.isMandatory = true;



            let select1 = form.addField({
                id: 'custpage_customer_status',
                type: serverWidget.FieldType.SELECT,
```

```
let select1 = form.addField({
    id: 'custpage_customer_status',
    type: serverWidget.FieldType.SELECT,
    label: 'Customer Status',

});
select1.addSelectOption({
    value: '3',
    text: ''
});
select1.addSelectOption({
    value: '0',
    text: 'CUSTOMER-Lost Customer'
});
select1.addSelectOption({
    value: '1',
    text: 'CUSTOMER-Closed Won'
});
select1.addSelectOption({
    value: '2',
    text: 'CUSTOMER-Renewal'
});
select1.isMandatory = true;
select1.updateBreakType({
    breakType: serverWidget.FieldBreakType.STARTCOL
});

let select2 = form.addField({
    id: 'custpage_customer_subsidary',
    type: serverWidget.FieldType.SELECT,
    label: 'Customer Subsidiary',
    source: subsidiaries
});
```

```
    id: 'custpage_customer_subsidary',
    type: serverWidget.FieldType.SELECT,
    label: 'Customer Subsidiary',
    source: subsidiaries
});

form.addSubmitButton({
    label: 'Save'
});

scriptContext.response.writePage(form);
}
else
{
    const delimiter = /\u0001/;
    const customerName = scriptContext.request.parameters.custpage_customer_name;
    const customerPhone = scriptContext.request.parameters.custpage_customer_phone;
    const customerStatus = scriptContext.request.parameters.custpage_customer_status;
    const customerSubsidary = scriptContext.request.parameters.custpage_customer_subsidary;


    log.debug('name' , customerName);
    log.debug('phone' , customerPhone);
    log.debug('status' , customerStatus);
    log.debug('subsidary' , customerSubsidary);



    scriptContext.response.write(`Customer has been saved : ${customerName} ${customerPhone} ${customerStatus} ${customerSubsidary}`);

    var customerRecord = record.create({
        type: record.Type.CUSTOMER,
        isDynamic: true,
    });
```

```
        log.debug('status' , customerStatus);
        log.debug('subsidary' , customerSubsidary);


        scriptContext.response.write(`Customer has been saved : ${customerName} ${customerPhone} ${customerStatus} ${customerSubsidary}`);

        var customerRecord = record.create({
            type: record.Type.CUSTOMER,
            isDynamic: true,
        });


        customerRecord.setValue({
            fieldId: 'companyname',
            value: customerName,
        });
        customerRecord.setValue({
            fieldId: 'phone',
            value: customerPhone,
        });
        // customerRecord.setValue({
        //  fieldId: 'entitystatus',
        //  value: customerStatus,

        // });
        customerRecord.setValue({
            fieldId: 'subsidiary',
            value: customerSubsidary,
        });


        var customerId = customerRecord.save();
        log.debug(customerId);
```

```
        customerRecord.setValue({
            fieldId: 'phone',
            value: customerPhone,
        });
        // customerRecord.setValue({
        //  fieldId: 'entitystatus',
        //  value: customerStatus,

        // });
        customerRecord.setValue({
            fieldId: 'subsidiary',
            value: customerSubsidary,
        });


        var customerId = customerRecord.save();
        log.debug(customerId);


        redirect.toRecord({
        type: record.Type.CUSTOMER,
        id: customerId
        });



    }

}

    return {onRequest}
});
```

2.customer form



3.Customer record has been saved in standard netsuite customer record and redirect to customer record page.