

Exception handling-practice co3

CSA0905: Java programming

192472274:R.Kalyan Kumar Reddy



Secure Exit

SIMATS Online Programming Lab
JAVA PROGRAMMING

 RAMIGANI KALYAN KUMAR REDDY
192472274RA

Q4
Email Validation
10 marks

Q5
Banking Transaction Using
Exception Propagation
10 marks

5/5 answered

Output

Exception: Invalid array index.

Your Code

```
1 import java.util.Scanner;
2 public class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         int[]a={10,20,30,40,50};
6         System.out.println("Enter Index: ");
7         int index=sc.nextInt();
8         try{
9             System.out.println("Element: "+a[index]);
10        }
11        catch(ArrayIndexOutOfBoundsException e){
12            System.out.println("Exception: Invalid array index");
13        }
14    }
15 }
```

Input

6

Output

Enter Index:
Exception: Invalid array index

Visible Test Cases

Test Case 1 

Test Case 2 

Test Case 3 

0.00 / 10 marks

Run

Save

Submit

© 2026 SIMATS Online Lab. All rights reserved.



Secure Exit

SIMATS Online Programming Lab
JAVA PROGRAMMING

 RAMIGANI KALYAN KUMAR REDDY
192472274RA

Q4
Email Validation
10 marks

Q5
Banking Transaction Using
Exception Propagation
10 marks

5/5 answered

Output

Exception: Invalid array index.

Your Code

```
1 import java.util.Scanner;
2 public class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         int[]a={10,20,30,40,50};
6         System.out.println("Enter Index: ");
7         int index=sc.nextInt();
8         try{
9             System.out.println("Element: "+a[index]);
10        }
11        catch(ArrayIndexOutOfBoundsException e){
12            System.out.println("Exception: Invalid array index");
13        }
14    }
15 }
```

Input

6

Output

Enter Index:
Exception: Invalid array index

Visible Test Cases

Test Case 1 

Test Case 2 

Test Case 3 

0.00 / 10 marks

Run

Save

Submit

© 2026 SIMATS Online Lab. All rights reserved.



Secure Exit

SIMATS Online Programming Lab
JAVA PROGRAMMING

 RAMIGANI KALYAN KUMAR REDDY
192472274RA

Q3

user-defined exception named WeakPasswordException, 10 marks

✓

Q4

Email Validation 10 marks

✓

Q5

Banking Transaction Using Exception Propagation 10 marks

✓

5/5 answered

Sample Output

Exception: Invalid marks. Marks should be between 0 and 100.

Your Code

```
1 import java.util.Scanner;
2 public class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         int marks=sc.nextInt();
6         try{
7             if(marks<0 || marks>100){
8                 throw new
9                     IllegalArgumentException();
10            }
11            System.out.println("Valid marks:"+marks);
12        }
13        catch(IllegalArgumentException e){
14            System.out.println("Exception Invalid marks.Marks should be bet
15        }
16    }
17 }
```

Input

120

Output

Exception Invalid marks.Marks should be between 0 and 100.

Visible Test Cases

Test Case 1

Test Case 2

Test Case 3

0.00 / 10 marks

Run

Save

Submit

© 2026 SIMATS Online Lab. All rights reserved.



Secure Exit

SIMATS Online Programming Lab
JAVA PROGRAMMING

 RAMIGANI KALYAN KUMAR REDDY
192472274RA

Q3

user-defined exception named WeakPasswordException, 10 marks

✓

Q4

Email Validation 10 marks

✓

Q5

Banking Transaction Using Exception Propagation 10 marks

✓

5/5 answered

Sample Output

Exception: Password must contain at least 8 characters.

Your Code

```
1 import java.util.Scanner;
2 public class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String password=sc.nextLine();
6         try{
7             if(password.length()<8)
8                 throw new WeakPasswordException();
9             System.out.println("Password is strong.");
10        }
11        catch(WeakPasswordException e){
12            System.out.println("Exception "+e.getMessage());
13        }
14    }
15 }
16 class WeakPasswordException extends Exception{
17     WeakPasswordException(){
18         super("Password must contain at least 8 characters.");
19     }
20 }
```

Input

java123

Output

Exception Password must contain at least 8 characters.

Visible Test Cases

Test Case 1

Test Case 2

Test Case 3

0.00 / 10 marks

Run

Save

Submit

© 2026 SIMATS Online Lab. All rights reserved.

Secure Exit

SIMATS Online Programming Lab

JAVA PROGRAMMING

RAMIGANI KALYAN KUMAR REDDY

192472274RA

Q3

user-defined exception named WeakPasswordException. 10 marks

Q4

Email Validation 10 marks

Q5

Banking Transaction Using Exception Propagation 10 marks

5/5 answered

Sample Output

Exception: Invalid email address.

Your Code

```

1 import java.util.*;
2 class InvalidEmailException
3     extends Exception{
4     public
5         InvalidEmailException(String message) {
6             super(message);
7         }
8     }
9
10    public static void main(String[] args){
11        Scanner sc=new Scanner(System.in);
12        String email=sc.nextLine();
13        try{
14            if(!email.contains("@")){
15                throw new
16                    InvalidEmailException("Invalid email address.");
17            }
18            System.out.println("Valid email address.");
19        }
20        catch(InvalidEmailException e){
21            System.out.println("Exception:"+e.getMessage());
22        }
23    }
24 }

```

Run

Save

Submit

Input

student.gmail.com

Output

Exception:Invalid email address.

Visible Test Cases

Test Case 1

Test Case 2

Test Case 3

0.00 / 10 marks

Secure Exit

SIMATS Online Programming Lab

JAVA PROGRAMMING

RAMIGANI KALYAN KUMAR REDDY

192472274RA

```

1 import java.util.Scanner;
2 class InsufficientBalanceException extends Exception{
3     InsufficientBalanceException(String message) {
4         super(message);
5     }
6 }
7 static void withdraw(int balance,int amount)throws
8     InsufficientBalanceException{
9     validateBalance(balance,amount);
10 }
11 static void validateBalance(int balance,int amount)throws
12     InsufficientBalanceException{
13     processTransaction(balance,amount);
14 }
15 static void processTransaction(int balance,int amount)throws
16     InsufficientBalanceException{
17     if(amount>balance){
18         throw new InsufficientBalanceException("Withdrawl amount exceed
19     }
20     System.out.println("Transaction successful");
21     public static void main(String[] args){
22         Scanner sc=new Scanner(System.in);
23         int balance=sc.nextInt();
24         int amount=sc.nextInt();
25         try{
26             withdraw(balance,amount);
27         }
28         catch(InsufficientBalanceException e){
29             System.out.println("Exception propagated to main().");
30             System.out.println("In sufficientBalanceException:"+e.getMe
31         }
32     }
33 }
34 }

```

5000

7000

Output

Compilation Error:

C:\Windows\TEMP\sandbox_192472274

RA_6a787be5407487.82529095\Insuff

icientBalanceException.java:21:

error: illegal start of

expression

Visible Test Cases

Test Case 1

Test Case 2

Test Case 3

0.00 / 10 marks