

SIMATSENGINEERING(SAVEETHASCHOOLOFENGINEERING)

Department of Artificial Intelligence and Data Science

ASSESSMENT TOOL 1 – ANALYTICAL PROBLEM SOLVING

CourseCode:	DSA03	CourseTitle:	Natural Language Processing
CO Assessed:	CO2 – Manipulation	Assessment:	Assessment Tool 1 – ANALYTICAL PROBLEM SOLVING
Weightage:	35% of CIA		
CO2 Statement:	Design inflectional, derivational, finite-state parsing, stemming algorithms and for analyse morphological methods. (BL-3)		
Student Name:	R.Kalyan Kumar Reddy	Reg. No.:	192472274
Section/Batch:	Slot D-2024	Date:	05/08/2026

Code of Conduct

I, R.Kalyan Kumar Reddy (192472274) (Name/Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: R.Kalyan Kumar Reddy

Instructions

- Read all questions carefully before attempting the answers.
- Answer all five questions. Each question carries equal marks.
- Show all intermediate steps, calculations, probability computations, tagging decisions, and justifications wherever applicable.
- Duration: 30 minutes.

Section/Topic	Focus	Q Nos
English Word Classes, Part of Speech Tagging	Morphological decomposition of connected, connecting, and connection; identification of roots, suffixes, inflectional vs. derivational forms, and normalization for document indexing.	Q1
English Word Classes, Tag sets for English, Rule-Based Part of Speech Tagging	Morphological parsing of unhappy, happiness, and happily; identification of prefixes, suffixes, base forms, and semantic effects of derivational morphology.	Q2
Counting Words, Part of Speech Tagging, English Word Classes	Stemming and root extraction for played, player, and playing; handling grammatical variations and word formation changes for search preprocessing.	Q3
Finite-State Morphological Analysis, Rule-Based Part of Speech Tagging, Transformation-Based Tagging	Finite-state parsing of writes, writing, and written; modeling regular and irregular verb inflections and root normalization.	Q4
English Word Classes, Rule-Based Part of Speech Tagging, Counting Words	Porter Stemmer-based processing of relational, relation, and relate; application of derivational suffix removal and stem extraction for retrieval.	Q5

AnnexureA–ANALYTICALPROBLEMSOLVING

1. Given the input words: “connected”, “connecting”, “connection”, design a morphological analysis pipeline for a document indexing system.

- Apply rule sets to decompose each word into root and suffix components.
- Differentiate between inflectional and derivational forms within the dataset.
- Normalize all variants to a common base form for efficient retrieval.
- Determine the parsed structure and normalized output for each word.
- Write a Python program to implement the above morphological analysis pipeline. The program should accept the given input words, perform decomposition, classify each suffix as inflectional or derivational, normalize the words to their common base form, and display the parsed structure and normalized output in a tabular format.

2. Given the input words: “unhappy”, “happiness”, “happily”, design a morphological parsing module for sentiment analysis.

- Identify prefixes, suffixes, and base forms using rule-based decomposition.
- Ensure semantic consistency across derived word forms.
- Classify each transformation as inflectional or derivational.
- Produce the root and morphological breakdown for each word.
- Write a Python program to implement the above morphological parsing module. The program should accept the given input words, identify the prefixes, suffixes, and base forms, classify each transformation as inflectional or derivational, and display the morphological breakdown and normalized root word in a tabular format.

3. Given the input words: “played”, “player”, “playing”, design a stemming-based preprocessing module for a search engine.

- Apply morphological rules to strip affixes and identify the base form.
- Handle both grammatical variations and word formation changes.
- Ensure consistent root extraction across all forms.
- Determine the stem and classification for each input word.
- Develop a Python program for a stemming-based preprocessing module used in a search engine. The program should process the input words “played”, “player”, “playing” by applying appropriate stemming rules to remove prefixes/suffixes where applicable, identify the stem of each word, distinguish between grammatical inflections and word-formation changes, and generate a structured output showing the original word, extracted stem, removed affix (if any), transformation type (inflectional/derivational), and the final normalized form suitable for indexing and information retrieval.

4. Given the input words: “writes”, “writing”, “written”, design a finite-state morphological parsing module for a text processing system.

- Apply state transition stores to represent suffix transformations and irregular forms in verb inflection.
- Differentiate between regular and irregular inflectional patterns within the dataset.
- Ensure consistent mapping of all forms to a common root representation.
- Determine the state transitions, morphological breakdown, and normalized output for each word.
- Develop a Python program that implements a finite-state morphological parser for the input words “writes”, “writing”, “written”. The program should construct a finite-state transition model to process regular suffixes and irregular verb forms, identify the corresponding root word, classify each input as a regular or irregular inflection, trace the

sequence of state transitions during parsing, and display the state transition path, morphological components, root form, and normalized representation for each input word in a well-formatted output.

5. Given the input words: “relational”, “relation”, “relate”, design a Porter Stemmer-based preprocessing module for document retrieval.

- Apply stemming rules step-by-step to remove derivational suffixes and obtain base forms.
- Handle variations in suffix patterns while preserving semantic consistency.
- Ensure uniform root extraction across all derived forms.
- Determine the stemming steps, intermediate forms, and final stem for each input word.
- Develop a Python program that implements the Porter Stemming algorithm for the input words "relational", "relation", "relate". The program should apply the Porter stemming rules sequentially to remove derivational suffixes, display the intermediate form obtained after each stemming step, handle different suffix patterns while preserving the word meaning, and generate the final stem for each word. The output should clearly present the original word, applied stemming rule(s), intermediate forms, and the final normalized stem in a structured format suitable for document retrieval applications.

NumericalProblems					
Criteria	Weightage	Level 4 (Exemplary)	Level 3 (Proficient)	Level 2 (Developing)	Level 1 (Beginning)
Problem Understanding	20%	Clearly interprets problem, identifies all parameters and requirements accurately	Understands problem with minor gaps	Partial understanding; misses key elements	Misinterprets or unable to understand problem
Method Selection	20%	Selects most appropriate method/formula with strong justification	Selects correct method with minor errors	Inappropriate or partially correct method	Unable to select method
Solution Process	25%	Logical, systematic steps with correct approach throughout	Mostly correct steps with minor mistakes	Disorganized steps; multiple errors	No clear process
Accuracy of Calculation	20%	All calculations accurate; correct final answer	Minor calculation errors	Frequent errors; incorrect final answer	No valid calculations
Interpretation of Results	15%	Clearly interprets results with units and engineering relevance	Basic interpretation with minor omissions	Limited or unclear interpretation	No interpretation

Q.No./ Criteria Level	Problem Understanding	Method Selection	Solution Process	Accuracy of Calculation	Interpretation of Results	Sub. Total	Total %
1	4	4	4	3	3	18	92
2	4	3	4	4	3	18	
3	4	4	4	3	4	19	
4	3	4	3	4	4	18	
5	4	4	3	4	4	19	

Faculty In-charge	Course Coordinator	Program Director
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____

1.

```
File Edit Format Run Options Window Help
# Morphological Analysis Pipeline


words = ["connected", "connecting", "connection"]

rules = {
    "ed": ("Inflectional", "connect"),
    "ing": ("Inflectional", "connect"),
    "ion": ("Derivational", "connect")
}

print("-" * 72)
print("{:<15}{:<15}{:<12}{:<18}{:<15}".format(
    "Word", "Root", "Suffix", "Type", "Normalized"))
print("-" * 72)

for word in words:
    for suffix in rules:
        if word.endswith(suffix):
            morph_type, root = rules[suffix]
            print("{:<15}{:<15}{:<12}{:<18}{:<15}".format(
                word, root, suffix, morph_type, root))
            break
```

Output



```
IDLE Shell 3.14.3
File Edit Shell Debug Options Window Help
Python 3.14.3 (tags/v3.14.3:323c59a, Feb 3 2026, 16:04:56) [MSC v.1944 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>>
===== RESTART: C:/Users/hitha/OneDrive/Documents/Marphological analysis.py =====
Word          Root          Suffix        Type          Normalized
-----
connected     connect      ed            Inflectional  connect
connecting    connect     ing           Inflectional  connect
connection    connect     ion           Derivational  connect
>>>
```

2.

```
2nd AT2.py - C:/Users/hitha/OneDrive/Documents/2nd AT2.py (3.14.3)
File Edit Format Run Options Window Help
words = ["unhappy", "happiness", "happily"]
print("-" * 90)
print("{:<12}{:<10}{:<12}{:<10}{:<18}{:<15}".format(
    "Word", "Prefix", "Root", "Suffix", "Type", "Normalized"))
print("-" * 90)
for word in words:
    if word.startswith("un"):
        prefix = "un"
        root = "happy"
        suffix = "-"
        mtype = "Derivational"
    elif word.endswith("ness"):
        prefix = "-"
        root = "happy"
        suffix = "ness"
        mtype = "Derivational"
    elif word.endswith("ly"):
        prefix = "-"
        root = "happy"
        suffix = "ly"
        mtype = "Derivational"
    print("{:<12}{:<10}{:<12}{:<10}{:<18}{:<15}".format(
        word, prefix, root, suffix, mtype, root))
```

Output

```
IDLE Shell 3.14.3
File Edit Shell Debug Options Window Help
Python 3.14.3 (tags/v3.14.3:323c59a, Feb 3 2026, 16:04:56) [MSC v.1944 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>>
===== RESTART: C:/Users/hitha/OneDrive/Documents/2nd AT2.py =====
-----
Word          Prefix    Root      Suffix    Type          Normalized
-----
unhappy       un        happy     -          Derivational  happy
happiness     -         happy     ness       Derivational  happy
happily       -         happy     ly         Derivational  happy
>>> |
```

3.

```

3rd AT2.py - C:/Users/hitha/OneDrive/Documents/3rd AT2.py (3.14.3)
File Edit Format Run Options Window Help
words = ["played", "player", "playing"]
print("-" * 90)
print("{:<12}{:<12}{:<15}{:<18}{:<15}".format(
    "Word", "Stem", "Removed Affix", "Type", "Normalized"))
print("-" * 90)
for word in words:
    if word.endswith("ed"):
        stem = word[:-2]
        affix = "ed"
        mtype = "Inflectional"
    elif word.endswith("ing"):
        stem = word[:-3]
        affix = "ing"
        mtype = "Inflectional"
    elif word.endswith("er"):
        stem = word[:-2]
        affix = "er"
        mtype = "Derivational"
    print("{:<12}{:<12}{:<15}{:<18}{:<15}".format(
        word, stem, affix, mtype, stem))

```

Output

```

IDLE Shell 3.14.3
File Edit Shell Debug Options Window Help
Python 3.14.3 (tags/v3.14.3:323c59a, Feb  3 2026, 16:04:56) [MSC v.1944 64 bit (
AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>>
===== RESTART: C:/Users/hitha/OneDrive/Documents/3rd AT2.py =====
-----
Word      Stem      Removed Affix  Type      Normalized
-----
played    play     ed             Inflectional  play
player    play     er             Derivational  play
playing   play     ing            Inflectional  play
>>>

```

4.

```

4th AT1.py - C:/Users/hitha/OneDrive/Documents/4th AT1.py (3.14.3)
File Edit Format Run Options Window Help
words = ["writes", "writing", "written"]
print("-" * 95)
print("{:<12}{:<20}{:<10}{:<12}{:<12}".format(
    "Word", "State Path", "Root", "Pattern", "Normalized"))
print("-" * 95)
for word in words:
    if word.endswith("s"):
        state = "S0->S1->Accept"
        root = "write"
        pattern = "Regular"
    elif word.endswith("ing"):
        state = "S0->S2->Accept"
        root = "write"
        pattern = "Regular"
    elif word == "written":
        state = "S0->S3->Accept"
        root = "write"
        pattern = "Irregular"
    print("{:<12}{:<20}{:<10}{:<12}{:<12}".format(
        word, state, root, pattern, root))

```

Output:

```

IDLE Shell 3.14.3
File Edit Shell Debug Options Window Help
Python 3.14.3 (tags/v3.14.3:323c59a, Feb  3 2026, 16:04:56) [MSC v.1944 64 bit (
AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>>
===== RESTART: C:/Users/hitha/OneDrive/Documents/4th AT1.py =====
-----
Word           State Path           Root           Pattern         Normalized
-----
writes         S0->S1->Accept       write          Regular          write
writing        S0->S2->Accept       write          Regular          write
written        S0->S3->Accept       write          Irregular        write
>>>

```


5.

```

5th.py - C:/Users/hitha/OneDrive/Documents/5th.py (3.14.3)
File Edit Format Run Options Window Help
words = ["relational", "relation", "relate"]
print("-" * 90)
print("{:<15}{:<25}{:<20}{:<15}".format(
    "Word", "Applied Rule", "Intermediate", "Final Stem"))
print("-" * 90)
for word in words:
    if word == "relational":
        rule = "ational -> ate"
        intermediate = "relate"
        stem = "relat"
    elif word == "relation":
        rule = "Remove ion"
        intermediate = "relat"
        stem = "relat"
    elif word == "relate":
        rule = "Remove e"
        intermediate = "relat"
        stem = "relat"
    print("{:<15}{:<25}{:<20}{:<15}".format(
        word, rule, intermediate, stem))

```

Output:

```

File Edit Shell Debug Options Window Help
Python 3.14.3 (tags/v3.14.3:323c59a, Feb  3 2026, 16:04:56) [MSC v.1944 64 bit (
AMD64)] on win32
Enter "help" below or click "Help" above for more information.
->>
===== RESTART: C:/Users/hitha/OneDrive/Documents/5th.py =====
-----
Word                Applied Rule                Intermediate                Final Stem
-----
relational          ational -> ate                relate                    relat
relation            Remove ion                    relat                     relat
relate              Remove e                      relat                     relat
->>

```