- Please check the following example
- **Example 2: (revisited)** Consider the problem with $Fea(LPP)$,
  $x + 2y \geq 1$
  $-x + y \leq 1,$
  $x \geq 0, y \geq 0.$

- Please check the following example
- **Example 2: (revisited)** Consider the problem with $Fea(LPP)$,
  $x + 2y \geq 1$
  $-x + y \leq 1,$
  $x \geq 0, y \geq 0.$
  Note that in class I wrote
  $[3,3]^T = 3[1,1]^T$ where $[1,1]^T$ is an extreme direction

- Please check the following example
- **Example 2: (revisited)** Consider the problem with $Fea(LPP)$,
  $x + 2y \geq 1$
  $-x + y \leq 1,$
  $x \geq 0, y \geq 0.$
  Note that in class I wrote
  $[3, 3]^T = 3[1, 1]^T$ where $[1, 1]^T$ is an extreme direction is **not** according to representation theorem since the total weight of the extreme points in any such expression, should be equal to 1 (convex combination of the extreme points).

- Please check the following example
- **Example 2: (revisited)** Consider the problem with
  $Fea(LPP)$,
  $x + 2y \geq 1$
  $-x + y \leq 1,$
  $x \geq 0, y \geq 0.$
  Note that in class I wrote
  $[3,3]^T = 3[1,1]^T$ where $[1,1]^T$ is an extreme direction
  is **not** according to representation theorem since the total weight of the extreme points in any such expression, should be equal to 1 (convex combination of the extreme points).
  If $[0,0]^T$ would have been an extreme point of S then I could have written
  $[3,3]^T = 1[0,0]^T + 3[1,1]^T = 3[1,1]^T$,

- Please check the following example
- **Example 2: (revisited)** Consider the problem with $Fea(LPP)$,
  $x + 2y \geq 1$
  $-x + y \leq 1,$
  $x \geq 0, y \geq 0.$
  Note that in class I wrote
  $[3,3]^T = 3[1,1]^T$ where $[1,1]^T$ is an extreme direction is **not** according to representation theorem since the total weight of the extreme points in any such expression, should be equal to 1 (convex combination of the extreme points).
  If $[0,0]^T$ would have been an extreme point of S then I could have written
  $[3,3]^T = 1[0,0]^T + 3[1,1]^T = 3[1,1]^T,$
  but since $[0,0]^T$ is not an extreme point of S

- Please check the following example
- **Example 2: (revisited)** Consider the problem with $Fea(LPP)$,
  $x + 2y \geq 1$
  $-x + y \leq 1,$
  $x \geq 0, y \geq 0.$
  Note that in class I wrote
  $[3,3]^T = 3[1,1]^T$ where $[1,1]^T$ is an extreme direction
  is **not** according to representation theorem since the total weight of the extreme points in any such expression, should be equal to 1 (convex combination of the extreme points).
  If $[0,0]^T$ would have been an extreme point of S then I could have written
  $[3,3]^T = 1[0,0]^T + 3[1,1]^T = 3[1,1]^T,$
  but since $[0,0]^T$ is not an extreme point of S
  $[3,3]^T = 3[1,1]^T$
  is not following the representation theorem.