

22. XML file

```
1  <?xml version="1.0" encoding="UTF-8" ?>
2  <Persons>
3    <Person id=1259852 user="admin">
4      <name>Maksym</name>
5      <surname>Osinstev</surname>
6      <age>25</age>
7      <gender>male</gender>
8      <realPerson/>
9    </Person>
10   <Person id=1598885 user="moderator">
11     <name>Nelya</name>
12     <surname>Yefanova</surname>
13     <age>27</age>
14     <gender>female</gender>
15     <realPerson/>
16   </Person>
17   <Person id=1459885 user="client">
18     <name>Andrew</name>
19     <surname>Holichenko</surname>
20     <age>32</age>
21     <gender>male</gender>
22     <realPerson/>
23   </Person>
24   <Person id=1959852 user="client">
25     <name>Diana</name>
26     <surname>Sadytska</surname>
27     <age>33</age>
28     <gender>female</gender>
29     <realPerson/>
30   </Person>
31 </Persons>
```

23. Xpath

1. Заголовок «Друзі 6 сезон 3 серія

`//*[@class='episode-title']/preceding-sibling::h1`

2. Батько цього ж заголовку за атрибутом

`//*[@class='content']`

3. Батько цього ж заголовку з словом parent

`//*[@class='content']/parent::div`

4. Кнопку «Персонажі» за 2 атрибутами

`//a[@href='/character'] [text()='Персонажи']`

5. Дай відповідь на питання: чим можна замінити назву будь-якого тегу?

Будь який тег можливо замінити *

24. Selenium

Project: NovaPoshta

Tests +

Search tests...

https://novaposhta.ua

✓ Change language

✓ Delivery price

✓ Find package

✓ Schedule of department

✓ Time of delivery

	Command	Target	Value
1	✓ open	/	
2	✓ set window size	816x860	
3	✓ click	xpath=//a[contains(., 'En')]	
4	✓ verify element present	css= :today__title	

Command

open

#

Target

/

Value

Description

Log

Reference

7. click on xpath=//span[contains(., 'Винниця')] OK

22:38:42

8. click on id=EstimateDateForm_recipientCity OK

22:38:42

9. click on xpath=//ul[@id='uRecipientCity']/li/span OK

22:38:42

10. click on xpath=//input[@name='y10'] OK

22:38:42

11. verifyNotText on //*[@class='response']/div/b OK

22:38:42

Warning implicit locators are deprecated, please change the locator to xpath=//*[@class='response']/div/b

22:38:43

'Time of delivery' completed successfully

22:38:43

Project: NovaPoshta

Tests +

Search tests...

https://novaposhta.ua

✓ Change language

✓ Delivery price

✓ Find package

✓ Schedule of department

✓ Time of delivery

	Command	Target	Value
6	✓ click	id=DeliveryForm_recipientCity	
7	✓ click	xpath=//ul[@id='delivery_recipient_cities']/li	
8	✓ click	name=DeliveryForm(optionsSeat[1])[cost]	
9	✓ type	name=DeliveryForm(optionsSeat[1])[cost]	100
10	✓ click	name=DeliveryForm(optionsSeat[1])[weight]	
11	✓ type	name=DeliveryForm(optionsSeat[1])[weight]	1
12	✓ click	name=DeliveryForm(optionsSeat[1])[volumetricLength]	
13	✓ type	name=DeliveryForm(optionsSeat[1])[volumetricLength]	10
14	✓ click	name=DeliveryForm(optionsSeat[1])[volumetricWidth]	
15	✓ type	name=DeliveryForm(optionsSeat[1])[volumetricWidth]	10
16	✓ click	name=DeliveryForm(optionsSeat[1])[volumetricHeight]	
17	✓ type	name=DeliveryForm(optionsSeat[1])[volumetricHeight]	10
18	✓ click	xpath=//input[@name='y10']	
19	✓ verify text	//h3[@class='final'][1]	Разом: 40.00 ... 100.00рн *

Command

open

#

Target

/

Value

Description

Log

Reference

Project: NovaPoshta*

Tests +

Search tests...

Change language

Delivery price

Find packeg *

Schedule of department

Time of delivery

https://novaposhta.ua

	Command	Target	Value
1	open	/	
2	set window size	1583x789	
3 //	click	//[@id="popup_info"]/div[1]/i	
4	click	id=cargo_number	
5	type	id=cargo_number	20450559857061
6	click	xpath=//input[@name=""]	
7	verify text	css= header__status-text	Посилка отримана

Command

verify text

Target

css= header__status-text

Value

Посилка отримана

Description

Log

Reference

7. click on xpath=//span[contains(, 'Винниця')] OK22:38:42

8. click on id=EstimateDateForm_recipientCity OK22:38:42

9. click on xpath=//ul[@id="uRecipientCity"]//li/span OK22:38:42

10. click on xpath=//input[@name="y10"] OK22:38:42

11. verifyNotText on //*[@class="response"]/div/b OK22:38:42

Warning implicit locators are deprecated, please change the locator to xpath=//*[(@class="response")]/div/b22:38:43

'Time of delivery' completed successfully22:38:43

Project: NovaPoshta*

Tests +

Search tests...

Change language

Delivery price

Find packeg *

Schedule of department

Time of delivery

https://novaposhta.ua

	Command	Target	Value
1	open	/	
2	set window size	816x860	
3	click	xpath=//span[contains(, 'Графік роботи відділень')]	
4	click	id=CityFilter	
5	click	xpath=//span[contains(, 'м. Київ, Київська обл.')]	
6	click	id=WarehouseFilter	
7	type	id=WarehouseFilter	350
8	click	xpath=//span[contains(, 'Відділення №350 (до 30 кг): Харківське шосе, 190')]	
9	verify element present	xpath=//td[2]/a/span	

Command

open

Target

/

Value

Description

Log

Reference

7. click on xpath=//span[contains(, 'Винниця')] OK22:38:42

8. click on id=EstimateDateForm_recipientCity OK22:38:42

9. click on xpath=//ul[@id="uRecipientCity"]//li/span OK22:38:42

10. click on xpath=//input[@name="y10"] OK22:38:42

11. verifyNotText on //*[@class="response"]/div/b OK22:38:42

Warning implicit locators are deprecated, please change the locator to xpath=//*[(@class="response")]/div/b22:38:43

'Time of delivery' completed successfully22:38:43

Project: NovaPoshta*

Tests +

Search tests...

Change language

Delivery price

Find packeg *

Schedule of department

Time of delivery

https://novaposhta.ua

	Command	Target	Value
1	open	/	
2	set window size	816x860	
3	click	xpath=//a[contains(, 'Терміни доставки')]	
4	click	id=EstimateDateForm_serviceType	
5	click	xpath=//span[contains(, 'Адреса-Адреса')]	
6	click	id=EstimateDateForm_senderCity	
7	click	xpath=//span[contains(, 'Винниця')]	
8	click	id=EstimateDateForm_recipientCity	
9	click	xpath=//ul[@id="uRecipientCity"]//li/span	
10	click	xpath=//input[@name="y10"]	
11	verify not text	//*[@class="response"]/div/b	

Command

open

Target

/

Value

Description

Log

Reference

7. click on xpath=//span[contains(, 'Винниця')] OK22:38:42