

Notifyem

User Guide

Property map, listings, leads pipeline and data sources
Version 1.0 | October 2026

Contents

- 1. About Notifyem 3
- 2. Understanding your data 3
- 3. Property Map 4
- 4. Free real estate data sources 5
- 5. Listings 6
- 6. Leads and pipeline 7
- 7. Collections, campaigns and Salesforce 7
- 8. Troubleshooting 8
- 9. Administrator setup 9

1. About Notifyem

Notifyem helps real estate professionals find properties and owners, track leads through a qualification pipeline, and review outreach drafts. It combines free public property data (county parcel records, OpenStreetMap, Overture Maps), listing data (your MLS feed and imported Kaggle datasets) and your own leads, all saved in one Supabase database.

The application has six areas, available from the navigation bar at the top of every screen:

Tab	What it is for
Property Map	Search any US address, city, ZIP or state and see properties, parcels, owners and assessed values around it.
Listings	Browse listings from your MLS feed and imported datasets. Sync the MLS and import CSV files.
Leads & Pipeline	Add leads and move them through qualification stages, as cards or as a table.
AI Campaigns	Draft outreach messages and take them through a review and approval step.
Salesforce	Field mappings and sync settings for a future Salesforce connection (not active yet).
Collections	Group leads into named segments, for example by market or buyer profile.

2. Understanding your data

Before using the results, know what each source can and cannot tell you. A property appearing on the map does **not** mean it is for sale.

Source	What you get	Is it real?	Is it current?
County parcels	Parcel ID, site address, owner name, assessed value, land use, year built	Yes. Official government records	As of the last assessment, often several months old. Owner names can lag after a sale.
OpenStreetMap	Buildings with street addresses	Yes. Mapped by volunteers	Usually, but coverage varies by area. No owner or price.
Overture Maps	Address points	Yes. Compiled from public address datasets	Updated monthly. No owner or price.
MLS feed	Active, pending and new listings with price, photos and agent	Yes	Yes. Synced daily and on demand.
Kaggle datasets	Listing records from published datasets	They were real listings	No. A historical snapshot; many are sold or withdrawn.
MLS sandbox (test)	Sample listings used to check the setup	No. Synthetic	Not applicable

Rule of thumb

Use parcel and map data to **find properties and owners**. Use the MLS feed to know **what is for sale today**. Treat Kaggle records as market history only, and never use records marked TEST DATA for outreach.

3. Property Map

3.1 Run a search

1. Open the **Property Map** tab.
2. Type an address, city, ZIP code or state into **Search Location** and click **Search properties**. You can also pick a state from **Search a US state**, click a **Quick Metro**, or click a state code in the bar at the bottom of the map.
3. Wait for the search to finish. Most searches take 2 to 10 seconds; an overloaded OpenStreetMap server can take up to about 40 seconds.

Choosing a state centres the search on that state's largest city (for example, Alaska searches Anchorage), because a state's geographic centre is usually empty land.

3.2 Set the search radius

Drag the **Adjustable Search Radius** slider, type a number of miles, or click a preset (1 to 500 mi), then click **Refresh search**. Live sources are limited to keep searches fast:

Source	Maximum radius searched
OpenStreetMap (live)	3 miles from the centre
County parcels (live)	2 miles from the centre, up to 300 parcels per layer
Records already saved in Supabase	50 miles from the centre, up to 1,500 records

For wide areas, records saved by earlier searches and imports still appear, so the map fills in over time.

3.3 Read the results

Under the search box, a status line appears for each source: green when it returned records, grey when it was skipped or empty, red when it failed, with the reason. If one source fails the others still show results.

Markers are coloured by source:

Colour	Source
Blue	OpenStreetMap buildings
Green	County parcel records
Purple	Overture address points

Colour	Source
Cyan	MLS, Kaggle and other saved records

Click a marker or a card in **Properties found** to see details: owner, assessed value, parcel ID, year built, lot size, whether it was fetched live or saved earlier, and a **View source record** link to the original public record.

The map panel on the right lets you switch tiles (**OSM Standard**, **Satellite**, **Dark**), **Recenter** the map, and toggle the **Heatmap** density layer.

4. Free real estate data sources

The **Free Real Estate Data Sources** panel on the Property Map shows the live status of every source and how many records each has saved. Click the refresh icon to update it.

4.1 County tax assessor and GIS parcel layers

Parcel records are queried live from free government services. These areas are built in:

Coverage	Areas
Statewide	AR, CO, CT, DE, HI, IN, MA, MD, MT, NC, NJ, NY, TN, UT, VA, VT, WA, WI
Large counties	Los Angeles (CA), Maricopa (AZ), Hennepin (MN), Miami-Dade (FL), Salt Lake (UT)

Some statewide layers have no owner or value fields (IN, WA, VA, DE, HI and Utah statewide). Tennessee leaves out about nine counties, including Davidson and Shelby, and New York covers only counties that share data with the state.

To add your own county:

1. Find your county's parcel layer on its GIS website or on ArcGIS Hub (hub.arcgis.com, search "parcels" and the county name).
2. On the dataset page choose **I want to use this > View API resources** and copy the URL ending in `/FeatureServer/0` or `/MapServer/number`.
3. In the data sources panel click **Connect a county parcel layer**, paste the URL, choose the state, give it a name and click **Connect**.
4. Notifyem checks the layer and reports which fields it detected (address, owner, value and so on). The layer is used on every search in its area from then on.

4.2 OpenStreetMap

Searched automatically on every map search. No setup is needed. Results are saved to Supabase so they remain available if the OpenStreetMap servers are busy later.

4.3 Overture Maps

Overture data is too large to search live, so an administrator loads an area once with an import script (see section 9.4). Imported address points then appear on the map like any other saved record.

4.4 Kaggle real estate datasets

1. Download a real estate dataset from kaggle.com, for example the *USA Real Estate Dataset*, and unzip it.
2. Click **Import a Kaggle CSV** in the data sources panel, or **Import Kaggle CSV** on the Listings tab.
3. Choose the CSV file. Notifyem detects the columns automatically; check the **Column mapping** and correct any field. Price and either an address or a city are required.
4. Optionally limit the import to one state and set a maximum number of rows, then click **Import to Supabase**.
5. Progress is shown as rows are read and saved. Click **Stop after this batch** to end early. Importing the same file again updates rows rather than duplicating them.

Storage limit

Supabase's free plan holds 500 MB, and roughly 1,000 rows use about 1 MB. Filter large national files by state rather than importing everything.

4.5 Realtors Property Resource (RPR)

RPR does not offer a public data connection, so it cannot be imported. Use the **Open RPR** link to research properties on narrpr.com with your REALTOR® login.

5. Listings

The Listings tab shows listings stored in Supabase from your MLS feed and from imported Kaggle datasets. The badge next to the title shows the MLS status: **No MLS feed configured**, your feed's name, or an amber sandbox badge when test data is in use.

5.1 Sync the MLS

Listings sync automatically once a day when the administrator has enabled it. To pull new and changed listings immediately, click **Sync MLS now**. A message confirms how many listings were saved. If the sync fails, the reason appears at the top of the page.

5.2 Filter and browse

- **State**, **Source** (MLS feed or Kaggle) and **Property Type** narrow the list.
- **Include sold / off-market** also shows inactive records, such as sold Kaggle listings.
- **Only Matched to Leads** shows listings priced within 15% of a lead's budget in the same state. The card shows the best match and a match score.

- Click **Load more** at the bottom to see further results.
- Each card shows price (with the previous price if reduced), address, source, days on market, beds, baths and size. **View on Heatmap** opens the map and **Listing** opens the original listing page when the source provides one.

TEST DATA listings

Cards with an amber **TEST DATA: NOT A REAL LISTING** banner come from a vendor sandbox used to check the setup. They are not real properties, **Draft Pitch** is disabled for them, and they are deleted automatically on the first sync from a real MLS feed.

6. Leads and pipeline

6.1 Add a lead

1. Open **Leads & Pipeline** and click **Add Real Estate Lead**.
2. Enter the name, work email, brokerage or company, lead category, role and full street address. Fields marked * are required.
3. Choose a collection if you want to group the lead, add notes, and save.

Notifyem verifies the address before saving. If no house number and street are found, correct the address and try again. A lead with the same email as an existing lead is rejected as a duplicate.

6.2 Move leads through the pipeline

Leads progress through: **New**, **Researched**, **Contacted**, **Engaged**, **Referral Received** and **Active Partner**. They can also be marked **Dormant** or **Do Not Contact**; use Do Not Contact for anyone who has opted out. Change a lead's stage with the drop-down on its card.

Switch between **Pipeline Stages** (cards by stage) and **Table View** at the top right. Use the search box and the state and category filters to find leads. Every change is saved to Supabase automatically.

7. Collections, campaigns and Salesforce

7.1 Collections

Collections group leads into segments, for example "Phoenix Metro Value-Add Buyers". Click **Create New Collection**, enter a name, primary state and acquisition criteria, and click **Save Collection**. Each card shows its lead count; **View in Pipeline** opens the pipeline. Collections are saved to Supabase.

7.2 AI Campaigns

Use this tab to prepare outreach drafts. Click **AI Writer**, choose the campaign type, audience and tone, and enter the facts the message should contain; you can feature a property from Listings. Every new draft starts as **Pending Approval**. A reviewer can **Approve**, request edits (**Needs Edit**) or **Reject**, adding notes.

Current limitations

Drafts are built from a template using the facts you enter. They are not yet saved to the database (they disappear when the page is reloaded) and Notifyem does not send email. Copy approved text into your email tool.

7.3 Salesforce

The Salesforce tab documents how leads and listings will map to Salesforce fields. The connection is not active yet, so sync buttons show a notice instead of sending data.

8. Troubleshooting

Message or symptom	What it means and what to do
"Supabase is not configured on the server"	The administrator has not added the Supabase settings in Vercel, or has not redeployed since. Searches still work; saving does not.
"Supabase schema is out of date" or "Data source ... is missing"	The database setup script has not been run. Ask the administrator to run <code>supabase/0003_app_api.sql</code> (section 9.1).
OpenStreetMap shows red / "Overpass is unavailable"	The free OpenStreetMap servers are busy. Other sources still load; try again in a few minutes.
County parcels: "No parcel layer covers this location"	There is no built-in layer for that county. Connect your county's layer (section 4.1).
No properties found	Try a more specific city or street address, or a larger radius. Rural areas often have few mapped buildings.
"No US location matched"	Check the spelling, or add the city and state (for example "Springfield, IL").
"Sync MLS now" is greyed out	No MLS feed is configured yet. See section 9.3.
"MLS feed rejected the credentials"	The MLS token or client secret is wrong or expired. The administrator must update it in Vercel.
Banner: "... was not saved to Supabase"	The change shows on screen but did not reach the database. Reload the page, check the connection and repeat the change.

9. Administrator setup

This section is for the person who deploys and maintains Notifyem on Vercel and Supabase.

9.1 Prepare the database

1. In Supabase open the project, then **SQL Editor**.
2. Paste the whole of `supabase/0003_app_api.sql` and click **Run**. It works on an empty database and on databases where the older 0001/0002 scripts ran, and it is safe to run again. Do not run 0002 after it.

9.2 Set environment variables

In Vercel open the project, then **Settings > Environment Variables**. Add the variables below for the Production environment, then redeploy (**Deployments > latest > Redeploy**). New values only apply after a redeploy.

Variable	Required	Value
SUPABASE_URL	Yes	Project URL from Supabase Project Settings > API , e.g. <code>https://abcd.supabase.co</code>
SUPABASE_SERVICE_ROLE_KEY	Yes	The <code>service_role</code> (or <code>sb_secret_</code>) key from the same page. Mark it Secret . Never use the anon key.
CRON_SECRET	For daily MLS sync	Any long random string you create (see below). Without it the daily sync does not run; manual sync still works.
MLS_RESO_URL, MLS_ACCESS_TOKEN, MLS_NAME	For MLS	From your MLS data vendor (section 9.3).
NOMINATIM_EMAIL	Optional	A contact email sent to the OpenStreetMap address search service.

Create a `CRON_SECRET` value by running this command and pasting the output:

```
node -e "console.log(require('crypto').randomBytes(32).toString('hex'))"
```

9.3 Connect the MLS

MLS listing data is licensed. Request an IDX or VOW data feed from your MLS or its vendor. Notifyem works with any feed that uses the RESO Web API standard. Typical settings:

Vendor	Settings
Bridge Interactive	<code>MLS_RESO_URL=https://api.bridgedataoutput.com/api/v2/OData/dataset</code> <code>MLS_ACCESS_TOKEN=server token</code>

Vendor	Settings
MLS Grid	MLS_RESO_URL=https://api.mlsgrid.com/v2 MLS_ACCESS_TOKEN=token MLS_FILTER=OriginatingSystemName eq 'mls' and MlgCanView eq true MLS_EXPAND=Media
Trestle (CoreLogic)	MLS_RESO_URL=https://api-trestle.corelogic.com/trestle/odata MLS_OAUTH_TOKEN_URL=https://api-trestle.corelogic.com/trestle/oidc/connect/token MLS_CLIENT_ID, MLS_CLIENT_SECRET, MLS_OAUTH_SCOPE=api
Spark / Flexmls	MLS_RESO_URL=https://replication.sparkapi.com/Reso/OData MLS_ACCESS_TOKEN=token

To test the setup before your feed is approved, set `MLS_PROVIDER=bridge-test`. This loads Bridge's synthetic sandbox, labelled TEST DATA everywhere. Remove it when the real feed is configured. The daily sync runs at 11:00 UTC.

9.4 Import Overture address data

Run on a computer with Node.js, in the project folder, with `SUPABASE_URL` and `SUPABASE_SERVICE_ROLE_KEY` in `.env.local`:

```
npm i --no-save @duckdb/node-api
npm run import:overture -- --place "Austin, TX" --radius 5
```

A city-sized area usually takes 1 to 5 minutes. Use `--bbox west, south, east, north` for an exact area and `--limit` to cap the number of records.

9.5 Security

Important

Notifyem does not have user logins yet. Anyone who has the web address can view and change leads and trigger syncs. Share the address only with your team until sign-in is added. The database itself is protected: browsers cannot access it directly, and the service-role key stays on the server.