

VIXOR NOCTURNE

Page Inventory

Complete inventory of 36 application pages
Design System V3 — Dark-Glass Aesthetic
Framework: TanStack Router + React + Tailwind CSS 4 + shadcn/ui

Background	Card	Primary	Bullish	Bearish
#0B0D10	rgba(255,255,255,0.025)	#7C9BC4	#0ECB81	#F6465D

Table of Contents

Core Navigation (3 pages)

- Dashboard /
- Authentication /auth
- Settings /settings

AI & Analysis (7 pages)

- Chart Analysis /analyze
- Analysis Detail /analysis/\$id
- Vision Board /vision
- AI Copilot /copilot
- AI Predictions /predictions
- AI Experiments /experiments
- Daily Trading Loop /daily-loop

Trading (6 pages)

- Trade Desk /trade-desk
- PnL Tracker /pnl
- Portfolio /portfolio
- Bags Tracker /bags
- Trading Journal /journal
- Strategy Backtester /backtest

Market Intelligence (9 pages)

- AI Signals /signals
- Token Discovery /discover
- Whale Alerts /whale
- Alpha Feed /alpha
- Market Pulse /pulse
- Watchlist & Alerts /trackers
- Yield Tracker /yield
- Bonding Curves /curves
- Community Sentiment /communities

Derivatives & Advanced (1 pages)

- Perpetuals /perpetuals

Web3 & On-Chain (2 pages)

- Web3 Wallet /wallet-web3
- On-Chain Activity /activity-web3

Social & Gamification (3 pages)

- Rewards & Points /rewards

■■■ Referral Program /referral

■■■ User Profile /profile

Admin (1 pages)

■■■ API Key Management /admin/api-keys

Placeholder / Coming Soon (3 pages)

■■■ Charts /charts

■■■ Arbitrage Scanner /arbitrage

■■■ Premium Subscription /premium

Dynamic Routes (1 pages)

■■■ Token Detail /token/\$symbol

Appendix

■■■ Shared Components Inventory

Design System Quick Reference

All Nocturne V3 CSS custom properties used across the application. Colors are sourced from the VIXOR logo (primary navy), Binance trading semantics (bullish/bearish), and a carefully calibrated dark-glass surface system.

Utility Classes

<code>.glass-card</code>	Glass card with 0.5px border, blur, gradient-glass bg
<code>.glass-header</code>	Glass header with blur(16px), saturate(160%)
<code>.vixor-card</code>	Solid bg card with shadow-card, 0.5px border
<code>.nocturne-bg</code>	Background with accent glow, grid, and base color
<code>.btn-buy</code>	Bullish bg, buy-text color, buy-pulse-glow animation
<code>.btn-sell</code>	Transparent bg, border, hover border-color transition
<code>.live-badge</code>	Pill badge with live-dot-pulse animation
<code>.terminal-card</code>	Solid card with 0.5px border, radius-lg
<code>.terminal-card-accent</code>	Terminal card with 2px primary left border
<code>.data-grid</code>	1px gap grid with border-subtle bg
<code>.strength-strong/moderate/weak</code>	Bullish/neutral-wait/bearish colored indicators
<code>.scenario-primary/alternative/counter</code>	Left-border accent cards for analysis scenarios
<code>.text-mono</code>	JetBrains Mono, tabular-nums for financial data
<code>.shimmer</code>	Skeleton loading animation with foreground 8% gradient
<code>.card-stagger</code>	Staggered card-enter animation (60ms delays)
<code>.row-press</code>	Active state scale(0.985) + bg change for table rows

Animation Keyframes

<code>@keyframes pulse-dot</code>	1.8s ease-in-out infinite — scale/opacity pulse
<code>@keyframes shimmer</code>	1.6s linear infinite — background-position 200% slide
<code>@keyframes buy-pulse-glow</code>	2.2s ease-in-out infinite — box-shadow 0→16px→0
<code>@keyframes live-dot-pulse</code>	1.6s ease-in-out infinite — scale 1→0.7→1
<code>@keyframes card-enter</code>	0.45s ease-out — translateY(6px)→0, opacity 0→1
<code>@keyframes glow-drift</code>	Slow — translate + scale oscillation
<code>@keyframes line-draw</code>	stroke-dashoffset 1000→0 for SVG paths
<code>@keyframes vixor-pulse</code>	1s — opacity 1→0.4, scale 1→0.85
<code>@keyframes spin</code>	360° rotation for loading

CSS Custom Properties (Design Tokens)

Surfaces

--background	 #0B0D10
--card	rgba(255,255,255,0.025)
--card-solid	 #101317
--card-hover	 #16181C
--surface-elevated	 #16181C
--popover	 #101317

Text

--foreground	 #FAFAFA
--card-foreground	 #FAFAFA
--text-muted	 #6B7280
--muted-foreground	 #9CA3AF
--text-tertiary	 #6B7280

Primary Accent

--primary	 #7C9BC4
--primary-foreground	 #0B0D10
--primary-glow	 #9FB6D6
--ring	#7C9BC466
--info	 #7C9BC4

Semantic Trading

--bullish	 #0ECB81
--bearish	 #F6465D
--neutral-wait	 #F59E0B
--destructive	 #F6465D
--buy-text	 #04150D

Tp Gradient Levels

--tp1	 #0ECB81
--tp2	 #34D399
--tp3	 #6EE7B7

Borders

--border	 #1E232A
----------	---

--border-subtle	■ #1A1D22
--border-hover	■ #2A3140
--input	■ #1A1D22

Secondary Muted

--secondary	■ #16181C
--secondary-foreground	■ #FAFAFA
--muted	■ #16181C
--accent	■ #16181C
--accent-dark	■ #232E3C

Gradients

--gradient-primary	■ linear-gradient(135deg, #7C9BC4, #9FB6D6)
--gradient-bullish	linear-gradient(135deg, #0ECB812E, #0ECB8105)
--gradient-bearish	linear-gradient(135deg, #F6465D2E, #F6465D05)
--gradient-glass	linear-gradient(135deg, rgba(255,255,255,0.04), rgba(255,255,255,0.01))
--gradient-accent-bg	radial-gradient(ellipse at 30% 20%, #7C9BC414 0%, transparent 60%)
--bg-grid	linear-gradient(rgba(255,255,255,0.035) 1px, transparent 1px)

Shadows

--shadow-card	0 4px 24px -8px rgba(0,0,0,0.5)
--shadow-elevated	0 12px 40px -12px rgba(0,0,0,0.7)
--shadow-glow	0 0 20px -4px #7C9BC430

Radii

--radius-sm	7px
--radius-md	10px
--radius-lg	13px
--radius-xl	17px
--radius-2xl	21px
--radius-pill	20px

Typography

--font-sans	Inter, ui-sans-serif, system-ui, sans-serif
--font-mono	JetBrains Mono, ui-monospace, monospace

Background Treatments

--bullish-bg	 #0ECB8114
--bearish-bg	 #F6465D14
--neutral-wait-bg	 #F59E0B14

Chart Palette

--chart-1	 #7C9BC4
--chart-2	 #8C9EFF
--chart-3	 #9FB6D6

Page Inventory

Detailed inventory of all 36 application pages. Each entry documents route, purpose, data sources, key UI elements, interactions, information density, and design notes.

Core Navigation

Dashboard /

● DENSITY: HIGH

Purpose	Primary landing page after auth; hub for all features with quick actions, portfolio summary, recent signals, and market overview
Data Sources	getDashboardData (Supabase RPC), getMe (user profile), getRecentAnalyses
Key UI Elements	Quick Action Grid (6 cards), StatsRow (portfolio PnL, signals count, streaks), Recent Signals list, Market Pulse cards, OnboardingModal for first-time users
Interactions	Quick action navigation, tap signal to view detail, card-stagger entrance animation, pull-to-refresh
Design Notes	Uses nocturne-bg grid background; card-stagger animation with 60ms delays; quick actions use semantic colors (bullish for profit, info for neutral)

Authentication /auth

● DENSITY: MEDIUM

Purpose	Telegram-first auth page with WebApp auto-signin, Telegram Login Widget fallback, and email/password backup
Data Sources	supabase.auth, telegramSignIn, getTelegramInitData
Key UI Elements	Full-page dark background with VIXOR branding, Telegram login button (btn-buy green), email form (collapsible), feature showcase cards, gradient-primary header
Interactions	Auto-signin via Telegram initData, manual Telegram widget login, email/password form toggle, form validation, loading states
Design Notes	Uses Telegram WebApp safe-area insets (pt-safe/pb-safe); btn-buy pulse-glow animation on CTA

Settings /settings

● DENSITY: MEDIUM

Purpose	User preferences including notifications, display, trading defaults, and account management
Data Sources	getUserSettings, updateUserSettings (Supabase RPC)
Key UI Elements	Tabbed layout (Notifications / Display / Trading / Account), toggle switches, select dropdowns, text inputs, SectionTitle dividers
Interactions	Toggle switches with immediate save, dropdown selection, form field validation, unsaved changes indicator
Design Notes	Uses var(--color-card) for all setting cards; terminal-section dividers between groups

AI & Analysis

Chart Analysis /analyze

● DENSITY: HIGH

Purpose	AI-powered SMC/ICT chart analysis with screenshot upload, pair selection, and multi-timeframe breakdown
Data Sources	createAnalysis (Supabase insert), getMe (user quota), analysis engine (SMC, candlestick, harmonic patterns)
Key UI Elements	Screenshot upload zone (drag/drop + clipboard), pair selector (Select component), timeframe chips, loading shimmer, analysis result cards with scenario-primary/alternative/counter borders
Interactions	Screenshot upload (drag/drop/camera/clipboard), pair & timeframe selection, AI analysis trigger, result expansion/collapse, share analysis
Design Notes	Complex page: scenario cards use border-left accent (2px solid); strength indicators use bullish/bearish/neutral-wait tokens; term-highlight for glossary terms

Analysis Detail /analysis/\$id

● DENSITY: VERY HIGH

Purpose	Full detail view of a completed AI analysis with SMC breakdowns, trade setup, and AI recommendations
Data Sources	getRecentAnalyses, getAnalysis detail (Supabase query), share functions
Key UI Elements	Back navigation, analysis header with RecBadge + ConfidenceBar, tabbed content (Overview / SMC / Trade Plan / AI Take), AnalystReportPanel, StickyNote annotations, expandable sections
Interactions	Tab navigation, section expand/collapse, note annotations, share to X/Telegram, bookmark analysis, fullscreen chart view
Design Notes	Densest page in app; uses all scenario card variants; CoachOverlay integration; terminal-card-accent for key insights; collapsible-trigger pattern

Vision Board /vision

● DENSITY: HIGH

Purpose	Gallery of recent AI chart analyses with buy/sell signal counts and average confidence
Data Sources	getRecentAnalyses (Supabase RPC)
Key UI Elements	StatsRow (total/buy/sell/avg confidence), analysis card grid with thumbnails, Badge for recommendation status
Interactions	Tap card to navigate to /analysis/\$id, filter by signal type, scroll-based lazy loading
Design Notes	Card grid uses card-stagger animation; badges use bullish/bearish semantic colors

AI Copilot /copilot

● DENSITY: VERY HIGH

Purpose	Multi-agent AI chat with Analyst, Hunter, Coach, and Governor personas; consensus view; conversation management
Data Sources	askCopilot, getConsensus (multi-agent LLM), createConversation, listConversations, getConversation, saveMessage, deleteConversation

Key UI Elements	Sidebar conversation list (collapsible), chat message thread, agent avatar badges, consensus panel, quick-action chips (Analyze, Trade Plan, Risk Check), agent selector tabs
Interactions	Send message, create new conversation, delete conversation, rename conversation, agent selection, quick actions, chart context passing (chartPair, chartTimeframe, chartPrice, chartSymbol)
Design Notes	Most complex page; uses gradient-info for agent avatars; streaming message display; PanelLeftClose/Open for sidebar toggle; PaginationBar for conversation history

AI Predictions /predictions

● DENSITY: MEDIUM

Purpose	AI-generated market predictions with confidence scores and outcome tracking
Data Sources	getPredictionsData (Supabase RPC)
Key UI Elements	StatsRow (total predictions, accuracy rate), prediction cards with ProgressBar confidence, outcome badges (Correct/Incorrect/Pending), SectionTitle for timeframes
Interactions	View prediction details, filter by timeframe/outcome, accuracy trend monitoring
Design Notes	ProgressBar uses bullish/bearish/neutral-wait colors based on confidence level; SectionTitle dividers

AI Experiments /experiments

● DENSITY: HIGH

Purpose	Sandbox for testing AI strategies with configurable parameters, backtest integration, and result comparison
Data Sources	listExperiments, createExperiment (Supabase), getMe (user context), runBacktestServer
Key UI Elements	Experiment creation form (strategy params, timeframe, capital), StatsRow (running/total/profit), expandable result cards with ChevronDown/Up, trade log entries
Interactions	Create experiment with form validation, run experiment, view results, compare experiments, delete experiment
Design Notes	Uses ExpandableWidget for result cards; AlertTriangle/Coins icons for risk/reward; CheckCircle2/XCircle for status; FlaskConical branding

Daily Trading Loop /daily-loop

● DENSITY: VERY HIGH

Purpose	Structured daily trading routine: Morning Prep, Session Tracking, EOD Review with AI coaching and streak tracking
Data Sources	getTodayLoop, updateMorningPrep, updateSessionTracking, updateEodReview, getLoopHistory, getStreak (Supabase RPCs)
Key UI Elements	Phase cards (Sun/Clock/Moon icons), step progress indicators (Circle/CheckCircle2), ExpandableWidget for each phase, AnalystReportPanel for AI insights, PaginationBar for history, flame streak counter
Interactions	Phase step completion (checkbox), AI coaching request, expand/collapse phases, view historical loops, streak tracking
Design Notes	Uses all phase icons (Sun/Moon/Clock/Flame); Lightbulb for insights; Target/Brain for goals; card-enter animation on phase cards; CoachOverlay integration

Trading

Trade Desk /trade-desk

● DENSITY: HIGH

Purpose	Manual trade entry with risk management, position tracking, and AI governor risk panel
Data Sources	createTrade, listTrades (Supabase), useI18n (localization)
Key UI Elements	Trade form (pair, direction, entry/stop/TP, qty, notes), GovernorRiskPanel (risk score, position sizing), CoachOverlay (trading tips), StatsRow (today trades, win rate), trade history with PaginationBar
Interactions	Create trade with validation, risk score calculation, coach overlay toggle, direction toggle (BUY/SELL with btn-buy/btn-sell styles), trade history pagination
Design Notes	Trade entry uses btn-buy (green, pulse-glow) for BUY and btn-sell (outlined) for SELL; GovernorRiskPanel uses terminal-card-accent; risk gauge uses bullish/bearish/neutral-wait gradient

PnL Tracker /pnl

● DENSITY: HIGH

Purpose	Trade history with profit/loss tracking, R-multiple calculation, and performance metrics
Data Sources	getTradeHistory (Supabase RPC), Tables type trades
Key UI Elements	TableHeader with 8 columns (Pair/Side/Entry/Exit/Qty/PnL/R/Duration), DataRow with color-coded PnL, StatsRow (total PnL, win rate, avg R), tabbed views
Interactions	Sort by column, tap row for detail, filter by date range, export data
Design Notes	Table uses TableHeader component; PnL values use bullish/bearish colors; font-mono for all numerical data; row-press feedback

Portfolio /portfolio

● DENSITY: HIGH

Purpose	Holdings overview with allocation breakdown, PnL summary, and trade history
Data Sources	getPortfolioData (Supabase RPC)
Key UI Elements	StatsRow (total value, PnL, positions count), allocation bar (multi-color from ALLOC_COLORS), holdings list with DataRowTwoLine, history tab with trade entries
Interactions	Toggle holdings/history tabs, tap position for detail, allocation visualization
Design Notes	Allocation bar uses bullish/info/bearish/neutral-wait/primary token colors; DataRowTwoLine for compact position display

Bags Tracker /bags

● DENSITY: MEDIUM

Purpose	Crypto bag/position tracking showing entries, current value, and unrealized PnL per token
Data Sources	getPortfolioData (Supabase RPC)
Key UI Elements	StatsRow (total bags, total value, avg PnL), position cards with token info, SectionTitle for grouping, SkeletonRow loading states
Interactions	View bag details, sort by PnL/value, navigate to token detail

Design Notes	Uses same portfolio data source as /portfolio; different view focused on individual positions; badge for PnL status
--------------	---

Trading Journal /journal

● DENSITY: HIGH

Purpose	Trade journaling with AI-powered entry analysis, emotion tracking, and lessons learned
Data Sources	getJournalEntries, getTradeHistory, createJournalEntry (Supabase), askCopilot (AI analysis)
Key UI Elements	Journal entry list with DataRow, create entry form (mood selector, lesson tags, trade link), AI analysis panel, StatsRow (entries count, streak, avg score)
Interactions	Create journal entry, AI analysis of entry, link trade to journal, mood tracking, search/filter entries
Design Notes	Mood selector uses bullish/bearish/neutral-wait colors; AI analysis uses gradient-info header; collapsible sections for long entries

Strategy Backtester /backtest

● DENSITY: HIGH

Purpose	Backtest trading strategies with configurable parameters, equity curves, and performance metrics
Data Sources	runBacktestServer (engine), getMe (user quota), BacktestResult types
Key UI Elements	Strategy parameter form, StatsRow (total return, max drawdown, Sharpe, win rate), equity curve visualization, trade log, metrics cards (Shield/Target/BarChart3 icons)
Interactions	Configure strategy, run backtest, view results, compare strategies, export results
Design Notes	Complex form with multiple inputs; result cards use terminal-card styling; metrics use lucide icons; loading state with Loader2 spinner

Market Intelligence

AI Signals /signals

● DENSITY: HIGH

Purpose	AI-generated trading signals with real-time tracking, TP/SL monitoring, and share functionality
Data Sources	getDailySignals, createSignalTracking, getUserSignalTrackings (Supabase), useSignalMonitor (real-time)
Key UI Elements	Tab filters (All/BUY/SELL/WAIT), signal cards with Badge recommendation, confidence bars, TP levels (tp1/tp2/tp3 colors), StatsRow (active/buy/sell/wait counts), share buttons
Interactions	Track signal, tab filtering, real-time TP/SL monitoring via useSignalMonitor, share to X/Telegram, navigate to analysis
Design Notes	Signal tracking uses live-badge with pulse-dot animation; TP levels use --tp1/--tp2/--tp3 tokens; badges use bullish/bearish/neutral-wait

Token Discovery /discover

● DENSITY: HIGH

Purpose	Token discovery scanner with scoring, risk assessment, and multi-source data aggregation
---------	--

Data Sources	discover API endpoint (multi-client: DexScreener, Helius, LunarCrush, Birdeye, Mobula)
Key UI Elements	Sort options (Trending/Volume/24h%/Liquidity/Smart Money), token cards with discovery score, risk badges, chain labels, liquidity score, social score, StatsRow (total/filtered/scan time)
Interactions	Sort by criteria, tap token for detail, honeypot warning badges, chain filtering
Design Notes	Token cards use live-badge for trending; risk badges use bearish/neutral-wait; discovery score uses ProgressBar; multi-source aggregation

Whale Alerts /whale

● DENSITY: MEDIUM

Purpose	Large transaction monitoring across Solana with value, token, and time tracking
Data Sources	getWhaleData (Supabase RPC / Helius)
Key UI Elements	StatsRow (total alerts, 24h volume, largest tx), alert list with DataRowTwoLine (tx hash, token, value, time), Badge for transaction type
Interactions	View alert details, filter by token, time-based filtering, tap for transaction explorer
Design Notes	Uses formatCompact/formatTimeAgo formatters; DataRowTwoLine for compact display; live-badge for real-time alerts

Alpha Feed /alpha

● DENSITY: HIGH

Purpose	Aggregated feed of AI signals, analyses, and alpha opportunities from multiple sources
Data Sources	getAlphaData (Supabase RPC)
Key UI Elements	Tab filters (All/Signals/Analyses), alpha cards with Badge type, ProgressBar for confidence, StatsRow (total signals, analyses, avg confidence)
Interactions	Tab filtering, tap for detail, confidence sorting, feed scrolling
Design Notes	Uses same Tab pattern as signals; ProgressBar for alpha scores; Badge for source type

Market Pulse /pulse

● DENSITY: MEDIUM

Purpose	Real-time market activity feed combining trades, signals, and notable events
Data Sources	getPulseData (Supabase RPC)
Key UI Elements	Tab filters (All/Trades/Signals), activity feed with DataRow, type badges with semantic colors, StatsRow (total events, trades, signals)
Interactions	Tab filtering, infinite scroll, tap for detail, real-time updates
Design Notes	Feed items use bullish/bearish for buy/sell actions; primary/info for type distinction; time-based sorting with formatTimeAgo

Watchlist & Alerts /trackers

● DENSITY: MEDIUM

Purpose	Combined watchlist and price alert management with real-time monitoring
Data Sources	getWatchlistData (Supabase RPC)
Key UI Elements	Tab layout (Watchlist / Price Alerts), TableHeader for column layout, DataRow for items, Badge for alert status, add/remove controls

Interactions	Add to watchlist, create price alert, tab switching, delete items, edit alert thresholds
Design Notes	Uses TableHeader + DataRow pattern; tabs use primary color for active state; Badge uses neutral-wait for pending alerts

Yield Tracker /yield

● DENSITY: HIGH

Purpose	DeFi yield farming tracking with APY, TVL, and position management
Data Sources	getYieldData (Supabase RPC)
Key UI Elements	StatsRow (total deposited, earned, active positions), yield position cards with DataRow, SectionTitle for protocol grouping, LabelValue for APY/TVL
Interactions	View position details, filter by protocol, APY sorting, withdraw flow
Design Notes	Uses SectionTitle for protocol grouping; LabelValue for key metrics; bullish for positive APY, bearish for negative

Bonding Curves /curves

● DENSITY: MEDIUM

Purpose	Token bonding curve analysis for pump.fun and similar platforms
Data Sources	getBondingCurveData (Supabase RPC)
Key UI Elements	Tab filters (All Pairs / Accumulating), StatsRow, DataRow with MiniBar progress, Badge for curve stage, LabelValue for market cap/progress
Interactions	Tab filtering, tap for detail, sort by progress/market cap, accumulation detection
Design Notes	MiniBar uses bullish color for accumulation progress; Badge uses primary for active curves; compact DataRow layout

Community Sentiment /communities

● DENSITY: MEDIUM

Purpose	Social media and community sentiment analysis for crypto assets
Data Sources	getCommunitiesData (Supabase RPC)
Key UI Elements	Mood config (emoji + color per sentiment), StatsRow (tracked communities, avg sentiment), community cards with DataRow, LabelValue for sentiment score, SectionTitle for platform grouping
Interactions	View community details, sentiment filtering, platform grouping, tap for deep analysis
Design Notes	Mood config uses bullish (positive), bearish (negative), neutral-wait (neutral); emoji-based sentiment display

Derivatives & Advanced

Perpetuals /perpetuals

● DENSITY: HIGH

Purpose	Perpetual futures tracking with funding rates, open interest, and position management
Data Sources	getPerpetualsData (Supabase RPC)

Key UI Elements	StatsRow (total positions, unrealized PnL, funding), position cards with DataRowTwoLine, LabelValue for leverage/funding/OI, Badge for direction
Interactions	View position details, sort by PnL/funding, leverage display, PnL calculation
Design Notes	Uses DataRowTwoLine for compact position display; bullish/bearish for long/short; LabelValue for funding rate with color coding

Web3 & On-Chain

Web3 Wallet /wallet-web3

● DENSITY: MEDIUM

Purpose	Multi-chain wallet connection and balance display supporting Phantom (Solana) and MetaMask (EVM)
Data Sources	getPhantomSolBalance, getPhantomTokenBalances, getEvmNativeBalance (wallet adapters), EVM_CHAINS config
Key UI Elements	WalletProviderSelector, WalletConnectButton, token cards (OpenSea collection style), StatsRow (total balance, chains), LiveDot for connection status, MiniSparkline for price history
Interactions	Connect/disconnect wallet, switch chain, view token balances, provider selection (Phantom/MetaMask)
Design Notes	TokenCard uses glass-card style; LiveDot uses pulse-dot animation; MiniSparkline for inline charts; WalletConnectButton in AppShell header

On-Chain Activity /activity-web3

● DENSITY: LOW

Purpose	On-chain transaction history and activity tracking (Coming Soon)
Data Sources	None
Key UI Elements	EmptyState with Coming Soon badge (neutral-wait color)
Interactions	None (placeholder)
Design Notes	Placeholder page using PageLayout + EmptyState pattern; neutral-wait badge color

Social & Gamification

Rewards & Points /rewards

● DENSITY: HIGH

Purpose	Gamification system with points, tiers (Bronze/Silver/Gold/Platinum), achievements, and point history
Data Sources	getUserPoints, getReferralData (Supabase RPCs)
Key UI Elements	StatsRow (total points, tier progress, next tier), tier cards with color coding, achievement badges grid, point history with DataRow, ProgressBar for tier progress
Interactions	View tier progress, earn points, check achievement status, view point history
Design Notes	Tier colors: Bronze #A0703C, Silver #9CA3AF, Gold #F59E0B, Platinum #7C9BC4; ProgressBar for tier advancement; badge grid with card-stagger animation

Referral Program /referral

● DENSITY: MEDIUM

Purpose	Referral code sharing, referral tracking, and reward calculation
Data Sources	getReferralData (Supabase RPC)
Key UI Elements	StatsRow (total referrals, earned rewards, conversion rate), step cards (3 steps with numbers), referral code display with copy button, referral list with DataRow
Interactions	Copy referral code, share link, view referral list, track conversion
Design Notes	Step cards use terminal-card styling; copy button with check feedback; SectionTitle for list header

User Profile /profile

● DENSITY: MEDIUM

Purpose	User profile display with trading stats, achievement badges, and account information
Data Sources	getUserProfile, getUserPoints, getTradeHistory (Supabase RPCs)
Key UI Elements	StatsRow (trades, win rate, PnL, streak), achievement badges grid (emoji + name + desc), recent trade summary with DataRow, Badge for subscription status
Interactions	View achievements, navigate to trade history, view subscription details
Design Notes	Achievement badges use card-stagger animation; Badge uses primary color; profile header with gradient-primary accent

Admin

API Key Management /admin/api-keys

● DENSITY: MEDIUM

Purpose	Admin-only page for managing LLM provider API keys (OpenAI, Anthropic, Groq, etc.)
Data Sources	getAllKeyStatuses, rotateApiKey, deleteApiKey (admin-guard protected)
Key UI Elements	StatsRow (active/total keys), API key cards with Badge status (active/inactive/error), ProgressBar for usage, SectionTitle for provider grouping, DataRow for key details
Interactions	View key status, rotate key, delete key, provider filtering, usage monitoring
Design Notes	Admin-guard protected route; Badge uses bullish for active, bearish for error, neutral-wait for inactive; terminal-card-accent for key cards

Placeholder / Coming Soon

Charts /charts

● DENSITY: LOW

Purpose	Advanced charting with real-time candlestick data, technical indicators, and multi-timeframe analysis (Coming Soon)
Data Sources	None

Key UI Elements	EmptyState with chart icon and feature description, Coming Soon badge (neutral-wait)
Interactions	None (placeholder)
Design Notes	Placeholder using PageLayout + EmptyState; will integrate TradingViewChart component

Arbitrage Scanner /arbitrage

● DENSITY: LOW

Purpose	Automated arbitrage detection across Solana DEXs (Coming Soon)
Data Sources	None
Key UI Elements	EmptyState with lightning icon, Coming Soon badge (neutral-wait)
Interactions	None (placeholder)
Design Notes	Placeholder; engine exists in /src/domains/arbitrage with triangular/cross-DEX/CEX-DEX strategies

Premium Subscription /premium

● DENSITY: MEDIUM

Purpose	Subscription management with plan selection, payment integration, and feature gating
Data Sources	getPremiumData (Supabase), subscribeToPlan (server function with auth middleware)
Key UI Elements	Plan cards with pricing, Badge for current plan, feature comparison list, subscribe button (btn-buy for primary action), ScrollArea for plan details
Interactions	Select plan, subscribe, view current subscription, manage billing
Design Notes	Uses btn-buy for subscribe CTA; Badge uses primary for active plan; zod validation for subscription data

Dynamic Routes

Token Detail /token/\$symbol

● DENSITY: MEDIUM

Purpose	Dynamic token detail page showing trade history, performance, and related signals for a specific token
Data Sources	getTradeHistory (filtered by symbol via Supabase)
Key UI Elements	StatsRow (trades, PnL, win rate), trade history table with TableHeader, DataRow for trades, Badge for signal status, SectionTitle for trade groups
Interactions	View token trade history, filter trades, navigate to related analysis
Design Notes	Dynamic route with \$symbol param; uses same TableHeader/DataRow pattern as /pnl; filtered query by symbol

Appendix: Shared Components

Inventory of all shared VIXOR Nocturne components used across the application. These components are located in `/src/components/vixor/` and provide consistent terminal-style UI patterns.

PageLayout

Description	Unified page wrapper with header, tabs, stats, and content slots
Used By	Used by ALL 36 pages
Sub-patterns	terminal-card styling, Tab component, SectionTitle, StatsRow

AppShell

Description	Root layout shell with sidebar navigation, header (SOL price, wallet, notifications), and bottom nav
Used By	Root layout wrapper
Sub-patterns	glass-header, sidebar nav with Lucide icons, SOL price ticker, WalletConnectButton, notification bell

EmptyState

Description	Placeholder component for coming-soon and empty data states
Used By	Charts, Arbitrage, Activity, any empty list
Sub-patterns	Emoji icon, title, description, optional action button

GovernorRiskPanel

Description	AI risk assessment panel for trade validation
Used By	Trade Desk
Sub-patterns	terminal-card-accent, risk score gauge, position sizing, shield/target icons

CoachOverlay

Description	AI coaching overlay with trading tips and guidance
Used By	Trade Desk, Daily Loop
Sub-patterns	Floating panel, gradient-info header, tip cards

AnalystReportPanel

Description	AI-generated analyst report display
Used By	Analysis Detail, Daily Loop
Sub-patterns	Terminal-style report, scenario cards, collapsible sections

TradingViewChart

Description	TradingView embedded chart widget
-------------	-----------------------------------

Used By	Analysis pages (future)
Sub-patterns	Iframe embed, configurable symbol/timeframe

ExpandableWidget

Description	Collapsible content widget with chevron toggle
Used By	Daily Loop, Experiments
Sub-patterns	ChevronDown/Up toggle, collapsible-content animation, terminal-card

PaginationBar

Description	Page navigation bar
Used By	Copilot, Trade Desk, Daily Loop
Sub-patterns	Page numbers, prev/next buttons, page size display

MiniSparkline

Description	Inline mini chart for price trends
Used By	Wallet Web3
Sub-patterns	SVG sparkline, bullish/bearish color coding

LiveDot

Description	Pulsing green dot for live/active status
Used By	Wallet Web3, AppShell
Sub-patterns	pulse-dot animation, bullish color

OnboardingModal

Description	First-time user onboarding modal
Used By	Dashboard
Sub-patterns	Step-by-step intro, feature showcase, dismiss action

NoteEditorDialog

Description	Annotation/note editor dialog
Used By	Analysis Detail
Sub-patterns	Dialog component, text input, save/cancel actions

atoms.tsx

Description	Atomic UI components (RecBadge, ConfidenceBar, etc.)
Used By	Analysis pages, Signals
Sub-patterns	Badge variants, progress bars, small composable units

PageLayout exports

Description	StatsRow, SectionTitle, DataRow, DataRowTwoLine, LabelValue, Badge, SkeletonRow, TableHeader, ScrollArea, ProgressBar, MiniBar
Used By	Shared across all pages
Sub-patterns	Consistent terminal-style components with theme token colors

Stitch Integration Protocol

When the user sends Stitch-generated code for any page, integrate it into the route file by keeping the server function imports and data layer intact. The Stitch code should replace only the component rendering logic within the existing route file structure. Ensure all CSS custom properties and Nocturne design tokens are preserved.