

```
command : head Lab1_1.txt
output:
# pwd
/home/mca/Desktop/240905110_OSL/Lab_1
```

```
# ls
dir1
dir2
Lab1_1.txt
```

```
# ls -l
total 12
```

```
command: tail Lab1_1.txt
output:
Lab1_1.txt
```

```
#date
Wednesday 07 January 2026 10:12:51 AM IST
```

```
#whereis ls
ls: /usr/bin/ls /usr/share/man/man1/ls.1.gz
```

```
command : head -n 2 Lab1_1.txt >> Lab1_2.txt
output:
# pwd
/home/mca/Desktop/240905110_OSL/Lab_1
```

```
command : head -c 5 Lab1_1.txt >> Lab1_2.txt
output:
# pwd
```

```
command : tail -n 5 Lab1_1.txt >> Lab1_2.txt
output:
#whereis ls
ls: /usr/bin/ls /usr/share/man/man1/ls.1.gz
```

```
command : tail -c 25 Lab1_1.txt >> Lab1_2.txt
output:
hare/man/man1/ls.1.gz
```

```
command : mv dir1 dir2
output :
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1/dir1$ ls
file1.txt
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1/dir1$ ls
/home/mca/Desktop/240905110_OSL/Lab_1/dir2/
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1/dir1$ mv file1.txt
/home/mca/Desktop/240905110_OSL/Lab_1/dir2/
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1/dir1$ ls
/home/mca/Desktop/240905110_OSL/Lab_1/dir2/
```

file1.txt

command : rm -i file1.txt

output :

(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1/dir2\$ ls

file1.txt

(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1/dir2\$ rm -i file1.txt

rm: remove regular file 'file1.txt'? y

(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1/dir2\$ ls

command : rm -f file1.txt

output :

(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1/dir2\$ ls

file1.txt

(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1/dir2\$ rm -f file1.txt

(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1/dir2\$ ls

command : rmdir dir1

output :

(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1\$ ls

dir1 dir2 Lab1_1.txt Lab1_2.txt

(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1\$ rmdir dir1

(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_1\$ ls

dir2 Lab1_1.txt Lab1_2.txt

command : find Lab_1/Lab1* >> Lab_1/Lab1_2.txt

output :

Lab_1/Lab1_1.txt

Lab_1/Lab1_2.txt