

OSL LAB WEEK:3

QUE_1 : Write a shell script to find whether a given file is the directory or regular file.

```
mca@computinglab25-21: ~/Desktop/240905110_OSL/Lab_3
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3$ ./q1.sh /home/mca/Desktop/240905110_OSL/Lab_3
ab_1
It is a directory
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3$ ./q1.sh /home/mca/Desktop/240905110_OSL/Lab_3/ab_1/
dir2/      dir3/      hi/        l3         Lab1_1.txt Lab1_2.txt Lab1_3.txt submission/
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3$ ./q1.sh /home/mca/Desktop/240905110_OSL/Lab_3/ab_1/Lab1_1.txt
ab_1/Lab1_1.txt
It is a file
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3$
```

QUE_2 : Write a shell script to list all files (only file names) containing the input pattern (string) in the folder entered by the user.

```
mca@computinglab25-21: ~/Desktop/240905110_OSL/Lab_3
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3$ ls
example.sh 'Lab 3.pdf' 'Lab 3.pptx' q1.sh q2.sh q4.sh submission_week3.odt test_q5
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3$ ./q2.sh /home/mca/Desktop/240905110_OSL/Lab_3
ab_3
./q4.sh
./test_q5/q5.sh
./test_q5/e2.sh
./test_q5/e3.sh
./test_q5/e1.sh
./q2.sh
./example.sh
./q1.sh
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3$
```

QUE_3 : Write a shell script to replace all files with .txt extension with .text in the current directory. This has to be done recursively i.e if the current folder contains a folder "OS" with abc.txt then it has to be changed to abc.text (Hint: use find, mv)

```
mca@computinglab25-21: ~/Desktop/240905110_OSL/Lab_3/test_q5
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/test_q5$ ls
dest_folder_q5 e1.sh e1.txt e2.sh e2.txt e3.sh e3.txt q3.sh q5.sh
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/test_q5$ ./q3.sh
Renaming: ./e1.txt -> ./e1.text
Renaming: ./dest_folder_q5/e1.txt -> ./dest_folder_q5/e1.text
Renaming: ./dest_folder_q5/e3.txt -> ./dest_folder_q5/e3.text
Renaming: ./dest_folder_q5/e2.txt -> ./dest_folder_q5/e2.text
Renaming: ./e3.txt -> ./e3.text
Renaming: ./e2.txt -> ./e2.text
Done!
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/test_q5$
```

QUE_4 : Write a shell script to calculate the gross salary. GS=Basics + TA + 10% of Basics. Floating point calculations has to be performed.

```
mca@computinglab25-21: ~/Desktop/240905110_OSL/Lab_3
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3$ gedit q4.sh
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3$ ./q4.sh
Enter the value for Basic and TA
12000 1200
14400
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3$
```

QUE_5 : Write a program to copy all the files (having file extension input by the user) in the current folder to the new folder input by the user. ex: user enter .text TEXT then all files with .text should be moved to TEXT folder. This should be done only at single level. i.e if the current folder contains a folder name ABC which has .txt files then these files should not be copied to Write a shell script which deletes all the even numbered lines in a text file. TEXT.

```
mca@computinglab25-21: ~/Desktop/240905110_OSL/Lab_3/test_q5/dest_folder_q5
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/test_q5$ ls
e1.sh e1.txt e2.sh e2.txt e3.sh e3.txt q5.sh
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/test_q5$ ./q5.sh
Enter file extension (e.g., .txt) and destination folder name:
.txt dest_folder_q5
Done! Files ending in .txt have been copied to dest_folder_q5.
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/test_q5$ cd dest_folder_q5/
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/test_q5/dest_folder_q5$ ls
e1.txt e2.txt e3.txt
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/test_q5/dest_folder_q5$
```

QUE_6 : Write a shell script which deletes all the even numbered lines in a text file.

```
mca@computinglab25-21: ~/Desktop/240905110_OSL/Lab_3/q6_test
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/q6_test$ ls
example.txt q6.sh
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/q6_test$ cat example.txt
This is line 1 odd
This is line 2 even
This is line 3 odd
This is line 4 even
This is line 5 odd
This is line 6 even
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/q6_test$ ./q6.sh example.txt
This is line 1 odd
This is line 3 odd
This is line 5 odd
(base) mca@computinglab25-21:~/Desktop/240905110_OSL/Lab_3/q6_test$
```