

L'ISAE, le CNAM au Liban

Architecture and user Guide

CNAM Accounting

Prepared by: Kamal Mokh , Ahmad Chaaban
Preparation Date: September 28, 2013

Validated by: Kamal Mokh , Ahmad Chaaban
Validation Date: September 28, 2013

Document Number: ARCH1
Version: 1.1.0

Last Updated: September 28, 2013
Creation Date: September 28, 2013

Table of Contents

TABLE OF CONTENTS	2
CLOUD COMPUTING?	C
<i>Introduction</i>	<i>C</i>
<i>SaaS</i>	<i>C</i>
<i>IaaS</i>	<i>C</i>
<i>PaaS</i>	<i>C</i>
<i>Cloud Computing Service Levels</i>	<i>C</i>
WHY APPENGINE.....	D
<i>The application environment</i>	<i>D</i>
<i>The Java runtime environment.....</i>	<i>E</i>
<i>The Datastore</i>	<i>E</i>
<i>Developing live cycle</i>	<i>F</i>
<i>Administration</i>	<i>F</i>
ARCHITECTURE	H
STRUCTURE OF GOOGLE APP ENGINE.....	I
GOOGLE APP ENGINE SERVICES	J
MOBILE SOLUTIONS OF GOOGLE APP ENGINE	K
DIAGRAM OF LAYERS AND COMPONENTS	L
APP ENGINE ARCHITECTURE.....	M
DOWNLOAD AND INSTALL GAE	M
REFERENCES	N
USER GUIDE (SCREEN SHOTS) WEB INTERFACE.....	N
HOME PAGE	N
MANAGE CATEGORY	N
<i>Create Cateogry.....</i>	<i>O</i>
<i>Edit / Delete Category</i>	<i>O</i>
MANAGE EXPENSE / INCOME.....	O
<i>Expenses listing.....</i>	<i>O</i>
<i>Search Expense</i>	<i>P</i>
<i>Create New Expense</i>	<i>P</i>
<i>Adding new income with Calendar (html5)</i>	<i>P</i>
BILAN	Q
ANDROID USER GUIDE	Q

Cloud Computing?

Introduction

CNAM Accounting using Cloud Computing, the basic idea is taking applications and running them on infrastructure other than your own. Companies or individuals who offload or effectively "outsource" their hardware and/or applications are running those apps "in the cloud."

Cloud computing is generally broken down into three primary service levels

SaaS

Software-as-a-Service

IaaS

Infrastructure-as-a-Service

PaaS

Platform-as-a-Service

Cloud Computing Service Levels

In Figure 1 below, you can see how the analyst firm Gartner segregates cloud computing into three distinct classes of service.

Cloud Computing as Gartner Sees It




Figure 1: Cloud Computing Service Levels

Why appengine

- 1-Google App Engine lets you run web applications on Google's infrastructure
- 2- App Engine applications are easy to build, easy to maintain, and easy to scale as your traffic and data storage needs grow
- 3-With App Engine, there are no servers to maintain: You just upload your application, and it's ready to serve your users
- 4-GAE supports apps written in several programming languages (JAVA,etc..)
- 5-With App Engine, you only pay for what you use. There are no set-up costs and no recurring fees.
- 6-App Engine costs nothing to get started

The application environment

Google App Engine makes it easy to build an application that runs reliably, even under heavy load and with large amounts of data. App Engine includes the following features:

- *dynamic web serving, with full support for common web technologies
- *persistent storage with queries, sorting and transactions

- *automatic scaling and load balancing
- *APIs for authenticating users and sending email using Google Accounts
- *a fully featured local development environment that simulates Google App Engine on your computer
- *task queues for performing work outside of the scope of a web request
- *scheduled tasks for triggering events at specified times and regular intervals

The Java runtime environment

. Your app interacts with the environment using the Java Servlet standard, and can use common web application technologies such as JavaServer Pages (JSPs). The Java runtime environment uses Java 7.

Storing your data


The App Engine environment provides a range of options for storing your data (Free)

The Datastore

App Engine provides a distributed NoSQL data storage service that features a query engine and transactions. Just as the distributed web server grows with your traffic, the distributed datastore grows with your data. You have the choice between [two different data storage options](#) differentiated by their availability and consistency guarantees.

The App Engine datastore is not like a traditional relational database. Data objects, or "entities," have a kind and a set of properties. Queries can retrieve entities of a given kind filtered and sorted by the values of the properties.

Developing live cycle



Administration

One of the benefits in choosing to host your apps on PaaS systems is being freed from administration. However, this means giving up a few things... no longer do you have full access to your logs or be able to implement custom monitoring of your app (or your system). This is further impacted by the sandbox runtime environment mentioned above.




Figure 4: Application Performance via Appstats



Figure 1: Google App Engine Administration Console



Figure 2: Google App Engine SDK Admin Console

Architecture

Below are some figures about the Google app engine and some other extra available services

Structure of Google app engine









FIGURE 4: STRUCTURE OF GOOGLE APP ENGINE (13)

Google app engine services



Mobile solutions of Google app engine

Mobile Solutions on the Google Cloud Platform

-  Your Application Code running on Google App Engine (GAE), Google Compute Engine (GCE), and Client Devices
-  Google Cloud Platform Services  Optional components
-  Capabilities Included




Diagram of layers and Components





FIGURE 7: DIAGRAM OF LAYERS AND COMPONENTS (OWN ILLUSTRATION)

App engine Architecture



Download and install GAE

Course Builder only supports GAE SDK version 1.7.0. Download the GAE SDK appropriate for your platform from the following links:

- [GAE SDK 1.7.0 for Windows](#)
- [GAE SDK 1.7.0 for Mac](#)
- [GAE SDK 1.7.0 for Linux](#)

References

<https://developers.google.com/appengine/training/intro/whatisgae>
<https://developers.google.com/appengine/training/intro/>

User guide (screen shots) Web Interface

Home page

Expenses Application v21 from Home

Home Category Expense Income Bank

- Category
- Expense
- Income
- Bank
- First database Craft Version
- hello appengine
- learn app engine from words
- HTML 5

Create Flow Chart

```
graph LR; 1((1)) --> Create[Create]; Create --> 2((2)); 2 --> Servlet[Servlet]; Servlet --> 3((3)); 3 --> DBAPI[Database API]; DBAPI --> 4((4)); 4 --> DB[(Database)];
```

1. Category Expense servlet will be invoked on clicking Save from UI
2. doPost() method of respective servlet will invoke database API to persist the data into database

List Flow Chart

```
graph LR; 1((1)) --> List[List]; List --> 2((2)); 2 --> Servlet[Servlet]; Servlet --> 3((3)); 3 --> DBAPI[Database API]; DBAPI --> 4((4)); 4 --> DB[(Database)];
```

1. Tab selection from UI invokes doGet() of the respective servlet
2. JSON objects are returned to the UI and custom JSON converter will parse the JSON objects

About Mobile Accounting SMB215 - Kamal Mokh, Ahmad Shaaban
CNAM LIBAN 2015 ©
Best Viewed HTML5 with : Safari, Chrome and Opera.

Manage Category

Home Category Expense Income Bank

- Category
- Expense
- Income
- Bank
- First database Craft Version
- hello appengine
- learn app engine from words
- HTML 5

All Categories

Category Search Add

Category Name	Category Description	Action
Ahli	OUE	Delete Edit
CAR	masrout / sajara vohd	Delete Edit
House	House Building	Delete Edit
Monthly	Monthly	Delete Edit

About Mobile Accounting SMB215 - Kamal Mokh, Ahmad Shaaban
CNAM LIBAN 2015 ©
Best Viewed HTML5 with : Safari, Chrome and Opera.

Create Category

Create Category

Category Name	<input type="text"/>
Category Description	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Edit / Delete Category

II Categories

category



	Category Description	Action
	OME	Delete Edit
	masrouf l sayara vovlo	Delete Edit
	House Building	Delete Edit
	Monthly	Delete Edit

Manage Expense / Income

Expenses listing

Expense Name	Amount	Expense date	Category	Date created	Action
Ahle	80000	Mon Sep 02 04:51:54 UTC 2013	AHL	Tue Jan 01 00:09:00 UTC 2013	Delete Edit
CAR	150000	Mon Sep 02 04:50:59 UTC 2013	CAR	Tue Jan 01 00:09:00 UTC 2013	Delete Edit
ome	100000	Fri Sep 13 14:30:46 UTC 2013	House	Fri Sep 13 14:30:46 UTC 2013	Delete Edit
gancen	100000	Fri Sep 13 14:31:39 UTC 2013	House	Fri Sep 13 14:31:39 UTC 2013	Delete Edit
faezattemmara	2500000	Fri Sep 13 14:26:17 UTC 2013	House	Fri Sep 13 14:26:17 UTC 2013	Delete Edit
sh7a	750000	Fri Sep 13 14:29:28 UTC 2013	House	Fri Sep 13 14:29:28 UTC 2013	Delete Edit
3mar Tajar	3000000	Fri Sep 13 14:17:02 UTC 2013	House	Fri Sep 13 14:17:02 UTC 2013	Delete Edit
ContractorToBuildmodwsa2feaf2a	4000000	Fri Sep 13 14:21:10 UTC 2013	House	Fri Sep 13 14:21:10 UTC 2013	Delete Edit
zabtdarah	500000	Fri Sep 13 14:18:40 UTC 2013	House	Fri Sep 13 14:18:40 UTC 2013	Delete Edit
faezel	4000000	Fri Sep 13 14:25:45 UTC 2013	House	Fri Sep 13 14:25:45 UTC 2013	Delete Edit
Others	500000	Mon Sep 02 07:09:23 UTC 2013	House	Tue Jan 01 00:09:00 UTC 2013	Delete Edit
basil7	60000	Fri Sep 13 14:30:18 UTC 2013	House	Fri Sep 13 14:30:18 UTC 2013	Delete Edit
HomeRent092013	6000000	Fri Aug 30 12:23:24 UTC 2013	Monthly	Fri Aug 30 12:23:24 UTC 2013	Delete Edit

Search Expense

All expenses

<input type="text"/>	expense ▼	Search	Add
----------------------	-----------	--------	-----

Create New Expense

Create expense

Expense Name	<input type="text"/>
Expense Amount	<input type="text"/> LBP
Expense date	<input type="text"/> dd/mm/yyyy
Category	Select ▼
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Adding new income with Calendar (html5)

Income Name	<input type="text"/>																																										
Payment Method	Check ▼																																										
Payee	<input type="text"/>																																										
Payment Amount	<input type="text"/> LBP																																										
Category	Select ▼																																										
Income date	<input type="text"/> mm/yyyy																																										
<div>September, 2013</div> <table><tr><th>Sun</th><th>Mon</th><th>Tue</th><th>Wed</th><th>Thu</th><th>Fri</th><th>Sat</th></tr><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td></tr><tr><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td><td>14</td></tr><tr><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td><td>21</td></tr><tr><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td></tr><tr><td>29</td><td>30</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td></tr></table>		Sun	Mon	Tue	Wed	Thu	Fri	Sat	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	1	2	3	4	5
Sun	Mon	Tue	Wed	Thu	Fri	Sat																																					
1	2	3	4	5	6	7																																					
8	9	10	11	12	13	14																																					
15	16	17	18	19	20	21																																					
22	23	24	25	26	27	28																																					
29	30	1	2	3	4	5																																					

Bilan

Select Category Monthly

Account	Sign in																								
Category Selected is	House																								
All Expenses(-)	<table> <tr> <th>Category</th> <th>Description</th> <th>Date</th> <th>Amount</th> </tr> <tr> <td>House</td> <td>banzen</td> <td>Fri Sep 13 14:31:39 UTC 2013</td> <td>100,000 .د.د</td> </tr> <tr> <td>House</td> <td>ome</td> <td>Fri Sep 13 14:30:46 UTC 2013</td> <td>100,000 .د.د</td> </tr> <tr> <td>House</td> <td>tasli7</td> <td>Fri Sep 13 14:30:18 UTC 2013</td> <td>60,000 .د.د</td> </tr> <tr> <td>House</td> <td>sfi7a</td> <td>Fri Sep 13 14:29:28 UTC 2013</td> <td>750,000 .د.د</td> </tr> <tr> <td>House</td> <td>fawzettenemara</td> <td>Fri Sep 13 14:26:17 UTC 2013</td> <td>2,500,000 .د.د</td> </tr> </table>	Category	Description	Date	Amount	House	banzen	Fri Sep 13 14:31:39 UTC 2013	100,000 .د.د	House	ome	Fri Sep 13 14:30:46 UTC 2013	100,000 .د.د	House	tasli7	Fri Sep 13 14:30:18 UTC 2013	60,000 .د.د	House	sfi7a	Fri Sep 13 14:29:28 UTC 2013	750,000 .د.د	House	fawzettenemara	Fri Sep 13 14:26:17 UTC 2013	2,500,000 .د.د
Category	Description	Date	Amount																						
House	banzen	Fri Sep 13 14:31:39 UTC 2013	100,000 .د.د																						
House	ome	Fri Sep 13 14:30:46 UTC 2013	100,000 .د.د																						
House	tasli7	Fri Sep 13 14:30:18 UTC 2013	60,000 .د.د																						
House	sfi7a	Fri Sep 13 14:29:28 UTC 2013	750,000 .د.د																						
House	fawzettenemara	Fri Sep 13 14:26:17 UTC 2013	2,500,000 .د.د																						
All Incomes (+)	<table> <tr> <th>Category</th> <th>Description</th> <th>Date</th> <th>Amount</th> </tr> <tr> <td>House</td> <td>PersonalLoan</td> <td>Fri Aug 30 12:17:37 UTC 2013</td> <td>15,500,000 .د.د</td> </tr> </table>	Category	Description	Date	Amount	House	PersonalLoan	Fri Aug 30 12:17:37 UTC 2013	15,500,000 .د.د																
Category	Description	Date	Amount																						
House	PersonalLoan	Fri Aug 30 12:17:37 UTC 2013	15,500,000 .د.د																						
Balance	Income Total	Expense Total																							
11,990,000 .د.د	15,500,000 .د.د	3,510,000 .د.د																							

Android user Guide