

FINASTRO

Session Handover · May 2026 · Vikuna Technologies

Sprint 5–7 Complete · Updated Post-Session

Session Dates	02–04 May 2026 (original) + Sprint 5–7 build session
Sprints Complete	Sprint 1 (Correlation) · Sprint 2 (Backtest) · Sprint 3 (Alerts) · Sprint 4 (Muhurta) · Sprint 5 (LuckyPop) · Sprint 6 (Screen 4 v3) · Sprint 7 (Dashboard v2)
Next Sprint	Sprint 8 → finastro_complete_doc.docx update (Sections 11–15) — complete UX documentation
Product	KaalaDristi · Vikuna Technologies · Hyderabad

1. Updated File Inventory

All files from the original session remain valid. Sprints 1–7 have added the following new files and updated versions. Always use the highest version number.

File	Lines	Status	Purpose
finastro_screen1_v3.jsx	~780	✓ CURRENT	Screen 1 v3 — intraday cockpit + all 4 LP indicators + LP+FIN badge
finastro_screen2_v2.jsx	931	✓ FINAL	WEEKLY swing view — correct past/live/future mode logic
finastro_screen3.jsx	673	✓ FINAL	MONTHLY confluence calendar — price + Panchang in one cell
finastro_screen4_v3.jsx	~980	✓ CURRENT	SCREENER v3 — LP column + confluence badge + Set Alert button
finastro_rotation_v2.jsx	1053	✓ FINAL	ROTATION — sector phase + evidence tiers
finastro_dashboard_v2.jsx	~1100	✓ CURRENT	UNIFIED SHELL — 9 tabs, shared header, LP bell, all sprints
finastro_luckypop.jsx	~820	✓ NEW S5	LP BRIDGE — conflict engine, combined score, webhook spec, screen map
finastro_correlation_engine.jsx	~700	✓ NEW S1	Correlation Engine — 11 signals, tier validation, SQL export
finastro_backtest.jsx	~750	✓ NEW S2	Backtest — equity curve, heatmap, signal performance, sector phases
finastro_alerts.jsx	~800	✓ NEW S3	Alert Layer — feed, config, history, schedule, Sprint 3 delivery
finastro_muhurta.jsx	~760	✓ NEW S4	Muhurta — 8 action types, 30-day windows, calendar + list views
ephemeris2026.js	635	✓ FINAL	DATA ENGINE — 2026 planetary data + Panchang lookup tables
finastro_screen1.jsx	842	✗ SUPERSEDED	Replaced by finastro_screen1_v3.jsx
finastro_screen4_v2.jsx	730	✗ DEPRECATED	Replaced by finastro_screen4_v3.jsx (no LP, no honest scoring)

2. Sprint 5–7 Build Summary

All three sprints are complete. The following summarises what was built in each sprint.

Sprint 5: LuckyPop Integration Bridge

Output file: finastro_luckypop.jsx + finastro_screen1_v3.jsx

What it contains:

- ⚡ Signal Feed — LP webhook feed with conflict verdict per signal
- ☉ Conflict Engine — all 6 cases (ALIGNED, HARD CONFLICT, RAHU OVERRIDE, WATCH, DOT ALIGNED, DOT CONFLICT)
- ≡ Combined Score — $LP \times 0.6 + \text{Finastro} \times 0.4$ formula with flow multiplier
- ⬡ Webhook Spec — exact TradingView JSON payload + FastAPI :8101 endpoint code
- ♦ Screen Map — update plan for all 4 screens

Screen 1 v3 additions (this sprint):

- 9th Top Strip cell — LP signal + direction + score + dot
- Alert strip — next time event + LP verdict line
- 4 collapsible indicator panels below chart — LuckyPop Rec · RSSI · SniperDragon · MagicRS (full histogram + current values)
- LP+FIN Confluence Badge in sidebar — ALIGNED/CONFLICT/WATCH with action directive

Sprint 6: Screen 4 v3 — Signal Screener + LP

Output file: finastro_screen4_v3.jsx

What it contains:

- 11-column grid — Symbol · Sector · Phase · Tech · Panchang · Planetary · Honest · LP · Confluence · Action · Alert
- Honest Score live-computed per row (60/20/20 formula, tier-aware weighting)
- Sector + Phase + LP+FIN filters · Sort by Honest/LP/RVOL/BQ/MagicRS
- Stock Drawer (click row) — full breakdown, LP details, phase context, Set Alert
- Set Alert Modal — 4 trigger types, score threshold slider, delivery channels

Sprint 7: Dashboard v2 — Unified Shell

Output file: finastro_dashboard_v2.jsx

What it contains:

- 9 tabs — TODAY · WEEKLY · MONTHLY · SCREENER · LP BRIDGE · CORRELATION · BACKTEST · ALERTS · MUHURTA
- Shared header — live IST clock, Rahu/Abhijit status, LP signal pill, alert bell with unread count
- Panchang context strip — persistent across all tabs, full planet row right-aligned

- LP flash notification — toast appears top-right on every new LP signal cycle
- Alert dropdown — click bell to see feed without leaving current tab
- Footer — session guidance + DB table references

3. LuckyPop Pine Script — Signal & Indicator Map

Four Pine Script files are now integrated into Finastro. This section documents each indicator's signal vocabulary, numeric output, and how it maps into the combined conviction score.

3.1 LuckyPop Enhanced v3.1 (luckypop.pine)

Primary signal source. Fires 20 distinct alertcondition types mapped to a numeric score via `getSignalScore()`.

Signal	Score	LP Meaning	Finastro Action
POWER BUY	10	All conditions perfectly aligned	Full size entry if ALIGNED
STRONG BUY	9	Near-perfect bullish setup	Full entry if ALIGNED or PARTIAL
BUY CONFIRMED	8	Confirmed breakout	Standard entry
BUY	7	Valid bullish signal	Standard entry
BUY BOOK FAST	6	Quick scalp opportunity	Scalp only
ACCUMULATION	5	Quiet institutional build	Observe — no entry
NO TRADE	0	No valid signal	WATCH MODE if panchang favorable
DISTRIBUTION	-5	Institutional selling	Caution on existing longs
SELL	-8	Valid bearish signal	Short if panchang confirms
STRONG SELL	-9	Strong bearish setup	Short entry
POWER SELL	-10	All conditions bearish	Full short

3.2 Dot Signals (SVD · SBD · SYD)

Three special dot signals overlay the main recommendation. They carry independent conviction weight.

Dot	Name	Meaning	Finastro Treatment
SVD	Smart Volume Dot	Institutional buying detected at this bar	Score boost +2.5 — highest conviction dot
SBD	Smart Buy Dot	Accumulation / quiet institutional entry	Score boost +1.5
SYD	Smart Yield Dot	Distribution / institutional exit	Conflict flag — warns against entry even on favorable panchang
PRE-SYD	Pre-distribution	Early warning of distribution	Caution — reduce size, no new entries

3.3 Webhook Payload — TradingView → FastAPI :8101

The following JSON must be configured as the TradingView alert message. Use the Pine Script variable names directly.

```
{  "symbol":      "{{ticker}}",  "signal":      "POWER BUY",  "score":      10,  "price":      {{close}},  "rvol":        {{plot_0}},  "tvol":        {{plot_1}},  "flow":        "SOLID GREEN",  "ib30":        "BREAK UP",  "bq":          5,  "magicrs":     6,  "dot":         "SVD",  "timeframe":   "{{interval}}",  "time":        "{{timenow}}" }
```

Endpoint: POST <http://187.127.136.65:8101/luckypop/signal>

Python file: pipeline2_api.py — add the /luckypop/signal route

DB read: km_daily_panchang (session_quality, yoga_id)

DB write: km_finastro_alerts

4. LP+FIN Conflict Resolution — Hard Rules

These rules are validated and must never be softened. The `getConfluence()` function in `finastro_luckypop.jsx` implements them. All future screens must use the same logic.

Case	LP Signal	Panchang Condition	Verdict	Action + Stats
1	Score ≥ 7 (BUY+)	sessionQuality = 3 (FAVORABLE)	▲ ▲ ALIGNED	Full size entry. Combined = $LP \times 0.6 + Fin \times 0.4$. Abhijit bonus if active.
2	Score ≥ 7 (BUY+)	sessionQuality = 0 (AVOID)	⚠ HARD CONFLICT	SKIP TRADE. AVOID validated: $n=486$, $p=0.028$. Overrides LP regardless of score.
3	Score ≥ 7 (BUY+)	Rahu Kala active	✗ RAHU OVERRIDE	SKIP TRADE. Rahu Kala validated: $n=312$, $p=0.018$. No exceptions ever.
4	Score = 0 (NO TRADE)	sessionQuality = 3	◆ WATCH MODE	Set timed watch alert. Do not force entry. Await LP signal confirmation.
B1	SVD or SBD dot	sessionQuality ≥ 2	● DOT ALIGNED	High conviction. SVD +2.5 boost, SBD +1.5 boost. Require price confirmation.
B2	SYD dot	sessionQuality = 3	⚠ DOT CONFLICT	No new longs. Institutional distribution on favorable day — rare bearish warning.
B3	Score ≥ 7	Vyatipata / Vaidhriti Yoga	⚠ YOGA BLOCK	SKIP TRADE. Inauspicious yoga override: $n=2184$, $p=0.031$.

5. Updated Screen Update Map

This replaces Section 4 from the original handover. Items marked ✓ DONE are complete in the current build. Items marked PENDING are for future sprints.

5.1 Screen 1 v3 — TODAY

Sprint	Where	What	Status
S3	Header	Alert bell + unread count badge	✓ DONE — in v3
S3	Between Top Strip + Band	Next alert strip — most urgent upcoming alert	✓ DONE — in v3
S5	Top Strip — Cell 9	LP signal type + direction + score + dot type	✓ DONE — in v3
S5	Right Sidebar	LP+FIN Confluence Badge — ALIGNED/CONFLICT/WATCH	✓ DONE — in v3
S5	Below chart (collapsible)	LuckyPop Rec histogram + all metrics	✓ DONE — in v3
S5	Below chart (collapsible)	RSSI panel — RSS + RSI + divergence markers	✓ DONE — in v3
S5	Below chart (collapsible)	Sniper Dragon — Institution + HotMoney histograms	✓ DONE — in v3
S5	Below chart (collapsible)	MagicRS — RS vs MA + strength dots	✓ DONE — in v3
S6	Right Sidebar	Open positions mini list (replace upcoming events)	PENDING — Sprint 9

5.2 Screen 4 v3 — Screener

Sprint	Where	What	Status
S3	Row far right	Set Alert button per stock row	✓ DONE — in v3
S5	Column after HONEST	LP signal + score ± 10 + dot badge	✓ DONE — in v3
S5	Signal column	▲ ▲ ALIGNED / △ CONFLICT / ○ LP ONLY badge	✓ DONE — in v3
S5	Stock Drawer	LP metrics — RVOL/BQ/MagicRS/dot interpretation	✓ DONE — in v3
S6 future	Symbol column	'In Portfolio' dot flag	PENDING — Sprint 9

5.3 Dashboard v2 — Unified Shell

Tab	File	Content	Status
TODAY	Screen 1 v3	Intraday cockpit + 4 indicator panels	✓ DONE
WEEKLY	Screen 2 v2 (summary)	7-day swing plan cards	✓ DONE

MONTHLY	Screen 3 (inline)	Calendar grid with month switcher	✓ DONE
SCREENER	Screen 4 v3 (summary)	Top stocks table with LP+FIN	✓ DONE
LP BRIDGE	finastro_luckypop summary	Signal feed with verdict badges	✓ DONE
CORRELATION	Sprint 1 summary	8 signals with tier table	✓ DONE
BACKTEST	Sprint 2 summary	Signal performance + alpha bars	✓ DONE
ALERTS	Sprint 3	Full alert feed	✓ DONE
MUHURTA	Sprint 4 summary	Top 5 windows table	✓ DONE

6. Remaining Sprint Plan

Sprints 1–7 are complete. The following sprints remain from the original plan, adjusted for what was already built.

Sprint	Build	Output File	Dependency	Status
S8	finastro_complete_doc update (Sections 11–15)	finastro_complete_doc.docx (updated)	All Sprint 1–7 screens	NEXT — documentation
S9	Portfolio Tracker	finastro_portfolio.jsx	Sprint 3 alerts + Sprint 6 screener	PENDING
S10	Mobile UX (Screen 1 phone layout)	finastro_mobile.jsx	All screens defined	PENDING
S11	Dasha Layer (Vimshottari)	finastro_dasha.jsx	All else stable	PENDING
S12	WhatsApp MSG91 delivery	pipeline2_api.py update	Sprint 3 alert system	PENDING

6.1 Sprint 8 Detail — finastro_complete_doc.docx Sections 11–15

The following sections need to be appended to finastro_complete_doc.docx. Each section follows the existing format established in Sections 1–10.

- Section 11: Correlation Engine — signal definitions, tier system, p-value methodology, km_astro_correlation schema
- Section 12: Backtesting View — equity curve design, signal performance table, calendar heatmap, sector phase view
- Section 13: Alert Layer — alert type taxonomy, conflict cases, Schedule view, Sprint 3 delivery spec
- Section 14: Muhurta Selection — action type definitions, scoring formula, 48-min window logic, calendar view
- Section 15: LuckyPop Integration — Pine Script signal map, conflict engine rules, webhook spec, combined conviction formula

6.2 Session Opener Prompt — Next Claude Session

Copy and paste the following at the start of the next Claude session to restore full context:

```
You are continuing work on FINASTRO – a Vedic astrology + technical analysis platform for NIFTY/BANKNIFTY traders, part of KaalaDristi (Vikuna Technologies, Hyderabad). CRITICAL CONTEXT: 1. Astro is a filter – Tech is always primary (60% weight minimum) 2. Three confidence tiers: ✓ Validated (n≥30, p<0.05) / ~ Indicative (n=2–29) / X Unvalidated (n=0) 3. Planet name: Herschel (NOT Uranus). Yoga names: Vyatipata, Vaidhriti 4. Reference: Ujjain (23°10'N, 75°46'E) · Lahiri Ayanamsa · Sidereal · IST 5. Score formula: Tech(60%) + Panchang ✓(20%) + Planetary ~ (20%) = Honest Score SPRINTS COMPLETE (1-7): - S1: finastro_correlation_engine.jsx - S2: finastro_backtest.jsx - S3: finastro_alerts.jsx - S4: finastro_muhurta.jsx - S5: finastro_luckypop.jsx + finastro_screen1_v3.jsx - S6: finastro_screen4_v3.jsx - S7: finastro_dashboard v2.jsx LP CONFLICT RULES (never soften): - BUY + AVOID panchang → SKIP (n=486, p=0.028) - BUY + Rahu Kala → SKIP (n=312, p=0.018) - BUY +
```

Vyatipata/Vaidhriti → SKIP (n=2184, p=0.031) - BUY + FAVORABLE → ALIGNED (full size) - No LP +
FAVORABLE → WATCH MODE NEXT: Sprint 8 - Update finastro_complete_doc.docx with Sections 11-15