

```
#include <stdio.h>
```

```
Int main()
```

```
{
```

```
    Int block[10], process[10], used[10] = {0};
```

```
    Int n, m, l, j, largest;
```

```
    Printf("Enter number of memory blocks: ");
```

```
    Scanf("%d", &n);
```

```
    Printf("Enter block sizes:\n");
```

```
    For(l = 0; l < n; i++)
```

```
        Scanf("%d", &block[i]);
```

```
    Printf("Enter number of processes: ");
```

```
    Scanf("%d", &m);
```

```
    Printf("Enter process sizes:\n");
```

```
    For(l = 0; l < m; i++)
```

```
        Scanf("%d", &process[i]);
```

```
    Printf("\nProcess\tSize\tBlock\n");
```

```
    For(l = 0; l < m; i++)
```

```
    {
```

```
        Largest = -1;
```

```

For(j = 0; j < n; j++)
{
    If(used[j] == 0 && block[j] >= process[i])
    {
        If(largest == -1 || block[j] > block[largest])
            Largest = j;
    }
}

If(largest != -1)
{
    Printf("P%d\t%d\tB%d\n", l + 1, process[i], largest + 1);
    Used[largest] = 1;
}
Else
{
    Printf("P%d\t%d\tNot Allocated\n", l + 1, process[i]);
}
}

Return 0;
}

```