

```
#include <stdio.h>
```

```
Int main()
```

```
{
```

```
    Int block[10], process[10], used[10] = {0};
```

```
    Int n, m, l, j;
```

```
    Printf("Enter number of memory blocks: ");
```

```
    Scanf("%d", &n);
```

```
    Printf("Enter block sizes:\n");
```

```
    For(l = 0; l < n; l++)
```

```
        Scanf("%d", &block[l]);
```

```
    Printf("Enter number of processes: ");
```

```
    Scanf("%d", &m);
```

```
    Printf("Enter process sizes:\n");
```

```
    For(l = 0; l < m; l++)
```

```
        Scanf("%d", &process[l]);
```

```
    Printf("\nProcess\tSize\tBlock\n");
```

```
    For(l = 0; l < m; l++)
```

```
    {
```

```
        For(j = 0; j < n; j++)
```

```
{  
    If(used[j] == 0 && block[j] >= process[i])  
    {  
        Printf("P%d\t%d\tB%d\n",  
            I + 1, process[i], j + 1);  
  
        Used[j] = 1;  
        Break;  
    }  
}  
  
If(j == n)  
    Printf("P%d\t%d\tNot Allocated\n",  
        I + 1, process[i]);  
}  
  
Return 0;  
}
```