

```
#include <stdio.h>
```

```
#include <fcntl.h>
```

```
#include <unistd.h>
```

```
#include <sys/stat.h>
```

```
#include <dirent.h>
```

```
Int main()
```

```
{
```

```
    Int fd, flags;
```

```
    Struct stat file;
```

```
    DIR *dir;
```

```
    Struct dirent *entry;
```

```
    /* Open a file */
```

```
    Fd = open("test.txt", O_CREAT | O_RDWR, 0644);
```

```
    If(fd == -1)
```

```
    {
```

```
        Printf("File opening failed\n");
```

```
        Return 0;
```

```
    }
```

```
    Printf("File opened successfully\n");
```

```
    /* fcntl() */
```

```
    Flags = fcntl(fd, F_GETFL);
```

```
Printf("File status obtained using fcntl()\n");
```

```
/* lseek() */
```

```
Printf("Current file position: %ld\n",  
      (long)lseek(fd, 0, SEEK_CUR));
```

```
/* stat() */
```

```
If(stat("test.txt", &file) == 0)  
{  
    Printf("File size: %ld bytes\n", file.st_size);  
}
```

```
/* opendir() */
```

```
Dir = opendir(".");
```

```
If(dir == NULL)  
{  
    Printf("Directory opening failed\n");  
    Close(fd);  
    Return 0;  
}
```

```
Printf("\nFiles in current directory:\n");
```

```
/* readdir() */
```

```
While((entry = readdir(dir)) != NULL)
```

```
{  
    Printf("%s\n", entry->d_name);  
}  
  
Closedir(dir);  
  
Close(fd);  
  
Printf("\nFile closed successfully\n");  
  
Return 0;  
}
```