

12/04/2024

Surprise Test Set - 2

Name: Afton Johnson
UID: 223D00054
Section: 22BCD-1
Group: B

First use `mkdir /cd` to get to the repository,
then use `git init` to start working on the repo.

1. We will firstly use `git branch` to view what all branches are present in the repository.
2. Current branch, by default would be master or 'main' branch.
3. To create a new branch, ^{use} `git branch "mybranch"` to create a new branch.
4. We can view the branches which are present using '`git branch`'.
5. Now to move from master branch to my branch, use the command, `git switch "Mybranch"` & .
6. While using `git status`, while in master branch the output will be shown as 'master' while in mybranch it would be shown as 'branch' only.
7. While in master branch, it would contain readme file, ~~like license~~ etc. whereas the new branch i.e. 'mybranch' will be empty ~~into~~ by default.
8. use `git switch mybranch` to go to the branch.
9. use ~~"vi file.txt"~~ `vi 'GJ.txt'` to create a txt file called

GJ

10. use the commands, `git add` & then `commit`, to stage & then later `commit` the file
11. Then we use the command,
`git log --oneline --graph` to see ~~if~~ if
branch is pointing towards the new commit
12. use `git switch 'main' master` to return to master
branch.
13. To check the condition, we use `git log --oneline --graph`.
14. ~~Use~~ Use '`file2.txt`' to create the file
• use `git add 'file2.txt'` to stage it
• Finally use `git commit` to commit the changes.