Table: EKET

Description: Scheduling Agreement Schedule Lines

| | Field name | | | Data element | Domain | | | Lowercase | Domain text |
|----|------------|----|---|--------------|------------|-------|----|-----------|--|
| 1 | MANDT | 1 | X | MANDT | MANDT | CLNT | 3 | | Client |
| 2 | EBELN | 2 | X | EBELN | EBELN | CHAR | 10 | | Purchasing Document Number |
| 3 | EBELP | 3 | х | EBELP | EBELP | NUMC | 5 | | Item Number of Purchasing Document |
| 4 | ETENR | 4 | Х | EETEN | EETEN | NUMC | 4 | | Delivery Schedule Line Counter |
| 5 | .INCLUDE | 5 | | EKETDATA | | | 0 | | Scheduling Agreement |
| 6 | EINDT | 6 | | EINDT | DATUM | DATS | 8 | | Schedule Lines Item Delivery Date |
| 7 | | 7 | | | | DATS | 8 | | Statistics-Relevant |
| | SLFDT | 1 | | SLFDT | DATUM | DAIS | В | | Delivery Date |
| 8 | LPEIN | 8 | | LPEIN | PRGBZ | CHAR | 1 | | Category of Delivery Date |
| 9 | MENGE | 9 | | ETMEN | MENGE | QUAN | 13 | | Scheduled Quantity |
| 10 | AMENG | 10 | | VOMNG | MENG13V | QUAN | 13 | | Previous Quantity (Delivery Schedule Lines) |
| 11 | WEMNG | 11 | | WEEMG | MENG13 | QUAN | 13 | | Quantity of Goods Received |
| L2 | WAMNG | 12 | | WAMNG | MENG13 | QUAN | 13 | | Issued Quantity |
| 13 | UZEIT | 13 | | LZEIT | UZEIT | TIMS | 6 | | Delivery Date Time- Spot |
| 14 | BANFN | 14 | | BANFN | BANFN | CHAR | 10 | | Purchase Requisition |
| | | | | | | | | | Number Item Number of |
| 15 | BNFPO | 15 | | BNFPO | BNFPO | NUMC | 5 | | Purchase Requisition |
| 16 | ESTKZ | 16 | | ESTKZ | ESTKZ | CHAR | 1 | | Creation Indicator (Purchase Requisition/Schedul Lines) |
| 17 | QUNUM | 17 | | QUNUM | QUNUM | CHAR | 10 | | Number of Quota Arrangement |
| 18 | OUPOS | 18 | | OUPOS | NUMO 3 | NUMC | 3 | | Quota Arrangement |
| 10 | QUPOS | 18 | | QUPOS | INOMO 3 | NOMC | 3 | | Item |
| 19 | MAHNZ | 19 | | MAHNZE | PACK2 | DEC | 3 | | No. of Reminders/Expediter for Schedule Line |
| 20 | BEDAT | 20 | | ETBDT | DATUM | DATS | 8 | | Order date of schedule line |
| 21 | RSNUM | 21 | | RSNUM | RSNUM | NUMC | 10 | | Number of Reservation/Depende Requirement |
| 22 | SERNR | 22 | | SERNR | SERNR | CHAR | 8 | | BOM explosion number |
| 23 | FIXKZ | 23 | | ETFIX | XFELD | CHAR | 1 | | Schedule Line is "Fixed" |
| 24 | GLMNG | 24 | | GLMNG | MENG13 | QUAN | 13 | | Quantity Delivered (Stock Transfer) |
| 25 | DABMG | 25 | | DABMG | MENGE | QUAN | 13 | | Quantity Reduced (MRP) |
| 26 | CHARG | 26 | | CHARG_D | CHARG | CHAR | 10 | | Batch Number |
| 27 | LICHA | 27 | | LICHN | LICHN | CHAR | 15 | | Vendor Batch Number |
| 28 | CHKOM | 28 | | CHKOM | XFELD | CHAR | 1 | | Components |
| 29 | VERID | 29 | | VERID | VERID | CHAR | 4 | | Production Version |
| 30 | ABART | 30 | | MEABART | ABART | CHAR | 1 | | Scheduling agreement release type |
| 31 | MNG02 | 31 | | MNG06 | MENGV13 | QUAN | 13 | | Committed Quantity |
| 32 | DAT01 | 32 | | DAT05 | DATUM | DATS | 8 | | Committed Date |
| 33 | ALTDT | 33 | | ALTDT | DATUM | DATS | 8 | | Previous delivery date |
| 34 | AULWE | 34 | | AULWE | AULWE | CHAR | 10 | | Route Schedule |
| 35 | MBDAT | 35 | | MBDAT | DATUM | DATS | 8 | | Material Staging/Availabilit Date |
| 36 | MBUHR | 36 | | MBUHR | TIME_PLANT | TIMS | 6 | | Material Staging Tim (Local, Relating to a Plant) |
| 37 | LDDAT | 37 | | LDDAT | DATUM | DATS | 8 | | Loading Date |
| 38 | LDUHR | 38 | | LDUHR | TIME_SHIPP | TIMS | 6 | | Loading Time (Local Time Relating to a Shipping Point) |
| 39 | TDDAT | 39 | | TDDAT_D | DATUM | DATS | 8 | | Transportation Planning Date |
| 40 | TDUHR | 40 | | TDUHR | TIME_SHIPP | TIMS | 6 | | Transp. Planning Tim (Local, Relating to a Shipping Point) |
| 41 | WADAT | 41 | | WADAT | DATUM | DATS | 8 | | Goods Issue Date |
| 42 | WAUHR | 42 | | WAUHR | TIME_PLANT | TIMS | 6 | | Time of Goods Issue (Local, Relating to a Plant) |
| 43 | ELDAT | 43 | | ELDAT | ELDAT | DATS | 8 | | Goods Receipt End |
| | | | | | | Dillo | | | Date |

| 44 | ELUHR | 44 | ELUHR | ELUHR | TIMS | 6 | | Goods Receipt End Time (Local, Relating to a Plant) |
|----|------------------|----|---------------------------|--------------------------|------|----|---|---|
| 45 | ANZSN | 45 | ANZSN | INT4 | INT4 | 10 | | Number of serial numbers |
| 46 | NODISP | 46 | NODISP | XFELD | CHAR | 1 | | Ind: Reserv. not applicable to MRP; Purc. req. not created |
| 47 | GEO_ROUTE | 47 | /SPE/DE_ROUTE_ID | CHAR10 | CHAR | 10 | | Description of a Geographical Route |
| 48 | ROUTE_GTS | 48 | /SPE/DE_ROUTE_GTS_CODE | CHAR10 | CHAR | 10 | | Route Code for SAP Global Trade Services |
| 49 | GTS_IND | 49 | /SPE/DE_LEG_GTS_CODE | CHAR2 | CHAR | 2 | | Goods Traffic Type |
| 50 | TSP | 50 | SPDNR | LIFNR | CHAR | 10 | | Forwarding agent |
| 51 | CD_LOCNO | 51 | APOLOCNO | APOLOCNO | CHAR | 20 | | Location number in APO |
| 52 | CD_LOCTYPE | 52 | APOLOCTYPE | APOLOCTYPE | CHAR | 4 | | APO location type |
| 53 | .APPEND | 53 | WRF_PBAS_EKET_ADDON_STY | | | 0 | | EKET Enhancement Seasonal Procurement: Procurement |
| 54 | . INCLUDE | 54 | WRF_POTB_EKET_ADDON_STY | | | 0 | | EKET Enhancement: OTB |
| 55 | . INCLUDE | 55 | WRF_POTB_FEEDBACK_STY | | | 0 | | OTB-Relevant Data |
| 56 | KEY_ID | 56 | WRF_BUDG_KEY_ID | WRF_BUDG_KEY_ID | NUMC | 16 | | Unique Number of Budget |
| 57 | OTB_VALUE | 57 | WRF_POTB_VALUE | WRF_POTB_VALUE | CURR | 17 | | Required Budget |
| 58 | .INCLUDE | 58 | WRF_POTB_CURRENCY_STY | | | 0 | | OTB Currency |
| 59 | OTB_CURR | 59 | WRF_POTB_CURRENCY | WAERS | CUKY | 5 | | OTB Currency |
| 60 | OTB_RES_VALUE | 60 | WRF_POTB_RES_VALUE | WRF_POTB_RES_VALUE | CURR | 17 | | Reserved Budget for OTB-Relevant Purchasing Document |
| 61 | OTB_SPEC_VALUE | 61 | WRF_POTB_SPECIAL_VALUE | WRF_POTB_SPECIAL_VALUE | CURR | 17 | | Special Release Budget |
| 62 | SPR_RSN_PROFILE | 62 | WRF_POTB_SPR_RSN_PROFILE | WRF_POTB_SPR_RSN_PROFILE | CHAR | 4 | | Reason Profile for OTB Special Release |
| 63 | BUDG_TYPE | 63 | WRF_BUDG_TYPE | WRF_BUDG_TYPE | CHAR | 2 | | Budget Type |
| 64 | OTB_STATUS | 64 | WRF_POTB_STATUS | WRF_POTB_STATUS | CHAR | 1 | | OTB Check Status |
| 65 | OTB_REASON | 65 | WRF_POTB_STATUS_REASON | WRF_POTB_STATUS_REASON | CHAR | 3 | | Reason Indicator for OTB Check Status |
| 66 | CHECK_TYPE | 66 | WRF_BUDG_OTB_CHECK | WRF_BUDG_OTB_CHECK | CHAR | 1 | | Type of OTB Check |
| 67 | .INCLUDE | 67 | WRF_PSCD_EKET_ADDON_STY | | | 0 | | EKET Enhancement: Scheduling |
| 68 | .INCLUDE | 68 | WRF_PSCD_DL_DOC_DATA_STY | | | 0 | | Fields That Are Stored in Appl. Doc. e.g. Order List |
| 69 | DL_ID | 69 | WRF_PSCD_DL_ID | SYSUUID_22 | CHAR | 22 | X | Date Line ID (GUID) |
| 70 | HANDOVER_DATE | 70 | WRF_PSCD_HANDOVER_DATE | DATS | DATS | 8 | | Transfer Date |
| 71 | NO_SCEM | 71 | WRF_PSCD_NO_SCEM | CHAR1_X | CHAR | 1 | | Purchase Order Not Transferred to SCEM |
| 72 | DNG_DATE | 72 | WRF_PCTR_DNG_DATE | DATUM | DATS | 8 | | Creation Date of Reminder Message Record |
| 73 | DNG_TIME | 73 | WRF_PCTR_DNG_TIME | UZEIT | TIMS | 6 | | Creation Time of Reminder Message Record |
| 74 | CNCL_ANCMNT_DONE | 74 | WRF_PCTR_CNCL_ANCMT_DONE | CHAR1_X | CHAR | 1 | | Cancellation Threat Made |
| 75 | DATESHIFT_NUMBER | 75 | WRF_PCTR_DATESHIFT_NUMBER | DEC3 | DEC | 3 | | Number of Current Date Shifts |

Fixed Domain Values

| Domain Name | Value Low | Value High | Text |
|-------------|-----------|------------|---|
| ESTKZ | В | | Material requirements planning |
| ESTKZ | D | | Direct procurement |
| ESTKZ | F | | Production order |
| ESTKZ | G | | Store order |
| ESTKZ | R | | Realtime (manual) |
| ESTKZ | U | | Converted planned order |
| ESTKZ | V | | Sales and distribution document |
| ESTKZ | M | | Compression (monthly basis) |
| ESTKZ | Y | | Compression (annual basis) |
| ESTKZ | A | | SAP APO |
| XFELD | X | | Yes |
| XFELD | | | No |
| XFELD | X | | Yes |
| XFELD | | | No |
| ABART | | | Order |
| ABART | 1 | | Forecast dlv. sched. |
| ABART | 2 | | JIT delivery schedule |
| ABART | 3 | | Issue for external agent (only in delivery) |
| ABART | 4 | | Returns for scheduling agreemnt w/ release (only in dlvy) |
| ABART | 5 | | Planning delivery schedule |
| ABART | 6 | | Delivery order (only in the delivery) |

| ABART | 7 | Returns for delivery order (only in delivery) |
|------------------------|-----|--|
| XFELD | X | Yes |
| XFELD | | No |
| WRF_POTB_STATUS | | Not Checked |
| WRF_POTB_STATUS | 1 | OTB Check Without Errors |
| WRF_POTB_STATUS | 2 | Checked with Errors |
| WRF_POTB_STATUS_REASON | 001 | No Check Required |
| WRF_POTB_STATUS_REASON | 002 | Active Budget Available |
| WRF_POTB_STATUS_REASON | 005 | Complete OTB Check Successful |
| WRF_POTB_STATUS_REASON | 006 | Complete OTB Check Not Successful |
| WRF_POTB_STATUS_REASON | 007 | OTB Check Not Active According to Customizing |
| WRF_POTB_STATUS_REASON | 008 | OTB Check Deactivated According to BAdI |
| WRF_POTB_STATUS_REASON | 009 | At Least One Variant of Generic Material w. Negative OTB Ch. |
| WRF_POTB_STATUS_REASON | 010 | All Variants of Generic Material with Positive OTB Check |
| WRF_POTB_STATUS_REASON | 011 | At least one doc. w. same coll. no. OTB neg. (reason 006) |
| WRF_BUDG_OTB_CHECK | 1 | Full Check |
| WRF_BUDG_OTB_CHECK | 2 | Limited Check |
| WRF_BUDG_OTB_CHECK | 3 | No Check |
| CHAR1_X | | Not Selected |
| CHAR1_X | X | Selected |
| CHAR1_X | | Not Selected |
| CHAR1_X | X | Selected |