

ADBMS LAB MST

Student Name: Kamal Sharma
Branch: CSE - AIML
Semester: 5
Subject Name: ADBMS

UID: 24BAI70380
Section/Group: 24AIT_KRG-1_B
Date of Performance: 28-09-26
Subject Code: 24CSP-310

Q1)

Solution:

```
SELECT d.dept_name as Department,
```

```
       e.emp_name as Employee,
```

```
       e.salary as Salary
```

```
FROM employee e
```

```
JOIN department d
```

```
on d.dept_id=e.dept_id
```

```
WHERE e.salary>(
```

```
    SELECT AVG(e2.salary)
```

```
    FROM Employee e2
```

```
    where e.dept_id=e2.dept_id
```

```
)
```

```
AND e.dept_id in (
```

```
    SELECT dept_id
```

```
    FROM employee
```

```
    GROUP BY dept_id
```

```
    HAVING COUNT(*)>=3
```

);

	department character varying (30) 🔒	employee character varying (50) 🔒	salary numeric (10,2) 🔒
1	IT	Aman	90000.00
2	Sales	Priya	80000.00

Q2)

Solution:

CREATE OR REPLACE FUNCTION customer_audit_function()

RETURNS TRIGGER

AS \$\$

BEGIN

IF TG_OP='INSERT' THEN

INSERT INTO customer_audit

(customer_id,customer_name,action,action_time)

VALUES

(NEW.customer_id,NEW.customer_name,'ADDED',CURRENT_TIMESTAMP);

ELSIF TG_OP='DELETE' THEN

INSERT INTO customer_audit

(customer_id,customer_name,action,action_time)

VALUES

(OLD.customer_id,OLD.customer_name,'REMOVED',CURRENT_TIMESTAMP);

```

END IF;

RETURN NEW;

END;

$$ LANGUAGE plpgsql;

CREATE TRIGGER customer_audit_trigger
AFTER INSERT OR DELETE
ON bank_customer
FOR EACH ROW
EXECUTE FUNCTION customer_audit_function();

INSERT INTO bank_customer
VALUES (3, 'Aman', 60000);

DELETE FROM bank_customer
WHERE customer_id = 3;

SELECT * FROM customer_audit;

```

Data Output Messages Notifications						
	audit_id [PK] integer	customer_id integer	customer_name character varying (50)	action character varying (20)	action_time timestamp without time zone	
1	1	3	Aman	ADDED	2026-09-28 15:29:41.310337	
2	2	3	Aman	REMOVED	2026-09-28 15:29:44.864673	