
Nexidia Real-Time Grid System Requirements

Version 12.5.1

Table of Contents

Copyright

NICE Engage Environment

Nexidia Real-Time Grid Single-Server Deployment

- Introduction

- Requirements

Workflow Model

Nexidia Real-Time Grid Scan Server

- Introduction

- Requirements

Nexidia Real-Time Grid Gateway Server

- Introduction

- Requirements

- VMware Requirements

Nexidia Real-Time Grid Config Server

- Introduction

- Requirements

- VMware Requirements

Nexidia Real-Time Grid Telephony Proxy Service Server

- Introduction

- Requirements

- VMware Requirements

Apache ActiveMQ Artemis

- Introduction

- Requirements

Copyright

PROPRIETARY AND CONFIDENTIAL INFORMATION

Information herein is proprietary information and trade secrets of NICE Ltd. and/or its affiliated companies (Affiliates). This document and the information herein is the exclusive property of NICE and its Affiliates and shall not be disclosed, in whole or in part, to any third party or utilized for any purpose other than the express purpose for which it has been provided.

IMPORTANT NOTICE

Subject always to any existing terms and conditions agreed between you and NICE or any Affiliate with respect to the products which are the subject matter of this document, neither NICE nor any of its Affiliates shall bear any responsibility or liability to a client or to any person or entity with respect to liability, loss or damage caused or alleged to be caused directly or indirectly by any product supplied or any reliance placed on the content of this document. This includes, but is not limited to, any interruption of service, loss of business or anticipatory profits or consequential damage resulting from the use or operation of any products supplied or the content of this document. Information in this document is subject to change without notice and does not represent a commitment on the part of NICE or any Affiliate.

All information included in this document, such as text, graphics, photos, logos and images, is the exclusive property of NICE or in Affiliate and is protected by United States and international copyright laws. Permission is granted to use, view and photocopy (or print) materials from this document only in connection with the products to which this document relates and subject to the terms of license applicable to such products. Any other use, copying, distribution, retransmission or modification of the information in this document without the express prior written permission of NICE or an Affiliate is strictly prohibited. In the event of any permitted copying, redistribution or publication of copyrighted material, no changes in, or deletion of, author attribution, trademark legend or copyright notice shall be made.

Products supplied may be protected by one or more of the US patents listed at www.nice.com/Patents. For the full list of trademarks of NICE and its Affiliates, visit www.nice.com/Nice-Trademarks. All other marks used are the property of their respective proprietors.

All contents of this document are: Copyright © 2025 NICE Ltd. All rights reserved.

For assistance, contact your local supplier or nearest NICE Customer Service Center:

EMEA Region (Europe, Middle East, Africa) Tel: +972-9-775-3800 Fax: +972-9-775-3000 email: support@nice.com	APAC Region (Asia/Pacific) Tel: +852-8338-9818 Fax: +852-2802-1800 email: support.apac@nice.com	North America Tel: 1-800-663-5601 Fax: +201-356-2197 email: na_sales@nice.com	International Headquarters- Israel Tel: +972-9-775-3100 Fax: +972-9-775-3070 email: info@nice.com
The Americas Region (North, Central, South America) Tel: 1-800-6423-611 Fax: +720-264-4012 email: support.americas@nice.com	Israel Tel: 09-775-3333 Fax: 09-775-3000 email: support@nice.com	France Tel: +33-(0)1-41-38-5000 Fax: +33-(0)1-41-38-5001	Hong-Kong Tel: +852-2598-3838 Fax: +852-2802-1800

United Kingdom

Tel: +44-8707-22-4000

Fax: +44-8707-22-4500

Germany

Tel: +49-(0)-69-97177-0

Fax: +49-(0)-69-97177-200

NICE invites you to join the NICE User Group (NUG).

Visit the NUG Website at www.niceusergroup.org; and follow the instructions.

All queries, comments, and suggestions are welcome! Please email: nicebooks@nice.com.

For more information about NICE, visit www.nice.com

NICE Engage Environment

Component	Requirement
Engage Version	Engage 6.12 or 6.15
Engage ConnectAPI	Premium License
Engage Recording Pools	Must capture the devices intended for scanning

Nexidia Real-Time Grid Single-Server Deployment

Introduction

This topic lists the requirements that your system must meet before you begin installing the Nexidia Real-Time Grid with all components on a single server (Single-Server All option).

Requirements

The following table lists the minimum hardware requirements for installation.

Component	Minimum Requirement
Operating System	Windows 2016 64-bit Standard Edition
RAM	(750MB * Max Number of concurrent calls) + 16GB
Processor	16 physical cores + (Max Number of Concurrent Calls / 4) physical cores
Network Interface	One 10 Gbps NIC Card
Hard Drive	One 300 GB SAS 10 K/15K RPM RAID1 HDD for the Operating System and application

Workflow Model

The Workflow Model provides information for the language RTG will scan. The Workflow includes Enlighten Models (sentiment). Unlike Language Packs, which required matching Predictive Analysis Models, Workflows include all their compatible Enlighten models, and require no validation for Enlighten.

Workflows other than the system requirement may be installed for NIA and post-call analytics, but RTG can only perform real-time scanning using Workflows compatible with the specified Workbench version.

Component	Minimum Requirement
Workflow Model	Compatible with Workbench 10.9 and/or 10.11

Nexidia Real-Time Grid Scan Server

Introduction

This topic lists the requirements that your system must meet before you begin installing the Nexidia Real-Time Grid Scan Server.

Requirements

The following table lists the minimum hardware requirements for installation.

Component	Minimum Requirement
Operating System	Windows 2016 64-bit Standard Edition
RAM	(750MB * Max Number of Concurrent Calls)
Processor	16 physical cores + (Max Number of Concurrent Calls / 4) physical cores
Network Interface	One 10 Gbps NIC Card
Hard Drive	One 300 GB SAS 10 K/15K RPM RAID1 HDD for the Operating System and application

Nexidia Real-Time Grid Gateway Server

Introduction

This topic lists the requirements that your system must meet before you begin installing the Nexidia Real-Time Grid Gateway Server.

Requirements

The following table lists the minimum hardware requirements for installation.

Component	Minimum Requirement
Operating System	Windows 2016 64-bit Standard Edition
RAM	16 GB
Processor	Intel/AMD 64-bit Dual CPU Dual Core (Total of 4 Cores)
Network Interface	One 1 Gbps NIC Card
Hard Drive	100 GB SAS 10 K/15K RPM RAID1 HDD for the Operating System and message services

VMware Requirements

The following table lists the VMWare requirements (ESXi 4.x and above).

Component	Minimum Requirement
Operating System	Windows 2016 64-bit Standard Edition
vCPU	4 with 1.2 GHZ Reservation
vRAM	16 GB
vDisk	C: 100 GB
vNIC	One 1 Gbps

Nexidia Real-Time Grid Config Server

Introduction

This topic lists the requirements that your system must meet before you begin installing the Nexidia Real-Time Grid Config (Broker) Server.

Requirements

The following table lists the minimum hardware and software requirements for installation.

Component	Minimum Requirement
Operating System	Windows 2016 64-bit Standard Edition
Hard Drive	100 GB SAS 10 K/15K RPM RAID1 HDD for the Operating System and message services

https://wem-dochub.mindtouch.us/Nexidia_Analytics_and_Data_Exchange_Framework/NXQC_12.5/Grid_Documentati...

Component	Minimum Requirement
RAM	16 GB
Processor	Intel/AMD 64-bit Dual CPU Dual Core (Total of 4 Cores)
Network Interface	One 1 Gbps NIC Card
Hard Drive	100 GB SAS 10 K/15K RPM RAID1 HDD for the Operating System and message services

VMware Requirements

The following table lists the VMWare requirements (ESXi 4.x and above).

Component	Minimum Requirement
Operating System	Windows 2016 64-bit Standard Edition
vCPU	32 with 2.6 GHZ Reservation
vRAM	64 GB
vDisk	C: 300 GB
vNIC	One 1 Gbps

Nexidia Real-Time Grid Telephony Proxy Service Server

Introduction

This topic lists the requirements that your system must meet before you begin installing the Nexidia Real-Time Grid Telephony Proxy Service Server.

Requirements

The following table lists the minimum hardware requirements for installation.

Component	Minimum Requirement
Operating System	Windows 2016 64-bit Standard Edition
RAM	16 GB
Hard Drive	100 GB SAS 10 K/15K RPM RAID1 HDD for the Operating System and message services

https://wem-dochub.mindtouch.us/Nexidia_Analytics_and_Data_Exchange_Framework/NXQC_12.5/Grid_Documentati...

Updated: Thu, 30 Apr 2026 18:16:15 GMT

Component	Minimum Requirement
Processor	Intel/AMD 64-bit Dual CPU Dual Core (Total of 4 Cores)
Network Interface	One 1 Gbps NIC Card
Hard Drive	100 GB SAS 10 K/15K RPM RAID1 HDD for the Operating System and message services

VMware Requirements

The following table lists the VMWare requirements (ESXi 4.x and above).

Component	Minimum Requirement
Operating System	Windows 2016 64-bit Standard Edition
vCPU	4 with 1.2 GHZ Reservation
vRAM	16 GB
vDisk	C: 100 GB
vNIC	One 1 Gbps

Apache ActiveMQ Artemis

Introduction

This topic lists the requirements that your system must meet to preinstall Apache ActiveMQ Artemis before installing the Nexidia Real-Time Grid services.

Requirements

The following table lists the minimum hardware and software requirements for installation.

Component	Minimum Requirement
Apache ActiveMQ Artemis Version	ActiveMQ Artemis 2.31.0 (or later)
Operating System	Windows 2016 64-bit Standard Edition
RAM	16 GB
Hard Drive	100 GB SAS 10 K/15K RPM RAID1 HDD for the Operating System and message services

https://wem-dochub.mindtouch.us/Nexidia_Analytics_and_Data_Exchange_Framework/NXQC_12.5/Grid_Documentati...

Updated: Thu, 30 Apr 2026 18:16:15 GMT

Component	Minimum Requirement
Processor	Intel/AMD 64-bit Dual CPU Dual Core (Total of 4 Cores)
Network Interface	One 1 Gbps NIC Card
Hard Drive	100 GB SAS 10 K/15K RPM RAID1 HDD for the Operating System and message services