

Interaction Analytics and Quality Central



Release Notes

Document Revision: 12.5 FP2
Publication Date: February 2026

COPYRIGHT

PROPRIETARY AND CONFIDENTIAL INFORMATION

Information herein is proprietary information and trade secrets of NiCE Ltd. and/or its affiliated companies (Affiliates). This document and the information herein is the exclusive property of NiCE and its Affiliates and shall not be disclosed, in whole or in part, to any third party or utilized for any purpose other than the express purpose for which it has been provided

IMPORTANT NOTICE

Subject always to any existing terms and conditions agreed between you and NiCE or any Affiliate with respect to the products which are the subject matter of this document, neither NiCE nor any of its Affiliates shall bear any responsibility or liability to a client or to any person or entity with respect to liability, loss or damage caused or alleged to be caused directly or indirectly by any product supplied or any reliance placed on the content of this document. This includes, but is not limited to, any interruption of service, loss of business or anticipatory profits or consequential damage resulting from the use or operation of any products supplied or the content of this document. Information in this document is subject to change without notice and does not represent a commitment on the part of NiCE or any Affiliate.

All information included in this document, such as text, graphics, photos, logos, and images, is the exclusive property of NiCE or its Affiliate and is protected by United States and international copyright laws. Permission is granted to use, view and photocopy (or print) materials from this document only in connection with the products to which this document relates and subject to the terms of license applicable to such products. Any other use, copying, distribution, retransmission or modification of the information in this document without the express prior written permission of NiCE or an Affiliate is strictly prohibited. In the event of any permitted copying, redistribution or publication of copyrighted material, no changes in, or deletion of, author attribution, trademark legend or copyright notice shall be made.

Products supplied may be protected by one or more of the US patents listed at www.nice.com/Patents.

For the full list of trademarks of NiCE and its Affiliates, visit www.nice.com/NiCE-Trademarks. All other marks used are the property of their respective proprietors.

All contents of this document are: Copyright © 2026 NiCE Ltd. All rights reserved.

TABLE OF CONTENTS

Revision History	1
Release v12.5 FP2 (February 02, 2026)	2
Pre-Requisites	2
Breaking Changes	2
Limitations	2
Documentation Hub	2
Explore Updates	3
Explore Search Improvements	3
Added Notes Functionality	7
Discovery Functionality Migrated to Explore	9
Category Admin Enhancements	17
Third-Party Software Improvements	19
Technical Improvements	19
Quality Central Updates	19
Enlighten Gen-Insights for Quality Central – Auto Publish	19
Activity Logging for Post-Publish, Rescore, Self-Evaluation, and Audit Actions	21
Agent Screen Recording Playback for Chats – Evaluation Form Player	22
Analysis & Reporting	23
Automated Insights Dashboard	23
Updates and Enhancements	25
Topic AI Editor	27
Data Export Utility (DEU) Enhancements 	28
General / Miscellaneous Enhancements:	29
Key Resolved Issues	31

Known Issues/Behaviors and Workarounds	34
Supported Direct Upgrade Paths	37
Compatibility Matrix	38
Release v12.5 FP1 (July 2025)	39
Pre-Requisites / Breaking Changes	39
Documentation Hub	39
NiCE User Group (NUG) Requested Enhancements 	39
Explore Updates	40
Word Cloud added to Dashboard	40
Note About Phrases in Explore vs Discovery	41
Comparison Date options in Dashboard	42
Managed Phrases now available for Explore	44
Explore Export Feature Improvements	45
Tags in Explore	46
Tag Creation in Explore	47
Tags Filters in Explore Search	47
Desktop Tags Side Panel	48
Desktop Tags Filters in Search	49
Explore: Additional Updates	49
Quality Central Updates	50
Enlighten Gen-Insights for Quality Central	50
Configurable Date Range for “My Evaluations” Tab	52
Evaluator Review – Data Restrictions Aligned with “My Evaluations”	52
Draft Evaluation Visibility and Management Enhancements 	52
Export My Evaluations Grid to CSV 	54
Analysis & Reporting	55
Updates and Enhancements	55
New Reporting Privilege Definitions – “Analysis Consumer” and “Analysis Consumer + Export” 	56

Dashboard Worksheet Enhancements	56
New Topic AI Dashboard.....	57
Data Export Utility (DEU) Enhancements 	57
General / Miscellaneous Enhancements:.....	57
AutoSummary	57
Key Resolved Issues.....	58
Known Issues/Behaviors and Workarounds	59
Supported Direct Upgrade Paths	62
Compatibility	63
Release v12.5 (December 2024).....	64
Pre-Requisites / Breaking Changes.....	64
Documentation Hub.....	65
NiCE User Group (NUG) Requested Enhancements 	65
Updated Application Name & Home Page	66
Enhanced Interaction Categorization / Ingest Path	67
Categorization Via Ontology	68
Explore "Categories"	68
Upgrading Customers: Ingest Path	70
Explore Updates	71
Explore Filtering on Tags	71
Workflow Capability in Explore.....	72
Launch Evaluation from Explore	75
Explore Interaction Assignment	75
Searching with Wildcards in Explore	76
Explore Language Updates.....	77
Explore: Thresholds in Grid View	78
Explore: Newly Added Metadata Filters	79
Filter by Session in Explore Search and Dashboard 	80
Explore Search Grid Export Increased 	80

Explore Public Dashboard Administration 	81
Explore: Additional Updates	81
Quality Central Updates	83
Question Notes Field Expanded (Evaluations and Appeals) 	83
Enhanced Accessibility for Hints 	84
Quality Central Group Coaching Email Enhancement	84
Coaching File Uploads – Additional File Types	85
Timestamp Included in Evaluations 	85
Enlighten Portal Dashboard Changes	86
Enlighten Gen-Insights for Quality Central (AI Auto-Suggest): Beta	87
Quality Central Management Console Changes	89
Analysis & Reporting	89
Reporting Platform Updates	89
Quality Central Reporting	91
Data Export Utility (DEU) Enhancements – Additional Data	95
Agent Inventory “Is Active” 	95
Transcription Result Code 	95
General / Miscellaneous Enhancements:	96
Enlighten XO	97
AutoSummary	97
Key Resolved Issues	98
Known Issues/Behaviors and Workarounds	101
Supported Direct Upgrade Paths	105
Compatibility	105

Revision History

Version	Date	Notes
v12.5 FP2	February 02, 2026	Release Notes document for NiCE Interaction Analytics and NiCE Quality Central v12.5 FP2 GA release
v12.5 FP1	August 1, 2025	Incorporated document formatting updates (no change to the content of the document)
v12.5 FP1	July 2025	Release Notes document for NiCE Interaction Analytics and NiCE Quality Central v12.5 FP1 GA release
v12.5	December 2024	Release Notes document for NiCE Interaction Analytics and NiCE Quality Central v12.5 Controlled GA release

Release v12.5 FP2 (February 02, 2026)

Pre-Requisites

- Elastic search version should be 8.18.2 or later
- All relevant Management Console settings must be enabled for AutoPublish to work
- AWS environment must be set up and integrated with OnDemand to use v11 ASR

Breaking Changes

- Several admin pages are updated to the Angular framework as part of the modernization effort that can be enabled/disabled via the management console settings.

Limitations

1. VGv11 deployment for the outside of the US customers is on a case-by-case basis for now. This will change later in 2026.
 2. V11 transcription supports stereo-only calls for now. Support for the mono calls will be coming soon.
- **Only On-Demand Features:**
 1. VGv11 transcripts and all of the Topic AI features.
 2. GenInsight for QC (AutoQA)
 3. AutoSummary (Post-calls & Real-time)
 4. Topic AI Editor
 5. XO application

Documentation Hub

Users / Customers who had previously utilized ExtraNiCE as a source of documentation are advised that there is a new documentation hub that should serve as your source for documents.

- Documentation Hub landing page <https://wem-dochub.mindtouch.us/>
- [Interaction Analytics User Guide 12.5 FP2](#)
- [Interaction Analytics 12.5 FP2 installation](#)
- [DEF \(Data Exchange Framework\) 12.5.2](#)

Explore Updates

Explore Search Improvements

New Explore Phrase Search Privilege

A new privilege has been created and it can be found on the admin privileges page here: (Explore - Phrase Search). This privilege is defaulted to on, and if turned off limits an explore user from using the explore search bar filters Agent said, customer said, and either said. Customers who want users to use existing save search filters but are not trusted to create their own searches will find this useful.

Explore Now Has Alphabetized Filter Lists, and Free-form Entry Lists

All the drop-down lists in Explore including freeform and user generated now show as alphabetized lists. This will allow users to find items in a more organized way, making selections easier.

In Explore users can now Import/Export search filter lists via CSV

Explore filters now have a new context menu item on the right side of most filters "From list". Filters with "from list" type operators can use this new operator: import/export. To use this new operator a user can follow these steps:

1. Choose "from list" operator
2. Open Context menu
3. Select Import or Export




Figure 1 - Operator menu option in Explore Filters




Figure 2 - Filter Export/Import Buttons

4. To then Edit the filter list follow these steps:
 - Select the required filter
 - Open Context menu
 - Push item with "Export"
 - A .csv file will be downloaded with the filter's name. The file can be edited in Excel or any text editor (current values are merged with those from the file).




Figure 3 - Example of editing agent names via excel and text editor

Explore Search Column Headers Are Frozen For Better Usability

Column headers in Explore Search now remain visible as users scroll through results. This ensures data context is maintained, making it easier to interpret information without losing track of column names.

Explore Now has access to Categories

Categories can now be created, edited, and saved from or to a saved search. They function just like saved searches and are visible in both Explore Search and the Explore Dashboard, providing a consistent way to organize and access your data.




Figure 4 - Explore Search Drop-down menu with categories. (Note the addition of the Categories icon)

Dual view functionality for saved searches or categories has been added (Include/Exclude by line, and optional grouping).

Dual view functionality is now available across Explore, including the dashboard for visual comparison. This feature allows users to Include or Exclude by line and apply optional grouping, providing greater flexibility when working with saved searches or categories. By improving filtering,




Figure 5 - Dual view of Searches/Categories

organization, and visual comparison, this enhancement makes it easier to analyze and manage data efficiently across all Explore views




Figure 6 - Dual view Grouping message confirmation




Figure 7 - Category comparison example in Dashboard

Added Notes Functionality

Ability to Create and Manage Interaction-Level Notes

A new Notes side panel has been added, allowing users to view, create, edit, and delete notes based on their privileges. Users with the (Explore - Notes - Add Notes) privilege can add new notes using the Add Note button. Notes support single-file attachments, which can be added when creating or editing a note or via the three-dot menu, and attachments are available for download. Bulk note editing and in-panel search are supported (searching metadata fields is not yet available). All note changes in Explore are reflected in Forensic Search and vice versa, improving collaboration and context by enabling detailed note-taking, attachment sharing, and streamlined management of notes across both views.




Figure 8 - Notes button location




Figure 9 - Notes Panel Example

New notes can be added by using the “Add note” button (user is required to have appropriate privilege - (Explore - Notes - Add Notes))

Notes

Media File: 8ba048e3-d5dc-4761-8335-53cc13a01d5e.nextgchat

Search

User note text here

Attach

Save Cancel

▼ fast-talk\roman.krasota

13 Oct 25, 09:18:21 am

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla tempus tortor lobortis arcu consectetur luctus. Nulla et lacus ligula. Cras id porta mi, vitae porta mauris. Proin maximus tempus enim, faucibus commodo ante dignissim a. Sed laoreet vestibulum...

View More

Add Note

Figure 10 - Adding a note to an interaction in Explore.

Discovery Functionality Migrated to Explore

Expression Analysis Modals have been added

Expression Analysis modals are now available for deeper phrase insights. Users can open the modal or add phrases directly by clicking on Word Cloud from the Explore Search page, the Top Phrases

Word Cloud widget, or the Top Phrases data table. This enhancement improves usability by making phrase analysis more accessible and actionable across Explore.

New Phrases selection List

The new Phrases selection list displays up to 50 top phrases and includes interactive features for easier analysis. Users can click a phrase to select it and instantly update all graphs, use the search bar to quickly find specific phrases, and sort by phrase name or interaction count. View modes allow toggling between counts and percentages, while color-coded progress bars provide clear visual indicators for each phrase. This enhancement improves efficiency and clarity, making phrase exploration faster and more intuitive.




Figure 11 - Phrase List

New Analysis Tabs added

A **Sentiment Analysis tab** has been added to provide deeper insights into phrase sentiment distribution. The tab illustrates how selected phrases are spread across sentiment scores, and the Interval parameter allows users to adjust sentiment grouping precision. This enhancement improves analytical flexibility and understanding of sentiment trends, enabling more accurate interpretation of phrase impact.




Figure 12 - Top Phrases Sentiment Chart

New Phrase Counts Analysis Tab Added

The new **Counts Analysis tab** visualizes how frequently each selected phrase appears in the dataset, providing clear insights into phrase usage patterns. This enhancement improves data interpretation and helps users quickly identify high-frequency phrases for more informed analysis.




Figure 13 - Phrase Counts Chart

New Phrase Trends Analysis Tab Added

The new **Trends Analysis tab** displays how the frequency of each selected phrase changes over time, helping users identify patterns and shifts in phrase usage. This enhancement improves trend visibility and supports more informed decision-making by highlighting changes in phrase behavior across different time intervals.




Figure 14 - Top Phrases Trends Chart

New Phrase Offset Analysis Tab Added

The new **Offset Analysis tab** visualizes when phrases occur within an interaction, helping users understand their position and timing. It also includes a Granularity control to adjust the level of detail for occurrence distribution. This enhancement improves analytical precision and context, enabling users to identify patterns in phrase placement and timing for deeper insights.




Figure 15 - Top Phrases Offsets chart

Configurable Parameters for Top Phrases and Word Cloud Comparison

New configurable parameters have been added for Top Phrases, including **Phrase Length**, **Phrase Count**, and **Uniqueness options**, giving users more control over phrase analysis. Additionally, the Explore Dashboard now supports **Word Cloud Comparison** (previously known in Discovery as Gainers vs. Losers) with the ability to **switch between unique and non-unique phrases**. These enhancements improve flexibility and insight, enabling users to customize phrase analysis and

visually compare trends for better decision-making.




Figure 16 - Comparison of two datasets word cloud

Understanding Word Cloud Comparison in Explore

Explore now offers three comparison modes for analyzing phrases across datasets:

- **Unique** displays only phrases that appear in one dataset but not the other, highlighting clear differences between two saved searches.
- **Common** combines phrases found in both datasets, ranks them by total occurrences, and then separates them to reveal which shared phrases are most prominent overall.
- **Standard** shows all phrases from each dataset ranked by frequency, providing a clear view of the most common terms within each search.

These options improve clarity and flexibility, enabling users to quickly identify differences, similarities, and overall trends between datasets for deeper insights.




Figure 17 - Standard Common and Unique Buttons for Comparison Mode




Figure 18 - How word Clouds are compared



Figure 19 - Comparison Mode with Word Cloud

Comparison Word Cloud – Management Console parameters are:

- ExploreApi.TopPhrases.InteractionsSampleSize: The total number of documents to sample across all searchable shards for the Top Phrases search. Default Value: 50000
- ExploreApi.TopPhrasesComparison.PhrasesSampleSize: The total number of phrases considered during comparison in Top Phrases Comparison mode. Default Value: 50000

Category Admin Enhancements

Category Filter Text Added

When a category is selected, the query text is now displayed to show filter details, providing clear visibility into the applied criteria. This enhancement improves transparency and user confidence by making it easier to understand and validate category-based filtering without having to open it.




Figure 20 - Admin Category Details Example

Import/Export functionality added for Categories

Import and export functionality has been added in the three dot menu of the Admin category page, and is controlled by a new Export/Import access privilege (Admin - Category Export / Import). This

enhancement improves flexibility and efficiency by allowing users to share, back up, and migrate category configurations securely across environments.




Figure 21 - Category Export / Import button location

Link to the Category administration page

A link to the Category Administration page has been added to the Save Search management page in Explore, making it easier for users to navigate and manage categories directly.




Figure 22 - Category Administration link in Explore

Third-Party Software Improvements

- **Upgraded Elastic Search to V8.18.3 to get all ES bug fixes. (There will be issues with the Top Phrases if you go below the 8.18.2 version).**
- **Removed ActiveMQ as it is not needed**
- **Upgraded .NET from version 6 to 8**

Technical Improvements

- **Enhanced Elastic Search requests for Top Phrases**
- **Special Character (!@#\$%^&*) Search was added behind a feature flag**
 - In the Management Console there is a parameter (ExploreIngest.EnableWhitespaceTokenizer) that is off by default. Warning: applying this requires a reindex of all your interactions and the system is not usable while this is happening. (We will be improving this in the future)
 - How the feature works Example:
 - Feature Flag OFF (Default) Example: Searching for "\$100" returns all interactions containing the word "100" (special characters are ignored).
 - Feature Flag ON Example: Searching for "\$100" returns only interactions containing the exact word "\$100".
 - This feature was not added by default because of its negative effect on the database size 2X, slower return times, less returned items in most use cases as they are not specific enough, and the need to re-index all interactions.

Quality Central Updates

Enlighten Gen-Insights for Quality Central – Auto Publish

Overview / Key Features

Quality Central now includes an automated Auto Publish capability that allows evaluations to be created, scored, and completed directly through a configured workflow without manual evaluator input. When Auto Publish is enabled in a workflow, Quality Central automatically runs the evaluation process using Enlighten Gen-Insights to score eligible questions, applies fallback answers where needed, honors template branching rules, and then either publishes the evaluation or saves it as a draft, depending on the template setup.

When workflow triggers Auto Publish, Quality Central opens the linked evaluation form and reviews each question in sequence.

- If the AI can confidently provide an answer, it's automatically entered.

- If the AI cannot determine an answer, the system applies to the fallback value defined for that question in the template.
- If no fallback is defined, the system enters "N/A." Because "Allow N/A" must be enabled for every question used in Auto Publish, this ensures that every evaluation can be completed successfully.

Edit Evaluate Step

Find: (Name Contains)
Selected Template: Complaints

Selected Template will be pre-selected for queue users evaluating the interaction if the interaction is in their queue. If the selected template is not used to evaluate, the interaction will not be advanced from the workflow step.

Template Name	Version	AI Auto Suggest
Branching Show Scoring Type Question Weighted IncludeAllQuestionType	1	No
Calibration Template	2	No
Calibration-Self-Eval Template	2	No
Complaints	1	Yes
Inbound	2	No
multi-select	2	No
Negative Score Template	1	No
Quality Form	9	No
Report Template	1	No
Report Template for Audits-Appeals	2	No
Report Template for Hierarchy	2	No
Rescore Template	1	No

☐ Do not enable AI - Auto Suggest
☒ Enable AI - Auto Suggest to answer the selected template and save a Draft of the Evaluation
☐ Enable AI - Auto Suggest to answer the selected template and Publish the Evaluation

OK
Cancel

Figure 23 – Template Selection for Auto Publish within Workflow

Auto Publish follows the same branching logic used in manual evaluations, meaning it only scores questions that are visible and required based on previous responses. Hidden or inactive questions are skipped automatically, preventing evaluations from being blocked by conditions that do not apply.

Once all required and visible questions have been answered through AI, fallback, or “N/A,” Quality Central completes the evaluation and applies to the outcome defined in the template configuration.

- If the template is configured for automatic publishing, the evaluation is finalized immediately and marked as Published. These evaluations follow the same rules and visibility as manually published forms and are available in reporting, dashboards, and downstream workflow steps.
- If the template is not configured for automatic publishing, or if the organization prefers an internal review step, the evaluation is saved in Draft status instead. Drafts are stored securely in Quality Central and can be opened later by authorized evaluators for review or manual publication.

All Auto Published drafts are attributed to the system evaluator Auto Publisher and appear in My Evaluations with Status = Draft. Evaluators can open these drafts, review the AI-generated answers, make changes if needed, and then manually click Publish to finalize them.

This configuration flexibility allows each organization to decide whether evaluations completed by AI are published immediately or first held for quality review before release.

Each automatically created evaluation includes clear metadata to support reporting and downstream analysis, identifying it as AI-generated and indicating whether fallback answers were used. All Auto Publish activities including scoring, fallback use, branching decisions, and publishing results are recorded for full transparency and will be available for future Data Export Utility (DEU) reporting.

If an evaluation cannot be completed for example, due to missing fallback values or a template configuration issue, the system records the full details for troubleshooting and does not save a partial result.

This enhancement enables organizations to expand their quality-assurance coverage by automatically completing evaluations at scale, while maintaining the same accuracy, branching behavior, and compliance controls used in manual scoring. Auto Publish provides a reliable foundation for AI-driven evaluation programs that deliver speed, consistency, and transparency across the quality process.

Activity Logging for Post-Publish, Rescore, Self-Evaluation, and Audit Actions

Quality Central now maintains a comprehensive activity log for every change made to evaluations after it has been published. This new backend audit trail ensures transparency and traceability across all evaluation workflows, recording who made each change, what was changed, and when the action occurred.

- The activity log is automatically generated during the following actions:
 - When an evaluator edits a published evaluation (answers, notes, scores, or status).
 - When a judge performs a rescore or enters or modifies ruling notes during the appeals process.
 - When an agent or reviewer submits a self-evaluation or review that differs from the original evaluation.
 - When a supervisor or auditor updates answers, notes, or evaluation status during an audit review.

Each field-level change creates one audit entry containing the original value, new value, user ID, timestamp (UTC), and source of action (Evaluator, Judge, Self-Evaluations, Reviewer, or Auditor). Draft activity and unchanged values are not logged, ensuring the system records only meaningful modifications. All audit records are stored securely in the Quality Central database and are available for Data Export Utility (DEU) integration.

This enhancement provides a single, tamper-evident source of truth for evaluation edits across every post-publish workflow, supporting compliance, dispute resolution, and governance standards without requiring any configuration or privilege changes.

Agent Screen Recording Playback for Chats – Evaluation Form Player

Quality Central now supports unified playback of screen recordings for chat interactions directly from the Evaluation Form. When reviewing an evaluation that includes a chat with an associated screen recording, users can now launch the Pluggable Player from within the Evaluation Form (EFI) to view both the agent's screen and the chat transcript together in a single, interactive playback window. This enhancement replaces the previous behavior that relied on legacy HTML or NICE Player Pro players and delivers a consistent playback experience across all evaluation workflows.

- When an evaluation contains a chat interaction and an associated screen recording, selecting Play from the embedded Evaluation Form player automatically opens the Pluggable Player in a pop-up window.
- The system passes the required media ID, session ID, and evaluation ID to the player at launch to ensure playback continuity and full context.
- Playback occurs from the Evaluation Form pop-up player only; external “<n> media files” links and legacy players are no longer used for these cases.
- Playback privileges continue to follow the “Playback.EnforcePlaybackAuthorization” setting in the Management Console.

This enhancement provides evaluators and supervisors with a smoother, more consistent way to review chat interactions that include screen recordings, improving usability, audit visibility, and parity with call-based playback.





Figure 24 – Chat and Player Video Sync

Analysis & Reporting


Automated Insights Dashboard

This new dashboard automatically surfaces the Topic AI Intents, Actions, and Agents that are the best places to start to reduce Average Handle Time (AHT).

The Automated Insights Dashboard analyzes three AHT opportunity areas to project AHT savings: potential impact from coaching underperforming Agents, broken down by Intent Subtopics; AHT impact when specific Agent Actions occur during specific Intent Subtopics; and potential AHT reductions from deploying Copilot for specific Intent Subtopics.



AHT Reduction Target by Intent Level 1 (Category)



Agent Coaching

For each Topic AI Intent Level 3 Subtopic, the variability of each Agent’s AHT for that Subtopic is used to identify Agents that deviate enough to indicate coaching benefits. The dashboard then displays the Subtopics wherein coaching those agents to achieve an AHT in line with the overall AHT for each Subtopic would have the largest impact. For instance, Agent 1 is identified as a candidate for coaching for Subtopic A. Overall, Subtopic A has an AHT of 200 seconds; Agent 1 has an AHT of 250 seconds for Subtopic A. Coaching Agent 1 to reduce their AHT to 200 seconds for Subtopic A will reduce the overall AHT for Subtopic A. The Agent Coaching section of this dashboard calculates that potential reduction based on your Agents and their Subtopic interactions.




Action Impact

The dashboard first calculates the AHT for each Topic AI Intent Level 3 Subtopic. Then, the AHT for is calculated for interactions in each Subtopic in which an Agent Action occurs. If the AHT for a Subtopic increases when Actions occur, it is determined to be impacted by Agent Actions and those Subtopics are ranked by that impact. Reviewing the impact that specific Actions have on specific Subtopics can reveal opportunities for significant reductions in the overall AHT for those Subtopics.


Action Impact

Agent Actions can impact the handle time of an interaction. This chart identifies the 10 Intent Level 3 Subtopics that have the largest increase in AHT from Actions occurring during interactions by comparing the overall Subtopic AHT to the AHT where specific Actions occur. The bar represents that increase.



Copilot Impact

To project the potential AHT reduction from deploying Copilot for any given Intent Subtopic, the handle time range for each Subtopic is split into deciles. After dismissing outliers, Automated Insights calculates the difference in AHT between the mid-tier interactions and those one decile lower. The Subtopics are sorted and ranked by the size of that difference. Real-time guidance from implementing Copilot has the potential to achieve decile-level improvements in AHT and Automated Insights surfaces those Subtopics that have the biggest potential impact.



**Note that this dashboard is best viewed at a screen resolution/browser size of 1280x1024 or higher.*

Updates and Enhancements

- **QC Portal Dashboard:** Includes new prompts to report by and filter by Hierarchy levels. When reporting by Hierarchy, a new Hierarchy attribute is included in the dataset, which can then be added to charts and filters within the dashboard. Filtering by Hierarchy constrains the results to only those Hierarchy levels selected. These prompts allow for better visibility into QC Portal Dashboard data rolled up to those Hierarchy levels above the Supervisor level.
- **Topics: Intents, Actions, and Outcomes Dashboard:** Now includes additional prompts for reporting and filtering by selected metadata, allowing for expanded analysis of Topic AI data.

- **Topic AI attribute names:** Naming conventions for Topic AI-related metadata have been updated to align with the Topic AI editor.

Prior name	Updated name
Contact Events	Actions
Contact Reason Level1	Intent L1 (Category)
Contact Reason Level2	Intent L2 (Topic)
Contact Reason Level3	Intent L3 (Subtopic)
Secondary Contact Reason Level1	Secondary Intent L1 (Category)
Secondary Contact Reason Level2	Secondary Intent L2 (Topic)
Secondary Contact Reason Level3	Secondary Intent L3 (Subtopic)
Tertiary Contact Reason Level1	Tertiary Intent L1 (Category)
Tertiary Contact Reason Level2	Tertiary Intent L2 (Topic)
Tertiary Contact Reason Level3	Tertiary Intent L3 (Subtopic)


- **Graph reports in Library:** When using the Library user interface – accessed via “Analysis & Reporting New” – to execute a report that includes a chart element (but not a dashboard/dossier), the chart will not be visible. As part of this release, a subset of these standard reports has been duplicated as a dashboard for Library compatibility. These dashboards can be found in subfolders called “Dashboards for Library Compatibility” where applicable. Note that some features – such as drilling to interactions – are not supported in Library.

Topic AI Editor

The Topic AI Editor provides a structured workflow to **create, refine, and activate Topic AI models** using your interaction data.


Create a corpus from a Target Media Set

To customize your Topic AI models, you can start by creating a collection of interactions called a corpus. A corpus can be created directly from **Administration > Target Media Sets** using **Save to Corpus**. Transcripts from sampled interactions are automatically sent for processing. If the target media set contains more than 10,000 interactions, the system randomly samples 10,000 interactions. In this release, Topic AI only supports English audio interactions.



Enrich and publish in Topic AI Editor

After processing, users can use Topic AI Editor to enrich and tune models. After a model is enriched using your data, you can finetune the model by combining, removing, and renaming the model outputs. Once you are done building your model, you can publish the model to make it available in the Model Manager.



Activate the model for DEF via Manage Models

Published model versions can be managed under the **Manage Models** section. For each model subtype (e.g., financial services, healthcare), only one version can be active at a time. Setting a model to Active and processing incoming interactions against it can be done with a click of a button.

Known limitations

- Available to **NiCE cloud / On-Demand** customers only.
- Topic AI can only use English Audio interactions for enriching a model.
- The Topic AI Editor can only build English models.
- The Topic AI only supports deploying multiple models in parallel if they do not share a sub-type.

Data Export Utility (DEU) Enhancements

- As mentioned above in the QC section, the DEF allows customers to retrieve structured logs of evaluation activity trail — including changes from evaluation edits, audit actions, rescore decisions, and self-eval submissions — in a flat, CSV-ready format. The export will include the EvaluationID, who made what changes, what specifically was changed, when the change was made, the role of the actor, etc.
- If the Index scores are not calculated in the DEF, it will be calculated in the Ingest path, and then DEU can export that data.

General / Miscellaneous Enhancements:

- The following two new Privileges are added in the Administration area of the Privileges list on the Profiles page.
 - **Workflows - Full Control Access to All**  - Users with this privilege are automatically granted full control over all workflows in the system or subsequently created in the system. On upgrade, not granted to any Profiles.
 - **Workflows - Read-Only Access to All**  - Users with this privilege are automatically given read-only access to any workflow in the system, or subsequently created in the system. On upgrade, not granted to any Profiles.
- For CXone Mpower customers, a new link/icon to **CXone Mpower** can be added to the left navigation panel of the NIA platform. This requires that the URL to the customers CXone Mpower instance be configured in Management Console, and the user has the Privilege **CXone Mpower - Direct Navigation**. In that scenario, the user will be able to access this link and be directed to that CXone Mpower instance in a new browser tab, eliminating the need for separate navigation.

Angular Migration for Administration Screens

- Several Administration pages have been updated with a modern, streamlined design as part of an ongoing effort to improve usability, consistency, and long-term maintainability. These updated pages offer faster load times, clearer layouts, and a more responsive browsing experience, while keeping all existing permissions, controls, and behavior intact.

In this release, the following Administration screens have been migrated to Angular:

- Data Restrictions (Properties and Users tabs)
 - Agent Portal Privileges
 - Player Metadata
 - Knowledge Base Management
 - Password Rules
 - Installed Languages
 - Fiscal Calendars
 - Job Status *
 - Session Status
 - Category Access Rights
- These updated pages feature improved layout clarity, enhanced accessibility support, and a more consistent visual style across the Administration area. As part of the initial rollout, the new pages are available in English only, with localization support planned for a future release.

- The new pages can be enabled using a feature flag in the Management Console, allowing administrators to begin using the updated experience as soon as they are ready. Legacy versions of the pages remain available and functional until the migration is complete.
- The following jobs have been deprecated from the Jobs Status Page:
 - Auto Discovery Aging Clean Up Queue Processor
 - Aging Clean Up Queue Processor
 - Discovery Aging Processor
 - MSTR Pending User




Figure 25 - Legacy Knowledge Base Page





Figure 26 - New Knowledge Base Page



What's New or Different in These Pages

- While functionality remains consistent with previous versions, customers may notice the following refinements when enabling the new designs:
 - A cleaner, more structured page layout that improves navigation and readability.
 - Consolidated or repositioned controls for better visibility on modern screen sizes.
 - Updated confirmation messages for actions such as saving changes or modifying access rights.
 - Standardized filtering and grid presentation across migrated pages.
 - Improved responsiveness when loading large data sets (such as Job Status or Session Status).
- There are no changes to underlying behavior, privileges, or data models.

Key Resolved Issues

Note that the full list of resolved issues for this release can be found in Wiser.


Issue	Description
NXQC-52898: In the Visual Query Builder / Test Tab - "Reset" only affects current page dispositions	Now the reset applies to all objects, not just those on the current page
NXQC-49303: When reporting by "last year" (LY) and "last month" (LM) metrics, discrepancies can occur with some calendar conditions, particularly leap years and other differences in counts of days across time periods.	LM & LY-1 Transformation Metrics are created. Report Builder for long term metrics similar to "Single Session Report Builder with Query" is available.
NXQC- 56016: EPD - The Enlighten Behavior Dashboard does not show the same period range as the QC Portal Dashboard - After the Angular Migration	Both QC Portal Dashboard and Enlighten Dashboard now show the same period range.
NXQC-57259: QC - Unable to open Evaluation Form once the media files associated with the Evaluation Form are deleted.	Evaluation Form now gets opened without media files.
NXQC- 57212: QC - Duplicate Evaluation Forms created due to autosave trigger in email popup	Only one Evaluation Form gets created and fixed a couple of issues around it.
NXQC- 56732: On clicking the publish on duplicate Evaluation Forms are created with the same details.	It doesn't create duplicate Evaluation Forms anymore on clicking the publish button.
NXQC- 56731: QC - Copy template fails when the template name has square brackets	EFT copy works now without any error.
NXQC- 57423: QC - Text Overlap in Evaluation PDF Caused by Long Media File Names	Text overlap doesn't happen anymore and text is visible properly.
NXQC- 58064: Publish button is not enabled when text and Numeric type questions in branching type are left empty along with the flag as false and other questions are answered.	The Publish button is enabled with text and numeric field as empty when other type of questions is answered, and flag is false.
NXQC- 58705: Search - My Queue mode uses very large date range, degrades performance	We replace the date filters with just the range represented by the media in the temp table, which will greatly reduce the runtime of the query, and improve performance.


Issue	Description
NXQC- 56648: SAML - TLS 1.3 component uses trial version library and must be reverted to commercial version	We changed the library to the version we have commercial support for.
NXQC- 57066: Discovery - Add configuration to disable session overlap check during saving TMSs	The configuration is now set to false, remove the session overlap check when saving on the TMS admin page in Discovery.
NXQC- 55772: Discovery - Calculation that determines when to set NULL Sentiment Score to ZERO needs to account for cases where ASR is successful, but there is no sentiment score.	The fix is applied to the logic which determines when the SentimentCalculator should override NULL values to Zero.
NXQC- 57217: Discovery is accessible even without the discovery access privilege	The Discovery function is not accessible anymore from VQB by a user who should have no access.
NXQC-37372 - Group Coaching Tab: Actions column gets hidden when the left pane is expanded. If the user lands on Group Coaching page with left pane already expanded, then it looks fine.	n/a – a subsequent feature pack or update will address this limitation
NXQC-4365 – Downloading an interaction from Search may not respect user's wish/selection to download in .mp4 format, and download the original file format (e.g., .wav, .nfmf)	Ensure that the original file format is included in the "Nexidia.Enterprise.ForceTranscodeExtensions" configuration in Management Console.
NXQC-37500 - Examples popup UI on Dashboard may not load with scrollbar Initially	Manually resize the dialog and scroll bars will appear as expected
NXQC-37569- Message pop-up does not show appropriate message if user enters out-of-sequence dates in Evaluator Reviews tab of Quality Central.	n/a – a subsequent feature pack or update will address this limitation
NXQC-43611 In AutoDiscovery, renaming a topic may result in an error	n/a – this will be resolved in a future update
NXQC –37855 When viewing Evaluations in QC, publication times are displayed in the time zone used by the user's browser, but times are stored in and reported in UTC. Discrepancies may appear between evaluation counts for a given date range between reports and QC.	Using a combination of a "Published" date range filter and the new "Choose Time Zone" prompt, Evaluation report results can now be filtered to respect any relevant time zone for each end of the filtered date range.

Issue	Description
NXQC-31183 - Experience Viewer - EFI Auto suggest Play button link scenario. Users cannot click on play link on EFI with multiple secondary media files. Player will only play results from primary media file. When the user clicks on play link, it opens the Player, but EFI is stuck on the back and user cannot listen to the media and evaluate at the same time.	This is fixed and works as expected.
NXQC-37905 - Evals: AutoSummary - In the "My Evaluations" grid, sorting of the AutoSummary columns is disabled.	This is fixed and works as expected.
NXQC-54725: Quality Central – Evaluation Form Template (EFT) – Cancelling updates to “Mark for AI Suggestion” still saves changes	When editing a question in the Evaluation Form Template, if the “Mark for AI Suggestion” checkbox is unchecked and the user clicks Cancel, it doesn’t save it. The setting remains unchanged when the action is cancelled.
NXQC-52759: Quality Central – Group Coaching – Adding a new agent to a completed coaching session does not reset the “Completed” status	This is fixed and works as expected.
NXQC-31183: Experience Viewer – EFI Auto-Suggest Play button link	This is fixed and works as expected.
NXQC-62498: Pluggable Player – Words containing special characters are not highlighted in transcripts	It selects all the words that have special characters, and works as expected.
NXQC-52688: Quality Central – Management Console – Default file upload extensions do not include MP3, MP4, MOV, and WMV	In the Management Console parameter Nexidia.AllowedFileUploadExtensions, we have added the default list of supported file types such as .mp3, .mp4, .mov, and .wmv.

Known Issues/Behaviors and Workarounds

Issue	Work-Around
NXQC-38054 Contact Events column is not being populated values with comma delimited for the list of events.	Contact Events column is not populated with comma separator delimiter event list. It shows all the events in one long line. They need to be

Issue	Work-Around
	separated by comma. This will be fixed in the future release.
NXQC-38123 – AutoSummary events do not appear on the player waveform from the QC Portal Dashboard	n/a – a subsequent feature pack or update will address this limitation
Integrated Login Limitation – using same username in both "Users" and "Agent Inventory"	If a User has the same username (in Integrated login) for Supervisor and Agent roles and tries to log in to the Portal. In that case, the system prioritizes the user to log in as Agent than Supervisor
When reporting by or filtering by Enlighten AutoSummary Contact Events or Outcomes, counts of Unique Media Files may appear inflated.	When including Contact Events or Outcomes in a report, the count of Unique Media Files is based on the number of files containing a given Event or Outcome. Since a media file can contain more than one Event, such files will appear to be counted once for every Event or Outcome occurrence within. If the count of media files for specific Events or Outcomes is required, it will be necessary to filter by that Event or Outcome so that there is a 1:1 relationship between the interaction and Event or Outcome in the report.
RTIG - Agent desktop will display all Enlighten dials in a workflow: If a workbench workflow has 10 Enlighten models but only 6 have been configured to be displayed on agent web app. Agent desktop will display all 10 Enlighten dials as agent desktop was not enhanced to work with Real-time Filter admin page.	RTIG agents will be migrated over to use agent web app. Agent desktop will be deprecated and no longer supported.
NXQC-52623 Filtering on Experience metrics in Explore: When filtering on Experience metrics, if you just enter the day and do not fill out the remaining values (h, m, s), system will default to 00D 00h 00m 00s. System requires that you enter 00 for h, m and s for it to work. 	This is a known issue and will get addressed in the next release / update.

Issue	Work-Around
Experience Viewer pagination is broken. User will not be able to paginate Experiences which have greater than 15 interactions. 	This will get resolved when customer upgrades to v12.4 FP6 or higher version. If customer has no plans of upgrading and requires a fix, please open a support ticket.
When the user assigns a newly created category to the session, reprocesses that session, and then attempts to view the results in the Search or Reporting applications for this new category, they will see the data that was ingested after the completion of the NIA 12.5 upgrade. Not the historical interactions, the ones that were processed in NIA 12.3, 12.4, etc.	There won't be any resolution or workaround because the Interaction Analytics platform's architecture has changed from version 12.5 onwards. It is a brand new feature in 12.5 that the older architecture couldn't support.
NXQC-52759: Quality Central – Group Coaching – Adding a new agent to a completed coaching session does not reset the “Completed” status	When a supervisor adds a new agent to a previously completed Group Coaching session and saves the record, the Completed checkbox for existing coaching actions remains selected. The session must be cancelled and reopened for the correct status to appear. The system should automatically clear the Completed checkbox when a new agent is added. This behavior will be corrected in a future update.
NXQC-52707: Quality Central – Group Coaching – Pagination does not work correctly when sorting on the second page	When viewing Group Coaching sessions with more than one page of results, sorting a column while on the second page causes the list to refresh with first-page results while the pagination indicator still displays “2 of 2.” The pagination should correctly update or display results from the current page after sorting. This issue will be corrected in a future update.
NXQC-51345: Quality Central – Evaluation Form – “Leave Site?” pop-up appears when opening an uploaded file	When opening an already uploaded file from the Evaluation Form page, a browser message appears stating “Leave Site? Changes you made may not be saved.” This pop-up is

Issue	Work-Around
	triggered even though the user is not navigating away from the form, which may cause confusion that evaluation data could be lost. The pop-up will be suppressed in a future update to ensure a smoother user experience when accessing uploaded files.
NXQC-33820: Quality Central – Evaluation Form Templates – Users with read-only access can still activate or deactivate templates	Users who have read-only access to an Evaluation Form Template are currently able to toggle the Active/Inactive checkbox on the EFT screen. The checkbox should remain visible but disabled for users without edit rights. This issue will be corrected in a future update to ensure that only users with full edit privileges can change a template's activation status.
NXQC-55979: Pluggable Player – Clicking within a note pop-up moves the play head unexpectedly	In the Pluggable Player, clicking inside an offset-specific note pop-up may cause the playback head to move to a different position on the timeline instead of remaining fixed. The pop-up should respond only to the selected control without altering playback. This issue will be addressed in a future update.

Supported Direct Upgrade Paths

** IMPORTANT: Direct upgrade versions noted below assume Windows 2019, or 2022 OS is in place. **

Target Release	Direct Upgrade from:		
	v12.5.x	v12.4.x	v12.3.X
NiCE Interaction Analytics v12.5 FP2	12.5 - 12.5 FP1	12.4 - 12.4 FP X	12.3 - 12.3 SP7

Target Release	Direct Upgrade from:		
	v12.5.x	v12.4.x	v12.3.X
NiCE Quality Central v12.5 FP2	12.5 - 12.5 FP1	12.4 - 12.4 FP X	12.3 - 12.3 SP7

Important Note: There is no direct upgrade path from releases prior to Nexidia Analytics / Quality Central 12.3, or for systems with an operating system prior to Windows 2019. The recommendation for upgrading from systems prior to v12.3 is to first upgrade to 12.3 SP7, then complete the upgrade to v12.5 FP1. Please

check the minimum requirements of the OS and SQL Server versions in the installation guide before proceeding with the upgrade. The upgrade process will not work if it doesn't meet those requirements.

Compatibility Matrix

Note: For specifics regarding version compatibility, please see the table below.

Services	Supported Versions	Recommended versions	Notes
OS	2019	2022	
Database	2019 CU30-Min.Supported 2019 CU32-Recommended	2019 CU30-Min.Supported 2019 CU32-Recommended	
Data Exchange Framework (DEF)	12.5.0.2	12.5.2	
Enlighten XO	X10 (w/ TAS5.x)	X10 (w/ TAS5.x)	Enlighten XO releases with Interaction Analytics. The X10 release requires Text Analysis Satellite 5.x version.
NxDeployer	12.5.200	12.5.200 & above	Please use the latest version available at the time.
Search Grid	20.0.0	20.1.1	For a new All-ASR deployment, you don't need SG.
Text Grid	20.0.1	20.2.0	For a new All-ASR deployment, you don't need SG.
Voice Grid	20.0.0	21.0.0	
Real-time Grid	12.5.1	12.5.2	For post-calls only deployment, you don't need RTG.
Elastic Search	8.18.2	8.18.3	There will be issues with the Top Phrases if you go below the 8.18.2 version.
NIA Artemis MB	2.37.0	2.37.0	CEP has the same 2.37, and the RTG has the 2.39 version for their Artemis instances.
Engage	7.x	7.5	

Release v12.5 FP1 (July 2025)

Pre-Requisites / Breaking Changes

- Artemis port change to 47500
- LLM service is a prerequisite for any app using LLM.
- XO requires text analysis satellite and it's own voice grid.
- QC My Evaluations now shows evaluations for up to 90 days.

Documentation Hub

Users / Customers who had previously utilized ExtraNiCE as a source of documentation are advised that there is a new documentation hub that should serve as your source for documents.

- Documentation Hub landing page <https://wem-dochub.mindtouch.us/>
- [Interaction Analytics User Guide 12.5 FP1](#)
- [Interaction Analytics 12.5 FP1 installation](#)
- [DEF \(Data Exchange Framework\) 12.5.1](#)

NiCE User Group (NUG) Requested Enhancements




- **Enhancements to the workflow backfill** – The workflow can pull interactions from the previous sampling period as part of the workflow backfill feature, which is not efficient for users. The workflow will not pull interactions from the previous sampling period anymore. Instead, it will pull interactions from the current sampling period, and from only most recent days to backfill workflows.
- **Improving QC Reporting efficiency** - The QC users face challenges in efficiently generating evaluation reports because the form versions are tightly coupled with templates/forms, existing reporting processes are cumbersome and time-consuming, users are restricted to reporting on specific form versions, etc. The reporting module now decouples form versions from templates/forms to enable seamless reporting across all versions. This provides users with the flexibility to analyze evaluation data comprehensively without restrictions on specific form versions.

Explore Updates

Word Cloud added to Dashboard

Explore users now can add the word cloud visualization widget in the Dashboard page of Explore. To get the most out of the new word cloud users can use the aggregation method of “Top Phrases” which shows



the 50 most occurring phrases in the dataset.

Figure 27 - Word Cloud in Explore

Users can control the visibility of specific phrase categories by toggling options in the legend on or off (seen or hidden)




Figure 28 - Word Cloud Group Filter

The widget settings also provide customization for:

- Phrase Length – specify the minimum and maximum number of words per phrase.
- Phrase Count – define the number of top phrases to display, ranging from 1 to 50.

When "Top Phrases" is selected in the AGGREGATE BY option, the Word Cloud widget displays commonly used phrases categorized by Agent, Customer, or Both, as indicated in the LEGEND (VALUES) section.




Figure 29 - Widget Edit

Menu

Figure 30 - Legend Values

Adding to Group Filters

Users now have the ability to add any word cloud visual. Values from the Word Cloud can be added as filters by clicking on a word and selecting "Add as Group filters" from the context menu.

Note About Phrases in Explore vs Discovery

In Feature Pack 1 (FP1), several enhancements have been made to how phrases are handled in Explore, including updates to Top Phrases, Phrase Network, and Word Clouds. These updates introduce a new processing method that differs significantly from what users may be familiar with in Discovery, which means outputs between the two modules may not always align.

Key Processing Differences Between Explore and Discovery

- Explore uses Automatic Speech Recognition (ASR) to generate transcripts, which are then indexed to enable highly accurate searches for exact phrases within spoken content.
- Discovery, by contrast, uses indexed searches and phonetic scoring to identify top phrases, allowing it to surface phrases based on weighted scoring and phonetic logic.

Explore Phrase Handling Details

- Raw Occurrence Count: Explore ranks phrases based on how often they appear, without applying phonetic weighting.
- Phrase Limit: Explore displays a maximum of 50 phrases in visualizations like Word Clouds.
- Stop Words: Common words (e.g., pronouns, verbs) are not automatically excluded unless a specific phrase pack is applied (e.g., default.NxPrTextualStopWords).

Why These Changes Were Made

These updates are part of a broader strategy to:

- Improve filtering of irrelevant or low-value phrases.
- Enable integration with the new Managed Phrases feature.
- Align Explore more closely with other components of the NIA ecosystem.
- What to Expect Post-Upgrade
- Progressive Phrase Loading: Not all phrases will be available immediately after the upgrade. Phrases are loaded into Explore incrementally as new interactions are processed.
- This is a known limitation and a side effect of the new architecture. While it may temporarily reduce the effectiveness of phrase-related features, the system will become more robust over time.
- User Guidance: Please be patient in the first few days following the upgrade, as phrase data builds up and the system stabilizes.

Comparison Date options in Dashboard

After two saved searches are selected in the Explore dashboard, users can now compare datasets more meaningfully than before. Previously, a pink plus button appeared when a saved search was selected, allowing users to add a second saved search for side-by-side comparison. Now, this functionality has been enhanced to support time-based comparisons as well.




Figure 31 - Dashboard Comparison Button

For example, a user can select the same saved search for both the pink and blue datasets, then apply different date ranges to each. This enables users to visually compare how the same dataset changes over time using any available visual, including the new Word Cloud.

Additionally, Explore users can now choose to display Word Cloud contents for:

- Agent only
- Customer only
- Both agent and customer

This added flexibility helps tailor insights to specific perspectives within the interaction data.




Figure 32 - Comparison of Searches with Word Cloud Widget

Managed Phrases now available for Explore

When clicking on any phrase within the Word Cloud or Table widget, a context menu appears with the "Manage Phrases" option. This opens a submenu that provides the following functionality:

- Change Spelling – opens a modal where the display name of the phrase can be edited. The updated name will appear in the widget instead of the original phrase.
- Remove this Phrase – hides the selected phrase from the widget view. It will no longer be visible to the user.
- Phrase Administration – opens a modal window listing all phrases that have either been renamed or hidden. In this view, users can restore the visibility of hidden phrases and edit or reset phrase names back to their original.
- This functionality was added in Explore to allow users to change the spelling of a phrase in the Dashboard Word Cloud, Dashboard Table View, Top Phrases Word Cloud, and Top Phrases Table View.




Figure 33 - Phrase Administration Pop-Up

The integration of the Explore Manage Phrases with Discovery has a few key points:

- Manage Phrases in Explore uses the same data source to synchronize Ignored and Spelled phrases between Discovery and Explore.
- Explore does not operate with Target Media Sets.
As a result, there are some tradeoffs:

- Ignoring the Phrase from the Explore Manage Phrases it will hide this phrase across all Phrase Groups and associated Target Media Sets. The same applies to changing Phrase Spelling.
- If the same Phrase is present in multiple Phrase Groups and it has multiple Phrase Spellings, Explore will pick and apply only one version of the spelling. (To avoid confusion, it's better to keep Spellings consistent across Phrase Groups).
- If a user removes a phrase in Discovery, the same phrase is removed in Explore as well.
- Explore does warn the user about Discovery impact.

Explore Export Feature Improvements

Redesigned way of Explore Export

- New Export sticky panel has been developed.
- Allows for managing all Explore Exports in one place.
- Gives ability to track the status in real time, cancel, and restart the Export.
- Don't lose your export while moving within Explore pages.




Figure 34 - New Export Status View

All Explore Exports supported

- Interaction/Experience Metadata
- Transcripts
- Media Files
- Search Queries
- File History




Figure 35 - Export File Minimized View

There is also a new Clean up job that was created and runs once a day at 12AM by default.




Figure 36 - Exports Available Icon

Tags in Explore

Explore users are now able to use a new interface to manage tags.

- We now have a new tags panel added to the right side of the interface accessed from a tag icon in the header.
- The tag icon button dynamically shows in the header of the interactions grid only when interactions are selected.
- When a user selects via the checkbox, they are then able to change the Tag assignment.




Figure 38 - Tags Slide Out with Interactions

- Users can now assign or unassign tags using these simple checkboxes.
- Changes to tag assignments are applied instantly to the selected interactions, however for the tags to show in the interactions pane you do still need to click the blue Analyze button.
- A search of the tags was added at the top of the Tags side panel – This helps quickly locate a specific tag, especially when working with a large number of available tags.
- By using the “Show Selected” button you can see all tags applied in one short list

Tag Creation in Explore

Search to create a new Tag. When typing in the search field, Explore checks for existing matches. If no matching tag is found, a suggestion appears to "Create Tag: [Tag Name]". Clicking the suggested tag name instantly creates it. The newly created tag is automatically assigned to all currently selected interactions. For Example, a user could type "Priority Review" in the Search Bar -> click the suggested creation button -> the tag is created and assigned to selected interactions.




Figure 39 - Tags Editing and Creation View

Tags Filters in Explore Search

Explore users can now search for interactions using Tags.

- A new filter has been added allowing users to filter interactions based on assigned tags.
- You can search within tags to quickly find the ones you need.
- The filter displays the count of interactions associated with each tag.




Figure 40 - Tags Metadata Filter in Search

Desktop Tags Side Panel

Explore also has added Desktop Tags information in a side panel. This differs from the Tags view because it is only applicable to one interaction at a time. To see the new dedicated side panel you can click on the three dot menu in the interaction line and click on “Desktop Tags”. The side panel displays blocks with Desktop Tags and Additional Data. A filter input lets you quickly find relevant desktop tags within the panel.




Figure 41 - Desktop Tags Side Pannel

Desktop Tags Filters in Search

Search now has another new filter called “Desktop Tags” which has been added allowing users to filter interactions based on Desktop Tags and Additional Data. Explore users can filter on Desktop Tag options as well as the sub-metadata associated with a desktop tag.

- You can search within desktop tags to quickly look at a list of available desktop tags.
- Users can now use search using Desktop tags associated data. Key-value pairs that have been associated with a given Desktop tag are searchable with Explore.
- Now in Explore desktop tags can be used with the “contains” operator allowing the search of text inside a desktop tag. Simply click on the >> icon to the right of the search.
- The filter list also displays the count of interactions associated with each desktop tag.




Figure 42 - Desktop Tags Metadata Filters in Search

Explore: Additional Updates

- Tooltips were added in the Experience Viewer.
- Functionality was added to allow users to create a single evaluation that contains multiple interactions.
- Localization is now supported in Explore, allowing users to change the default language.
- Explore users can click on a word in the Word Cloud or the Table View in the Explore Dashboard to display a context menu with the option to remove a phrase from the display.
- The Explore backend has been updated to work with the Discovery phrases backend making for a more seamless experience.

- The Phrase Network in Explore has been enhanced to work with existing phrases from Discovery.
- Another button to evaluate was added to allow Explore Search users to more easily click evaluate on interactions for an agent.
- From Explore Search users can select multiple interactions from the Experience Viewer to play back continuously and more seamlessly.

Quality Central Updates

Enlighten Gen-Insights for Quality Central

Overview / Key Features

Enlighten Gen-Insights for Quality Central introduces AI-assisted scoring into the evaluation process by using large language models (LLMs) to suggest answers based on the interaction transcript. Evaluators can use the AI Auto-Suggest button to generate responses for supported questions, along with reasoning for each suggestion. It works across all common question types, including Yes/No, List, Text, Numeric, Multi-Select, and bonus/deduction formats.

This feature is designed to save time, reduce manual effort, and improve consistency, while keeping evaluators in full control. Suggested answers can always be reviewed, edited, or replaced before finalizing the evaluation.

The feature also supports advanced configuration: administrators can define custom prompt instructions at both the template and question level, control how transcripts are preprocessed or redacted, and apply ingestion tokens to shape how context is delivered to the AI. Prompt formatting now follows current best practices, with system-level and user-level separation for improved reliability. Question-level logging is also enabled to support transparency and troubleshooting.

Please note:

- This feature is cloud-only
- It requires an additional AutoEvaluate license
- Prompt creation and maintenance are currently delivered through NiCE Services. Customers should connect with their account team to explore enablement options.

Enlighten Gen-Insights is ideal for organizations looking to bring generative AI into the QA process in a thoughtful, auditable, and highly configurable way.

Enlighten Gen-Insights for QC – Question-Level Logging for AI Auto-Suggest

With this release, we've added detailed question-level logging to Enlighten Gen-Insights QC for AI Auto-Suggest, giving teams more visibility into how the AI generates answers during evaluations. For every question where Auto-Suggest is used, the system now captures the full interaction: the prompt sent to the model, the raw response received, and the final answer that appears in the evaluation. Each log is tied to evaluation metadata like question ID, form ID, and interaction ID, making it easier to troubleshoot unexpected behavior or understand how specific answers were derived.

This logging runs in the background, there's no change to the user interface, and no configuration is needed. It's primarily intended for internal support, audit scenarios, or customers working closely with their account teams to tune and validate AI output.

Enlighten Gen-Insights for QC is currently a cloud-only offering, and NiCE Services are required for prompt refinement and implementation. For customers exploring AI-driven evaluations, this enhancement provides a clearer window into how the model is interpreting transcripts, helping build confidence in the results and making it easier to investigate or fine-tune scoring behavior when needed.

Enlighten for Gen-Insights AI Auto-Suggest – Prompt Structure Alignment and Retry Enhancements

We've made behind-the-scenes upgrades to how Enlighten Gen-Insights for QC – AI Auto-Suggest communicates with the AI model, bringing it in line with modern best practices in prompt engineering. Now, template-level instructions are sent as system prompts, and question-level instructions are sent as user prompts, a clearer and more effective way to guide the AI's behavior. This separation gives the model a better context and improves the consistency of responses.

We've also added more flexibility for administrators. You can now configure custom ingestion tokens to shape how prompts are constructed, and we've removed the automatic additions like "transcript" or "question" unless you choose to keep them. Everything can be managed through the Management Console or at the template level, so you stay in full control of how instructions are framed.

To make things even more reliable, the system now includes targeted retry logic: if some questions don't receive a response during a batch Auto-Suggest run, the system will only retry those specific items, not the whole evaluation. This update also includes improvements to encoding and

instruction handling, helping ensure smoother, more accurate AI processing in real-world conditions.

Configurable Date Range for “My Evaluations” Tab

New configuration options have been added to allow administrators to control the default and maximum date ranges used in the “My Evaluations” tab. This enhancement improves usability by allowing organizations to extend the visible evaluation history without compromising system performance.

The following Management Console parameters have been updated:

- Nexidia.Evaluations.MainPortal.RestrictDateRangeForActiveSearchOnMyEvaluation
- Nexidia.Evaluations.MainPortal.RestrictDateRangeForInactiveSearchOnMyEvaluation

Both now support a configurable range from **7 to 90 days**, with **90 days as the new default**. The minimum value of 1 remains supported to accommodate customers with strict performance constraints. These changes ensure that customers who wish to retain shorter load windows can do so, while others can configure longer evaluation views for greater insight. No change is applied by default; administrators must explicitly update the values in the Management Console to take advantage of the extended range.

Evaluator Review – Data Restrictions Aligned with “My Evaluations”

Data restrictions are now applied to the **Evaluator Review** section in the same way they are enforced in the **My Evaluations** tab, ensuring consistent access control across Quality Central. This update restricts visibility of reviews based on the evaluator’s site and supervisor metadata, honoring the organizational hierarchy and data privacy standards already in place.

Users granted access via the “**Grant Access To**” field, those with the **Override Access Rights** privilege, or the original creators of a review will continue to bypass these restrictions as expected. These changes ensure that users only see reviews they are authorized to view while maintaining accessibility for supervisors, assigned evaluators, and system administrators. This alignment improves governance and audit readiness across evaluation workflows.

Draft Evaluation Visibility and Management Enhancements

Administrators and privileged users can now search, view, and manage **draft (unpublished)** evaluation forms (EFIs) directly from the main Quality Central evaluation interface. A new “**Evaluation Status**” **dropdown filter** has been added, allowing users to toggle between **All**,

Published, and **Draft** evaluations. This significantly improves visibility into in-progress evaluations and supports better operational follow-up without needing access to secondary tools or portals.

This functionality is governed by a new privilege: **"Evaluate – View Draft Evaluations by Others."** Users granted this privilege can access draft evaluations not created by them, including full visibility into evaluator, agent, and template details. Additionally, users with both this privilege and **"Evaluate – Conduct Evaluation"** may edit and publish draft evaluations on behalf of others, with full audit trail continuity maintained. The original creator remains attributed to post-publication.

These updates ensure that administrators and evaluation leads can proactively manage workflows, troubleshoot user-reported evaluation issues, and reduce delays in form completion or publishing, without compromising existing data restrictions or template-level access controls. Visual indicators

clearly differentiate between draft and published items in search results, and user preference for filter status is retained across sessions.





Figure 43 - Evaluation Status

Export My Evaluations Grid to CSV

Users can now export their evaluation data directly from the “My Evaluations” tab into a CSV file, enabling offline analysis, reporting, and sharing of evaluation results. The export reflects the current state of the grid, respecting applied filters, sorting, and user-selected columns, to ensure that the downloaded file matches what the user sees on screen.

The feature includes a prominent Export button, a floating export queue panel with real-time progress indicators, and support for background export processing. Once complete, users can download the file using a link in the overlay, with each file named in a consistent format: `MyEvaluationsExport_DDMMYYYYHHMMSS_<jobID>.csv`. The export system supports multi-page exports, honors locale-specific formatting for dates and durations, and includes filter context within the file for clarity.

Exports are managed through a backend job queue, with controls to cancel, remove, and view progress for each job. A configurable Management Console setting controls file retention on the server (default: 31 days). System safeguards ensure exports remain performant, with configurable limits on row count and concurrent downloads. The maximum number of records that can be exported in a single .csv is 10,000. The maximum number of concurrent downloads that a system allows is 10. This feature significantly improves data portability and flexibility for evaluators, supervisors, and quality analysts.



Media	Agent Name	Supervisor	Assigned to	Date	Summary
☐	Paris Hilton	Peter Dinklage	Jorge	Oct 29, 2020 03:55 PM	Trading Compliance, Legal... +3 Called to change pay...
☐	Olivia Wilde	Lena Heady	Jorge	Oct 29, 2020 03:55 PM	Trading Compliance, Legal... +3 Ask for more informat...
☐	Renee Witherspoon	Nikolaj Coster-Waldau	Jorge	Oct 29, 2020 03:20 PM	Trading Compliance, Legal... +3 Want to know about...
☐	Bruno Mars	Kit Harington	Jorge	Oct 29, 2020 01:15 PM	Trading Compliance, Legal... +4 Ask if its possible to sp...
☐	Gigi Hadid	Sophie Turner	Jorge	Oct 29, 2020 01:03 PM	Trading Compliance, Legal... +3 just ordered a new pr...
☐	Katy Perry	Melanie Williams	Jorge	Oct 29, 2020 12:45 AM	Trading Compliance, Legal... +3
☐	Natalie Portman	Emilia Clarke	Jorge	Oct 29, 2020 11:34 AM	Trading Compliance, Legal... +3
☐	Demi Moore	Iain Glen	Jorge	Oct 29, 2020 10:26 AM	Trading Compliance, Legal... +3
☐	Joaquin Phoenix	Alicia Allen	Jorge	Oct 28, 2020 04:08 PM	Trading Compliance, Legal... +3
☐	Julianne Moore	Sophie Turner	Jorge	Oct 28, 2020 02:43 PM	Trading Compliance, Legal... +3

Figure 44 - Exporting "My Evaluations"

Analysis & Reporting

Updates and Enhancements

- When using reports in the Experience Analysis folder in Standard Reports, it is no longer necessary to manually report by the "Experience ID" metadata for the reports to work correctly – this attribute is now included in the dataset by default.
- All Evaluation reports now include the option to filter by a relative date range for both Interaction and Published dates.
- Dynamic Aggregation is now enabled for all metrics available when executing the Single Session Report Builders in the Standard Reports "Analytics Report Builders" folder. This facilitates and streamlines many workflows when working with these datasets, particularly when using these reports to build dossiers/dashboards – visualizations will now display metric values regardless of which attributes from the dataset are included.

- Report builders and dashboard worksheets no longer limit the number of reportable metrics. This allows for the flexibility to build these reports based on the users' requirements so that the full scope of metrics can be analyzed as needed. **Note:** the combination of metadata and metrics selected for reporting directly impacts the execution time for a report. While the number of attributes and metrics are reportable is no longer limited, the limits of your environment and reporting server **are** still inherently limited. If execution problems occur with these reports, please review the parameters selected to find opportunities to constrain the number of results queried.

New Reporting Privilege Definitions – “Analysis Consumer” and “Analysis Consumer + Export”

In previous versions, users with the “Analysis Consumer” privilege were entitled to export reports and subscribe to reports. Beginning with v12.5 FP1, in order to grant exporting/subscription privileges, a user must have the Interaction Analytics privilege “Analysis Consumer + Export.”

Any users/profiles that were assigned “Analysis Consumer” in previous versions will be automatically assigned “Analysis Consumer + Export” so that no existing privileges are lost. To remove exporting privileges, the “Analysis Consumer + Export” privilege will need to be removed from those users/profiles in Interaction Analytics User Administration.

Dashboard Worksheet Enhancements

The Metadata Discovery and Query/Category Discovery Worksheets have been improved to provide a more comprehensive and flexible starting point for building dossiers/dashboards. These worksheets – located in the “Dashboards” folder in Standard Reports – now allow filtering and reporting by the full complement of Interaction metrics and metadata, including Quality Initiative metrics, Queries/Categories, Hierarchy, and more.

In addition, the Query/Category Discovery Worksheet now includes a prompt for “Hit-Based Metrics,” which includes a new “% Search Hit (All Interactions)” metric. This calculates the percentage of interactions that have a query or category hit *across all interactions that conform to the other filters*. For example, when filtering on the past 7 days, there may be 100 interactions total, but only 50 have query hits. Previously, the Query/Category Discovery Worksheet would include the 50 interactions with query hits and calculate all metrics based on those 50. Then if a specific query had hits in 10 interactions, the percent of interactions with hits for that query would have been reported as 20% based on that dataset. Now, the percent of interactions with hits for that query in that date range would be reported as 10% since 10% of all 100 interactions hit on that query. This removes the need to perform complex multi-dataset imports and joins in order to produce an “all-interactions” metric.

Note: when using the Query/Category Discovery Worksheet dashboard, any data visualizations/grids require the Query/Category attribute for metrics to calculate correctly. This is due to the many-to-many relationship between queries/categories and interactions.

New Topic AI Dashboard

Find relationships between Interaction topics, events, outcomes, volume, Sentiment, Handle Time, and more in a straightforward, feature-packed dashboard – find it in the “Dashboards” folder in Standard Reports. Easily narrow down your analysis by all topic levels and even find all interactions that meet your criteria for playback.

Use this powerful dashboard for general Topic AI analysis or as a baseline dataset for building your own Topic AI dashboard.

Data Export Utility (DEU) Enhancements

This version includes several enhancements to the Data Export Utility. For full details, please refer to the Data Export Utility Guide for the software version of interest. Upgrading customers are recommended to refer to the “Summary of Changes” appendix to understand the changes across versions of the Data Export Utility and potential configuration options associated with each.

- Ability to re-export to remote database.
- New Entities: Users, Profiles, UserProfileMap.
- AgentInventory Entity: Additional data has been added to this pre-existing entity.

General / Miscellaneous Enhancements:

AutoSummary

In the v12.5 release, we have introduced support for AutoSummary in the Real-Time Integration Guidance (RTIG). It is called **Immediate AutoSummary (IAS)**.

- NiCE offers the Immediate AutoSummary feature to its real-time integration guide (RTIG) for customers who want to view and edit the call summaries within ~10-15 seconds after the call. This feature is very similar to the post-calls auto summaries, except that it would also allow editing.
- This is a license-based feature, so the RTIG customer has to buy an IAS license if they need this feature.
- The IAS generates a summary of the interaction using the LLM and displays it in the Agent Web App. It will not create data such as Intents, Events, and Outcomes.

- The IAS can be accessed by the user via the RTIG web application below the Enlighten scores information.
- The agents can edit that summary if they disagree or think it misses anything. The edited summary can be accessed and viewed in the Explore application.
- The IAS can be accessed from the message broker, too, in case the customer wants to ingest it into their CRM.
- The Reporting module will allow users to view how many summaries were edited out of the total summaries generated by LLM.
- The IAS allows the SAs to choose different prompts based on the call metadata in case the customer wants to use different prompts for different LoBs, languages, etc.

Key Resolved Issues

Note that the full list of resolved issues for this release can be found in Wiser.

Issue	Description
NXQC-52898: In the Visual Query Builder / Test Tab - "Reset" only affects current page dispositions	Now the reset applies to all objects, not just those on the current page
NXQC-49303: When reporting by "last year" (LY) and "last month" (LM) metrics, discrepancies can occur with some calendar conditions, particularly leap years and other differences in counts of days across time periods.	LM & LY-1 Transformation Metrics are created. Report Builder for long term metrics similar to "Single Session Report Builder with Query" is available.
NXQC- 56016: EPD - The Enlighten Behavior Dashboard does not show the same period range as the QC Portal Dashboard - After the Angular Migration	Both QC Portal Dashboard and Enlighten Dashboard now show the same period range.
NXQC-57259: QC - Unable to open Evaluation Form once the media files associated with the Evaluation Form are deleted.	Evaluation Form now gets opened without media files.
NXQC- 57212: QC - Duplicate Evaluation Forms created due to autosave trigger in email popup	Only one Evaluation Form gets created and fixed a couple of issues around it.
NXQC- 56732: On clicking the publish on duplicate Evaluation Forms are created with the same details.	It doesn't create duplicate Evaluation Forms anymore on clicking the publish button.

NXQC- 56731: QC - Copy template fails when the template name has square brackets	EFT copy works now without any error.
NXQC- 57423: QC - Text Overlap in Evaluation PDF Caused by Long Media File Names	Text overlap doesn't happen anymore and text is visible properly.
NXQC- 58064: Publish button is not enabled when text and Numeric type questions in branching type are left empty along with the flag as false and other questions are answered.	The Publish button is enabled with text and numeric field as empty when other type of questions is answered, and flag is false.
NXQC- 58705: Search - My Queue mode uses very large date range, degrades performance	We replace the date filters with just the range represented by the media in the temp table, which will greatly reduce the runtime of the query, and improve performance.
NXQC- 56648: SAML - TLS 1.3 component uses trial version library and must be reverted to commercial version	We changed the library to the version we have commercial support for.
NXQC- 57066: Discovery - Add configuration to disable session overlap check during saving TMSs	The configuration is now set to false, remove the session overlap check when saving on the TMS admin page in Discovery.
NXQC- 55772: Discovery - Calculation that determines when to set NULL Sentiment Score to ZERO needs to account for cases where ASR is successful, but there is no sentiment score.	The fix is applied to the logic which determines when the SentimentCalculator should override NULL values to Zero.
NXQC- 57217: Discovery is accessible even without the discovery access privilege	The Discovery function is not accessible anymore from VQB by a user who should have no access.

Known Issues/Behaviors and Workarounds

Issue	Work-Around
NXQC-4365 – Downloading an interaction from Search may not respect user's wish/selection to download in .mp4 format, and download the original file format (e.g., .wav, .nmf)	Ensure that the original file format is included in the "Nexidia.Enterprise.ForceTranscodeExtensions" configuration in Management Console.
NXQC-31183 - Experience Viewer - EFI Auto suggest Play button link scenario. Users cannot click on play link on EFI with multiple secondary media files.	n/a – a subsequent feature pack or update will address this limitation

Player will only play results from primary media file. When the user clicks on play link, it opens the Player, but EFI is stuck on the back and user cannot listen to the media and evaluate at the same time.	
NXQC-35501 - Evaluator Reviews – Perform review on already reviewed Evaluation Form. When a reviewer is trying to perform a review on an EFI that has already gone through a review, system displays an error “cannot save evaluation details. Refer to server logs for details”.	A given Evaluation Form can only be associated to one Evaluator Review. A subsequence feature pack or update will add a more meaningful error message to minimize confusion.
NXQC-37372 - Group Coaching Tab: Actions column gets hidden when the left pane is expanded. If the user lands on Group Coaching page with left pane already expanded, then it looks fine.	n/a – a subsequent feature pack or update will address this limitation
NXQC-37500 - Examples popup UI on Dashboard may not load with scrollbar Initially	Manually resize the dialog and scroll bars will appear as expected
NXQC-37569- Message pop-up does not show appropriate message if user enters out-of-sequence dates in Evaluator Reviews tab of Quality Central.	n/a – a subsequent feature pack or update will address this limitation
NXQC-37905 - Evals: AutoSummary - In the "My Evaluations" grid, sorting of the AutoSummary columns is disabled.	n/a – a subsequent feature pack or update will address this limitation
NXQC-38054 Contact Events column is not being populated values with comma delimited for the list of events.	Contact Events column is not populated with comma separator delimiter event list. It shows all the events in one long line. They need to be separated by comma. This will be fixed in the future release.
NXQC-38123 – AutoSummary events do not appear on the player waveform from the QC Portal Dashboard	n/a – a subsequent feature pack or update will address this limitation
NXQC-43611 In AutoDiscovery, renaming a topic may result in an error	n/a – this will be resolved in a future update
Integrated Login Limitation – using same username in both "Users" and "Agent Inventory"	If a User has the same username (in Integrated login) for Supervisor and Agent roles and tries to log in to the Portal. In that case, the system prioritizes the user to log in as Agent than Supervisor
When viewing Evaluations in QC, publication times are displayed in the time zone used by the user's browser, but times are stored in and reported in UTC. Discrepancies may appear between evaluation counts for a given date range between reports and QC.	Using a combination of a “Published” date range filter and the new “Choose Time Zone” prompt, Evaluation report results can now be filtered to respect any relevant time zone for each end of the filtered date range.

When reporting by or filtering by Enlighten AutoSummary Contact Events or Outcomes, counts of Unique Media Files may appear inflated.

When including Contact Events or Outcomes in a report, the count of Unique Media Files is based on the number of files containing a given Event or Outcome. Since a media file can contain more than one Event, such files will appear to be counted once for every Event or Outcome occurrence within.

If the count of media files for specific Events or Outcomes is required, it will be necessary to filter by that Event or Outcome so that there is a 1:1 relationship between the interaction and Event or Outcome in the report.


RTIG - Agent desktop will display all Enlighten dials in a workflow: If a workbench workflow has 10 Enlighten models but only 6 have been configured to be displayed on agent web app. Agent desktop will display all 10 Enlighten dials as agent desktop was not enhanced to work with Real-time Filter admin page.

RTIG agents will be migrated over to use agent web app. Agent desktop will be deprecated and no longer supported.

NXQC-51145 - RTIG - Live Alerts navigation is unavailable in agent portal: Agent web app is called Live Alerts in agent portal. When an RTIG agent logs into agent portal, they will not see a navigation to Live Alerts. It is recommended for agents to bookmark agent web app URL as a favorite in their browser.

This is a known issue and will get addressed in the next release / update.

NXQC-52623 Filtering on Experience metrics in Explore: When filtering on Experience metrics, if you just enter the day and do not fill out the remaining values (h, m, s), system will default to 00D 00h 00m 00s. System requires that you enter 00 for h, m and s for it to work.



This is a known issue and will get addressed in the next release / update.

Experience Viewer pagination is broken. User will not be able to paginate Experiences which have greater than 15 interactions.

This will get resolved when customer upgrades to v12.4 FP6 or higher version. If customer has no plans of upgrading and requires a fix, please open a support ticket.

Experience Viewer

SUMMARY - EXPERIENCE METRICS

16 Interactions Count 2 Channel Count 11 Agent Count

Experience Start 7/7/2023, 9:40:28 PM Experience End 7/29/2023, 6:03

ELAPSED DURATION 21 d 20 h 22 min 51 sec TOTAL DURATION 20 min 23 sec AVG. TIME BETWEEN 1 d 10 h 56 min 9 sec AVG. DURATION 1 min 16 sec NATURE EXPERIENCE Yes SENTIMENT SCORE 2

ID: 1495618 Evaluate

☐	MEDIA FILE NAME	DATE/TIME	EXPERIENCE SEQUENCE	MEDIA TYPE	AGENT
☐	71585-71585.mp3	7/17/2023, 9:00:35 AM			Joan Rudolph
☐	58023-58023.mp3	7/17/2023, 10:49:38 AM			Mindy Evans
☐	57655-57655.mp3	7/18/2023, 3:38:18 PM			Richard Michels
☐	0a53724-8ba1-4c9a-a62d-682a5424c7d1.txtgchat	7/23/2023, 12:40:36 PM			Joan Rudolph
☐	84850-84850.mp3	7/24/2023, 4:06:32 PM			Samantha Bell
☐	52879-52879.mp3	7/25/2023, 7:55:57 AM			Joan Rudolph
☐	1a37083-c48a-474c-b26c-bf467405720.txtgchat	7/27/2023, 12:04:45 PM			Mindy Evans

When the user assigns a newly created category to the session, reprocesses that session, and then attempts to view the results in the Search or Reporting applications for this new category, they will see the data that was ingested after the completion of the NIA 12.5 upgrade. Not the historical interactions, the ones that were processed in NIA 12.3, 12.4, etc.

There won't be any resolution or workaround because the Interaction Analytics platform's architecture has changed from version 12.5 onwards. It is a brand new feature in 12.5 that the older architecture couldn't support.

Supported Direct Upgrade Paths

**** IMPORTANT:** Direct upgrade versions noted below assume Windows 2019, or 2022 OS is in place.

Target Release	v12.5.x	Direct Upgrade from:	v12.3.X
NiCE Interaction Analytics v12.5 FP1	V12.5	12.4 – 12.4 FP X	12.3 – 12.3 SP7

Target Release	v12.5.x	Direct Upgrade from:	v12.3.X
NiCE Quality Central v12.5 FP1	V12.5	12.4 – 12.4 FP X	12.3 – 12.3 SP7

Important Note: There is no direct upgrade path from releases prior to Nexidia Analytics / Quality Central 12.3, or for systems with an operating system prior to Windows 2019. The recommendation for upgrading from systems prior to v12.3 is to first upgrade to 12.3 SP7 then complete the upgrade to v12.5. Please check the minimum requirements of the OS and SQL Server versions in the

installation guide before proceeding with the upgrade. The upgrade process will not work if it doesn't meet those requirements.

Compatibility

Note: For specifics regarding version compatibility, please see the table below.

Interaction Analytics	12.5 FP1	
NiCE Quality Central	12.5 FP1	Quality Central releases with Interaction Analytics
Enlighten XO	X10 (w/ TAS5.x) 12.5 FP1	Enlighten XO releases with Interaction Analytics. Note that all functionality from Enlighten XO v12.4 x8 (released in Q4, 2024) is included in v12.5.
Browsers	Chrome (v117+) Microsoft Edge (117+)	Recommendation is to use the latest Chrome or Edge browser version to be up to date on security patches.
Language Pack Versions	7.0 – 9.3	Recommendation is to use the latest version.
Phase Pack Versions	8.8 – 10.11+	Upgrading customers who wish to go to v10.12 (or the latest if available) should work with their account team to prepare for that upgrade.
Workbench Workflows	10.2-10.8	Interaction Analytics only – for redaction. The latest recommended version is v10.12.
Data Exchange Framework (DEF)*	3.5 and higher minimum, Recommended version v12.5.1	For ingest of 3 rd party Transcripts, DEF 5.10.FP1 or higher is required.
Elastic Search	V8.11.1	Required for Explore. A license can be obtained from NiCE (if on an active maintenance agreement for Interaction Analytics) or purchased directly from Elasticsearch.
Search Grid	3.2.1.4 or higher (general) 12.4.2+ for use with large transformer Phrase Packs	<i>Note:</i> Supported Search Grid versions are 3.2 – 20.x. The latest (and therefore recommended) release version at the time of v12.5 FP1 release is v20.1.0 . Should a newer version exist at the time of installation / upgrade, recommendation is to use that newer version. Note also that Search Grid versions prior to 3.2.xx <u>are not</u> compatible with Nx/QC v12.5 +.
Text Grid	2.0.2 or newer	<i>Note:</i> Supported Text Grid versions are 2.0.2 +. The latest (and therefore recommended)

		release version at the time of v12.5 FP1 release is v20.1.0 . Should a newer version exist at the time of installation / upgrade, recommendation is to use that newer version. Note also that Text Grid 2.0.1 and prior <u>is not</u> compatible with Nx/QC 12.5 +
Voice Grid	3.1 or newer	The latest released version of v20.2.0 is recommended.
Real-Time Grid	RTG 12.5.1	This is the latest released version of RTG that is mandatory if the customer wants to use 12.5 FP1.
NiCE Player Pro	1.4+	
NxDeployer	12.5.101 & higher	It is highly recommended to use the latest version that is available at the upgrade time, which could be higher than 12.5.101.
Sentinel	6.12 + HF534055, 7.x and higher	Only QC & DEF metrics and components were introduced and tested.

Release v12.5 (December 2024)

Pre-Requisites / Breaking Changes

- Within the Analysis & Reporting module, prior versions of the product contained some reports that utilized Flash for their visualizations. The Interaction Category Cloud report and the Call Center Efficiency Analysis report no longer utilize Flash and will render on systems that do not contain Flash.
- This version supports Windows Server 2019 and 2022; SQL Server 2019 CU24+, and 2022 CU11+. Please refer to the System Requirements guide for specifics.
- This version requires MicroStrategy minimum version 12.4.6 (i.e., One 2024 June)
- A licensed version of Elasticsearch v8.11.1 is required for Explore. A license can be obtained from NiCE (if on an active maintenance agreement for Interaction Analytics) or purchased directly from Elasticsearch.
- Custom Hierarchies (found in Administration and used for the purposes of creating *metadata* drill paths in Analysis & Reporting) are now limited to a maximum of 8 levels. (Note, this does not impact the Administration > Hierarchy functionality.)
- As of v12.5, the System needs to be deployed to use SSL.

- The application main/left menu no longer provides a context menu upon right-click. To open a page in a new browser tab, utilize CTRL+<click>.
- The v12.5 release requires that the system be configured to perform transcription and transcript-based calculations “up front” in the process. See Upgrading Customers: Ingest Path, below for additional details.

Documentation Hub

Users / Customers who had previously utilized ExtraNiCE as a source of documentation are advised that there is a new documentation hub that should serve as your source for documents.

- Documentation Hub landing page <https://wem-dochub.mindtouch.us/>
- [Interaction Analytics User Guide 12.5](#)
- [Interaction Analytics 12.5 installation](#)
- [DEF \(Data Exchange Framework\) 12.5](#)

NiCE User Group (NUG) Requested Enhancements



This release contains numerous features requested by customers via the NUG site. Throughout this document, those items are noted with the NUG logo, pictured in the header, above.

To submit a request of your own for consideration in a future release, please create an “idea” in the [Analytics & Quality section of the NUG web site](#).




Figure 45 - Analytics & Quality in the NUG Site

Updated Application Name & Home Page

With v12.5, the application name has been updated to “NiCE Interaction Analytics”.

The application Home page is updated to highlight key areas of the application. User will see those that his/her privileges allow access to.




Figure 46 - Application Home Page

In addition to the new look, users can add up to five different areas to their “Favorites” area for easier access. To add an item to Favorites, the user will hover over the ‘tile’ of interest and click the favorite “star” widget that appears. Once five items have been added to favorites, an item must be removed before another can be added.




Figure 47 - "Favorites" Star Widget

Enhanced Interaction Categorization / Ingest Path

Interaction Analytics v12.5 provides two new methods of categorizing interactions, both of which are detailed further below:

1. Ontology processing
2. Explore “Categories”

Categorization Via Ontology

The Ontology is an AI-generated model that identifies customer Intents as well as the Events or Actions that agents take during an interaction to solve the customer's request. The default Ontology available with v12.5 identifies multiple hundreds of each type (Intents / Events). Interaction Analytics can be configured to process incoming interactions against the Ontology, and the results are written to the database and subsequently available for reporting, filtering, etc. Configuration of the ontology is done within the Data Exchange Framework ("DEF") in v12.5.

In the v12.5 release, customers can update the Ontology with their own data via a NICE services engagement.

Explore "Categories"

This version introduces a new entity called Categories, which can be created from Saved Searches within the Explore module. Users with appropriate privilege can save a search from Explore as a Category.




Figure 48 - Save Search as a Category from Explore

Alternatively, such users can promote a saved search to a Category from the Save Search Management Page.






Figure 49 - Save Search as a Category from Saved Search Management

Categories can be added to Sessions (by users with appropriate privileges) for processing against incoming interactions, and Category results are written to the database / data warehouse for subsequent filtering, reporting, and inclusion in Data Export Utility (“DEU”) output.

Categories are useful in categorization of interactions and have multiple key features. Users may configure Categories to include:

- Phrases of interest from the Agent and/or the Customer and/or “either” participant. For example, users can search for interactions where the customer requested to “cancel my account” or “close my account”, etc.
 - Further, user can search for phrases specific to agent and phrases specific to customer in same Category. For example, users can search for interactions where the customer requested to “cancel my account” or “close my account”, etc., AND agent said: “are you aware of the many benefits of our service”.
- Metadata filters – most of the 250+ available metadata filters can be utilized in Categories. Best practice is to utilize metadata filters for specific needs or use cases. General purpose Categories are recommended to be created without metadata filters – those filters can be added within the application while searching, reporting, etc.
- To support Categories we have created a new Category Administrator page in Administration where users with appropriate privileges and access rights can access the categories in the system.
- When editing an existing Category, users are taken to an Explore (Search) page with a banner displayed (as approximated above), allowing update to the Category criteria and view of results. Once edits are complete, user can Save the Category to commit their edits.
- Categories can be used as filters in Target Media Sets and as filters / attributes in the Analysis & Reporting module.

Figure 50 - Categories Edit Page

Limitations of Categories:

To avoid a situation where there are no results we have restricted the use of some metadata filters from being used in categories. This list includes Sessions, Workflows, Tags, and Assignments. Again, these metadata filters if used in Categories would not return results and are not allowed when creating categories.

Categories are unable to be used as filters in the Legacy Search page of NIA.

Categories cannot be used directly in Quality Central for auto-suggest. You can, however, use them in Quality Central if you add them to Target Media Set first.

Upgrading Customers: Ingest Path

Upgrading customers will continue to have access to their phonetic Queries – the Ontology and Explore Categories are in addition to that pre-existing functionality.

Note: Many customers upgrading to v12.5 will need to have the ingest path within their instance reconfigured to enable transcription (and associated calculations) to be run in conjunction with phonetic indexing and data storage. This provides some key advantages over the legacy configuration whereby transcription was run as part of the ETL process:

1. Transcripts and associated data (sentiment, Enlighten scores, etc.) are available in the system (and Data Export Utility) more quickly after the interaction is introduced to the system.
2. Ontology Processing and Explore Categories are available in systems using this updated configuration.

Explore Updates

Explore Filtering on Tags

Explore users now can filter based on the user-generated Tags that have been associated with interactions in the system. This is a powerful filtering tool that can be built into any saved search and help pull in only interactions that the user has already tagged.

Users can use the Tags filters to find interactions that either include or exclude an associated tag. As pictured in Figure 51 - Including / Excluding Interactions with Specific Tags from Explore Search, below, multiple Tags filters can be added to a given search. Within a given filter, multiple selected Tags act as an OR, whereas multiple filters act as an AND.

For example, if the first Tags filter is configured with Tag1, Tag2, and the second Tags filter is configured with Tag3, Tag4:

- Include All would return interactions matching (Tag1 OR Tag2) AND (Tag3 OR Tag4)
- Include Any would return interactions matching (Tag1 OR Tag2 OR Tag3 OR Tag4)
- Exclude would not return interactions matching (Tag 1 OR Tag 2) AND (Tag 3 OR Tag 4)




Figure 51 - Including / Excluding Interactions with Specific Tags from Explore Search

Tags limitation: Note that creating new Tags from Explore is not (yet) supported. In v12.5, Tags must first be created elsewhere (Administration, or the Search module) and then filtered for in Explore.

Workflow Capability in Explore

The workflow capability is a very popular feature that has been added to Explore with v12.5. Users can view a workflow dashboard, apply workflow filters within Explore, and take actions that move interactions through a workflow. Because workflows often involve multiple people these changes are quickly synced throughout NIA.

Workflow Dashboard

Users with the appropriate privilege can now launch the Workflow Dashboard via the button pictured here.

This button launches the Workflow Dashboard, as pictured below.




Figure 52 - Workflow Dashboard





Figure 53 - Workflow Dashboard View from Explore

Workflow Actions

Users can now apply Workflow filters to the Search bar. This way they can filter the interactions by the workflows that they are interested in seeing. Any blue item in the workflow dashboard is clickable; clicking such an item adds it to the search filters.



Workflow actions are found in the double arrow icon, which is made viewable once an interaction has been selected in the grid. These items include Assigning an interaction to a workflow to another user or assigning multiple interactions to multiple users.




Figure 54 – Actions Button

An individual or multiple selected interactions can be marked as: Close, Escalate, Return, and Mark for Refinement. Note that the workflow step of Evaluate is found in the player. Users can also now create notes in Workflow steps from Explore, however at this time they cannot see notes yet in Explore.

The last item in the list is the ability to add an interaction to a Workflow manually (available to users with appropriate privilege):

Figure 55 - Manually Add to Workflow

Figure 56 - Select Workflow Dialog (for Manual Addition)

Launch Evaluation from Explore

Users with the “Conduct Evaluations” privilege can now launch a Quality Central Evaluation Form from Explore Search using the button pictured here:




Figure 57 - Evaluate Button

Explore Interaction Assignment

Often interactions need to be assigned to different users who use their list of assigned interactions to evaluate or otherwise move that interaction through a custom workflow.

Explore users can now filter on assignments, assign interactions to another user, or distribute a number of interactions (as assignments) to multiple selected users.




Figure 58 - Assign/Workflow Button




Figure 59 - Assignment Distribution

Searching with Wildcards in Explore

Wildcards of (*) and (?) are both now accepted in Explore searches and can be accessed via the operators menu of the "Agent said", "Customer said", and "Either said" filters, as pictured here.

- The (*) wildcard is multi-character and can be used to finish a word and will return words with different meanings. For example: cancel* will return results such as canceling, and canceled, cancels, cancellation, and cancel.
- The (?) wildcard will return individual characters. For example: cance? will return results such as cancel and cancer.




Figure 60 - Wildcards in Explore

Limitations: Wildcards in Explore

- Use of wildcards in the Top phrases, Phrase network, and Dashboard pages may result in decreased performance on those pages. The performance varies based on the number of interactions being searched.
- Using multiple wildcards in a given search can result in increased search processing times. Explore searches are configured with a 60 second timeout. Using more wildcards simultaneously increases risk of reaching that timeout limit.

Explore Language Updates

The Management console setting (ExploreIngest.IncludedLanguages) has been removed in v12.5. Previously if a customer had multiple languages, they would have to configure their corresponding language IDs in the Management Console. That configuration is no longer required.

Language Support

In v12.5 Explore adds native indexing/search support for the languages listed below, so users can bring many more interactions into Explore:

Here is a complete list of all the languages Explore supports, there are no languages that Interaction Analytics supports that are not supported in Explore as of 12.5:

Arabic (East Maghrebi)	French (Canadian)	Portuguese (Brazilian)
Arabic (Egyptian)	French (European)	Portuguese (European)
Arabic (Gulf)	German	Russian
Arabic (Iraqi)	Greek	Serbian
Arabic (MSA)	Hebrew	Somali

Arabic (North Levantine)	Hindi	Spanish (European)
Arabic (South Levantine)	Indonesian (Bahasa)	Spanish (Latin American)
Cantonese (Cantonese)	Italian	Swedish
Chinese (Mandarin)	Japanese	Tagalog
Danish	Korean	Tamil
Dutch	Lithuanian	Telugu
English (International)	Malay (Bahasa Malaysian)	Thai
English (North American)	Norwegian	Turkish
Finnish	Polish	Urdu
		Vietnamese

New Global Language Filter

A new global language filter in line with the date picker in Explore allows users to choose one or more languages they are interested in searching. This filter instructs the system to only search indexes the user is interested in rather than searching interactions across all languages in the system, thus increasing search performance.




Figure 61 – Language Filter

Explore: Thresholds in Grid View

The Threshold feature allows users to set predefined conditions that trigger color changes in the fields of the Explore Search Grid. This feature helps users easily assess the performance of their metrics, quickly identifying when values are within acceptable ranges or when they fall outside the desired thresholds.

- This threshold system is individual and not system wide. Any thresholds configured by a given user makes are unique to them.
- The Threshold feature uses three colors of varying hue (Blue White Red) to show the different ranges that the user specifies in the popup Module.
- The Threshold feature is only available in the search grid.
- To add a Threshold, click on the three-dot menu in the upper-right of the Explore Search grid, and choose a metric. Thresholds are available for numeric fields.




Figure 62 Add Threshold




Figure 63 Explore Threshold Editor

Explore: Newly Added Metadata Filters

Additional metadata filter options have been added to Explore in v12.5:

- Time based fields added: Day of Month, Day of Week, Hour of Day, Quarter of Year, Week of Year, Hour of Day
- Hub ID – relevant to customers with multiple Engage recording systems
- Sentiment Transition metadata field added (Good to bad, Bad to good)
- E-mail metadata fields (Bcc, cc, From, Reply to, Sender, and To)

Filter by Session in Explore Search and Dashboard

Users can now filter interactions by Session in the Explore module, allowing for targeted analysis of specific interactions of interest (e.g., Lines of Business, or other groupings defined by your organization's session configuration).




Figure 64 - Filter by Session

Explore Search Grid Export Increased

In v12.5, the maximum number of rows that can be included in a single file data export from Explore has been increased from 10,000 to up to 100,000.

- There is a new parameter in management console: Explore.Export.MaxRecordsCount
- This setting has a default value set at 50,000 (rows of data).
- This limit can be increased to 100,000, however when a request over 50,000 is made a message is presented: "Export may take longer for large number of interactions."




Figure 65 - Message

Explore Public Dashboard Administration

Explore administrators now can edit, change, or remove any public dashboard, along with the associated saved searches. This provides administrators with greater control over the Explore environment and allows for more efficient management of shared dashboards and their underlying data queries.

- This functionality is governed by a new privilege to edit the dashboard: Explore - Edit Public Dashboards Access, which allows user to edit any public dashboard.
- There is also a privilege associated with editing public Saved searches: Explore - Public Saved Search Editing, which allows user to edit any public saved search.

Explore: Additional Updates

- Management Console controls for Top Phrases "Unique to Search" functionality. This allows the removal of the Top phrases unique to search feature if the amount of data creates longer than desirable load times.
- Column selection within the Explore Search results grid has been improved to disable the check box when the column max limit is reached. This is a usability improvement that makes it clearer when the user has selected the maximum number of columns in Explore Search by preventing the user from selecting more columns than can be viewed in the search grid.




Figure 66 - Column Selection

- User can now select more than one interaction (via checkboxes) in the Explore / Search grid, enabling them to take actions on more than one interaction at a time:




Figure 67 - Checkboxes in Explore Search

- Dashboard line and bar graph improvements and color coding to highlight relevant data and axis the legend when hovering over data points. This makes graphs like the one below easier to read. (The below shows a blue data point that has been highlighted, the line is blue, the axis is bolded blue, and the legend is also bolded and shows a blue square).

Interactions - Line



Figure 68 - Legend and Axis Improvements

- Improved performance for metadata updates into Explore.
- Reports allowing Drill to Interactions are updated to also allow Drill to Explore for users who choose to perform that level of analysis in the Explore module.

Quality Central Updates

Question Notes Field Expanded (Evaluations and Appeals)



The question notes fields in Evaluation Forms and Audits now default to five rows in height, providing greater visibility to the entered notes. This can be further adjusted (up to 10 rows in height) via configuration in Management Console: `Nexidia.Evaluations.EFIQuestionLevelNotesRows`.





Figure 69 - Expanded Question Notes Fields

Enhanced Accessibility for Hints

Hints on evaluation forms are now easier to read due to improved contrast and font/styling adjustments. This change enhances accessibility for all users by making the hints more visually distinct and legible, ensuring that critical information is readily available to everyone, especially those with visual impairments.



The screenshot shows a web application interface for an evaluation form. At the top, there's a browser address bar with the URL 'vqa-19-thn11/NxlA/Evaluations/Controls/EFMainPagePopup.aspx'. Below the address bar, the page title is 'Evaluation Form'. The interface includes a 'Template' dropdown set to 'Test-1', a 'CHANGE' button, and a 'Grant access to' field with the value 'Graves, Misha - (mgravess)'. There's also a checkbox for 'Allow Agent access (when Publish...' and some agent information. A sidebar on the left shows 'CATEGORIES' with 'Category-1 (not started)'. The main content area is titled 'CATEGORY-1' and contains a table with columns 'QUESTION', 'ANSWER', and 'POINTS'. The first row has the question 'Did agent greeted?' with a '(Hint)' link. The answer options are 'Yes', 'No', and 'n/a'. The points are '/ 10'. A tooltip is visible over the '(Hint)' link, containing the text 'Refer to the media and transcript for more details.' and a 'Close[x]' button.

Figure 70 - Hint Updated for Improved Accessibility

Quality Central Group Coaching Email Enhancement

Group Coaching email notifications now include a link to additional information, such as the Group Coaching Description, Notes, and Actions.

This enhancement provides recipients with a clearer understanding of the coaching session's purpose and context, ensuring that participants are well-prepared and informed before attending the session.




Figure 71 - Sample Group Coaching Email Content

Coaching File Uploads – Additional File Types

We have expanded the types of files that can be uploaded for Coaching and Group Coaching. The following file types are now supported:

- .bmp
- .jpg
- .pdf
- .xls
- .doc
- .jpeg
- .png
- .xlss
- .docx
- .mov
- .ppt
- .wmv
- .htm
- .mp3
- .pptx
- .html
- .mp4
- .txt

This enhancement expands the range of resources that can be shared and utilized for coaching purposes, allowing for greater flexibility and a more comprehensive approach to agent development. Now, coaches and supervisors can incorporate a wider variety of materials, such as presentations, videos, and audio recordings, to enrich their coaching sessions and provide more targeted support to agents.

Timestamp Included in Evaluations

Evaluations now display both the date and time of publication, as pictured below in Figure 72 - Date & Timestamp for Published Evaluations. The timestamps on evaluations represent the local time zone of the user who published the evaluation. This provides more granular tracking and analysis of evaluation activities, allowing for a more precise understanding of when evaluations are completed and published. This increased precision enables better monitoring of evaluation timelines and facilitates more accurate reporting and analysis of evaluation data.

ID	EVALUATOR	TEMPLATE	SUPERVISOR	AGENT	SCORE	INTERACTION TYPE	PUBLISHED	SITE
1445	Default Administrator	Mandatory Notes	Jim Bush	Ruth Carey	56.43 / 150 - (37.62%)		11/12/2024 3:21:06 AM	
1444	Default Administrator	Test-1	Misha Graves	David Bathi	100.00 / 100 - (100.00%)		11/12/2024 3:20:17 AM	
1443	Default Administrator	AI Template	Misha Graves	Kathy Moham	12.00 / 60 - (20.00%)	Audio	11/12/2024 12:39:05 AM	Atlanta
1442	Default Administrator	AI Template	Misha Graves	Kathy Moham	0 / 60 - (0.00%)	Audio	11/12/2024 12:39:05 AM	Atlanta
1441	Shiv QA	AI Template	Steven Mills	Peter Britz	12.00 / 60 - (20.00%)		11/12/2024 12:39:05 AM	
1440	Shiv QA	AI Template	Misha Graves	Andrew Bins	60.00 / 60 - (100.00%)		11/12/2024 12:39:05 AM	
1439	Default Administrator	AI Template	Other Boss	Jack Black	0 / 60 - (0.00%)	Audio	11/12/2024 12:39:05 AM	Third Site
1438	Default Administrator	AI Template	Other Boss	Jack Black	0 / 60 - (0.00%)	Audio	11/12/2024 12:39:05 AM	Third Site
1437	Default Administrator	AI Template	Other Boss	Andrew Bins	60.00 / 60 - (100.00%)	Audio	11/12/2024 12:39:05 AM	Second Site
1436	Evaluator Test 9	Email Check - Score hidden from agents	Jim Bush	Carl Del	102.68 / 150 - (68.45%)		11/12/2024 12:39:05 AM	
1435	Evaluator Test 9	Email Check - Score hidden from agents	Jim Bush	Zacharie Caladine	98.21 / 150 - (65.47%)		11/12/2024 12:38:05 AM	
1433	Default Administrator	Report Template - Copy (4)	Misha Graves	David Bathi	8.33 / 25 - (33.32%)		11/12/2024 12:38:05 AM	
1432	Default Administrator	t1	Misha Graves	Kathy Moham	6.00 / 11 - (54.55%)	Audio	11/12/2024 12:38:05 AM	India
1431	Default Administrator	t1	Misha Graves	Kathy Moham	6.00 / 11 - (54.55%)	Audio	11/12/2024 12:38:05 AM	India
1430	Default Administrator	t1	Misha Graves	Kathy Moham	6.00 / 11 - (54.55%)	Audio	11/12/2024 12:38:05 AM	India
1429	Default Administrator	t1	Misha Graves	Kathy Moham	6.00 / 11 - (54.55%)	Audio	11/12/2024 12:38:05 AM	India

Figure 72 - Date & Timestamp for Published Evaluations

Enlighten Portal Dashboard Changes

Flexible Date Configuration

Users can now configure date settings for the Enlighten Portal Dashboard. This provides a tailored experience that aligns with diverse needs, allowing users to customize the date settings according to their specific reporting and analysis requirements.

While not directly configurable within the Enlighten Portal Dashboard user interface, the underlying system now allows for the creation of multiple dashboards, each with its own independent date range settings.

To make this change, contact your Interaction Analytics Representative to update the following settings in the Management Console:

- Nexidia.Portal.Enlighten.BehaviorDashboardPeriod1EndDayDelta
- Nexidia.Portal.Enlighten.BehaviorDashboardPeriod1Name
- Nexidia.Portal.Enlighten.BehaviorDashboardPeriod1StartDayDelta

Enhanced Color Coding

Consistent Color Assignment: The quartile logic used to assign colors to columns in the Enlighten Portal Dashboard has been enhanced to handle cases where most values are NULL/NA. Previously, this could result in inconsistent color assignments. Now, the system

will exclude NULL/NA values, ensuring that colors are assigned based on the valid set of values and accurately reflect agent performance.

Fixed Colors for Index Values: The Enlighten Portal Dashboard now uses a fixed color scheme to represent absolute index score values in the Needs Coaching & Great Examples Grid. This makes it easier to identify areas where agents require coaching or are excelling, regardless of the specific data distribution.




Figure 73 - Enlighten Portal Dashboard

Enlighten Gen-Insights for Quality Central (AI Auto-Suggest): Beta

Enlighten Gen Insights for Quality Central is a new licensed feature available currently for development partner customers. With this functionality, the Evaluation Form can be configured to auto-suggest answers to questions by analyzing the interaction transcript with a private Large Language Model (LLM). This automation streamlines the evaluation process, allowing for faster and more efficient evaluation of interactions.

Template Settings

Enables the AI Auto-Suggest option on templates and evaluations.

Scoring Thresholds: Min: Max:

Scoring method:

Hide scores from:

Hide hints from:

Branching type:

Allow agent acknowledgement: ☐ Yes ☒ No

Exclude score from average evaluation calculation: ☐ Yes ☒ No

Enable AI Auto-Suggest: ☒ Yes ☐ No

Allow agent access to template:

Buttons: OK, Cancel & Close, RESET, CLEAR, HELP

Figure 74 – Setting to Enable Auto-Evaluate for Template

Currently, a NiCE Prompt Engineer works with the quality team to define prompts to guide the AI engine in cleaning and structuring the transcript data, ensuring that the model receives the most relevant and accurate information for evaluation. Additional prompts are used to generate answers to specific evaluation form questions (as well as answer notes, if desired).

Add New Question

Question text:

Type: ☒ Allow "n/a" ☒ Mark for AI Suggestion ☐ Hide From Agent Available points:

ANSWER	POINTS	NOTES REQUIRED	AUTO-FAIL	DEFAULT	AUTO-SUGGEST
Yes		☐	(select one)	☐	☐ (none selected)
No		☐	(select one)	☐	☐ (none selected)
n/a	n/a	☐	n/a	☐	☐ (none selected)

CLEAR DEFAULT

Hint:

Prompt:

Document: Choose File No file chosen (Maximum size = 2 MB)

Buttons: OK, CANCEL, HELP

Figure 75 - Evaluation Question Allows Prompt

This is supported for all question types, including Yes / No / N/A, List, Text, Numeric, Bonus, Deduction, and Multi-Select List.

Quality Central Management Console Changes

Extended Date Range for Searching Evaluations

The default date range for searching inactive templates in "My Evaluations" has been extended:

- For evaluations using inactive templates, the date range is extended from 7 days to 31 days.
- Active Templates will not be affected by this change, the default for active templates will remain 7.

This expanded date range provides greater flexibility when searching for past evaluations, allowing you to access a wider range of historical data without needing to manually adjust the date range.

Users can still conduct searches beyond 31 days in the past using custom date ranges, but the maximum search period for any single search remains 31 days.

Analysis & Reporting

Reporting Platform Updates

New Dossier/Dashboard* Features

- In Modern Grid visualizations, columns can be pinned to the left or right side, and multiple columns can now be frozen.




Figure 76 - Pin Column

- In Library ("Analysis & Reporting New") dashboards, you can now create Parameters to enable data comparison, dynamic conditions, and what-if analysis (not available in "Analysis & Reporting Classic")

- In Library (“Analysis & Reporting New”), many “Text and Form” and “Title and Container” formatting properties can be copied and pasted to one or more visualizations.




Figure 77 - Copy/Paste Formatting

- Require filter selections before loading dashboard chapters, pages, and visualizations: For use cases where delaying data retrieval is preferable for performance or presentation reasons, selections can now be required. For instance, if a grid includes the Agent attribute, that grid can now require filtering on some condition (Site, for instance) so that the initial load is restricted to only the desired results.




Figure 78 - Require Selection

- In freeform layout mode, text boxes, images, and shapes can be conditionally displayed – a useful way to highlight or describe specified data conditions (objects are only hidden in Presentation/Consumption modes)




Figure 79 - Configuring Conditions

*Note that this update has replaced the “Dossier” nomenclature with “Dashboard.” Elements in the UI reflect this change, but individual report, dashboard, and folder names that include “Dossier” are not changed.

Quality Central Reporting

Evaluation and Interaction Activity Reporting for All Agents

With the new “Agent Evaluation and Interaction Activity” report, users can now report on different combinations of interaction and evaluation data for agents. This enhancement provides a comprehensive view of agent performance across teams, enabling users to identify trends, areas for improvement, and recognize top performers across the board. Results can be filtered to only include agents in the Agent Inventory, and agents will be included in results even with no activity in the selected date range.

Group Coaching - Reporting Security

Security (hierarchy) and metadata restrictions can now be implemented for Group Coaching Reports. This ensures that users can only access data relevant to their roles and permissions, safeguarding data confidentiality and ensuring compliance with organizational policies.

Reporting Across Multiple Template Versions

With the new Consolidated Template Analysis reports, users can now report on multiple versions of a template, aggregated to be able to display performance changes between versions, like time to publish and overall score.

The new reports are:

- Consolidated Template Analysis – Template Level
- Consolidated Template Analysis – Question Level
- Evaluator’s Notes – Consolidated Template Level

Interactions and Quality Report Builder with Query/Category

With this new report, users can now analyze many dimensions relating interactions to evaluations. For instance, reporting on the average evaluation score by a specific evaluator that included interactions that hit different queries.

Note that some possible combinations of metadata and metrics require certain elements to be included in your prompt selections as indicated in the prompt details. Some combinations can also create conflicting conditions that prevent any data from being displayed – reviewing the selected prompt answers and making adjustments may be required.

Media Type	Evaluator	Query / Category	Site	Evaluation Count	Average Score	Avg Sentiment Score (All Interactions)
Audio	Administrator, Default	Closing_8.7.7.172728	Austin	3	11.00%	(0.27)
			New York	4	24.48%	(1.63)
			Omaha	2	8.50%	0.58
		Greeting_8.7.7.172728	Austin	3	11.00%	0.27
			New York	4	24.48%	(2.58)
			Omaha	2	8.50%	0.58
			Philadelphia	1	48.18%	(0.06)
		Location Question_8.7.7.172728	New York	4	24.48%	(2.32)
		Location Response_8.7.7.172728	New York	4	24.48%	(2.32)

Figure 80 - Interactions and Quality Report Builder

Other updates and enhancements

- For environments with Explore, reports now support reporting/filtering by Explore Categories anywhere that Queries have previously been supported. To report on Categories, look for “Query/Category” in report names, descriptions, and prompts.

- Drilling from reports to interactions in Explore is now supported
- A new version of the Single Session Report Builder is available that allows reporting on metrics from the previous two years for year-over-year comparisons where data is available – “Single Session Report Builder with LY, LLY, and Query/Category”

Library UI – “Analysis & Reporting New” (Beta)

Preview the next generation of the Analysis & Reporting UI – including navigation, viewing, exporting, and editing enhancements for your dashboards – by selecting “Analysis & Reporting New” from the application home page or the sidebar navigation. You will be able to organize your reporting content how you want and take advantage of all of the newest dashboard capabilities. To get started, navigate to Library and select “Content Discovery” from the Library menu. Then find the dashboards you want to see in your Library, right-click on them, and select “Add to Library.”

To view a dashboard in Presentation/Consumption mode, simply click on it. To open it in Edit mode, right-click on the dashboard icon and select “Edit.”




Figure 81 - Accessing Legacy Reporting Structure




Figure 82 - Move to a Group

Important limitations: In this beta version of the Library interface, there are some limitations and missing features from the “classic” reporting interface.

- **Dashboard/Dossier workflows recommended:** While “standard” reports can open in Library, it is not recommended to use Library for viewing them, and it is not possible to edit, create, or modify non-dashboard reports in Library. For the best experience with these reports, they should be used in the “classic” interface, or they can be saved as a Dashboard for use in Library.
- **Drill to Interactions:** In Library, when viewing reports with interactions, the ability to right-click and drill to Search or Explore to view those interactions within the Interaction Analytics UI is not available. This will be added in a future release.
- **Reports with graphs:** “Standard” reports that include a graph will not display as a graph in Library and will only include a data grid. To view graphs from these reports in Library, they will need to be saved as a Dashboard.
- **History List:** The current version of Library does not support History Lists, including History List subscriptions. This feature is expected in 2025.
- **File Subscriptions:** This version also does not support file subscriptions, but this feature is also expected in 2025.
- Additionally, there are some Library-specific features that are not available in this beta release. In particular, report authoring, Dashboard templates/themes, Content/Contact Group administration, and Subscription administration are not available via the front-end UI.

Data Export Utility (DEU) Enhancements – Additional Data

This version includes several enhancements to the Data Export Utility. For full details, please refer to the Data Export Utility Guide for the software version of interest. Upgrading customers are recommended to refer to the “Summary of Changes” appendix to understand the changes across versions of the Data Export Utility.

(Quality Central) “Allow Agent Access”

This field has been added to the EvalsEvaluation entity / table, indicating whether a given evaluation form was configured to allow agent access. (Note that this field is controlled by the IncludeEvaluationAllowAgentAccessColumn DEU configuration, which defaults to TRUE.)

(Quality Central) “Coaching Action Completion”

The EvalsEvaluationCoachingAction entity has been enhanced to include a new field, CompletedDateUTC. This field captures the date and time (in UTC) when a coaching action is marked as completed, providing greater visibility into coaching effectiveness and agent progress. There would be no data present for this field in cases where the Coaching Action has not been completed.

Agent Inventory “Is Active”

The AgentInventory entity now contains an IsActive field, which indicates whether a given Agent’s account in the Agent Inventory is currently marked as active.

Transcription Result Code

The InteractionMetadata entity now contains a field for PhraseRecognitionResultCode, indicating whether a given interaction was transcribed successfully.

Additional Data for QueryDefinition and QueryGroupDefinition

For both of these entities, we now include Created by, Creation date, Last Modified by, and Last Modified date.

Data Export Utility (DEU) Enhancements – Parallel Runs

With v12.5, the system is now able to process multiple DEU runs in parallel. Previously, if two runs were intended to occur at approximately the same time, they were processed sequentially such that one long-running job run could prevent another from starting.

General / Miscellaneous Enhancements:

Administration > Tags: Bulk Tagging – Tag More

The Bulk Tagging functionality has been enhanced to streamline tagging workflows. Users can now initiate another bulk-tagging action directly from the "Tag a List of Files" dialog without needing to reopen it repeatedly. Clicking the new (Tag More) button will initiate the 'current' tagging action and clear the selections/entries in this "Tag a List of Files" dialog, enabling user to configure their next Tagging operation.




Figure 83 - Tags: Tag More Button

Target Media Sets – Session Filter

The Administration > Target Media Sets page in v12.5 includes a filter for Session, enabling easier management of Target Media Sets. Users can quickly find items based on the session they are associated with, or view "all Sessions". Note that the pre-existing "name contains" filter for Target Media Sets remains and works in conjunction with the new Session filter.




Figure 84 - Target Media Sets: Session Filter

(General) Trim Leading/Trailing Spaces from Object Names

The application now automatically trims leading and trailing spaces from object names when you edit or create them. This prevents the creation of multiple objects with seemingly identical names, ensuring clarity and consistency in your system and exported data. For pre-existing objects in the system, these spaces will be removed if/when a user edits and re-saves the object. (That is, there is no process that automatically identifies / trims all object names in the system that do contain spaces.)

(General) Prohibit Certain Characters in Object Names

The application now prevents the use of certain special characters (\\, /, :, *, ?, ", <, >, |) in object names. This enhancement ensures compatibility with most operating systems' file naming conventions, preventing potential issues during exports or database interactions. For pre-existing objects in the system, this check will be performed if/when a user edits the object. (That is, there is no process that automatically identifies all no-longer-allowed names in the system.)

Enlighten XO

For customers using Enlighten XO alone, or in conjunction with Interaction Analytics, note that v12.5 contains all functionality that was included in the v12.4 FP5.2 X8 Enlighten XO release (plus some defect fixes). Subsequent x-releases for Enlighten XO will now be on top of v12.5.

Release Notes for Enlighten XO are available in the Documentation Hub (referenced at the beginning of this document).

AutoSummary

In the v12.5 release, we have made a few changes to the AutoSummary offering, as listed below:

- The AutoSummary fields will show meaningful values for the Outcomes (Confirm Sales, Resolution, Escalation and Sentiments) such as Yes, No, Positive, Negative, etc., instead of numerical values.
- The Summary text field will show an LLM-based (Large Language Model based) summary in the Explore application if the customer has purchased that functionality; otherwise, that field will be empty. The summary field information will not be available in other applications such as Search and Reporting.
- The platform allows use of different IPMs (Intent Processing Models, to identify customer intents, agent actions, and outcomes) based on different metadata such as language, Line of Business, etc. This will allow customers to generate more accurate metrics based on need.

Key Resolved Issues

Note that the full list of resolved issues for this release can be found in Wiser.

Issue	Description
NXQC-32568 – If a Session is updated and reactivated, that reactivation may not be captured in the User Activity audit report	Reactivation is now captured in the user activity “audit” report.
NXQC-34285 - Reporting – All Evaluation Reports - Hierarchy Restriction/Security does not consistently work as expected. For example, for media-less evaluations, Evaluator Review Evaluation Detail shows Hierarchy data but Template Analysis does not show Hierarchy data. Hierarchy user does not seem to restrict based on Hierarchy restriction.	Evaluation reports honor hierarchy as expected.
NXQC-42144 - Group Coaching – Special Characters in Group Coaching description works but they don’t get encoded in Reporting.	n/a – a subsequent feature pack or update will address this limitation
NXQC-42151 – if an Evaluation Form is audited or appealed, updates to the Notes fields that were part of the audit or appeal may not be properly reflected in the Evaluation Notes Reports	These notes are now captured in the Evaluation Notes reports.
NXQC-42190 – Report rows with null values in any reported UDF drop from results	Previously, when reporting by any UDF that had null for any given record, that record would be dropped from the results, essentially filtering out rows with any null values for a UDF. This scenario no longer occurs – all records that match the report criteria/filters are returned.

Issue	Description
NXQC-42738 In Explore Search you can select up to 20 columns to view while searching. Once the 20 selections are made you can continue to select check boxes even though you can't save them.	Upon the 20 th selection the Save button is greyed out. There is a tool tip when hovering over the greyed out save button saying you cannot save more than 20 selections.
NXQC-44715 – Enlighten Portal Dashboard - Metadata Agent drill view won't show agent name at the top	Agent name now appears as expected.
NXQC-44886 - Resolved Date Filter Validation Issue	An issue affecting the date filter validation on the My Evaluation page for Korean browser language has been corrected. Previously, valid date ranges were not recognized, leading to a warning message. Now, the date filter functions as expected, ensuring accurate evaluation searches regardless of your browser's language settings.
NXQC-45594 - Resolved Evaluator Review Deletion Error	An issue that prevented the deletion of saved Evaluator Review records and displayed an error message has been fixed. You can now delete saved reviews without any issues, streamlining your review management process.
NXQC-46310 - Improved Japanese Translations in Calibration Popup	We have corrected the Japanese translations within the calibration popup to ensure they are natural, clear, and grammatically accurate. This improvement enhances the user experience for Japanese-speaking users, making the calibration process more intuitive and accessible.
NXQC-47052 - Resolved "Session has timed out" error on My Evaluation page	An issue causing a "Session has timed out" error on the My Evaluation page when certain words, like "Unauthorized," were present in the Notes section has been fixed. You can now access the My Evaluation page without encountering this error, ensuring uninterrupted workflow and evaluation management.



Issue	Description
NXQC-47744 - Agent Portal My Evaluations Grid Loading	An issue preventing the My Evaluations grid from loading correctly when the browser language was set to Chinese (Simplified) has been fixed. You can now access and view your evaluations without any errors, regardless of your browser's language settings.
NXQC-49902 / NXQC-44188 - Data Restrictions in Experience Viewer	Data Restrictions in Experiences works in Search and Explore. However, it does not work in Experience Viewer. A subsequent feature pack or update will address this limitation
NXQC-51548 – Experience Viewer – Play button was broken	Play button was broken (This is what it looked like)  but now has been fixed 
NXQC-52111 – Experiences Viewer - Pluggable Player Playback for chats	This does not impact audio playback but was applicable only for chat interactions. If you playback chat interactions out of sequence, it was caching the previous chat and showing it when you click on the next chat.
NXQC-45288 – Experience Mature Filter not working in Forensic Search	In Forensic Search, when you search for Experiences with Experience Maturity Filter=Yes, it shows you Experiences with Experience Maturity=No
NXQC-53217 – Reporting: Handling of UDFs with NULL values filtered data in some scenarios	All results that match a report’s “report by” criteria and that are not constrained by filter conditions are now returned, even in cases where a record may have a NULL value for a UDF field.
NXQC-50084 – “Experience Viewer” attribute did not support alphanumeric Experience ID values	The attribute now supports numeric and alphanumeric values.

Known Issues/Behaviors and Workarounds

Issue	Work-Around
NXQC-4365 – Downloading an interaction from Search may not respect user’s wish/selection to download in .mp4 format, and download the original file format (e.g., .wav, .nmf)	Ensure that the original file format is included in the "Nexidia.Enterprise.ForceTranscodeExtensions" configuration in Management Console.
NXQC-31183 - Experience Viewer - EFI Auto suggest Play button link scenario. Users cannot click on play link on EFI with multiple secondary media files. Player will only play results from primary media file. When the user clicks on play link, it opens the Player, but EFI is stuck on the back and user cannot listen to the media and evaluate at the same time.	n/a – a subsequent feature pack or update will address this limitation
NXQC-35501 - Evaluator Reviews – Perform review on already reviewed Evaluation Form. When a reviewer is trying to perform a review on an EFI that has already gone through a review, system displays an error “cannot save evaluation details. Refer to server logs for details”.	A given Evaluation Form can only be associated to one Evaluator Review. A subsequent feature pack or update will add a more meaningful error message to minimize confusion.
NXQC-37372 - Group Coaching Tab: Actions column gets hidden when the left pane is expanded. If the user lands on Group Coaching page with left pane already expanded, then it looks fine.	n/a – a subsequent feature pack or update will address this limitation
NXQC-37500 - Examples popup UI on Dashboard may not load with scrollbar Initially	Manually resize the dialog and scroll bars will appear as expected
NXQC-37569- Message pop-up does not show appropriate message if user enters out-of-sequence dates in Evaluator Reviews tab of Quality Central.	n/a – a subsequent feature pack or update will address this limitation

Issue	Work-Around
NXQC-37905 - Evals: AutoSummary - In the "My Evaluations" grid, sorting of the AutoSummary columns is disabled.	n/a – a subsequent feature pack or update will address this limitation
NXQC-38054 Contact Events column is not being populated values with comma delimited for the list of events.	Contact Events column is not populated with comma separator delimiter event list. It shows all the events in one long line. They need to be separated by comma. This will be fixed in the future release.
NXQC-38123 – AutoSummary events do not appear on the player waveform from the QC Portal Dashboard	n/a – a subsequent feature pack or update will address this limitation
NXQC-43611 In AutoDiscovery, renaming a topic may result in an error	n/a – this will be resolved in a future update
Integrated Login Limitation – using same username in both "Users" and "Agent Inventory"	If a User has the same username (in Integrated login) for Supervisor and Agent roles and tries to log in to the Portal. In that case, the system prioritizes the user to log in as Agent than Supervisor
When viewing Evaluations in QC, publication times are displayed in the time zone used by the user's browser, but times are stored in and reported in UTC. Discrepancies may appear between evaluation counts for a given date range between reports and QC.	Using a combination of a "Published" date range filter and the new "Choose Time Zone" prompt, Evaluation report results can now be filtered to respect any relevant time zone for each end of the filtered date range.
NXQC-54271 - Reporting: Enlighten AutoSummary metrics and metadata should not be used in the "Interaction Series Analysis," "Workflow Analysis," or "Desktop Tags" folders as they may return incorrect results.	We will address this limitation in a future release

Issue	Work-Around
When reporting by or filtering by Enlighten AutoSummary Contact Events or Outcomes, counts of Unique Media Files may appear inflated.	When including Contact Events or Outcomes in a report, the count of Unique Media Files is based on the number of files containing a given Event or Outcome. Since a media file can contain more than one Event, such files will appear to be counted once for every Event or Outcome occurrence within. If the count of media files for specific Events or Outcomes is required, it will be necessary to filter by that Event or Outcome so that there is a 1:1 relationship between the interaction and Event or Outcome in the report.
RTIG - Agent desktop will display all Enlighten dials in a workflow: If a workbench workflow has 10 Enlighten models but only 6 have been configured to be displayed on agent web app. Agent desktop will display all 10 Enlighten dials as agent desktop was not enhanced to work with Real-time Filter admin page.	RTIG agents will be migrated over to use agent web app. Agent desktop will be deprecated and no longer supported.
NXQC-51145 - RTIG - Live Alerts navigation is unavailable in agent portal: Agent web app is called Live Alerts in agent portal. When an RTIG agent logs into agent portal, they will not see a navigation to Live Alerts. It is recommended for agents to bookmark agent web app URL as a favorite in their browser.	This is a known issue and will get addressed in the next release / update.

Issue	Work-Around
NXQC-52623 Filtering on Experience metrics in Explore: When filtering on Experience metrics, if you just enter the day and do not fill out the remaining values (h, m, s), system will default to 00D 00h 00m 00s. System requires that you enter 00 for h, m and s for it to work. 	This is a known issue and will get addressed in the next release / update.
NXQC-52898: In the Visual Query Builder / Test Tab - "Reset" only affects current page dispositions	In v12.5 the manual workaround is to Reset on each page of results. (Note that this is expected to be resolved in v12.5 FP1)
Experience Viewer pagination is broken. User will not be able to paginate Experiences which have greater than 15 interactions. 	This will get resolved when customer upgrades to v12.4 FP6 or higher version. If customer has no plans of upgrading and requires a fix, please open a support ticket.

Issue	Work-Around
NXQC-49303: When reporting by “last year” (LY) and “last month” (LM) metrics, discrepancies can occur with some calendar conditions, particularly leap years and other differences in counts of days across time periods.	When these discrepancies occur, they can be addressed by conventions in place in your organization for reporting on leap years and date parts that span multiple reporting periods. A future release will improve the handling of these scenarios.

Supported Direct Upgrade Paths

** IMPORTANT: Direct upgrade versions noted below assume Windows 2019, or 2022 OS is in place.

**

Target Release	V12.4.x	Direct Upgrade from: v12.3.X
NiCE Interaction Analytics v12.5	12.4 – 12.4 FP X	12.3 – 12.3 SP7

Target Release	V12.4.x	Direct Upgrade from: v12.3.X
NiCE Quality Central v12.5	12.4 – 12.4 FP X	12.3 – 12.3 SP7

Important Note: There is no direct upgrade path from releases prior to Nexidia Analytics / Quality Central 12.3, or for systems with an operating system prior to Windows 2019. The recommendation for upgrading from systems prior to v12.3 is to first upgrade to 12.3 SP7 then complete the upgrade to v12.5.

Compatibility

Note: In conjunction with the v12.5 release, the naming conventions for Search Grid, Text Grid, and Voice Grid were all updated to v20.0.0. For specifics regarding version compatibility, please see the table below.

Interaction Analytics	12.5	
NiCE Quality Central	12.5	Quality Central releases with Interaction Analytics
Enlighten XO	12.5	Enlighten XO releases with Interaction Analytics. Note that all functionality from Enlighten XO v12.4 x8 (released in Q4, 2024) is included in v12.5.
Browsers	Chrome (v117+) Microsoft Edge (117+)	Recommendation is to use the latest Chrome or Edge browser version to be up to date on security patches.
Data Exchange Framework (DEF)*	3.5 and higher minimum, v12.5 or higher recommended	For ingest of 3 rd party Transcripts, DEF 5.10.FP1 or higher is required.
Elastic Search	V8.11.1	Required for Explore. A license can be obtained from NiCE (if on an active maintenance agreement for Interaction Analytics) or purchased directly from Elasticsearch.
Language Pack Versions	7.0 – 9.3	
NiCE Player Pro	1.4+	
NxDeployer	12.5 and higher	
Phase Pack Versions	8.8 – 10.11+	Upgrading customers who wish to go to v10.8 - 10.11 (or higher) should work with their account team to prepare for that upgrade.
Real-Time Grid	RTG 12.4.4 or newer	

Search Grid	3.2.1.4 or higher (general) 12.4.2+ for use with large transformer Phrase Packs	<i>Note:</i> Supported Search Grid versions are 3.2 – 20.x. The latest (and therefore recommended) release version at the time of v12.5 release is v20.0.0 . Should a newer version exist at the time of installation / upgrade, recommendation is to use that newer version. Note also that Search Grid versions prior to 3.2.xx <u>are not</u> compatible with Nx/QC v12.5 +.
Sentinel	6.12 + HF534055, 7.x and higher	Only QC & DEF metrics and components were introduced and tested.
Text Grid	2.0.2 or newer	<i>Note:</i> Supported Text Grid versions are 2.0.2 +. The latest (and therefore recommended) release version at the time of v12.5 release is v20.0.0 . Should a newer version exist at the time of installation / upgrade, recommendation is to use that newer version. Note also that Text Grid 2.0.1 and prior <u>is not</u> compatible with Nx/QC 12.5 +
Voice Grid	3.1 or newer	v20.0.0 or above is recommended.
Workbench Workflows	10.2-10.8	Interaction Analytics only – for redaction.