

Interaction Analytics & Quality Central

Evaluator Workflow Guide



Release: 12.5 FP2

Document Revision: B26

Distribution Status: Published

Publication Date: January 2026

PROPRIETARY AND CONFIDENTIAL INFORMATION

Information herein is proprietary information and trade secrets of NiCE Ltd. and/or its affiliated companies (Affiliates). This document and the information herein is the exclusive property of NiCE and its Affiliates and shall not be disclosed, in whole or in part, to any third party or utilized for any purpose other than the express purpose for which it has been provided.

IMPORTANT NOTICE

Subject always to any existing terms and conditions agreed between you and NiCE or any Affiliate with respect to the products which are the subject matter of this document, neither NiCE nor any of its Affiliates shall bear any responsibility or liability to a client or to any person or entity with respect to liability, loss or damage caused or alleged to be caused directly or indirectly by any product supplied or any reliance placed on the content of this document. This includes, but is not limited to, any interruption of service, loss of business or anticipatory profits or consequential damage resulting from the use or operation of any products supplied or the content of this document. Information in this document is subject to change without notice and does not represent a commitment on the part of NiCE or any Affiliate.

All information included in this document, such as text, graphics, photos, logos and images, is the exclusive property of NiCE or in Affiliate and is protected by United States and international copyright laws. Permission is granted to use, view and photocopy (or print) materials from this document only in connection with the products to which this document relates and subject to the terms of license applicable to such products. Any other use, copying, distribution, retransmission or modification of the information in this document without the express prior written permission of NiCE or an Affiliate is strictly prohibited. In the event of any permitted copying, redistribution or publication of copyrighted material, no changes in, or deletion of, author attribution, trademark legend or copyright notice shall be made.

Products supplied may be protected by one or more of the US patents listed at www.nice.com/Patents.

For the full list of trademarks of NiCE and its Affiliates, visit www.nice.com/NiCE-Trademarks. All other marks used are the property of their respective proprietors.

All contents of this document are: Copyright © 2025 NiCE Ltd. All rights reserved.

For assistance, contact your local supplier or nearest NiCE Customer Service Center:

EMEA Region (Europe, Middle East, Africa)
Tel: +972-9-775-3800
Fax: +972-9-775-3000
email: support@nice.com

APAC Region (Asia/Pacific)
Tel: +852-8338-9818
Fax: +852-2802-1800
email: support.apac@nice.com

North America
Tel: 1-800-663-5601
Fax: +201-356-2197
email: na_sales@nice.com

International Headquarters-Israel
Tel: +972-9-775-3100
Fax: +972-9-775-3070
email: info@nice.com

The Americas Region (North, Central, South America)
Tel: 1-800-6423-611
Fax: +720-264-4012
email: support.americas@nice.com

Israel
Tel: 09-775-3333
Fax: 09-775-3000
email: support@nice.com

France
Tel: +33-(0)1-41-38-5000
Fax: +33-(0)1-41-38-5001

Hong-Kong
Tel: +852-2598-3838
Fax: +852-2802-1800

United Kingdom
Tel: +44-8707-22-4000
Fax: +44-8707-22-4500

Germany
Tel: +49-(0)-69-97177-0
Fax: +49-(0)-69-97177-200

NiCE invites you to join the **NiCE User Group (NUG)**.

Visit the NUG Website at www.niceusergroup.org and follow the instructions.

All queries, comments, and suggestions are welcome! Please email: nicebooks@nice.com

For more information about NiCE, visit www.nice.com

CONTENTS

Welcome to Quality Central	3
Configure your Browser	3
Restricted Access Mode	3
Settings	8
Providing Agent Access to Interactions	11
Evaluations	13
Export - My Evaluations	14
Filters - My Evaluations	16
Guidelines for Evaluating an Agent	18
Evaluating an Agent	20
Playing Back Interactions	34
Viewing Evaluations	40
Viewing Evaluation History	43
Performing a Self-Evaluation	43
Sharing Evaluations	47
Supervisor Tasks	51
Team Portal and My Portal	52
Creating a Notification	53
Creating an Audit Report	55
Creating a Teams Behavior Dashboard	57
Manage Cases	62
My Queue Dashboard	65
Coaching	69
Use Case	69
Adding a Knowledge Base Entry	70
Creating a Coaching Session	72
Group Coaching	75
Appealing Evaluations	82
The evaluation has not been audited	82

The evaluation has been audited	82
Lockouts	83
Appealing or Re-Appealing a Question	84
Ruling on Appeals	90
Performance Dashboard	95
Navigating the Dashboard	96
Evaluation Scorecard Reports	106
Behaviors Dashboard	107
Evaluation Scorecards	110
Guidelines to Create Scorecards	111
Columns	111
Target Media Set for Scorecards	114
Metrics	114
Goals	116
Create Evaluation Scorecards	118
Configuring Scoring Thresholds	121
Import Scorecard Columns	123
Configure Agent Access to a Scorecard	124
Evaluation Scorecard Reports	125

WELCOME TO QUALITY CENTRAL

The Evaluations Portal is designed to give agents and evaluators access to agent evaluations. Depending on the features your organization chooses to implement, you can use the portal to:

- View and print agent evaluations
- Coach agents from an evaluation form
- View reports and a dashboard about the performance of agents on your team
- Filter on interactions and perform evaluations

Configure your Browser


Ensure that your browser is configured to accept cookies, to execute JavaScript, and that pop-ups are enabled. You must disable Compatibility Mode for Internet Explorer.

Restricted Access Mode

Sometimes, your system administrator will need to restrict access to the Interraction Analytics application for tasks such as system maintenance or repair. The Partial Restricted Mode and Full Restricted Mode are supported to accommodate this requirement.

- Partial Restricted Mode - Users with specific user profile privileges can log in and perform the required tasks. When they log in, they will see the Restricted Access Mode Enabled message  **RESTRICTED ACCESS MODE ENABLED** in the user interface. Users who do not have the necessary profile privileges cannot log in. Agents cannot login.
- Full Restricted Mode - No one is allowed to log while this mode is enabled. The following

screen displays if you try to log in when Full Restricted Mode is enabled.



Document Revision History

SOFTWARE VERSION	DATE	DESCRIPTION
12.5 FP2	December 2025	• Added support for saving auto-evaluation as drafts using Gen-Insights scoring to improve visibility and manual completion. • Added support for auto-evaluation and publishing of QA results using Gen-Insights scoring and fallback logic to enhance scalability and traceability. • The Pluggable Player feature for unified playback of chat interactions and screen recordings is available in Quality Central Evaluations.
12.5 FP1	July 2025	• Documented AI Notes Configuration for Main and Branched Questions. • Added a centralized page in the QC Administration Portal to manage and personalize the Enlighten Dashboard's configuration for various user groups and business needs. • Added a feature on My Evaluations Grid to export evaluations to CSV.

SOFTWARE VERSION	DATE	DESCRIPTION
12.5	Nov 2024	• Documented about Enlighten Agent Behavior Dashboard Custom Thresholds, Metric and Metadata. • Enlighten EPD - The ability to change the date range was added. • Documented Enlighten Gen-Insights for Quality Central using AI/LLM. • Documented transcript pre-processing. • Documented transcript redaction for AI/LLM EFI. • Documented EFI & Appeals - Larger Question Notes Field: The "Notes" field at the question level on the evaluation form is expanded to accommodate more detailed comments, improve usability, and reduce the need for scrolling, especially when providing extensive feedback or context during evaluations and appeals. • Documented the published evaluations are stored in UTC format. When a user opens the evaluation, the system converts the UTC time to the user's local time zone. So, users in different time zones may see different dates and times for the same published evaluation. • CSAT.Documented Site/Supervisor data restriction on MyEval / Appeals. • Documented allowed file extensions for file upload on the EFI form.

SOFTWARE VERSION	DATE	DESCRIPTION
QF OTO 12.4 Fp6	June 2024	• Allow Users to Create Group Coachings with an Existing Name. • Ability to view GCs of all its agents. • Ability to filter GC by agent name, agent ID and supervisor. • Ability to view group coaching for user with Create GC Privilege. • Ability to view group coaching for user with View ALL GC Privilege. • Ability to capture agent acknowledgment notes. • Ability to send Group Coaching Email Notifications. • Allow the user to see the Group Coaching details if the user do not have "View and Edit "privilege.

Settings

You can access the Settings in the QC Portal from Administration > Settings.

This page is only available to users with Admin and Superuser profiles.

Settings

 Save  Cancel

Video

☐ Show video

Dashboard Data

☐ Show Evaluation Performance area

Scorecard Default View

☐ Agent Performance

Scorecard Columns

☒ Allow agents to view rank in the Agent Performance grid

☐ View Dashboard in Observed score

Set the metadata field for Playback link

Internal Media Link

☐ Hide internal media link in EFI

Evaluations

☒ Add Draft mode time in Time to Publish

Setting options include:

- Dashboard Data - Show/hide the 'Evaluation Performance' section of the dashboard that shows the team's overall data.
- Scorecard Default View - Show/hide agents' individual performance on scorecards in the dashboard for that specified session.

- Scorecard Columns - Agents can show/hide the column to view their rank in the 'Agent Performance' grid.
- Set the metadata field for playback link - User can select the metadata field from the drop-down list for playback link.
- Internal Media Link - You can control the display of internal media link in the Media File section on the Evaluation Form Instances page. To hide the internal media link, select the **Hide internal media link in EFI** checkbox.
- Evaluations - During evaluation, when you save and close the form, the ongoing Time to Publish counter counts and adds the time till the evaluation is published. Clear the **Add Draft mode time in Time to Publish** checkbox to count only the actual edit mode time for an evaluation and not the draft mode time.
 - Draft mode time - The time when you are not editing an evaluation and it is in the saved and closed state.
 - The Time to Publish is calculated by subtracting the evaluation start time from the evaluation published time. By default, the draft mode time is counted and added. When you clear this checkbox, the draft mode time is excluded from Time to Publish.

Internationalization and Localization

Quality Central supports accessibility (508 Compliance), internationalization, and localization. You can use Account Settings to enable accessibility and to select the desired language.


You can use Quality Central in any of the supported languages. The supported languages include Russian, Simplified Chinese, Traditional Chinese, Korean, German, Portuguese, French and Japanese.

When you localize your UI and use minimum resolution of 1280*1024, some of the UI items may not be visible, you must zoom out the page to select the required elements.


Account Settings

→ To specify account settings:

1. Click the drop-down arrow to the right of your user name in the top right side of the application main window.



2. Click **Account Settings**.



3. In the **Choose Language** drop-down, select the desired language. The default language is **English**.
4. Select the **Enable Accessibility** checkbox to enable Accessibility.
5. Click **OK**.

Date is formatted according to the language configured in your browser, not the language configured in Quality Central. For example, if the default language configured in your browser is American English, the date will be displayed as m/d/y, if the default is British English, the date will be displayed as d/m/y.

Providing Agent Access to Interactions

You can assign permissions to an agent to view and play back their recorded interactions. You can also use this pop-up to provide access to evaluations. Access to this page is available to users with Admin and Superuser profiles.

➔ To provide access to agents to view and play back interactions:

1. In the QC Portal, go to **QC Administration > Agent Access to Examples Popup**.

The screenshot shows the 'Agent Access to Examples popup' window. On the left is a sidebar with navigation links: Settings, QC Scorecards, Metric, Scorecards, Agent Access to Examples popup (selected), and Team Behaviors Dashboard Admin... The main area has a title bar with 'Save' and 'Cancel' buttons. Below the title bar are three dropdown menus: 'Site' (set to 'All Sites'), 'Supervisor' (set to 'All Supervisors'), and 'Agent Name' (set to '(Name Contains)'). A list of agents is displayed below these filters. On the right side of the list are buttons: 'Add >', '< Remove', 'Add All >', and '< Remov...'. A search bar on the far right is labeled 'Find Agent: (Name Contains)'.

Site	Supervisor	Agent Name
All Sites	All Supervisors	(Name Contains)
Bathi, David - (david)		
Bauchop, Sande - (sande)		
Bevel, Joe - (joe)		
Britt, Peter - (peter)		
Brown, Deborah - (deborah)		
Butler, Mary - (mary)		
Callacher, Jordain - (jordain)		
Calladine, Zacharie - (zacharie)		
Canu, Karen - (karen)		
Corey, Ruth - (ruth)		
Casey, Ham - (ham)		
Castle, Jerry - (jerry)		
de Mendoza, Frederic - (frederic)		
Del, Carl - (carlD)		
Delacroux, Kamillah - (kamillah)		
Escritt, Della - (della)		
Fleisch, David - (davidF)		
Genovese, Patricia - (patricia)		
Gills, Cheryl - (cheryl)		
Hawkeridge, Neile - (neile)		
Hudson, Katie - (katie)		
Hurley, Brandi - (brandi)		
Jayne, Minette - (minette)		
Juniper, Torin - (torin)		

2. Select the agents and click **Add** and then click **Save** in the top-left corner.
To select all agents, click **Add All** and then click **Save**.
 - You can filter the agents by Site, Supervisor, and Agent Name. These filters are applicable to all agents.
 - To remove access, select the agents on the right side and click **Remove**. To remove access of all agents, click **Remove All**.

[This page intentionally left blank]

EVALUATIONS

Evaluations help track and monitor agent performance across the site, team, and agent levels. Supervisors can see the big picture instead of a few random interactions.

Workflows send interactions to evaluators based on specific data. They can also select interactions or agents to review, with or without media files. Depending on the system, agents may see the evaluation and related files, request coaching, or self-evaluate.

You can write notes for a category up to 10,000 characters. Click the **Expand** icon to add or change the text in the notes.

There are two ways to start evaluations:


- Scheduled - Workflows send interactions to evaluators.
- On-demand - If an agent thinks a recent evaluation doesn't show their current performance, the supervisor can select other recent interactions for evaluation.

Export - My Evaluations

This feature lets you export the evaluation data from the My Evaluations page to a CSV file.

To export evaluation data:

1. Go to **My Evaluations**.
2. Apply any desired filters, sorting, or search criteria.
3. Click the **Export**  icon. You can check the export status on the right lower side of the page.



- **Completed** - This status appears when the export is complete.
 - Click the  icon to download the exported file as a CSV. The CSV file contains filters and evaluation data as displayed on the My Evaluations page.
 - Click the  icon to remove the exported files.
- **Canceled** - This status appears after canceling the ongoing export process.
- **Queued** - This status appears until the ongoing exports are completed. This may be because another user is also trying to export evaluations at the same time.

You can contact the administrator to set the following parameters in the management console:

- **Nexidia.Evaluations.ExportMaxRows** - Defines the maximum number of evaluation records that can be exported to a single CSV file from the My Evaluations page. The default value is 10000. If you set this value to 0, all evaluation records will be exported.
- **Nexidia.Evaluations.ExportMaxConcurrentDownloads** - Defines the maximum number of concurrent downloads of evaluations during an export on the My Evaluations page. The default value is 10.
- **Nexidia.Evaluations.ExportFilesRetentionDays** - Defines the number of days to retain the exported CSV files. The default value is 31 days.

Filters - My Evaluations

Filters lets you to refine search results and view evaluations based on ID, template, date, evaluation status, evaluation score, supervisor, agent, and evaluator in the My Evaluations tab. You can view the search results based on your privileges and evaluation access. For more information, see [Profile Privileges and Dependencies](#).

Data restrictions for the **My Evaluations** tab are based on the site and supervisor metadata. If you use other metadata, for example, Workgroup, it will find the site and supervisor matching Workgroup metadata. It will then show evaluations corresponding to these sites and supervisors.

[View image](#)

FILTERS [SHOW](#)

ID
(contains)

TEMPLATE
All Templates [CHANGE](#)

☒ Active only

EVALUATION STATUS
All

Eval Date
01/28/2025 TO 02/04/2025

EVALUATION SCORE
 TO

SUPERVISOR
All Supervisors

AGENT
All Agents

EVALUATOR
All Evaluators

FIND
(row contains)

To find the required evaluations, choose the required filter and click the **Show** button.

- **ID**—Search using the evaluation ID of the evaluation.
- **Template**—Search using the default **All Template** or click **Change** to select a specific template from the template list.

- **Active only**—Select the checkbox to search for the evaluations that are evaluated using only active evaluations templates. Deselect the checkbox to search for the evaluations that are evaluated using both active and inactive evaluations templates.
- **Evaluation Status**—Select one of the following to view and manage published and unpublished evaluation forms.
 - **All**—Search using both published and unpublished (draft) evaluations.
 - **Published**—Search using published evaluations.
 - **Draft**—Search using unpublished (draft) evaluations.
- **Date**—Select one of the following:
 - **Eval Date**—Search using the date on which the evaluation is started.
 - **Published Date**—Search using the date on which the evaluations are published.
 - **Acknowledged Date**—Search using the date on which agents acknowledged their completed evaluations.

Evaluations will be displayed based on the date selected. You can configure the maximum number of days in the management console.

- **Evaluation Score**—Search using the minimum and maximum value of the evaluation score.
- **Supervisor**—Search using the specific name of the supervisor.
- **Agent**—Search using the specific name of the agent.
- **Evaluator**—Search using the specific name of the evaluator.
- **Find**—Search using a text that matches in the evaluations. The search results displays if the text matches only on the Evaluator, Template, Supervisor, Agent, Audited, Appealed, and Coached column.

Guidelines for Evaluating an Agent

Evaluators use an evaluation form to assess agent performance. See [Evaluating an Agent](#) on page 20 to learn more.

A person in charge, like an administrator or quality manager, creates evaluation form templates. Evaluators use these templates to record evaluations. The templates have questions and points for each question. Every evaluation form has a unique ID (found in the top-right corner). This ID is linked to each published or saved evaluation form. You can see the order of the evaluation by looking at the Metadata section in the Evaluation Form window.

To return to an unfinished evaluation form later, you can launch it via the ID link. You can also delete unpublished evaluations that are not used in calibrations. When you delete evaluation forms, they will not show up on the screen or in reports. But they stay in the database until they get too old and are removed.

When you evaluate with Experience columns turned on in Settings, you can see a link in the Experience ID and Experience Sequence column. Click the Experience ID link to open the Experience Viewer. It shows the Experience Level metrics and interaction level data for that Experience ID. To play the content, click next to an interaction. To evaluate an interaction, select it or use Ctrl + Click to select multiple interactions to check them simultaneously.

The screenshot shows the 'Experience Viewer' window. At the top, it displays 'Summary - Experience Metrics' with the following data:

- 27 Interactions Count, 1 Channel Count, 5 Agent Count
- Experience Start: 08/12/2005, 1:01 AM; Experience End: 10/07/2022, 2:06 AM
- ELAPSED DURATION: 6265D 1h 5m 41s
- TOTAL DURATION: 34m 54s
- AVG. TIME BETWEEN: 783D 3h 6m 45s
- AVG. DURATION: 1m 17s
- MATURE EXPERIENCE: Yes
- SENTIMENT SCORE: 0.97

Below the summary, it shows 'ID: 8 (27 INTERACTIONS | 1 SELECTED)'. A table lists the interactions with columns: Primary Interaction, MEDIA FILE NAME, MEDIA TYPE, DURATION, DATE/TIME, AGENT, AGENT ID, and SUPERVISOR. The first row is selected (checked box).

Primary Interaction	MEDIA FILE NAME	MEDIA TYPE	DURATION	DATE/TIME	AGENT	AGENT ID	SUPERVISOR
☒	20040910-022.wav	🔊	00:00:00	08/12/2005, 1:01 AM			
☐	20040910-022.wav	🔊	00:00:57	08/12/2005, 1:01 AM	Tom Cook	2343423	Tom Boss
☐	20040910-022.wav	🔊	00:00:57	08/12/2005, 1:01 AM	Tom Cook	2343423	Tom Boss
☐	20040910-023.wav	🔊	00:00:00	08/15/2022, 2:01 AM			
☐	20040910-023.wav	🔊	00:00:52	08/15/2022, 2:01 AM	Tom Cook	2343423	Tom Boss
☐	20040910-023.wav	🔊	00:00:52	08/15/2022, 2:01 AM	Tom Cook	2343423	Tom Boss
☐	20040908-038.wav	🔊	00:00:00	08/29/2022, 8:10 AM			
☐	20040908-038.wav	🔊	00:00:36	08/29/2022, 8:10 AM	Donna Fox	12525	Daniel Yellow

At the bottom, there is a pagination bar showing 'Page size 15', 'Page 1 of 2'.

Editing a Published Evaluation

You can edit a published evaluation if your system is set up to allow this functionality and if you are:

- The original evaluator.
- Identified in the **Grant access to** field and you also have access to the template used for the evaluation.
- Assigned the *Overrides Access Rights* privilege.
- Assigned the *Edit Published Evaluations by Others* privilege and you have access to the evaluation.

If you meet at least one of these criteria for a specific evaluation instance, the **Edit** button is present in the Evaluation Form window.

Ignoring Evaluations

You can skip an evaluation for an agent. You can do this if the company policy says so or if someone thinks the evaluation is not showing the agent's true performance or doesn't fit the workflow (like a billing issue in a service inquiry workflow). There's no limit to how many skips are allowed, but the number shows up in the Agent Performance report.

The ability to use this feature is set by your system administrator and is set to default. To change the current setting, see your system administrator.

You can select the **Ignore this Evaluation** checkbox to skip an evaluation during the evaluation. You can also do this after the evaluation is published. After an evaluation is ignored, it cannot be audited or re-scored. You can restore the evaluation by clearing the checkbox.

You can select to ignore a published evaluation if you are:

- The original evaluator.
- Identified in the **Grant access to** field, and you also have access to the template used for the evaluation.
- Assigned the *Access all Evaluations* privilege and you also have access to the template used for the evaluation.
- Assigned the *Overrides Access Rights* privilege.

Evaluating an Agent

Evaluators are assigned interactions to evaluate by workflow queues. See [Guidelines for Evaluating an Agent](#) on page 18 to learn more. You can choose to send the agent coaching feedback at any point while you are evaluating them. When you save the evaluation, the Coaching button displays. Click **Coaching** to send a coaching package to the agent. Note that the Coaching will still apply even if you cancel the evaluation. See [Coaching](#) on page 69 to learn more. The question, category, and evaluation level notes only display if the template is configured with the view or edit notes access rights.

You can evaluate an agent either [manually](#) or [automatically](#). The following table outlines the key differences between the two approaches.

Manual	Automatic

- Requires active user intervention at each step—evaluators must select interactions, apply scores, and publish results individually.
- Allows immediate editing during the evaluation process.
- Requires opening and reviewing each interaction individually.
- Operates without manual input—interactions are selected, scored, and either published or saved as draft based on system-defined logic.
- Evaluations can be reviewed and edited later if configured to save as drafts.
- Processes all the interactions in the target media set based on the workflow criteria defined and evaluates each interaction.

Evaluating an Agent Manually

→ To evaluate an agent:

1. In Forensic Search, go to the Workflow Dashboard or perform a search for interactions.
2. Select the interaction to evaluate.

Results for: All Files REQUESTING

	INTERACTION TY...	SCORE	DATE/TIME	DURATION	AGENT	SUPERVISOR	SITE	DIRECTION	DNIS
☐	Audio		8/1/2017 3:09:45 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2265
☐	Audio		8/1/2017 3:09:45 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2265
☐	Audio		8/1/2017 2:58:47 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2265
☐	Audio		7/31/2017 3:26:42 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2265
☐	Audio		7/31/2017 3:26:42 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2265
☐	Audio		7/31/2017 3:26:42 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2265

Items: 1 - 50 of 1233 Page 1 of 25 [Next Page](#)

If you evaluate an agent without media, the ingested metadata associated with the agent does not show in the evaluation form. The only metadata shown is agent, evaluator, and date/time.


3. Click **Launch Evaluation Form** (📄) to initiate an evaluation. You can also click **Evaluate** in the [Play Interaction window](#) to initiate an evaluation. See [Playing Back Interactions](#) on page 34 to learn more.

The screenshot shows the 'Evaluation Form' interface. On the left, there's a sidebar with a 'CATEGORIES' section containing 'Info Gathering and Verification (not started)', 'Confirmation of Problem (not started)', and 'Resolution (not started)'. The main area is titled 'INFO GATHERING AND VERIFICATION' and contains a table with columns: QUESTION, ANSWER, POINTS, and NOTES. The table lists several questions related to a complaint, such as 'What category does the complaint fall into?', 'Did agent verify the customer's account?', 'Is customer state valid / verified?', 'Did agent apologize for the problem?', 'Did agent solve the problem?', 'Was the solution appropriate?', 'What was the solution?', 'Did agent confirm customer's satisfaction with resolution?', and 'Add a Question'. Each question has a corresponding answer field and a points value. At the bottom left, there's a 'MEDIA FILE' section with a '+ MEDIA FILE' button and a 'METADATA' section. The bottom right shows the overall score: 'Overall Score: 0 / 0.00 (0.00 %)' and a 'VIEW AS SINGLE PAGE' checkbox. The bottom of the form has buttons for 'IGNORE THIS EVALUATION', 'AUTO SUBMIT', 'SAVE', 'SAVE AND CLOSE', 'PUBLISH', 'PRINT', and 'CANCEL'.

4. Follow these steps to choose a template for the evaluation:


- Click **Change** to select the desired template.
- If only one template is in the system, it is selected.
- When multiple templates are available, the system automatically selects the one you used last.
- The page loads the selected template, displaying the primary media file name and an image representing the interaction type (All, Audio, Chat, Email, or Text) in the Media File area. The Media File area is located in the left lower side of the evaluation form. You can see the total number of files connected to the evaluation here.
 - If there are secondary media files associated with this evaluation, **This form references <n> media files** displays. You can click the **<n> media files** link to launch Search and load each of the files (including the primary file) associated with this evaluation. You can view or listen to the interaction file associated with this evaluation as needed. See [Playing Back Interactions](#) on page 34 to learn more.

View Image



- Chat evaluations with screen recordings - You can click the media file name in the media file area to launch the Pluggable Player with chat interactions and agent's screen recording. See [Playing Back Interactions](#) on page 34 to learn more. The Pluggable Player is not accessible through the <n> media files or external player links. Launching the Pluggable Player offers the following benefits:
 - Provides a comprehensive view of chat interactions allowing reviewers to simultaneously analyze the agent's screen actions and chat conversations in a unified, interactive playback experience. This leads to more accurate and efficient evaluations.
 - Solves the timestamp tracing issue for multiple chats. Earlier, clicking a chat only opened chat bubbles, making it difficult to trace actual timestamps in recordings with multiple chats. Now, when a user clicks a chat with screen recording in the evaluation form, the Pluggable Player launches, aligning chat content with visual context.

View Image



- The Metadata area located on the left lower side of the evaluation form displays any metadata configured for the selected template.
5. Answer the questions for the selected category in the **Category** grid. You can use the **View as single page** option to list all questions from all categories on one page. This will eliminate the need to navigate through categories. If the total number of questions on the evaluation form exceeds 200, this option will be disabled. You can fill out the evaluation form manually, or use the Enlighten Gen-Insights for Quality Central feature to answer questions using LLM.

Enlighten Gen-Insights for Quality Central Prerequisites

- The Enlighten Gen-Insights for Quality Central feature is only available for users with the **AutoEvaluate** license.
- Set the **Nexidia.Evaluations.EnableAIAutoSuggest** and **Discovery.AutoDiscovery.Enabled** parameters to **true** in the Management Console. Ensure the Discovery service is running.
- Ensure you have **Evaluate – Manage AI Auto-Suggest** and **Evaluate - Allow AI Auto-Suggest Evaluations** privileges.
- Set the **Enable AI Auto-Suggest** template settings to **Yes** and provide a prompt in the **Add a prompt to set the context for AI processing** area.
- Select the **Mark for AI Suggestion** option and provide a prompt when creating or editing a question in the Evaluation Form Template.
- Ensure transcripts are available for selected interactions.
- Select the **Show AI Notes** option when creating or editing a question in the Evaluation Form Template to populate notes automatically on the form.

- Set the **Pre-process Transcript** template setting to **Yes** to pre-process the transcript before evaluating.

Enlighten Gen-Insights for Quality Central Use Case

Jim Bush is an Evaluator, who wants to quickly evaluate agent Robert Burke. Jim selects Robert's interaction, which has a transcript available. He launches the evaluation form and chooses a template. He then clicks the AI Auto-Suggest button to use the Enlighten Gen-Insights for Quality Central feature. The questions are answered by analyzing the transcript using Large Language Models. Jim can also override the answers if needed. Jim then publishes the evaluation. This process saves Jim time, allowing him to evaluate Robert's performance quickly.

Using Enlighten Gen-Insights for Quality Central

You can use the Enlighten Gen-Insights for Quality Central feature to answer the questions by analyzing the transcript using Large Language Models (LLM). This lets you fill out the form quickly and efficiently. It works only for calls with transcripts and supports all question types, including Yes, No, N/A, List, Text, Numeric, Bonus, Deduction, and Multi-Select List.

You can mask the personal/sensitive information in the transcript before sending it to LLM. To mask the personal/sensitive information within the transcript, you need to enable Management Console parameters. You can also pre-process and refine the transcript before sending it to LLM by enabling Management Console parameters.

Using Enlighten Gen-Insights for Quality Central Feature

To use this feature, click the **AI Auto-Suggest** button on the evaluation form. For each AI-generated response, a comment is provided to explain the reasoning behind the suggested answer. An evaluator can override the suggested answer.

The screenshot shows the 'Evaluation Form' interface. At the top, there are settings for the template (LLM AI), grant access, and auto-suggest options. Below this, a table lists categories: Cat 1 (8.33 / 10), Cat 2 (in progress), and Cat 3 (0.00 / 40). The main section displays a table of questions and answers for CAT 1.

QUESTION	ANSWER	POINTS	NOTES
Did the Agent greeted the caller and introduced themselves properly?	☒ Yes ☐ No ☐ n/a	10 / 10	Agent greeted the caller promptly using the proper greeting.
What is customer's intention to call?	Cancel the service	15 / 20	The customer's intention to call is to cancel the service. This is evident
Where does customer want to go?	n/a	n/a	Not Applicable
Are you sure?	☐ Yes ☒ No ☐ n/a	n/a	Not Applicable

Below the table, there are sections for 'Notes for Cat 1' and 'Notes for entire Evaluation'. At the bottom, there are buttons for 'HISTORY', 'Ignore this Evaluation', 'AI AUTO-SUGGEST', 'SAVE', 'SAVE AND CLOSE', 'PUBLISH', 'PRINT', and 'CANCEL'.

6. While answering questions, if a hint has been provided for a question, a **Hint** link displays next to it.
 - Add notes as relevant. The maximum length is 2500 characters. The number of lines to add notes in the Notes area can be configured from the Management Console. By default, 5 lines are provided for adding notes.
 - Enter points for questions, the score initially displays as *Score: 0/0* unless the template has default answers. The assigned point values for List, Multi-select List, N/A, Yes, and No questions can be positive (+) or negative (-), as defined by the system administrator. When a negative point value (i.e.: -4) is assigned, it is reflected accurately everywhere except in report score averages. Negative scores in reports are counted as zero. Analytics processing might suggest some answers for you. But, certain answers can lead to the failure of the current category or the entire evaluation. If this occurs, a warning message appears. When an answer causes an auto-fail, the question's text turns red and italic in the evaluation form, making it easy to identify the question(s) responsible for it.

7. Create a note for the selected category in the **Notes for <category name>** box. You also can cut and paste content from a Hint (if available) or upload a file. You can add a text up to 10000 characters. Use the **Expand** icon to add the complete text in the notes.
8. To advance to the next category, select **Next: <category name>**. You can navigate between categories by either selecting the **Previous** or **Next** links or by selecting the desired category in the Categories box. The Next and Previous links will be displayed only if the **View as single page** option is not selected.
9. Complete Step 6, Step 7, and Step 8 for the remaining categories.
10. Create a note for the entire evaluation in the **Notes for entire Evaluation**. You can also cut and paste content from a Hint (if available) or upload a file. You can add text up to 10000 characters. Use the **Expand** icon to add the complete text in the notes.
11. To upload files related to the evaluation, click **Upload a file**. You can upload a file of up to 2 MB. The default supported file extensions are .doc, .docx, .xls, .xlsx, .pdf, .jpg, .jpeg, .bmp, .png, .ppt, .pptx, .txt, HTML (.html, .htm). The system administrator can also set other file extensions in the management console.
12. To associate an agent with the evaluation, select or deselect **Allow Agent access (when Published)**. The system default value is *true*. If an agent is associated with an evaluation, a link for that agent to the right of the **Allow Agent access (when Published)** checkbox, their last evaluation score, and last evaluation date are displayed. The *LastName*, *FirstName*, and (*Agent ID*) are displayed. If no agent is associated, *none* is displayed. You can click on the **[x]** next to the **Agent Name** link to remove the association between this evaluation form and the agent. The **Agent Name** link is replaced with *none*. You can change the agent association by clicking on the hyperlink.



13. In the **Grant access to** field, the agent's supervisor is assigned based on interaction data. If there's no interaction, no supervisor is assigned. To give access of the evaluation to the supervisor, choose the agent's supervisor from the **Grant access to** field, which shows supervisors from the agent inventory. If the supervisor in the Forensic search does not match the supervisor in the agent inventory, the **Grant access to** field will be blank. In this case, the evaluator must manually select the supervisor. The user must have the right to view the template used for the evaluation. As you type, matching names will display below the text box for selection. When typing at least two characters, search

results will display for Login Name, Last Name, or First Name, but not combinations of these.

Evaluation Access Scenarios

- If a user has template access, the **Evaluate Access All Evaluations** privilege, data or hierarchy restrictions are not applied, and access is not granted in the **Grant access to** field, the user can see the evaluation on My Evaluations page.
- If a user has template access, data or hierarchy restrictions are applied, access is granted in the **Grant access to** field, and does not have the **Evaluate Access All Evaluations** privilege, the user can see the evaluation on My Evaluations page.
- If a user has template access, the **Evaluate Access All Evaluations** privilege, data or hierarchy restrictions are applied, but access is not granted in the **Grant access to** field, the user can see the evaluation on My Evaluations page as per data restriction or hierarchy restriction.
- If a user has **Overrides Access Rights** privilege, data or hierarchy restrictions are applied, but access is not granted in the **Grant access to** field, the user can still see the evaluation on the My Evaluations page irrespective of data restriction or hierarchy restriction. If two users are associated with the same Site and Supervisor, then while evaluating the user with media **Select Supervisor** window will be displayed where you need to manually select the correct supervisor.

[View Image](#)**Select Supervisor**


The following application users are configured to match Site: Tampa/ Supervisor: Jim Bush. If you would like one of them to have access to this Evaluation form, select that user below:

Bush, Jim - (jbush)
Graves, Misha - (mgraves)

CONFIRM

CANCEL

14. To send a self-evaluation request to the agent when you select **Publish**, **Save**, or **Save & Close**, select **Send for Self-Evaluation**. The agent associated with the evaluation sees the self-evaluation in the Agent Evaluations Portal grid. If you initially sent this evaluation for a self-evaluation, your only option is to deselect **Send for Self-Evaluation** if the agent has not yet begun the self-evaluation. Self-Evaluations IDs are prefaced with the letter S.
15. Select **Allow interaction file playback** to allow the agent to view or listen to the interaction. This checkbox does not display if playback in Evaluations Portal is configured to be off. If the associated configuration setting is configured as **False**, but playback in Evaluations Portal is configured to *on*, this checkbox is disabled and selected.
16. If you click **Save & Close** before publishing, the Time to Publish message displays.



The evaluation time still gets counted and added to the ongoing Time to Publish counter until the evaluation is published. Clear the **Add Draft mode time in Time to Publish** checkbox under **QC Administration > Settings** to count only the edit mode time for an evaluation and not the saved draft mode time. The Time to Publish message is displayed only when the **Add Draft mode time in Time to Publish** checkbox is selected. The change in the checkbox selection does not change the time to publish calculation method for the evaluations that are complete or in progress.

17. After you have completed all required questions in the evaluation form, click **Publish**. The agent receives a notification in their inbox to acknowledge the evaluation, and an entry for the published evaluation form is added to the grid in the My Evaluations tab.

Evaluating an Agent Automatically

You can evaluate an agent and publish the [evaluation automatically](#) or [save it as a draft](#).

Benefits

- Automates and scales QA with minimal manual effort.
- Speeds up the evaluation process.
- Ensures consistent, unbiased scoring across interactions.
- Enables broader sampling of agent interactions.

Prerequisites

- **AutoEvaluate** license.
- Set the **Nexidia.Evaluations.EnableAIAutoSuggest** and **Discovery.AutoDiscovery.Enabled** parameters to **true** in the Management Console. Ensure the Discovery service is running.
- Set the **Enable AI Auto-Suggest** template settings to **Yes** and provide a prompt in the **Add a prompt to set the context for AI processing** area.
- Select the **Mark for AI Suggestion** option at question level and provide a prompt when creating or editing a question with reformatting instructions in the Evaluation Form Template for all question types. See Prompt example for evaluating an agent automatically in [Guidelines for Evaluation Form Template Questions](#).
- Set up category-weighted templates with the **Allow N/A** option enabled for all question types.
- Configure the workflow.
- Ensure transcripts are available for selected interactions.

Publish Automatically

Using AI-powered Gen-Insights, evaluations can be completed and published automatically without human intervention. Once configured in the workflow, the system selects interactions, applies AI scoring, and publishes results under a system-assigned evaluator called System User. This reduces manual effort and speeds up the QA process.

How it Works?

1. In the Evaluate step of Workflow in Nexidia Analytics Administration, select the AI template and the **Enable AI - Auto Suggest to answer the selected template and Publish the Evaluation** option. See the *Interaction Analytics User Guide>Edit a Workflow* section to learn more. The system automatically selects interactions based on workflow rules.
2. Gen-Insights scores evaluations using the configured AI template.
 - If the LLM cannot select an answer from the template, N/A is selected by default, and the evaluation will be published.
 - Supports jump or show branching in templates.
 - The transcript is always pre-processed before evaluation, even if the **Pre-process Transcript** template setting is turned off.
 - Avoid enabling both Notes Required and Hide AI Notes options together, as this creates a conflicting configuration. If both are enabled, the Evaluation form will be published with empty notes and will display a red border in the notes text area when it is opened.
 - The [Hide from Agent](#) option is disabled.
3. Evaluations are completed and published automatically. You can view published evaluations in [My Evaluations](#). The evaluator is listed as System User. You can review and edit evaluations based on your privileges and hierarchy.

Save a Draft

Using AI-powered Gen-Insights, evaluations can also be saved as drafts. This lets human evaluators to review and edit AI-generated responses before publishing. It offers a balance between automation and human oversight, making it a recommended best practice.

How it Works?

1. In the Evaluate step of Workflow in Nexidia Analytics Administration, select the AI template and the **Enable AI - Auto Suggest to answer the selected template and save a Draft of the Evaluation** option. See the *Interaction Analytics User Guide>Edit a Workflow* section to learn more. The system automatically selects interactions based on workflow rules.
2. Gen-Insights scores evaluations using the configured template.
 - If the LLM cannot select an answer from the template, N/A is selected by default, and the evaluation will be saved as a draft.
 - Supports jump or show branching in templates.
 - The transcript is always pre-processed before evaluation, even if the **Pre-process Transcript** template setting is turned off.
 - Avoid enabling both Notes Required and Hide AI Notes options together, as this creates a conflicting configuration. If both are enabled, the Evaluation form will be published with empty notes and will display a red border in the notes text area when it is opened.
 - The [Hide from Agent](#) option is disabled.
3. Evaluations are saved as drafts. To view them, go to [My Evaluations](#) and filter by **Evaluation Status>Draft**. The evaluator is listed as System User. Human evaluators can review, edit, and publish the draft manually.

Playing Back Interactions

There are two playback options:

- Click **Play** to start playing the interaction.
- Click **Remote Playback** to log in remotely. After you log in, the Player opens in a new window and the interaction is played back.

If the **Play** or **Remote Playback** buttons are not available, make a note of the Interaction ID and access it directly from the original recording source.

If the **Playback.EnforcePlaybackAuthorization** parameter in the Management Console is set to true, then your administrator can configure you to have permissions for specific sessions, data restrictions, and hierarchies. If you try to play files you do not have permission to play, the following error message displays: "User doesn't have access to view/play the requested media [media_ID]."


Pluggable Player

The pluggable player is a standalone player that opens in a new window when you click an interaction to review. The left side panel is collapsible.

The **Playback.Enable.PluggablePlayerForChat** Management Console configuration enables playback of screen recordings while viewing a chat in the pluggable player.


Chat evaluations with screen recordings - You can click the media file name in the media file area to launch the Pluggable Player with chat interactions and agent's screen recording. The Pluggable Player is not accessible through the <n> media files or external player links.

View Image



Launching the Pluggable Player offers the following benefits:

- Provides a comprehensive view of chat interactions allowing reviewers to simultaneously analyze the agent's screen actions and chat conversations in a unified, interactive playback experience. This leads to more accurate and efficient evaluations.
- Solves the timestamp tracing issue for multiple chats. Earlier, clicking a chat only opened chat bubbles, making it difficult to trace actual timestamps in recordings with multiple chats. Now, when a user clicks a chat with screen recording in the evaluation form, the Pluggable Player launches, aligning chat content with visual context.



External Playback

The External Playback option allows users to access third-party interactions from QC Evaluation Form templates. The tooltip displays the external URL when you hover the mouse over the external link. The external playback link in the metadata requires configuration from the customer.

If you try to play or download a locked CXone interaction, you will see an error message. The interaction might be locked to prevent media playback for VIP calls or for interactions older than 3 months. To unlock the interaction, contact your administrator.

You can control the display of internal media link. To hide the internal media link, go to Evaluation Portal > QC Admin > Localization > Settings, and select **Hide internal media link in EFI**.

→ **To configure external playback:**

1. In the QC Portal from Administration > Settings, select from the dropdown which metadata field in the evaluation form template will link to the third-party interaction. Click **Save**.
2. To add an external link to a template, you must add the relevant metadata category to the template Metadata section. Add the relevant field, click **Add**, and then click **OK**.

The screenshot shows the 'Evaluation Form' configuration page. On the left, there's a sidebar with 'CATEGORIES' and 'MEDIA FILE' sections. Under 'MEDIA FILE', 'External Link' is highlighted with a red box. The main area shows 'CATEGORY A' with a table of questions (List Q1, List Q3, List Q4) and their points. The 'External Link' option is visible in the Media File section.


3. The External Link will display as an option in the Media File section of the Evaluation Form Template.

You can view the following during playback:

Customer and agent information is displayed in the waveform. When you play back interactions using the **Play** button, you can view and add:

- General notes
- Notes on a specific location within the interaction
- Tags

Playback is site-dependent. Agent and supervisor privileges depend on the administrator's system configuration. For example, agents can edit and delete their notes, and supervisors can edit and delete anyone's notes.



The player's left side shows the hits, metadata of the interaction, and the Topic AI data (Summary, Intents, Actions and Outcomes). You can also search for keywords in the player.

The following controls are available while you are listening to an interaction:

- Evaluate - Evaluate an agent.
- Hit Marks - The vertical color-coded lines that signify the location of the hits within the file. Hit marks identify non-talk time and the search terms, queries, and term lists used.
- Add Note - Add a note about a selected hit.
- Toggle Segments - Toggles customer or agent crosstalk and non-speech segments. Crosstalk is identified by shading the area of both the agent and customer channels for the duration of the crosstalk.
- Loop Segment - Repeats the segment.
- Skip Non-Speech - Skips over non-speech in the call.
- Previous Hit - Plays the previous hit.
- -10 - Goes backward 10 seconds.
- Play/Pause - Starts and stops playback.
- +10 - Goes forward 10 seconds.
- Next Hit - Plays the next hit.
- Speed Control Slider - Displays current speed rate.
- Volume Control Slider - Raises or lowers volume.
- Toggle Screen - Toggles a view in a video file.

When two or more agents are recording their screens, only the screen of the agent who is being evaluated is played back.

To learn how to add notes to an interaction, see [Adding Notes to an Interaction](#) on the facing page.

To learn how to assign a tag to an interaction, see [Assigning a Tag to an Interaction](#) on the facing page.

Adding Notes to an Interaction

To learn how to assign a tag to an interaction, see [Assigning a Tag to an Interaction](#) below to learn more.

→ To add notes to an interaction:

1. Select the interaction file that you want to add a note to.
2. Click **Notes & Tags**.
3. Enter comments in the Note Edit box.
4. Click **Add**.

→ To add a note to a specific location in the interaction:

1. Select and play the interaction file that you want to add a note to.
2. When you reach the desired location in the playback, click **Add Note**.
3. Enter comments.
4. Click **Save**.

Assigning a Tag to an Interaction

You can assign or un-assign an existing tag to associate it with an interaction file from the Manage Tags list in Administration. To learn how to add notes to an interaction, see [Adding Notes to an Interaction](#) above.

When you un-assign a tag, it disconnects from the related interaction file. But, it continues to be present in the Manage Tags list of the Administration and the Tags tab under the Search.

→ **To assign a tag to an interaction:**

1. Select the interaction file.
2. Click **Notes & Tags**.
3. Check the checkbox beside the tag you want to assign to the selected interaction.

Viewing Evaluations

In the grid, the evaluations that your evaluator sets to ignore are grayed out. You can still select and see the grayed-out evaluations. Under the grid, you can see:

- The date range of the search results.
- The number of evaluations.
- The average score of published evaluations, excluding any evaluation templates defined as Exclude score from average evaluation calculation.
- The hierarchy level metadata that you have selected using Settings.

You can control the selection of hierarchy levels available through metadata using the Visible check box available under the Hierarchy tab in the Management Console.

When you delete an evaluation form, it will not show up in the user screen or reports anymore. But, it stays in the database until it ages out of the system.

You can view the date and time of the published evaluation, which is stored in UTC format (Coordinated Universal Time). When a user opens the published evaluation, the system converts the UTC time to the user's local time zone. So, users in different time zones may see different dates and times for the same published evaluation.

The evaluations displayed here are based on the data restriction configured.

The data restriction will not be applicable if you have:

- **Override Access Rights**
- Given access in the **Grant Access To field** while performing the evaluation.

ID	EVALUATOR	TEMPLATE	AGENT	SCORE	AGENT SCORE	PUBLISHED	ACKNOWLEDGED ON	NOTES	COACHED	APPEALED	SUPERVISOR	FOLLOW-UP
1356	Jim Bush	AI Template	Ruth Carey	12.00 / 60 - (20.00%)		11/7/2024 4:16:37 AM		np			Jim Bush	
1355	Jim Bush	AI Template	Ruth Carey	60.00 / 60 - (100.00%)		11/7/2024 4:15:45 AM					Jim Bush	
1354	Eval Uator	trump	Zacharie Calladine	11.00 / 11 - (100.00%)		11/7/2024 4:13:15 AM		p			Jim Bush	
1348	Shiv QA	AI Template	Ruth Carey	60.00 / 60 - (100.00%)		11/7/2024 3:13:50 AM					Jim Bush	
1347	Evaluator Test 1	trump	Cliff Paj	7.33 / 11 - (66.64%)		11/7/2024 2:48:02 AM		save			Jim Bush	
1342	Default Administrator	Report Template - Copy (4)	Ruth Carey	0 / 0 - (0.00%)		11/6/2024 8:31:18 AM			11/06/2024		Jim Bush	
1341	Jim Bush	AI Template	Cliff Paj	12.00 / 60 - (20.00%)		11/6/2024 8:17:13 AM					Jim Bush	
1323	Shiv QA	Custom weighted	Ruth Carey	70.00 / 130 - (53.85%)		11/6/2024 6:55:07 AM					Jim Bush	
1305	Eval Uator	Mandatory Notes	Ruth Carey	140.00 / 150 - (93.33%)		11/6/2024 3:25:23 AM		ttttt			Jim Bush	
C-1300	Jim Bush	AI Template	Ruth Carey	12.00 / 60 - (20.00%)		11/5/2024 11:57:45 PM					Jim Bush	
1295	Default Administrator	Show Branching Yes/No	Ruth Carey	5.00 / 5 - (100.00%)		11/5/2024 6:51:22 AM			Closed		Jim Bush	
1294	Default Administrator	Show Branching Yes/No	Ruth Carey	5.00 / 5 - (100.00%)		11/5/2024 6:40:21 AM			Closed		Jim Bush	
1292	Default Administrator	Show Branching Yes/No	Ruth Carey	7.00 / 8 - (87.50%)		11/5/2024 5:53:05 AM			Closed		Jim Bush	
1291	Default Administrator	Show Branching Yes/No	Ruth Carey	4.00 / 10 - (40.00%)		11/5/2024 5:28:47 AM			Closed		Jim Bush	

Items: 1 - 14 of 14


Between 10/09/2024 and 11/08/2024 you published 13 evaluations, with an average score of 69.33% (1 evaluations not counted)

➔ To view an interaction:

- Filter on one or more filters at a time:
 - ID Contains** - enter numbers or letters to filter the display. Entering C displays all evaluations that are part of calibrations. Entering S displays all the self-evaluations.
 - From and To** - filter by published date.
 - Row Contains** - searches the entire row for the specified text in any column. Do not enter any special characters. When you are using filter, ensure that you select the correct search date in the From and To fields. Depending on the configuration in the Management Console, the search days vary. If the search dates do not match the configured value, a warning message displays.
 - Self-Evaluations Only** - filter to include only self-evaluations.
- To display the filtered evaluations, click **View**. A list of evaluations is displayed in the grid. You can change the default view of the grid or manually change the width of the columns. Click  **Settings** to add or delete columns as needed. User preferences are saved until they are changed by the user.
- To see the interaction that you are looking for, select the evaluation ID from your list.

4. Review the interaction:

- For audio interactions, click **Play/Pause**. The Search function opens and the file playback launches.
- The primary file name is displayed in the Interaction File area above the player buttons, and any available metadata configured for the selected template appears in the Metadata grid. This form references <nbr> files display below the player buttons and indicates the total number of files associated with the evaluation. You can click the <nbr> **files** link to launch Search with each of the files related to this evaluation display. See [Playing Back Interactions](#) to learn more.
- To play interactions located externally, click **External Playback**. You can specify the external target's URL in Administration > Localization > Language and Accessibility. See [Playing Back Interactions](#) to learn more.
- For chat, email, and text talks, click the file name to see what's inside in the Metadata grid. If you want, can expand the contents into a movable dialog box as needed.
In the My Evaluations tab, search filters help you sort and arrange your evaluations based on evaluator, agent, and date.
- For chat evaluations with screen recordings, click the media file name in the media file area to launch the Pluggable Player with chat interactions and agent's screen recording. See [Playing Back Interactions](#) on page 34 to learn more. The Pluggable Player is not accessible through the <n> media files or external player links.


[View Image](#)

Viewing Evaluation History

You can view the previous events associated with the evaluation form.

→ To view history for an evaluation:

1. Click **History** on the evaluation form.



The screenshot shows a window titled "Evaluation Form History" with a "CLOSE" button in the top right corner. The window contains a table with the following data:

User	Date Modified	Previous Score	New Score	Action
Default Administrator	6/1/2017 2:17:21 PM	80.00 / 100 - (80.00%)	80.00 / 100 - (80.00%)	Viewed Form via Evaluations
Default Administrator	6/1/2017 2:16:19 PM	80.00 / 100 - (80.00%)	80.00 / 100 - (80.00%)	Viewed Form via Evaluations
Brenda Gills	5/25/2017 1:50:10 PM	80.00 / 100 - (80.00%)	80.00 / 100 - (80.00%)	Viewed Form via Portal
Brenda Gills	5/23/2017 10:46:53 AM	80.00 / 100 - (80.00%)	80.00 / 100 - (80.00%)	Viewed Form via Portal
Brenda Gills	5/23/2017 10:40:22 AM	80.00 / 100 - (80.00%)	80.00 / 100 - (80.00%)	Viewed Form via Portal
Brenda Gills	5/23/2017 10:27:58 AM	80.00 / 100 - (80.00%)	80.00 / 100 - (80.00%)	Viewed Form via Portal
Mary Butler	5/22/2017 2:09:55 PM	80.00 / 100 - (80.00%)	80.00 / 100 - (80.00%)	Viewed Form via Portal
Brenda Gills	5/22/2017 2:08:19 PM	80.00 / 100 - (80.00%)	80.00 / 100 - (80.00%)	Viewed Form via Portal
Meenakshi Inchi	5/22/2017 1:59:09 PM	80.00 / 100 - (80.00%)	80.00 / 100 - (80.00%)	Viewed Form via Portal

2. View the previous events associated with the evaluation form:
 - The original evaluation
 - Coaching data that was added or edited
 - Coaching verification
 - Previous appeals and their rulings
 - Audit information
 - Information about when the evaluation was viewed or edited
3. Click **Close**.

Performing a Self-Evaluation

At times, your supervisor might ask you to evaluate your performance. When your supervisor wants you to evaluate yourself, it shows in bold font on the evaluations page. If the template lets you see or change the notes, you can see the question, category, and evaluation level notes.

You can also start a self-evaluation by clicking **Evaluate** as follows:

- With media: Dashboard > Interaction Scorecard > Examples > select the media to evaluate
To turn on Examples, use the Management Console. If you need more help, ask your system administrator.

- Without media: Evaluations grid

What is the difference between a self-evaluation a supervisor initiates and a self-evaluation an agent initiates?

SUPERVISOR-INITIATED	AGENT-INITIATED
The evaluation is included in reporting.	The evaluation is not included in reporting.

→ To perform a self-evaluation:

- Click the ID for a self-evaluation.

ID Contains

From 11/01/2025

to 12/01/2025

Row Contains

☐ Self-Evaluations only

VIEW


PRINT

EVALUATE


ID	EVALUATOR	TEMPLATE	AGENT	SCORE	AGENT SCORE	PUBLISHED *	ACKNOWLEDGED ON		NOTES	COACHING REQUEST	COACHED	STATUS	FOLLOW-UP
S-1329	Test user	Calibration Template	Carl Del		18.00 / 45 - (40.00%)	12/1/2025 3:49:10 AM						Published	
S-1327	Test user	Calibration Template	Carl Del		0 / 0 - (0.00%)	12/1/2025 3:01:22 AM						Published	

- For agent-initiated self-evaluations, in the Evaluation Form, select an evaluation form template by clicking **Change**.
- If there is an interaction file associated with the self-evaluation, you can review it:
 - For audio interactions, to launch the file playback, click **Play/Pause** in the **Media File** area. Click **Stop** when you finish listening to the media file. See [Playing Back Interactions](#) on page 34 to learn more.
 - For chat evaluations with screen recordings, click the media file name in the media file area to launch the Pluggable Player with chat interactions and agent's screen recording. The Pluggable Player is not accessible through the <n> media files or external player links.

View Image



- For chat, e-mail, and text interactions, to display the contents in the **Metadata** grid, click the file name. You can expand the contents into a movable window as needed.



4. Complete the questions for the selected category in the **Category** grid:

- If a hint has been provided for a question, a **Hint** link displays next to it. Click **Hint** (and attachments if any) to view the hint for the question.
 - Questions may have default answers, which you can change.
 - Some of your answers may cause failure of the current category or even the entire evaluation. You receive a warning message if this situation arises.
 - You can also create a note for certain responses you give.
 - The score initially displays as *Score: 0/0* unless the template has default answers. Default answers are taken into account from the time the evaluation form is opened. As you complete the self-evaluation, the scores automatically update. Depending on how the form was created, you may or may not see updates to the *weighted score*.
5. You can create a note for the selected category in the **Notes for <category name>** box.
 6. Select the next category by either:
 - Clicking **Next: <category name>**.
 - Selecting the category in the **Categories** box.
 7. You can write notes for a category up to 10,000 characters. Click the **Expand** icon to add or change the text in the notes.
 8. Complete the above steps for the remaining categories.
 9. If you click **Save & Close** before publish, the Time to Publish message displays.

Information

The time to publish is still on and counting. To stop the Time to Publish counter, clear the Add Draft mode time in Time to Publish checkbox under Settings.

☐ Don't remind me the above message again.

OK

The time you take to evaluate your work keeps adding up until it's published. To count only the time you spend editing and not the saved draft time, uncheck the **Add Draft mode time in Time to Publish** box under Settings.

The Time to Publish message is displayed only when the **Add Draft mode time in Time to Publish** checkbox is selected. The change in the checkbox selection does not change the time to publish calculation method for the evaluations that are complete or are in progress.

- Click **Publish**. An entry for the published self-evaluation is displayed in the grid in the **My Evaluations** tab for your supervisor, in addition to the **Evaluations Portal** grid. The **Publish** button is enabled after you have completed all required questions in the evaluation form. Depending on how your system is configured, you can subsequently edit your self-evaluation for some specified time. Once that time has passed, and if the evaluator has published the self-evaluation, you can view the evaluator's data for the form.


Sharing Evaluations

Once the email is set up on the server, admins can select who can send emails from the evaluation form template. In the Main Portal > Administration tab, admins choose which evaluators can use their templates to send emails. If they have permission, they can share their forms through email.

Watch the Video

→ To configure the template emailing function:

1. Go to **Administration > Security > Profiles**. Select a profile and click **Edit**.
2. In Privileges, enable the **Allow On Demand EFI Emailing** privilege for the relevant evaluators and click **Save & Close**. In Privileges, turn on the **Allow On Demand Efi Emailing** for evaluators who need it. Click **Save & Close**



3. In Evaluation > Evaluation Form Templates, select a template and click **Edit**.
4. In Properties > Settings > Enable Emailing, select **Yes**. Click **Save** to continue working or, if you are finished making changes, click **Save and Close**. An **Email after publishing** checkbox displays at the top of unpublished evaluation form templates.

The screenshot shows the 'Evaluation Form' interface. At the top, there's a 'Template' dropdown set to 'Template 0422' and a 'CHANGE' button. To the right, 'Grant access to' is set to '(Name Contains)'. A red box highlights the 'Email after publishing' checkbox, which is currently unchecked. Below this, there's a section for 'CAT 1' with a score of '0.00 / 2.00' and a total of '0.00 / 23'. A table with columns 'QUESTION', 'ANSWER', 'POINTS', and 'NOTES' is visible, showing a single question with a score of '/ 2'.

Published templates will have an **Email** button added to the options at the bottom of the screen.

This screenshot shows the 'Evaluation Form' after publishing. The 'Template' is now 'Test Template'. The 'Email after publishing' checkbox is now checked. The 'CAT 1' section shows a score of '2.00 / 2.00' and a total of '5.00 / 5'. The table shows a question with a score of '2 / 2'. At the bottom, there's a row of buttons: 'HISTORY', 'DELETE', 'Ignore this Evaluation', 'EDIT...', 'PUBLISH', 'EMAIL' (highlighted in red), 'COACHING...', 'PRINT', and 'CLOSE'. There are also sections for 'Notes for Cat 1' and 'Notes for entire Evaluation'.

5. In My Evaluations, select the template with e-mail enabled and click **Evaluate**. When you finish and click **Publish**, the e-mail pop-up screen opens.

Email EFI

Available Recipients:

Representative, Agent's - agentrep
Report Creator, Analyst - analyst
Test, Auditor - auditor
Gills, Brenda - bgills
Leader, Calibration - calibleader
Test 1, Evaluator - eval1
Test 10, Evaluator - eval10
Test 2, Evaluator - eval2
Test 3, Evaluator - eval3

ADD

REMOVE

Send To:

E-mail Subject

Files from QUALITY CENTRAL

E-mail Text

☐ Send E-mail to Agent
☐ Include name of the sender
☐ Attach the Evaluation in pdf format
☐ Add link to the Main portal
☐ Add link to the Evaluations portal

☐ Include Metadata in E-mail

Available Metadata Fields:

Agent
Date/Time
Evaluator

ADD

REMOVE

Included Metadata Fields:

Assign a due date to the recipient? days from today

Here you can:

- Select from a list of recipients. Recipients that display in Red or Grey do not have an e-mail configured.
- Edit the e-mail subject and body text.
- Include the agent as a recipient by checking the relevant checkbox. By default, the agent is not included.
- Include the name of the sender or send the evaluation anonymously.

- Send the evaluation as an attachment in .pdf format. The evaluation score is displayed in the .pdf only if the sender has View Score access permissions. PDF size is limited by the e-mail settings configured in the SMTP. The attachment may fail if the PDF size exceeds the configured size.
- Include a link to the Main portal.
- Include a link to the Evaluations portal.
- Include or exclude metadata fields from the enclosed evaluation.
- Assign a due date to be included in the subject line of the e-mail. This sets a deadline for actions to be completed by the recipient.

SUPERVISOR TASKS

Supervisors typically:

- Find interactions. Supervisors can find agent interactions to review and evaluate using several methods:
 - Workflow-assigned via queues. Workflows direct relevant interactions to pre-defined groups of evaluators. The evaluators then select the interactions to evaluate, select an evaluation form template to base the evaluation on, and respond to the questions in the evaluation form template. See [Evaluations](#) on page 13 to learn more.
 - Track performance with the Evaluate Scorecard report. This report shows agent performance tracked against quality initiatives that your organization defines. You can drill down to the Search module to review the interactions behind the performance data. See [Evaluation Scorecard Reports](#) on page 125 to learn more.
 - Track performance with operational management reports. These reports provide additional flexibility and options for monitoring agent conformance can drill down to review the interactions. If your organization uses these reports, they are typically set up for you by an analyst or administrator and are usually saved to a Public Reports folder.
- Review interactions. Whether you drilled down from a report or found the interactions in Search, you can review representative interactions by the agent to completely understand how they are performing.


- Evaluate agents. Select one or more interactions to evaluate and click **Evaluate**. This opens an Evaluation form that you will use to record and publish the evaluation. You can review and track all published evaluations for your team on the My Evaluations window. See [Evaluations](#) on page 13 to learn more.

Team Portal and My Portal

The Team Portal and My Portal menus are only available if your server has Portal installed. You can see the portals depending on the role you have logged into (either agent or supervisor). With the Portal installed, an "End User," with both an agent role and supervisor role, can open their Agent Portal in one tab and their team portal in another.

Team Portal

The Team Portal lets you view your evaluations as an evaluator or the evaluations or interactions shared with you. You can also view any interactions that belong to your metadata hierarchy or any other interactions you would see when logged in as a supervisor.




When you hover over the Team Portal, you can view the following:

- **Team Evaluations** - You can view your evaluations or evaluations shared with you.
- **Team Dashboard** - You can view the dashboard associated with your supervisor metadata associations.
- **Shared Files** - If you have the privilege of Shared File Set Access, you can view the interaction files shared with you. Go to Shared Files from the Team Portal to view the shared interactions. On the left, under the file set name column, select the name of the shared file set. The subject and content of the shared e-mail are displayed. Click the **View File Set** button to go to the Media Player page and act on the shared interactions.

My Portal

My Portal lets you view the agent's evaluations, dashboard, and behavior (enlighten) dashboard.



When you hover over the My Portal, you can view the following:

- **Evaluations** - You can view the self-evaluations and evaluations that were done with you as the agent.
- **Dashboard** - You can view the dashboard associated with your agent metadata associations.
- **Behaviors Dashboard** - You can view the dashboard statistics associated with your agent metadata associations.

Creating a Notification


The Notifications tab lets you configure the alerts for users to see when they go to the Evaluations area of the application.

When you first go to the Evaluations area of the application, you will see Notifications. You can also find these notifications by clicking the Notifications link in the top right corner of all Evaluations tabs if there is at least one alert to see.

A screenshot of a web application interface showing the 'NOTIFICATIONS' tab. The top navigation bar has several tabs: 'EVALUATION FORM TEMPLATES', 'MY EVALUATIONS', 'AUDITS', 'APPEALS', 'CALIBRATIONS', 'SELF-EVALUATIONS', and 'NOTIFICATIONS' (which is active). Below the tabs, there are icons for 'New', 'Edit', 'Delete', and 'Preview Form'. A checkbox labeled 'Active notifications only' is checked. To its right is a text input field labeled 'Notification contains' followed by a 'SHOW' button. Below this, there is a table with four columns: 'Notification Text', 'Start Date', 'End Date', and 'Active'. The table is currently empty, and a message at the bottom states '(No Notifications match your search criteria)'.

→ To create a notification:

1. Go to **Evaluations > Notifications**.
2. Click **New**.



The screenshot shows a 'Notification' form. At the top, the title 'Notification' is displayed in blue. Below it, the 'Notification Text:' label is followed by a large, empty text area with a vertical scrollbar on the right. Underneath the text area, the 'Activate Dates:' section contains two checkboxes: 'Specify Start Date (open)' and 'Specify End Date (open)', each followed by a small calendar icon. At the bottom right of the form, there are two buttons: 'OK' and 'CANCEL'.

3. Enter the notification text. The Notification text is required, and has a maximum length of 1000 characters.
4. To specify a start date, select **Specify Start Date** and the beginning active date for the notification. The start date can be in the future. If you do not select the start date, the Notification is active immediately and remains active until you manually remove it or the specified end date is reached.
5. To specify an end date, select **Specify End Date** and the ending active date for the notification. Both the start date value and the end date value can be specified as future dates. The end date must occur after the start date. If you do not select an end date, the Notification is active indefinitely and remains active until you manually remove it.
6. Click **OK**.
7. You can click **Preview Form** to see how the notification looks.

Creating an Audit Report

You can create an audit report of users and events.

➔ To create an audit report:

1. Go to **Administration > Audit Report**.

Audit Users and Events

View Report Reset

USERS TO INCLUDE

Available Users: (Name Contains)

Eval, Eval - (Evaluator20118)
K, S - (santosh1)
K, S - (santosh2)
Administrator, Default - (superuser)
Gills, Meenakshi - (Supervisor200000)
Gills, Meenakshi - (Supervisor200001)
Gills, Meenakshi - (Supervisor200002)

Select >> << Remove

Select All

Selected Users: Add From List... Save List...

Bush, Jim - (jbush)
Joshi, Meenakshi - (mjoshi)
Walker (TW), Mary - (mwalker)
Harris (TW), Edward - (EHarris)

Show Inactive Users

☒ Select All

DATE

Start Date: 7/10/2017

End Date: 7/16/2017

TIME

☒ Any time of day

☐ Only include activity that occurred between

Start: 12 : 00 AM End: 11 : 59 PM

Date / Time Reference: Server

FILE DATA TO INCLUDE

Find field: (Name Contains) (Clear)

ACTIONS TO INCLUDE

Available Actions: (Name Contains)

Case - Activated
Case - Added File
Case - Created
Case - Deactivated
Case - Deleted
Case - Exported
Case - Notes
Case - Removed File
Evaluation Form - Coached
Evaluation Form - Deleted
Evaluation Form - Ignored
Evaluation Form - Published
Evaluation Form - Viewed
Files - Played / Viewed
Files - Assigned to other users
Files - Created, edited, or deleted Notes
Files - Downloaded/Saved
Logged in to the system
Logged out of the system
Profiles - Added to the system
Profiles - Changed Privilege associations
Searches Conducted
Security - Account locked / unlocked
Security - Password changed / reset
Sessions - Added / Removed / Search

Select >> << Remove

Select All

Selected Actions: (Name Contains)


Include the most recent ... events: 1000

2. Select the users to include in the report:
 - In the **Available Users** list, select the users you want to use, and then click **Select**.


- In the **Name Contains** field, enter text to narrow the list of available users that are displayed in the Available Users list. When you enter text, results are returned for the Login Name, Last Name, or First Name. Combinations of these are not returned.
- Click the **Add from List...** link to display the Lists window where you can select a saved list of users for your report. When you click **OK**, the users from the selected list appear in the Selected Users list.

When at least one user is listed in the Selected Users list, the **Save List...** link is enabled. When you click the **Save List...** link, a window displays where you can enter a unique name for the list of users, and save the set of users which are currently in the Selected Users list for future audit reporting access.

3. Select the date range for which you want to report in the **Start Date** and **End Date** fields.



4. In the Time area, select **Any time of day**, or **Only include activity that occurred between** and select the **Start** and **End** times.



5. Select if you want the time settings to be based on the time and date settings of the client computer or the server computer in the **Date/Time Reference** drop-down.
6. To include an additional metadata field in the audit report as an additional column, select a field from the **File Data to Include** area.

7. Select the actions you want to include in the report from the **Available Actions** list and click **Select >>**.
8. Select the number of events you want to display from the **Include the most recent ... events** drop-down.
9. Click **View Report**.

The screenshot shows a 'REPORT DETAILS' window with the following configuration:

- Buttons: Export, Close, Settings
- Section: REPORT DETAILS
- Filters: Users: Specified Users, Start Date: 7/11/2017, End Date: 7/17/2017, Start Time: 12:00 AM, End Time: 11:59 PM
- Actions: Accessed Shared File Set, Activated a Case, Added File to a Case, Created a Case, Deactivated a Case, Deleted a Case, Exported Case Contents, Case Notes, Removed File from a Case, Coached Evaluation Form, Deleted Evaluation Form, Ignored Evaluation Form, Published Evaluation Form, Viewed Evaluation Form, Assigned File to User, Notes, File Save/Download, E-Mailed File Information, Reviewed File, Played / Viewed File, User Login, User Logout, Added Profile, Profile, Deleted Profile, Checked in Queue, Checked out Queue, Created Queue, Deleted Queue, Created, Edited, or Deleted Queue Group, View Interaction, View Interaction History
- Section: REPORT DATA

LOGIN ID	LAST NAME	FIRST NAME	MEDIA FILE	ACTION	SERVER DATE/TIME	CLIENT DATE/TIME	NOTES
TWSuperuser	Superuser	Technical Writer	AULU1039.wav	Assigned File to user	7/13/2017 1:47:43 PM	7/13/2017 1:47:43 PM	Assigned to: user "TWSuperuser"
TWSuperuser	Superuser	Technical Writer	AOL01039.wav	Assigned File to User	7/13/2017 1:47:43 PM	7/13/2017 1:47:43 PM	Assigned to: user "TWSuperuser"
TWSuperuser	Superuser	Technical Writer	AOL01039.wav	Played / Viewed File	7/13/2017 1:46:10 PM	7/13/2017 1:46:10 PM	
TWSuperuser	Superuser	Technical Writer		Search Executed	7/13/2017 1:45:45 PM	7/13/2017 1:45:45 PM	(no search term was entered)
TWSuperuser	Superuser	Technical Writer	05212005-578 - Copy.wav	Assigned File to User	7/13/2017 1:45:25 PM	7/13/2017 1:45:25 PM	Assigned to: user "TWSuperuser"

10. To change or remove columns in the report, click **Settings**, reorder the columns and/or add/remove as needed, and click **OK**.
11. To export the report to Excel, click **Export** and select **Open** or **Save**.

Creating a Teams Behavior Dashboard

Only internal NiCE users with admin or superuser privileges can create and configure the Enlighten dashboard to enhance your support experience. If you have any questions, please contact your NiCE Nexidia representative.

Creating an Enlighten dashboard offers the following benefits:

- A centralized QC Administration Portal page for Enlighten Dashboard configurations, ensuring efficient management.
- Provides optimal user experience for each Line of Business.
- Provides multiple dashboards per customer, defined by group or profile.

You can create both a default and a custom Enlighten dashboard. The default dashboard will be accessible to all users based on their profile access, while custom dashboards can be created for each Line of Business for specific profiles.

To create a default Teams Behavior dashboard:

1. Set the **Nexidia.Portal.Enlighten.EnableDashboardConfiguration** parameter to **true** in the Management Console.
2. In the QC Portal, go to **Administration > Team Behaviors Dashboard**. The Enlighten Behavior Dashboard page is displayed.
3. Click **+Create Behaviors Dashboard**.

View image

Create Behaviors Dashboard

Name: Default Enlighten Dashboard

Description: Default Enlighten Dashboard

Active: ☒

Start Day Delta: -7

End Day Delta: -1

Behavior Columns: [Select All](#)

Type something here

+ Add

AcknowledgeL... x

Save Cancel

- a. In the **Name** field, enter the name for the dashboard. The name must not exceed 50 characters.

- b. In the **Description** field, enter a description for the dashboard.
 - c. In the **Active** field, switch the toggle to the on position to turn the dashboard on for assigned users. Only active dashboards appear on the QC UI.
 - d. In the **Start Day Delta** field, enter the number of days in the past for the start of the Enlighten Portal Dashboard period. The default value is -7, i.e. the start period will be 7 days before the media ingestion date. For example, if the media ingestion date is 12 May 2025, the start date of the period will be 5 May, 2025 (12-7).
 - e. In the **End Day Delta** field, enter the number of days in the past for the end of the Enlighten Portal Dashboard period. The default value is -1, i.e. the end period will be 1 day before the media ingestion date. For example, if the media ingestion date is 12 May 2025, the end date of the period will be 11 May, 2025 (12-1). The maximum date range allowed is 31 days.
 - f. In the **Behavior Columns** field, the behavior columns you have set up in the Management Console are shown. Type to auto-select a behavior and click **+Add**.
4. Click **Save**. The default dashboard created will be represented by . Click  to edit the dashboard details.

To create a custom Teams Behavior dashboard:

1. Set the **Nexidia.Portal.Enlighten.EnableDashboardConfiguration** parameter to **true** in the Management Console.
2. In the QC Portal, go to **Administration > Team Behaviors Dashboard**. The Enlighten Behavior Dashboard page is displayed.
3. Click **+Create Behaviors Dashboard**.

View image

 Create Behaviors Dashboard 

Name

Standard Dashboard 

Description

Active

☒

Start Day Delta

-7 

End Day Delta

-1 

Behavior Columns

Select All

Type something here

 Add

AcknowledgeL... 

Profile Access

Type something here

 Add

Agent Group Access

Type something here

 Add

Save

Cancel

4. In the **Name** field, enter the name for the dashboard. Use a standard naming convention (e.g., LOB-Support-Q1). The name must not exceed 50 characters.
5. In the **Description** field, enter a description for the dashboard.
6. In the **Active** field, switch the toggle to the on position to turn the dashboard on for assigned users. Only active dashboards appear on the QC UI.
7. In the **Start Day Delta** field, enter the number of days in the past for the start of the Enlighten Portal Dashboard period. The default value is -7, i.e. the start period will be 7 days before the media ingestion date. For example, if the media ingestion date is 12 May 2025, the start date of the period will be 5 May, 2025 (12-7).
8. In the **End Day Delta** field, enter the number of days in the past for the end of the Enlighten Portal Dashboard period. The default value is -1, i.e. the end period will be 1 day before the media ingestion date. For example, if the media ingestion date is 12 May 2025, the end date of the period will be 11 May, 2025 (12-1).
The maximum date range allowed is 31 days.
9. In the **Behavior Columns** field, the behavior columns you have set up in the Management Console display. Type to auto-select a behavior and click **+Add**.
10. In the **Profile Access** field, you can see the list of profiles. Select the profile and click **+Add**. When a profile is added to a dashboard, users with that profile will be able to view it in their Behavior tab. For example, assigning Supervisor Demo 1 profile enables that specific group of users to see the dashboard configured for their agents.
11. In the **Agent Group Access**, select which agent groups can access the dashboard and click **+Add**.
The dashboard that is added for the first time is the default dashboard.

Click  to edit or delete the custom dashboard.
12. Click **Save**.


Manage Cases

A case is a collection of interactions grouped for a specific purpose. For example, you might have a case to collect calls that are good examples for coaching or training. To add a call to a case manually, click on a specific interaction, or automatically, according to a workflow.

When you select the Cases tab in Search, all active cases that you have access to are displayed in the Results for... grid. Also, all your active cases are selected in the Case/Filters parameter selection.

Available Actions

- Drill into a case to see all files that are in it by clicking **View**.
- View the notes pane where you can add notes for this file or upload a file to the note.
- Review the history of system and user events for the selected file. The history displays the activity that occurred, the date and time, and the associated user.
- View the attachments for the case.
- Manage the cases you have access to, including add, view, deactivate, activate, export or delete cases.
- Export to add a .csv file or files to the job queue.




The screenshot shows the 'Manage Cases' interface. At the top, there are tabs for 'Cases', 'My Queue', and 'Search'. Below these are 'Settings' and 'History' icons. The main heading is 'Results for: All Cases'. Below this is a toolbar with icons for 'Notes', 'History', 'Attachments', 'Manage Cases', and 'Export'. The table below has columns: CASE NAME, INTERACTIONS, TOTAL DURATION, STATUS, USERS, CREATED, and LAST MODIFIED. There are two rows of data: 'Angry Customer' and 'Dispatch'.

	CASE NAME	INTERACTIONS	TOTAL DURATION	STATUS	USERS	CREATED	LAST MODIFIED
☐ View	Angry Customer	3	00:00:00	Active	1	7/19/2017 11:07:0...	7/19/2017 11:07:1...
☐ View	Dispatch	4	00:00:00	Active	1	7/19/2017 11:08:4...	7/19/2017 11:13:3...

Creating a Case

→ To create a case:

1. Go to **Search > Cases > Manage Cases**.
2. Click **New**.



Create New Case

Case Name:

Description:

OK **Cancel**

3. Enter a case name and description.
4. Click **OK**.
5. Click **Yes** to activate the case.

Adding Files to a Case

You must have *full control* access to a case to add files to it.

➔ To add files to a case:

1. Go to **Search** or **My Queue**.

Notes Tags History Review Transcript Evaluate Assign Assign To Me Manage Cases Export Save Add To Case Add To Workflow												
☐	INTERACTION TY...	SCORE	DATE/TIME	DURATION	AGENT	SUPERVISOR	SITE	DIRECTION	DNIS	TYPE	CUSTOMER ID	CITY
☐	Audio		6/29/2017 2:39:09 PM	00:00:00	* No Agent Val...	* No Superviso...	* No Site Value *	* No Direct...		* No Type Val...	* No Custom...	* No City Value *
☒	Audio		6/29/2017 2:38:02 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2265	Modem Rebate	171277	Blacksburg
☒	Audio		6/29/2017 2:38:02 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2277	Account Bala...	538233	Blacksburg
☒	Audio		6/29/2017 2:38:02 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2265	Service Inquiry	363942	Blacksburg

2. Select the files you want to add to a case and click **Add to Case**.

Add to Case

Find Case: (Name contains)

NAME	DESCRIPTION
Angry Customer	
Dispatch	

Items: 1 - 2 of 2 < Previous Page Page 1 of 1 Next Page >

+ CREATE NEW CASE...

Notes:

(Notes added here will be added to the Case itself - not to the file(s) you are currently adding to this Case.)

OK Cancel

3. To add a case, click **+ Create new case**. See [Creating a Case](#) on page 62 to learn more.
4. Select a case and add case notes as needed.
5. Click **OK**.

View Case Results

You can drill down into a case from the **Cases** tab and view the files and interactions. See [Manage Cases](#) on page 62 to learn more.

Available Actions

- View the notes pane where you can add notes for this file or upload a file to the note.
- View and change tags for this file.
- Mark this file as reviewed.
- Evaluate the interaction.

- Assign the file to yourself or another user.
- Save the items with the media files.
- Share the files with available users.
- Email a link to the files and their associated information to a recipient who is a user of the queue the files were sent from.
- Review the history for system and user events for the selected file. The history displays the activity that occurred, the date and time, and the associated user.
- View the attachments for the case.
- Manage the cases you have access to, including add, view, deactivate, activate, export, or delete cases.
- Export to add a .csv file or files to the job queue.
- Add or remove from case. When a file is removed from a case, the data aging exemption is also removed.
- Add to a workflow.

Results for: Angry Customer

	INTERACTION TY...	SCORE	DATE/TIME	DURATION	AGENT	SUPERVISOR	SITE	DIRECTION	DNIS	TYPE	CUSTOMER ID	CITY
☐	Audio		6/29/2017 2:38:02 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2265	Modem Rebate	171277	Blacksburg VA
☐	Audio		6/29/2017 2:38:02 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2277	Account Bala...	538233	Blacksburg VA
☐	Audio		6/29/2017 2:38:02 PM	00:00:00	Adam Nimish	Misha Graves	India	Inbound	2265	Service Inquiry	363942	Blacksburg VA
☒	Audio		6/29/2017 2:38:02 PM	00:00:00	David Bathi	Misha Graves	India	Inbound	2265	Bill Inquiry	494919	Salt Lake City UT
☐	Audio		6/29/2017 2:38:01 PM	00:00:00	Susan Marzen	Misha Graves	India	Inbound	2355	Did Not Order	215171	Cedar Rapids IA
☐	Audio		6/29/2017 2:38:01 PM	00:00:00	Susan Marzen	Misha Graves	India	Inbound	2355	Cancel Account	115642	Cedar Rapids IA
☐	Audio		6/29/2017 2:38:01 PM	00:00:00	Kathy Moham	Misha Graves	India	Inbound	2265	Service Inquiry	421830	Reno NV


My Queue Dashboard

My Queue helps you see and use all workflows and associated queues you can access. To use My Queue, your profile needs to be set up to work with queues, or you need Workflow Viewer privilege. To do anything with the files, you have to be member of a queue.

When you log in to the application and are active in any workflow queues, you see the My Queue Dashboard first. You can also get there by clicking  or **My Queue**. When you click a link in the My Queue Dashboard, it shows search results based on that attribute. For example, to open search filtered on:

- The Sample Evaluation Flow Workflow, click **Sample Evaluation Flow**.
- Files across my queues assigned to me, click **Assigned to Me**.

- The Evaluation Queue, click **Evaluation Queue**.



Searching in My Queue

You can specify criteria for your search in My Queue.

See [Available Actions](#) on the next page to learn more.

→ To search for interactions in My Queue:

1. Go to **Search**.

In the Search window, the buttons such as Notes, Tags, History and their order varies based on the license and profile privileges.

2. Select one or more workflows and/or queues by clicking ☐. You can only see items you have access to.
3. Select a date range for interactions to search.
4. Select interaction types.
5. Filter to find interactions:
 - a. Click **Select Filters....**
 - b. Select the relevant filters from the **Available Filters**. For example, to see only interactions for a specific agent, select the *Agent / Workgroup / Supervisor* filter.
 - c. Click **OK**. The selected filters are added to the **Sessions/Filters** area.
 - d. Update the added filter options. For example, for the **Agent / Workgroup / Supervisor** filter, select the relevant agents to include in the search.
6. Click **Search**.

Available Actions

After searching in My Queue, you can:

- Add/edit notes for an interaction.
- Assign or edit tags. When you assign a tag, you are associating an existing tag from the Manage Tags list in Administration with an interaction file. If the tag does not exist, you can add the tag in search and then it is added to the Manage Tags list. Deleting a tag removes all references of the tag from the application. Unassigning a tag simply removes the tag's assignment to the selected interaction file.
- See history for a selected file so that you can see who has taken what actions (such as playing the file or tagging it). The most recent event displays at the top of the list. You must have the *Search & Replay - View File History* privilege to see the file history.
- Mark a file as reviewed.
- Evaluate an interaction.
- Assign or unassign files to other users for review/analysis.
- Assign an interaction to yourself.
- Manage your cases.
- Export an Excel spreadsheet that contains parameter settings, metadata configuration, and columns/values currently displayed in the results.
- Select items to save with the media files.
- See the My Queue Dashboard. See [My Queue Dashboard](#) on page 65 to learn more.
- Close media files from any queue that you belong to. You may have to select tags, input notes prior to closing the files.
- Flag a file for further refinement.
- Add the interactions to a case. See to learn more.
- Add the interactions to a workflow that has manual entry.

COACHING

Supervisors can send personalized coaching feedback, such as links to knowledge resources, instructions, and due dates, all with the click of a button. Both the supervisor and agent can track the progress from the team's dashboard.

Key coaching capabilities:

- Manage a knowledge base to save training documents in the system
- Assign coaching from the evaluation form and send it to an agent queue
- Coaching from a single evaluation form
- Track agent review with electronic signature
- Create packages of material for the agent
- Coaching multiple evaluations, interactions with external documents, and links

Use Case

Create a coaching training task.

Let's say James is a supervisor and has feedback for agent Mike. James decides to send a knowledge base training article and wants to ensure Mike finishes this training. James creates a coaching and assigns Mike the required training article and the deadline to finish it. Once Mike finishes and acknowledges the training, James can see the training status in the dashboard.

Adding a Knowledge Base Entry

Knowledge base entries are resources that can be sent to agents during the coaching process. When you select a knowledge base entry from the Knowledge Base grid on the Main Knowledge Base window, the Details panel on the right displays its description and Where it's Used. If the knowledge base entry is actively in use, it cannot be deleted.

➔ To add a Knowledge Base entry:

1. Go to **Administration > Knowledge Base**.
2. Click **New**.

Add Knowledge Base Entry

Type *
Document

Name *
Enter name

Category
Enter category

Description
Enter description
500 characters left

File *


Drag files here or [Browse](#)
Max file size: 2MB

Cancel

Add

3. In the **Type** dropdown, select one of these knowledge base types.
 - Document - Select this option to upload a document file. When you select this option, you must select a file to attach.
 - Link - Select this option to enter the URL for a link in the Link field. Click the Test link button to verify the URL address.
4. In the **Name** field enter the name. If this knowledge base entry is referenced as a required action for a coaching session in Evaluations, then the name displays as "Evaluation Form <ID>: <agent name>".
5. In the **Category**, enter the category, which is used to help you manage the various artifacts. You can enter a character string into the **Category** to display a list of all categories that contain the character string you entered. If you enter a string that has no category matches, the list is hidden and the application creates a new category that is named what you entered in the **Category**.
6. In the **Summary**, enter summary information.
7. Click **Add**.

Creating a Coaching Session

Creating coaching sessions for agent evaluations allows:

- Evaluators to recommend training for agents.
- The dissemination of important information to agents.
- Evaluators and Supervisors to document discussions with agents.
- Agents to provide feedback for the coaching they received.

→ To create a coaching session:

1. Select a published evaluation to initiate a coaching request:
 - From the My Evaluations grid (in the Main Portal), select the evaluation.
 - From the Evaluation Form page (in the Evaluations Portal), open the evaluation.
2. Click **Coaching**.

Add Coaching Session

Agent: Mary Butler
Request Date: n/a

Date: 7/25/2017

Coached By: Technical Writer Superuser

Notes: 10000 characters left

Required Actions / Target Dates [Add a Required Action](#)

Text Entry by 8/1/2017 Add to Calendar ☐ Completed

☐ I have reviewed this Coaching data

OK CANCEL HELP

3. Enter the date of the coaching session in the **Date** field (default is current date).
4. In the **Coaching Request** field, enter free-form text about the coaching session (up to 10000 characters).
5. To enter an action plan and/or goals for the agent:
 - a. In the **Required Actions/Target Dates** section, click **Add a Required Action** and select one of the options from the drop-down list:
 - **Text Entry** - Allows you to enter text. Enter the desired text in the provided box.
 - **Knowledge Base** - Click to associate a knowledge base item with this required action.

- Click **New Item**. This button is visible only to Superuser and users with **Knowledge Base Administration** privilege. Select **Document** or **Link** from the drop-down list.
 - **Document**—Provide details and click **Choose File** to upload a document of up to 2 MB. The default supported file extensions are .doc, .docx, .xls, .xlsx, .pdf, .jpg, .jpeg, .bmp, .png, .ppt, .pptx, .txt, HTML (.html, .htm), MP3, MP4, MOV, and WMV. The system administrator can also set other file extensions in the management console. Click **OK**.
 - **Link**—Provide details and enter a link to the desired knowledge base. To verify the link, click the **Test** button. Click **OK**.
 - **Link**—Enter a link to the desired web page. To verify the link, click the **Test** button.
- b. In the **by** field choose the date by which you want the agent to complete the required action.
 - c. To add the required actions to Outlook (or other organizer software) on the required deadline as a reminder, click **Add to Calendar**. You will have the option to download or open the related ICS file. The subject line of the appointment is <agent name> - <Required Actions>.
 - d. Mark the **Completed** checkbox if you are sure that the agent has finished the required action. The **Completed** checkbox is disabled once the coaching is activated.
6. Click **OK**.
 7. After you create a coaching session, you can go back and edit it later. There is a short lag between the time an administrator executes a job on an evaluation template and when supervisors/agents can view in the Pending Evaluations Actions section of the Agent Portal dashboard.

Group Coaching

Group coaching lets you (with group coaching privileges) create and assign coaching to one or more agents. Group Coaching is a new entity in the system; it is independent and not linked to an evaluation form instance (EFI). When you assign coaching to a group of agents, the agent can only view their own details.

You (as an auditor or supervisor) cannot create group coaching with an Evaluation Form Instance (EFI).

To access the group coaching page, click **Evaluations > Group Coaching**. This page displays a list of group coaching, including details such as Group Coaching ID, Name, activation date, the total number of participating agents, the number of acknowledged agents, the name of the creator, and the date of creation.

Use Case

Create a group coaching task.

Let's say James is a supervisor and has feedback for his team. James sent a knowledge-based article and wants to ensure all the team members complete this coaching. To do this, James creates group coaching for all the agents in his team and assigns the knowledge-based article and a deadline for completion. After the agents have completed and acknowledged the coaching, James can check the status of the coaching.

Create Group Coaching

Ensure that you have the **Evaluate>Create Group Coaching** privilege.

➔ To create a group coaching:

1. Go to **Evaluations > Group Coaching**.
2. Click the  **New** icon to open a Coaching form.

Group Coaching

Name: Description:

Created: Default Administrator (6/28/2023)

Notes: 9982 Characters Left

Confidential notes

Required Actions / Target Dates: [Add a Required Action](#)

Knowledge Base Confidential by 07/05/2023 [Add to Calendar](#) ☐ Completed

Attachment: Attach a File... Agents: [Select Agents...](#)

[Save](#) [Save and Activate](#) [Cancel](#)

3. Fill out the form as follows:

- a. In the **Name** field, enter the group coaching name. This field is mandatory. You can re-use an existing group coaching name. Each group coaching will have its own unique Group Coaching ID.
- b. If required, enter a description of the group coaching in the **Description** field.
- c. If applicable, provide notes for the agents in the **Notes** field.
Use the **Maximize** icon to expand the Notes window. You can add notes about the coaching (up to 10000 characters) and then click **Save**.
- d. Click **Add a Required Action** and select an option from the drop-down list:
 - **Text**—Enter the desired text in the provided box.
 - **Knowledge Base**—Click **Options** to show available knowledge base articles. Use the **Show Article From** filter to select the article category.
 - **Link**—Enter a link to the desired web page. To verify the link, click the **Test** button. Click **OK**.
- e. In the **by** field, choose the date by which you want the agents to complete the required action.
- f. To add the required actions to Outlook (or any other organizer software) on the specified deadline as a reminder, click **Add to Calendar**. You will see an option to download or open the related ICS file. The subject line of the appointment will be <agent name> - <Required Actions>.

- g. Mark the **Completed** checkbox if you are sure that the agents have finished the required action. The **Completed** checkbox is disabled once the coaching is activated.
 - h. If required, click **Attach a File** to add a reference file. You can add up to five files, with each file not exceeding 2 MB. The default supported file extensions are .doc, .docx, .xls, .xlsx, .pdf, .jpg, .jpeg, .bmp, .png, .ppt, .pptx, .txt, HTML (.html, .htm), mp3, mp4, mov, and wmv. The system administrator can also set other file extensions in the management console.
After attaching the file, click **Open** to view it or **Remove** to delete it.
 - i. Click **Select Agents** to add agents to the group coaching.
The list of agents is shown based on the hierarchy and data restrictions.
 - Hierarchy restriction—For example, if John creates a group coaching, he can see and choose agents within his hierarchy.
 - Data restriction—For example, if data restriction is applied to John wherein Supervisor = Jim Bush and Site = Tampa, he can see and choose agents who report to Jim Bush and are based at the Tampa site.
 - j. If required, use the **Filters** and search box to find agents by their first name, last name, agent ID, site, or supervisor.
 - k. Select the individual checkboxes beside the agent names. You can click the checkbox at the top to select all agents on the current page. If the total number of agents in the system is less than the configured value, that is 10000, a **Check All <number> items in this set** option will appear, allowing you to select all agents in your system. Click **Clear checked items** to deselect selected agents.
 - l. Click **Move**. The selected agents will appear in the right window under the Selected tab. You can remove agents by clicking the  **Remove** icon next to the agents or **Remove All** to remove all moved agents.
 - m. Click **OK**. The Select Agents window will close and the selected agents will appear on the Assigned tab. If you want to remove agents later, go to **Select Agents > Assigned** tab and click the  **Remove** icon to delete individual agents or **Remove All** to delete all selected agents.
4. Choose one of the following actions:

- Click **Save and Activate** to complete the form and send the form for coaching.
- Click **Save** to save the form and activate it later.
- Click **Cancel** or **Close** to exit the form.

If you attempt to close or cancel the form anytime while filling the form, a warning pop-up will appear. Choose one of the following:

- **Leave** to cancel the form without saving the details.
- **Stay** to continue filling out the form.

After saving and activating the form, if you make any changes, only the **Save** button is enabled.

5. The newly created group coaching will appear on the Group Coaching page.
If the **Nexidia.Evaluations.AllowGroupCoachingEmailNotifications** parameter is set to **true** and the group coaching is activated, an email notification will be sent to:
 - The user who created the group coaching.
 - All participating agents and their respective Supervisors.

Manage Group Coaching

You can edit, delete, view details, and check the status of group coaching based on your privileges, hierarchy, and data restrictions.

- **Evaluate - Create Group Coaching**—This privilege lets you see the status and details of group coaching you have created. You can see the details even if the agent has moved to another Team.

You can also see the status and details of group coaching created by others if the participating agents report to you. For example, if John creates group coaching for agents Lisa, Thomas, and Arthur, and Thomas reports to Supervisor Jim Bush:

- When John logs in to the QC portal, he can see the group coaching details and status of Lisa, Thomas, and Arthur.
- When Jim Bush logs in, he can see the status of Thomas.
- **Evaluate - View All Group Coaching**—This privilege lets you see the details and status of group coaching created by others, subject to applicable hierarchy and data restrictions.

Scenario 1

Let's say, Trainer-01, with the **Evaluate - Create Group Coaching** privilege, creates a group coaching - GC-01 and adds multiple agents with a data restriction set as Site=Tampa and Supervisor=Jim Bush. Meanwhile, Manager John Kemp has metadata mapping as Site= Tampa and Supervisor=Jim Bush and has either **Evaluate - View All Group Coaching** or **Evaluate - Create Group Coaching** privilege. When Manager John Kemp logs into the portal, he will be able to view the details of GC-01 (including Description, Notes, Coaching Action) along with the list of all agents (even if some agents are not part of Site Tampa and Supervisor Jim Bush). However, Manager John Kemp will only see the agent status for those agents that are a part of Site Tampa and Supervisor Jim Bush.

Scenario 2

Let's say, Manager Brenda Gills has the **Evaluate - View All Group Coaching** privilege with a data restriction for Site Reno. If Agent Cliff belongs to site Tampa and Agent Renee to site Reno, and Trainer-01 creates GC-03 and adds Agents Cliff and Renee. When Manager Brenda Gills logs into the portal, she will be able to view GC-03 (including description, notes, coaching actions, and agents Cliff and Renee. However, she will only be able to see agent Renee on the Agent Status page.

Scenario 3

Let's say, Manager Gallen Wickett has the **Evaluate - View All Group Coaching** privilege and agent Carl Del is under her hierarchy. If Trainer-01 creates Group Coaching GC-02 and adds agent Carl Del. When Manager Gallen logs into the portal, she will be able to view GC-02. However, if Trainer-01 creates GC-01 with Carl Del and four other agents who do not report to Gallen, GC-01 will show agents assigned as 5 but Gallen will see only Carl Del on the Agent Status page.

- **Override Access Rights**—This privilege lets you see the details, status, and edit all group coachings, regardless of any restrictions.
- **Evaluate - View and Edit Group Coaching by Others**—This privilege lets you see and edit group coaching created by others if all the participating agents report to you, subject to applicable hierarchy and data restrictions. If there are no restrictions, you can view and edit all group coachings created by others.

View Details

Click **View Details**  on the group coaching page to see the group coaching details if you do not have edit access.

View Status

Click **View Status**  on the group coaching page to see the status of agents assigned to the group coaching. Any updates to the group coaching will reset the acknowledgment status. You can use filters to search for group coaching by acknowledgment status, name, and agent ID.

On the Group Coaching Agent Status page, you can see the following agent status details:

- Agent Name—The name of the agent who is assigned the group coaching.
- Agent ID—The ID of the agent who is assigned the group coaching.
- Acknowledged—The acknowledgment status of the agent for the group coaching.
- Agent Acknowledged Notes (Y/N)—The status indicating whether the agent has added notes after acknowledging the group coaching. To view the actual notes, export the group coaching.
- Acknowledged Date—The date when the agent acknowledged the group coaching.
- Follow-up—The date when you followed up to remind the agent to complete the group coaching.
- Deadline—The deadline, if any, assigned for completing the group coaching.

Click the **Export** button to download the group coaching details in a CSV file. If you add filters, the system will export the details accordingly. The exported CSV file will contain the following information:

- Name—The name of the Group Coaching.
- Agents Assigned—The number of agents who are assigned the group coaching.
- Agents Acknowledged—The number of agents who have acknowledged the coaching.
- Created by—The name of the user who created the group coaching.
- Created Date—The date when the group coaching is created.
- Activated Date—The date when the group coaching is activated. Any changes to the group coaching later will reset the acknowledgment status to pending for all agents.
- In addition to the above, all details from the Group Coaching Agent Status page will be included - Agent Name, Agent ID, Acknowledged, Agent Acknowledged Notes (actual notes given by the agent while acknowledging group coaching, Acknowledged Date, Follow-Up, and Deadline.

Filters

The filters on the Group Coaching page lets you narrow down search results and find a specific group coaching.

To use filters:

1. On the Group Coaching page, click inside the **+Type to add filter(s)** text box.
2. Choose a filter from the drop-down list and enter the required information.
3. Click **Show** to display the results that match your criteria.

You can use the following filters to find a specific group coaching:

- **Activated Date Range**—Search by the date range when the group coaching is activated.
- **Agent ID**—Search by the Agent ID who is assigned the group coaching. You can select multiple agent IDs.
- **Agent Name**—Search by the Agent Name who is assigned the group coaching.
- **Created by**—Search by the name of the user who created the group coaching.
- **Created Date Range**—Search by the date range when the group coaching is created.
- **Name Contains**—Search by the group coaching name.
- **Supervisor**—Search by the Supervisor's name. All group coachings assigned to agents under the selected Supervisor will be shown.

APPEALING EVALUATIONS

The appeals process follows one of two paths, depending on whether the evaluation was audited. You can only re-appeal the same questions originally appealed. The re-appeal question must propose the same answer suggested in the original appeal.

Your system administrator defines the time window for appeals.

The notes for category let you add text up to 10,000 characters. Click the **Expand** icon to add or edit the complete text in the notes.

The evaluation has not been audited

If the evaluation has not been audited, the process is:

1. Original evaluation of agent (see [Evaluating an Agent](#) on page 20).
2. Appeal of one or more questions (see [Appealing or Re-Appealing a Question](#) on page 84).
After an appeal, the evaluation cannot subsequently be audited.
An appeal lockout period may be in effect, depending on your system setup. Contact your system administrator to see if your system uses an appeal lockout period.
3. Rule on appeal.
4. Re-appeal (see [Appealing or Re-Appealing a Question](#) on page 84).
Re-appeals are optional, and may not be allowed in your system setup. Contact your system administrator to learn the number of re-appeals allowed for your system.
5. Rule on re-appeal. Note that this part of the process is only applicable if the evaluation was re-appealed.

The evaluation has been audited

If the evaluation has been audited, the process is:

1. Original evaluation of agent (see [Evaluating an Agent](#) on page 20).
2. Audit of the original Evaluation. An audit lockout period may be in effect, depending on your system setup. Contact your system administrator to see if your system uses an audit lockout period.

After an audit is performed on an evaluation form, the agent cannot appeal it, although the original evaluator may do so.

3. Appeal of one or more questions (see [Appealing or Re-Appealing a Question](#) on the next page). An appeal lockout period may be required, depending on your system setup. Contact your system administrator to see if your system uses an appeal lockout period.
4. Rule on appeal.
5. Re-appeal (see [Appealing or Re-Appealing a Question](#) on the next page). Re-appeals are optional, and may not be allowed in your system setup. Contact your system administrator to learn the number of re-appeals allowed for your system.
6. Rule on re-appeal. This part of the process is only applicable if the evaluation was re-appealed.

Lockouts

Depending on your system configuration, you must wait for a specific period before appealing or auditing an evaluation. This time period, measured in days from the evaluation's publication, allows agents and auditors to appeal or audit the evaluation. Contact your system administrator to determine if your system uses a lockout period for appeals and the duration of that period.

Appeals at level 2 and above have limited support for evaluations using templates with branching or linking configured.

Appealing or Re-Appealing a Question

Once an evaluator finishes filling out an evaluation form, a question within the evaluation can be appealed. But, the user who initially published the evaluation cannot immediately appeal a question. When a question is appealed, all questions linked to it are not automatically appealed. Each question must be manually added.

[Watch the Video](#)

Use Case

Appeal an evaluation question score.

Let's say John is an evaluator who has published an evaluation of the agent, Mike. Now, agent Mike disagrees with the score provided by John and wants to request to re-score that question. In this case, Mike can contact agent representative offline and ask them to appeal on his behalf. The agent representative raises the request to re-score. An Appeals judge, authorized to evaluate and judge the re-score request, reviews the suggested answers on Mike's evaluation. The appeals judge either accepts or rejects the suggested answers. Depending on the judge's decision, the score gets updated accordingly.

If a blackout period is set up in the Management Console, users cannot appeal anything until that period has ended.

To appeal a question, agents must contact their agent representative offline, who then appeals on their behalf.

If a re-score request has a Pending status and is not yet ruled, the person who first appealed or any user with the Access all Evaluations permission can delete it. Deleting a re-score request doesn't change the system's number of allowed re-score requests.

Appealing/re-appealing an audited evaluation

Rescore requests are only carried out in Category View. If you select a rescore request while in Single Page view, you receive a prompt to change to Category View.

You can re-appeal for the same questions appealed. Each re-appeal question must suggest the same answer suggested in the original appeal.

→ **To appeal/re-appeal an evaluation that has been audited:**

1. Go to **Evaluations > My Evaluations**.
2. Select the evaluation that contains the questions you want to appeal/re-appeal.
3. In the evaluation, navigate to the category that contains the first question you want to appeal, and then click the **Request Rescore** link. The Request Rescore page shows the name for the current category, the original, audited, appealed, and re-appealed scores, where applicable. When the Request Rescore functionality is available, you see the **Request Rescore** link. This functionality is not available if any of the following are true:
 - You are the evaluator who originally published the Evaluation (except when the Evaluation were later audited or appealed).
 - The current category was skipped by the original evaluator.
 - If you select the View as single page option.
 - The maximum allowed number of rescore requests has already been reached for

this category.

Evaluation Form

ID: 1286 [HELP](#)

Template CHANGE Grant access to

☒ Allow Agent access (when Publish... Agent: Del, Carl [x] Last Evaluation Score: none Last Evaluation Date: 9/8/2022 ☐ Send for Self-Evaluation

<<		INTRODUCTION	0.00 / 0.00	0 / 25
CATEGORIES				
Introduction	0 / 0			
Customer Validation	0 / 0			

QUESTION	ANSWER	POINTS	NOTES
Connective Skills	☐ Yes ☐ No ☐ n/a	n/a	

☐ View as single page [Request Rescore...](#)

Notes for Introduction

Notes for entire Evaluation

Overall Score: 0 / 0.00 - (0.00 %)

+ MEDIA FILE

+ METADATA

< Previous Next: Customer Validation >

HISTORY DELETE ☐ Ignore this Evaluation EDIT... PUBLISH COACHING... PRINT CLOSE

4. In the **Which question(s) would you like to have re-scored?** section, select the question you want re-scored, suggesting a new score for each in the Suggested Score - Answer column. Suggesting a change for a question may cause a previously-skipped question to become active. These newly-activated questions are called follow-on questions (see Follow-on questions).
5. In the Reason for Rescore Request, enter the reason for requesting this appeal.

Rescore Request Carl Del
ID: 81

Category: Account Verification
Score (original): 10 / 10
Score (audited): n/a
Score (appeal): 5 / 10

WHICH QUESTION(S) WOULD YOU LIKE TO HAVE RE-SCORED?

	QUESTION	CURRENT SCORE - ANSWER *	SUGGESTED SCORE - ANSWER	STATUS	SCORE - ANSWER AFTER RULIN
☒	1. The agent asked for the callers email address ?	10 - Yes	5 - No	Draw	5 - No
☐	2. The agent asked for the callers telephone number ?	n/a - n/a	(skipped)	(not appealed)	--
☐	3. The agent asked for the callers telephone number ?	(skipped)	n/a - n/a	(not appealed)	n/a - n/a

*REASON FOR RESCORE REQUEST

NOTES - RULING ON REQUEST

NICE CXone recognized in Ventana Research Digital Innovation Awards as technology vendor that best exemplifies innovation in applications and technologies that support digital customer engagement
Hoboken, N.J., July 5, 2022 - NICE (Nasdaq: NICE) today announced NICE
Well known and beloved worldwide, the Walt Disney Company provides a full digital streaming experience on four separate platforms: Disney+, Hulu, ESPN+ and Star+. Disney Streaming brings the same Disney Magic experience at its theme parks to every interaction at its Viewer Experience contact centers. The Viewer Experience teams know that digital streaming

* A suggested answer has been accepted as the answer to one or more questions.

OK REVERT CANCEL HELP

Rescore request reasons for linked questions must be added manually. You can add a text up to 10000 characters. Click the **Expand** icon to add the complete text in the notes.

- Click **OK**. The Status in the evaluation page changes to *Pending*, and the Request Rescore link changes to **View Rescore Request**
- Proceed to subsequent categories, repeating the steps to appeal additional questions. Deleting a rescore request for a linked question deletes all rescore requests for both linked and unlinked questions within the related category.

Appealing/re-appealing an evaluation that has not been audited

A re-appeal can only be launched on the same questions that were originally appealed. Each re-appeal question must suggest the same answer that was suggested as part of the original appeal.

→ To appeal/re-appeal an evaluation that has not been audited:

1. Go to **Evaluations > My Evaluations**.
2. Select the evaluation that contains the questions you want to appeal/re-appeal.
3. In the evaluation, navigate to the category that contains the first question you want to appeal, and then click the **Request Rescore** link. The page updates with a second row of answers for each question in the current category.

The screenshot displays the evaluation interface for 'CAT 1'. The top table shows the question 'Was the customer greeted?' with a selected 'Yes' answer and a score of 10/10. A red box highlights the 'Request Rescore...' link next to the 'Notes' column. A red arrow points from this link to a second, identical table below, which shows the same question and answer, but with a second row of answers and scores, indicating the rescore process.

4. Suggest new answers only for the questions you want to appeal. Answers that are different from the original are considered appealed. After you change an answer, you must enter a reason for the rescore request. If the question you appeal has follow-on questions, you may have to enter answers for these questions, depending on how your system is configured (see Follow-on questions). If your system is not configured to require answers for follow-on questions, then those questions have an answer of n/a. Any follow-on questions must be accepted or rejected as a whole by the appeals judge—they cannot be accepted or rejected individually.
5. The appeals judge selects the evaluation after seeing the rescore request. In the Request Rescore page, the appeals judge reviews the suggested answers (select the **More** link to see follow-on questions, if available). Selecting the **More** link launches a page explaining that if you accept the suggested answer for the appealed question, you must also accept the suggested answers for its corresponding follow-on questions.

6. (Appeals judge) In the Status column, the appeals judge rules appropriately on the question. The score change, if any, is reflected in the Score column.

Follow-on questions

Suggesting a new answer to an appealed question can activate a previously skipped question. Depending on the system configuration, you need to propose answers for them. If the system is not set up this way, you still see the follow-up questions in the "Which questions would you like to have re-scored grid," but they are disabled and display a Current Score - Answer value of n/a. Contact your system administrator for any questions regarding your system setup.

Ruling on Appeals

When an evaluation is appealed, it is marked as Pending. A user with **Evaluate Request Rescores, Evaluate - Rule on Level 1 Rescore Requests**, and **Evaluate Rule on Level 2+ Rescore Requests** privileges and template access, can rule on the appeal of the evaluation form or the audited evaluation form.

EVALUATION FORM TEMPLATES			MY EVALUATIONS		AUDITS		APPEALS		CALIBRATIONS		SELF-EVALUATIONS		NOTIFICATIONS	
ID Contains		Date		Status		Evaluator		Supervisor		Agent		Row Contains		
		06/18/2017  to 07/18/2017 		Any Status 		All Evaluators		All Supervisors		All Agents		☐ Show only my rulings		SHOW
ID	Agent	Template	Version	Evaluator	Eval Date	Category	Score	Overall Score	Audit Date	Appeal Date	Appeal	Status		
93	Ethan Hunt	Customer Service	9	Technical Writer Evaluator	7/17/2017	Issue Type	97.14%	119.14 / 120 - (99.28%)	n/a	7/17/2017	1	Pending		
93	Ethan Hunt	Customer Service	9	Technical Writer Evaluator	7/17/2017	Greeting	100.00%	119.14 / 120 - (99.28%)	n/a	7/17/2017	1	Pending		
88	swati rana	form10	1	Default Administrator	7/4/2017	try12	100.00%	4.00 / 4 - (100.00%)	n/a	7/4/2017	1	Pending		
89	Mary Butler	eval1_Renamed	2	Evaluator1 Evaluator1	7/4/2017	Category1	100.00%	100.00 / 100 - (100.00%)	n/a	7/4/2017	1	Mark Stands		

The **Appeal** column contains the re-appealed level (1 - first appeal, 2 - re-appeal, 3 - 3rd level appeal, n/a - not appealed).

The Judge can make separate rulings on linked questions with different answers for each one. But the judge can create the linked questions intending for them to share the same answer across categories.

The **Status** indicates that the evaluation was formally appealed by the Agent. Status for this column can be:

Ruling on Appeals of Evaluation Forms

Published	If the evaluation has been published but not formally contested.
Pending	If the evaluation has been contested, but no ruling has yet been made.
Draw	The arbiter cannot determine whether the original evaluator or the agent's rep (who submitted the appeal) is correct. In this case, the suggested answer of the appellant is used.
Discarded	The agent's rep withdraws their appeal. The evaluator's score is used.

Overtured	The evaluator's score is determined to be incorrect. The appellant's suggestion is used.
Mark Stands	The evaluator's score is determined to be correct. The evaluator's score is used.
Various	More than one question was appealed and not all appealed questions had the same ruling.
Published	If the evaluation has been published but not formally contested.

Ruling on Appeals of Audited Evaluation Forms

Published	If the evaluation has been published but not formally contested.
Pending	If the evaluation has been contested, but no ruling has yet been made.
Draw	The arbiter cannot determine whether the original evaluator or the appellant is correct. In this case, the original evaluator score is used.
Discarded	The original evaluator withdraws their appeal. The auditor's score is used.
Overtured	The original evaluator's score is determined to be correct. The original evaluator's score is used.
Mark Stands	The original evaluator's score is determined to be incorrect. The original evaluator's score is used.
Various	More than one question was appealed and not all appealed questions had the same ruling.
Published	If the evaluation has been published but not formally contested.

→ To rule on an appeal/re-appeal:

1. Go to **Evaluations > Appeals**.

The evaluations displayed here are based on the data restriction configured.

The data restriction will not be applicable if you have:

- **Override Access Rights**
- Given access in the **Grant Access To** field while performing the evaluation.

Data restrictions for the **Appeals** tab are based on the site and supervisor metadata. If you use other metadata, for example, Workgroup, it will find the site and supervisor matching Workgroup metadata. It will then show evaluations corresponding to these sites and supervisors.

2. Select the evaluation on which you want to rule. The first category that includes an appealed (*Pending*) question is shown.

The screenshot displays the 'Evaluation Form' interface. At the top, it shows the template 'Inbound' and 'Grant access to' set to 'Bush, Jim - (jbush)'. Below this, there are checkboxes for 'Allow Agent access (when Publish...)' and 'Send for Self-Evaluation', along with 'Last Evaluation Score: none' and 'Last Evaluation Date: 9/8/2022'. The main section is titled 'INTRODUCTION' and shows a score of '0.00 / 0.00' and '0 / 25'. A table lists categories: 'Introduction' (0 / 0) and 'Customer Validation' (0 / 0). The 'Introduction' category is expanded, showing a table with columns: QUESTION, ANSWER, POINTS, and NOTES. The first row is 'Connective Skills' with radio button options 'Yes', 'No', and 'n/a' (selected), and a score of 'n/a'. At the bottom, there are checkboxes for 'View as single page' and 'Notes for Introduction', and a status bar indicating 'Status Pending' with 'View' and 'Delete' links.

3. To view the appeal/re-appeal, click **View**,

Rescore Request Carl Del ID: 81

Category: Account Verification
 Score (original): 10 / 10
 Score (audited): n/a
 Score (appeal): 5 / 10

WHICH QUESTION(S) WOULD YOU LIKE TO HAVE RE-SCORED?

QUESTION	CURRENT SCORE - ANSWER *	SUGGESTED SCORE - ANSWER	STATUS	SCORE - ANSWER AFTER RULING
☒ 1. The agent asked for the callers email address ?	10 - Yes	5 - No	Draw	5 - No
☐ 2. The agent asked for the callers telephone number ?	n/a - n/a	(skipped)	(not appealed)	--
☐ 3. The agent asked for the callers telephone number ?	(skipped)	n/a - n/a	(not appealed)	n/a - n/a

*REASON FOR RESCORE REQUEST

NOTES - RULING ON REQUEST

NICE CXone recognized in Ventana Research Digital Innovation Awards as technology vendor that best exemplifies innovation in applications and technologies that support digital customer engagement
 Hoboken, N.J., July 5, 2022 - NICE (Nasdaq: NICE) today announced NICE

Well known and beloved worldwide, the Walt Disney Company provides a full digital streaming experience on four separate platforms: Disney+, Hulu, ESPN+ and Star+. Disney Streaming brings the same Disney Magic experience at its theme parks to every interaction at its Viewer Experience contact centers. The Viewer Experience teams know that digital streaming

* A suggested answer has been accepted as the answer to one or more questions.

OK REVERT CANCEL HELP

- Review the Evaluator's concerns listed in Reason for Rescore Request. Click the **Expand** icon to view the complete text in the notes.
- Study the issue, listening to the recording and noting the Evaluator's concerns listed in the evaluation.
- After making a final ruling on each question in the Rescore Request page, select the appropriate status in the Status drop-down menu. When you enter a ruling, the Score - Answer After Ruling column updates to show the result of the currently-selected status. If a **More** link appears in the far-right column of the table, see [Follow-on Questions \(ruling on appeals\)](#) on the next page to learn more.

Which question(s) would you like to have re-scored?

Question	Current Score - Answer	Suggested Score - Answer	Status	Score - Answer After Ruling
☒ Are you satisfied with agent interaction ?	10 - Yes	0 - No	Pending Draw Discarded Overturned Mark Stands	Pending

7. In the Notes box, enter information about the decision. Notes from the first appeal are displayed (if available), but you cannot edit them.
8. Click **OK**. The status in the Evaluation Form page now appears as *Decided*, and the current score for each question in the category now appears in black text.
9. Repeat steps for all questions marked *Pending* prior to publishing the Evaluation. When working with branched Evaluation Forms, some categories may be made obsolete as you fill out the evaluation. The obsolete categories are skipped when you click **Next** or **Previous**.
10. Click **Publish**.
11. To return to a published evaluation to view or edit the Rescore Request, click either **View** or **Edit**

Users with **Evaluate - Rule on Level 2+ rescore request** privilege can delete Rescore Requests using Revert. This reverts the Evaluation Form page to the initial state where agent representatives can appeal again as a level 1 appeal.

Follow-on Questions (ruling on appeals)

When the user files the current appeal, they propose new answers to selected questions in the evaluation. Sometimes changing one answer activates a previously skipped subsequent question. These newly activated questions are called "follow-on questions." If a follow-on question becomes active, the system prompts the person filing the appeal to suggest an answer for each follow-on question.

As an appeals judge, you can identify follow-on questions by looking for a **More** link in the right-most column of the grid. Click **More** to view the follow-on questions and their suggested answers. You must accept or reject the suggested answer for the initial question and all its related follow-on questions. For example, you cannot accept the suggested answer for the initial question while rejecting the suggested answers for all or some of the follow-on questions.

The system does not display the **More** link if the evaluation is audited or self-evaluated, and the rescore change request does not show any additional questions.

PERFORMANCE DASHBOARD

Personalized dashboards give supervisors constant access to their teams' latest trends and performance indicators. The Dashboard view and interface language varies depending on the privileges associated with your user profile and the settings you have configured using Admin and Account Settings.

By default, the interface language of QC Portal is in English. You can change the default language of QC Evaluations Portal and the My Evaluations tab in the QC Portal to Russian, Simplified Chinese, Traditional Chinese, Korean, German, Portuguese, French and Japanese.

From the Dashboard, you can:

- View all or individual agents' performance trends and dashboard configurations.
- Compare the performance data of the past 7 days to the data of the previous 7 days.
- See details of the selected evaluation metrics.
- See normalized or observed score, rank and total number of evaluations or interactions per KPI in the Team Performance panel.
- See agent specific normalized or observed score, rank and total number of evaluations or interactions in the Agent Performance panel for the selected scorecard or KPI.
- See how an agent's evaluation scores measure up against the group average.
- Keep track of coaching requests and follow-up actions.

View other supervisors' team data such as performance trends, evaluation scores and metrics. This is helpful in absence of a supervisor to look into the team data.

The view access for other supervisors' data is based on the logged-in supervisors' association to the hierarchy.

Navigating the Dashboard

Team Performance


The Team Performance panel displays pre-defined scorecards. The panel can display up to nine scorecards at a time. To see long scorecard titles, you can change the width of the scorecard tabs using the Tab Width button controls in the top-right of the panel.

Each scorecard displays team performance parameters with respect to pre-defined KPIs. You can select the required scorecard to list all the specified KPIs and to view the related performance parameters for each KPI. The performance parameters include normalized or observed score, rank, trend chart, and total number of evaluations or interactions. The rank is calculated based on the normalized or observed score.

Viewing Normalized Score (Team Performance)

Normalized Score is the default displayed score for all type of scorecards. Based on the evaluation scoring method, the actual score is calculated, normalized and then displayed.


The rank is also calculated based on the normalized score and displayed in the dashboard.



Viewing Observed Score (Team Performance)

To view the observed score, you must select the View Dashboard in Observed score checkbox in QC Portal under Admin > Settings. See [Settings](#) on page 8.

Based on the evaluation and metadata scoring methods, the actual score is calculated and then displayed. This score doesn't get normalized. You must use this score type when you want to view the actual score rather than normalized score. The observed score also helps to calculate the rank accurately. This score and rank helps to view your team's actual performance against all the specified KPIs in the selected dashboard.




When you view the observed score, the Trend and Change columns are not displayed.

Examples

You can view all the available interactions for the specified KPIs using the Examples pop-up window.

To view the Examples pop-up window:

1. Right-click the required KPI and click **Examples**.



2. The list of interactions for the specified KPI are displayed.

12.2 SP7 SC 01 : 2 Avg NT (%)

49 results for File Set Name: PortalDashboardNamedSet_b35bdc8f-d171-4238-95c6-31edc396792f

☐	EVALUATED	MEDIAFILENAME	MEDIA TYPE	DURATION	DATE/TIME	AGENT	AGENTID	SUPERVISOR	SITE	DIRECTION
☐	Yes	05212005-260.wav	Audio	00:01:52	6/6/2021 9:22:08 PM	Carl Del	11960	Jim Bush	Tampa	inbound
☐	No	05212005-406.wav	Audio	00:02:08	6/6/2021 7:24:08 PM	Cliff Paj	11925	Jim Bush	Tampa	inbound
☐	No	05212005-251.wav	Audio	00:02:19	6/6/2021 5:28:08 PM	Carl De	11960	Jim Bush	Tampa	inbound
☐	No	05212005-250.wav	Audio	00:01:37	6/6/2021 4:20:08 PM	Carl Del	11960	Jim Bush	Tampa	inbound
☐	Yes	05212005-252.wav	Audio	00:01:49	6/6/2021 4:09:08 PM	Carl De	11960	Jim Bush	Tampa	inbound
☐	No	05212005-308.wav	Audio	00:00:49	6/6/2021 2:00:08 PM	Ruth Carey	11955	Jim Bush	Tampa	inbound
☐	No	05212005-259.wav	Audio	00:01:43	6/6/2021 7:53:08 AM	Carl Del	11960	Jim Bush	Tampa	inbound
☐	Yes	05212005-407.wav	Audio	00:00:59	6/6/2021 7:51:08 AM	Cliff Paj	11925	Jim Bush	Tampa	inbound
☐	No	05212005-309.wav	Audio	00:01:41	6/6/2021 4:43:08 AM	Ruth Carey	11955	Jim Bush	Tampa	inbound
☐	No	05212005-261.wav	Audio	00:01:59	6/6/2021 4:02:08 AM	Carl Del	11960	Jim Bush	Tampa	inbound
☐	No	05212005-307.wav	Audio	00:01:06	6/6/2021 2:16:08 AM	Ruth Carey	11955	Jim Bush	Tampa	inbound
☐	No	05212005-400.wav	Audio	00:01:23	6/5/2021 10:08:08 PM	Cliff Paj	11925	Jim Bush	Tampa	inbound
☐	No	05212005-310.wav	Audio	00:02:05	6/5/2021 7:44:08 PM	Ruth Carey	11955	Jim Bush	Tampa	inbound

Showing Items 1 - 5 of 49 Page 1 of 4 Next >>

- You can configure the display columns such as Media Type, Tags, and Agent from **Settings > PORTAL ADMINISTRATION > Player Metadata**.
- To refine search results, you can use the filters such as All Interactions, Agent Name, Agent Id, Tags, and Ext Id.

Tags

You can assign tags to interactions and easily use filters to refine the search results.

- To add tags, in the examples pop-up window, click the required interaction. The **NOTES & TAGS** tab is displayed. In the right pane of the tab, in the **Find Tags** field, enter the name of the tag and click **Add**.

NOTES & TAGS


Notes

Find Tags


The new tag is added to the interaction.

☐	05212005-258.wav	8/30/2021 5:26:54 AM	No	Carl Del	☐ new tags test
--------------------------	------------------	----------------------	----	----------	--


- To remove tags, click the required interaction. The NOTES & TAGS tab is displayed. In the right pane of the tab, find the tag that you want to remove and deselect the checkbox.




The tag is removed from the interaction.



3. To sort tags, click the **Tags** column title to sort tags in an ascending or descending manner.
4. To filter tags, in the examples pop-up window, on the top bar, click the **Select** link to display the Select Tags window.




Use the **Find** field to find the required tag. From the Available Tag column, select the required tags and click the **Select** button. The required tags now appears in the Selected Tag column.



5. Click **OK** to apply the filter.

Notice that the **Select** link is now changed to **Selected**. The link is also appended with the number of tags that you selected in the Select Tags window.



Similarly, use the **Remove** button to remove the unwanted tags. The **Selected** link and the appended number also gets updated after you remove the tags.

Agent Performance

The Agent Performance panel displays individual agent's performance parameters for the selected KPI or the selected scorecard in the Team Performance panel. To view the agent

performance panel, click .

You can choose whether to include the agents' rank in the Agent Performance slide-out window. To do this, select the Allow agents to view rank in the Agent Performance grid checkbox in the QC Portal under Admin > Settings. See [Settings](#) on page 8.

In this panel, you can view observed or normalized score, rank, and the total number of evaluations or interactions per agent. This helps supervisors to identify the specific agent's performance and decide the next course of action such as coaching.

Viewing Normalized score (Agent Performance)

You can view an individual agent's normalized score, rank, and the total number of evaluations or interactions per KPI. The normalized score changes based on the type of goal and threshold range that you select while defining a scorecard. See [Goals](#) on page 116.

AGENT	NORMALIZED SCORE	RANK	EVALUATION	CHANGE	PREVIOUS	TREND
Carl Del (11960)	31	1	6	n/a	n/a	
Ruth Carey (11953)	28	2	12	n/a	n/a	
Cliff Paj (11925)	25	3	6	n/a	n/a	

For Single Directional goal type, if two agent's score falls within the Good threshold range, then the normalized score and rank for both the agents will be the same.

Viewing observed Score (Agent Performance)

To view the observed score, you must select the View Dashboard in Observed score checkbox in the QC Portal under Admin > Settings. See [Settings](#) on page 8.

You can view observed score and rank in the Agent Performance panel only when you select a KPI in the Team Performance panel.

You can view an individual agent's observed score, rank, and the total number of evaluations or interactions per KPI. The observed score changes based on the type of goal and threshold range you select while defining a scorecard. See [Goals](#) on page 116.

For Single Directional goal type, if two agent's score falls within the Good threshold range then the rank for both the agents will be different. This helps you to identify actual performance and rank for agents.

AGENT	OBSERVED VALUE	RANK	EVALUATION
Cliff Paj (11925)	80	1	1
Carl Del (11960)	90	2	1

For the Bi-Directional goal type, the rank is assigned in ascending negative order for the scores that fall in the lower Out-of-bounds threshold range. For example, if the score is 70, 80, 90, the rank will be assigned as -3, -2, -1 respectively. For the scores that fall in the Good threshold range, the rank is assigned in an ascending positive order. For example, if the score is 103, 108, 110, the rank will be assigned as 1, 2, 3 respectively. For the scores that fall in the higher Out of Bounds threshold range, the rank is assigned in an ascending positive order. For example, if the score is 150, 160, 170, the rank will be assigned as 4, 5, 6 respectively.

BIDIRECTIONAL VALUES IN LOWER RANGE : AGENT PERFORMANCE			
AGENT	OBSERVED VALUE	RANK	EVALUATION
Cliff Paj (11925)	80	-2	1
Carl Del (11960)	90	-1	1


The assigned rank is either positive or negative, it will never be zero.

The following table explains a few possible example scenarios.

GOAL TYPE AND THRESHOLD RANGE	SCORE	RANK
Single Direction with Caution		
Good 0-70	55	1
Caution 70-100	83	2
Out of Bound 100 -	115	3
Bi-Direction with Caution		
Out of Bound 0-70	65	-2
Caution 70-100	98	-1
Good 100-110	110	1
Caution 110-150	140	2
Out of Bound 150 -	170	3

Evaluation Performance

Administrator and Supervisor profiles can choose to include or exclude the Evaluation Performance area in Administration > Settings > Dashboard Data - it will appear in the upper-right corner of the dashboard. Here, you can view the team's overall evaluation score performance for the selected template within the past three months. You can toggle between the watch list view and the evaluations performance view by clicking the pushpin.



The watch list is used to monitor specific agents' performance or a particular quality initiative for the entire team. You can click the pushpin next to metrics to add or remove them from your watch list.

PINNED ITEMS WATCH LIST  		
CATEGORY	FOR	
▶ SiteA-Interactions%	Jim Bush	
SCORE 0	CHANGE	(n/a)
▶ NewSession-Interaction%	Jim Bush	
SCORE 0	CHANGE	(n/a)
EXPAND ALL	COLLAPSE ALL	CLEAR

The watch list displays only the normalized score related data and doesn't support observed score related data.

Coaching

Pending coaching actions and outstanding requests link to the relevant item. You need to click the Add required action link to add the required action item. If the required action is a knowledge base item, opening the knowledge base item updates the row in the table to indicate that the item has been completed. It will be removed the next time the page is refreshed. Deadlines displayed in red text are due within 3 days of the current date. The pending coaching action start date is calculated using the past 90 days from the current date. The pending coaching actions can be seen from 12/10/2019 onwards.

COACHING REQUESTS AND FOLLOW-UP ACTIONS

Pending Actions

0

Outstanding Requests

0

ID	REQUIRED ACTION	DEADLINE
You have no evaluations for this time period.		

Viewing other team data using hierarchy

➔ To view other supervisors' team data using the hierarchy association:

1. Click **VIEWING** in the upper-left corner of the dashboard.
2. Select the supervisor for which you want to view the team data.

SUPERVISOR

VIEWING

Jim Bush (Tampa)

TEAM PERFORMANCE

Simple Dashboard

65 ▲ 65

SELECT A SUPERVISOR	REGISTRY	TREND	PERFORMANCE
(Name Contains)			
Brenda Gills(Omaha) Jim Bush(Tampa) ✓ Misha Graves(India) Stephanie Ervin(Atlanta)			

Evaluation Scorecard Reports

Using the Evaluation Scorecard Report, you can track agent performance measured against quality initiatives defined by your organization. An analyst or administrator sets up the report for you and saves it in a Public Reports folder.

Some key actions you can take on the Evaluation Scorecard include:

- Select the scorecard you want to view and filter on year, period, and period value.
- Drill down on results by selecting a site to display metrics by site supervisor.
- View results by:
 - *Values*: the results are shown as number values. You can get more information about this value by clicking the value in the grid. A tooltip displays when you click the value. The value's metric is also displayed in the tooltip.
 - *Icons*: the icon chart provides a visual representation of your results for each supervisor/agent. Bar color indicates whether or not the quality initiative meets its goal. The length of the bar gives a visual cue of the value for the quality initiative.
- Show only outliers in the chart when you choose a comparison option.

Quality Initiatives

Each column in the Evaluation Scorecard represents a quality initiative, consisting of:

- A metric or KPI, such as *Average Interaction Duration* or *Non-Talk Time Percentage*.
- A body of interactions to track, called a target media set.
- A goal for agent performance for that metric in the defined body of interactions.

If you click a score in the Scorecard, you can see the details.

Custom weighted scoring is labeled as question weighted in reports.


Behaviors Dashboard

This dashboard displays how agents in a supervisor's team are performing in terms of their soft skill behaviors for all the interactions over a selected period. This helps supervisors track their teams and identify soft skill behaviors where agents need coaching. The dashboard shows behavior data based on the date range set in the management console using **Nexidia.Portal.Enlighten.BehaviorDashboardPeriod1StartDayDelta** and **Nexidia.Portal.Enlighten.BehaviorDashboardPeriod1EndDayDelta** parameters.

To view this dashboard:

1. Set the **Nexidia.Portal.Enlighten.IsDashboardEnabledForSupervisors** parameter to *true*.
2. Click the  **Teams Behaviors Dashboard** icon in the Portal application.

You can use the Configuration Parameters tab in the Management Console to set up behaviors such as Active Listening, Be Empathetic, and Build Rapport. The dashboard will only show the behaviors that you have set up in the management console. You do not need to set the behaviors that are irrelevant or do not have any data.




- You can choose to see data for either audio or chat interactions from a drop-down menu.
- In the left pane, you can see the average sentiment score, average behavior score, total calls, and average handling time of calls (AHT) of all agents. To see how these numbers have changed from the last period, select the **Show Change from Previous Period** option. You will see the difference as a percentage. A higher score than before will be in dark blue, and a lower score will be in dark orange.
- In the My Agents section, you can see:
 - The performance of all agents. Click the agent name to see the detailed performance of an individual agent.
 - Overall behavior score of all interactions.
 - The average sentiment score of all interactions.
 - The average index score value of respective behaviors such as Active Listening, Be Empathetic, Build Rapport, etc.
 - How behavior data has changed over time using the **Show Change from Previous Period** option. The difference is shown as percentage.
 - How each agent is rated on their behaviors, relative to the rest of the team. Each score is colored based on the following logic:
 - Dark Blue—Score is in the top 25%
 - Light Blue—Score is in the upper 50%, but less than the top 25%

Light Orange—Score is in the lower 50%, but greater than the lowest 25%

Dark Orange—Score is in the lowest 25%.

- You can customize which behaviors show up on the dashboard. This lets supervisors focus on the behaviors they need to see. To change the behaviors, click the **Settings** button at the top right of the screen. In the Add/Remove Behavior Columns window, you will see only the behaviors set up in the management console. The dashboard will display the columns in the order you arrange them in the Selected columns list.
- The Behavior Score and Sentiment Score is always visible and cannot be changed.



EVALUATION SCORECARDS

Evaluation scorecards help track how well agents perform based on specific goals. Each goal can include many categories, and each category can run on a unique set of evaluations, yielding various metric results. The scorecard results can be classified in the following levels of performance.

- Good
- Caution
- Out of bounds

Scorecard reports provide a simple view of the agent's performance compared with the organization's goals. The results are based on 100% of the evaluations. If you drill into an interaction from the evaluation scorecard, the Search function opens in Report Data mode. Data restrictions apply to the Site and Supervisor data only.

When you choose a scorecard from the Scorecards list in the Scorecards window, the Properties, Users/Profiles, and Contents sections display relevant details. The contents of scorecards will vary depending on where they are used in the application.

When an evaluation is in progress, it is included in the scorecard calculation.

Guidelines to Create Scorecards

- You use QC scorecards to define the columns that are used to measure performance goals at the Site, Supervisor, and Agent level. Each scorecard must contain at least one defined column.
- You can add, edit, copy, and delete scorecards.
- At least one evaluation template must be defined in your system before you can add a column.
- When copying a scorecard, the copy includes the contents of the original, but users are not assigned to it.
- You cannot delete a scorecard that is used in Evaluations Portal Dashboards.

Columns

Each QC scorecard must have at least one scorecard column. Columns are also referred to as quality initiative (Q/I) or category.

When a scorecard is used in Evaluations Portal dashboards, the columns also display *Included*, *Weight*, *Display*, and *Limit* information and is displayed in the Evaluations Portal dashboard. Columns appear as rows in the grid when you are creating or editing an evaluation scorecard. They appear as columns when you are examining results.

At least one evaluation template must be defined in your system before you can add a column.

You can move two or more columns at a time if you have additional unselected columns. You cannot move up if the top column is selected, and you cannot move down if the bottom column is selected. If a move is not allowed, Move Up and/or Move Down are disabled.

Column Fields

FIELD	DESCRIPTION
Display Name	The name is used to identify the column. This name appears in the first column in the column grid (located in the Scorecard Details tab).

FIELD	DESCRIPTION
Metric	A set of predefined, measurable, performance criteria. For example, the <i>Average Evaluation Score</i> metric measures the number of evaluations in the templates divided by the number of days in the <i>Date Range</i> for which the agent has at least one evaluation. Only metrics that are valid for the associated template types are available for selection. See Metrics on page 114 for a list of the available metric options and a description of each.
Form Template	The evaluation form template used to measure agent performance.
Description	A description of the scorecard column.
Goals	The values that represent acceptable or unacceptable performance for this metric across this set of evaluations. For example, <i>good</i> equals 0-45.
Included	Indicates whether the column is used for the scorecard score calculation and displayed in the Portal Dashboard. You can toggle between the <i>Yes</i> or <i>No</i> options. If you select the column, then the corresponding <i>Weight list</i> becomes enabled with the system default of 5, and the weight value is calculated and displayed to the right of the list. The initial (xx.x%) value for each column depends on the number of scorecards in that column.
Weight	Indicates the weighting for the column relative to others in the Scorecard. Any changes that you make automatically recalculate the numeric relative weights displayed. The percentage values are a simple weighted average of the included columns. For example, if the <i>Yes</i> weights are 1, 8, 10, and 4, the sum of those values is 23. Thus, the first is $1/23 = 4.3\%$, the second is $8/23 = 34.8\%$, etc.
Display	Indicates how the individual column value is displayed. The default value is <i>Numeric</i> . You can click the ellipses buttons to choose from the options of <i>Numeric</i> , <i>Harvey Balls</i> , and <i>Stars</i> .

FIELD	DESCRIPTION
Limit	This is the maximum and/or minimum score(s) for each column that earn the individual points. Observed values equal to or exceeding the configured <i>Limit</i> for the column result in a normalized score of 0 for that individual for the column. Limits are required for each column with an Included value = Yes. The text that is displayed depends on the quality initiative (goal type): • Single Directional – the goal is tracked on a single scale: • Normal – <i>[] or higher</i> (values below the defined limit are better, for example, fewer Average Non-Talk occurrences is better) • Reversed – <i>[] or lower</i> (values above the defined limit are better, for example, higher Number of Interactions per Day is better) • Bi-Directional – the goal is tracked as a range with the lower and upper limits: • <i>[] or lower</i> • <i>[] or higher</i>

Target Media Set for Scorecards

A target media set is a set of media used to measure agent performance:

- The initial media is defined within the session you select when you create a target media set. You must have access to a session before you can use its media to define a target media set.
- You can filter the media using metadata.

The remaining (filtered) media is your target media set.

After the target media set is defined, any user with access to Evaluation Scorecards in Administration can use it. This is true even if the user does not have access to the original session from which it was created.

Metrics

A metric is a measurable value (such as average evaluation score) that defines the criteria for an evaluation template and is used when searching a target media set. A metric is defined within the column. To add a metric, you must create or edit a QC evaluation scorecard, create or edit a column, and then select the metric from within the column. See [Columns](#) on page 111 to learn more.

To see the evaluation scorecards that use a certain metric, click an item in the Metric Name column (in the Metrics tab). The grid displays the scorecards that use the selected metric. The Display Name (defined when you create/edit the column) also displays in the grid.

Go to QC Administration > QC Scorecards > Metrics to view the list of available metrics and a description of each metric.

METRIC NAME	DESCRIPTION
Average Agent Chat Turn Response Time (sec)	Identifies the agent response between chat turns in the target media set for this individual and returns the average.
Average Chat Turns per Day	Indicates the number of chat turns in the target media set for this individual divided by the number of days in the date range for which this individual has at least one chat.
Average Duration (Sec)	Identifies the duration of each call in the target media set for this individual and returns the average.

METRIC NAME	DESCRIPTION
Average Duration Between Chat Turns (sec)	Identifies the duration between chat turns in the target media set for this individual and returns the average.
Average Evaluation Score	Identifies the average evaluation score for an individual user and the team associated with the user.
Average Interactions per Day	Indicates the number of interactions in the target media set for this individual divided by the number of days in the date range for which this individual has at least one call.
Average Non-Talk (%)	Identifies the percentage of non-talk in each call in the target media set for this individual and returns the average. The calculation is the sum of the non-talk percentages divided by the number of calls.
Average Non-Talk (Occurrences per Call)	Identifies the number of non-talk occurrences in each call in the target media set for this individual and returns the average.
Average Non-Talk (Sec)	Identifies the number of seconds of non-talk in each call in the target media set for this individual and returns the average.
Average Offset from End of Call	Identifies the average offset (in seconds) of the last hit for the target media set within the media file from the end of the file.
Average Offset from Start of Call	Identifies the average offset (in seconds) of the first hit for the target media set within the media file from the beginning of the file.
Average Sentiment	Identifies the sentiment of each call in the target media set for this individual and returns the average.
Exists	Indicates whether this individual has at least one call in the target media set.
Max Interactions per Day	Identifies the number of interactions in the target media set for this individual for each day that the individual had interactions, and returns the largest value.

METRIC NAME	DESCRIPTION
Min Interactions per Day	Identifies the number of interactions in the target media set for this individual for each day that the individual had interactions, and returns the smallest value.
Percentage of Interactions	Identifies the interactions in the target media set. When you select this metric option you can click the Change Denominator link to open the Select Denominator for Percentage of Interactions window where you can select one of the following options: - All interactions in the Session (default) - Target Media Set - Count of Interactions The target media set can be the denominator if it shares the same session as the target media set in the numerator, and it has the Total Interaction Count report metric enabled.

Goals

Goals are user-defined standards for interpreting results. These standards are labeled *Good*, *Out of Bounds*, and *Caution* to help you interpret your results quickly and easily. These standards indicate the level of success of a certain metric against its evaluation template.

Goals are associated with a column and are defined when you create or edit a column:

- Single Directional – the goal is tracked on a single scale:
 - Normal – *[] or higher* (values below the defined limit are better, for example, fewer Average Non Talk occurrences is better)
 - Reversed – *[] or lower* (values above the defined limit are better, for example, higher Number of Interactions per Day is better)
- Bi-Directional – the goal is tracked as a range with the lower and upper limits:
 - *[] or lower*
 - *[] or higher*

Scores equal to goal boundaries are always assigned the category that benefits the individual. See Goals in [Columns](#) on page 111 to learn more.

Update Column

*Display Name

All Performance Template - No ACK - No Resco

*Metric

Average Evaluation Score

*Form Template

Performance

Select

Description

No Acknowledge
No Exclude Rescore

☐ Include only Agent Acknowledged evaluations

☐ Exclude evaluations currently in rescore process

Created: 08/12/2017 15:38:11 by: Graves, Misha - (mgraves)

Modified: 08/12/2017 15:38:11 by: Graves, Misha - (mgraves)

*Goals: (avg)

type: Single Directional

0150200

☐ Reverse

☒ Include "Caution" state

Goal Thresholds/Legend

☐ Good0 - 150 avg

☐ Caution150 - 200 avg

☐ Out of Bound200 - avg

(lower is better)

Note: Scores equal to Goal boundaries are always assigned the category that benefits the individual.

OK

Reset

Cancel

Create Evaluation Scorecards

After evaluation templates have been created in NiCE Quality Central, it is time to configure scorecards. See [Guidelines to Create Scorecards](#) on page 111 to learn more.

→ To create evaluation scorecards:

1. Go to **Administration > Evaluation Scorecards > Scorecards**.
2. Click **New**. The New Scorecard window opens with the Properties tab selected.

The screenshot shows the 'New Scorecard' window with the 'PROPERTIES' tab selected. At the top, there are buttons for 'Save', 'Save & Close', and 'Cancel'. Below these are two text input fields: '*Name' and 'Description'. A checkbox labeled 'Use in Portal Dashboards' is located below the 'Name' field. Below the input fields is a section titled 'COLUMNS' which contains a table with the following headers: 'DISPLAY NAME', 'METRIC', 'TARGET MEDIA SET', and 'GOALS'. Below the table, the text 'This Scorecard has no content.' is displayed.

3. In the **Name** field, enter the name for the scorecard.
4. Select the **Use in Portal Dashboards** check box to use this scorecard in Portal Dashboards. When you select this check box, the Included, Weight, Display, and Limit columns display on the main Scorecards window and the Thresholds and Agents Dashboard tabs are available.

This screenshot shows the same 'New Scorecard' window, but the 'Use in Portal Dashboards' checkbox is now checked. The 'COLUMNS' table has been updated with additional headers: 'INCLUDED', 'WEIGHT', 'DISPLAY', and 'LIMIT (0 POINTS)'. The message 'This Scorecard has no content.' is still present below the table.

5. In the **Description** field, enter a description for the scorecard.

6. If desired, you can import scorecard columns from other scorecards. See [Import Scorecard Columns](#) on page 123 to learn more.
7. To add a Column Metric to the Evaluation Scorecard, click **New** above the Columns grid. The New Column window opens.

8. Enter the column information for the scorecard. See [Columns](#) on page 111 to learn more.
 - Display Name
 - Metric (see [Metrics](#) on page 114 to learn more)
 - Target Media Set
 - Description
 - Goals (see [Goals](#) on page 116 to learn more)
9. Click **OK** to add the column.
10. Add more columns as needed.
11. Select the Access Rights tab. The Access Rights grid displays.
12. In the grid, select the level of control you want to give to each user or profile.
13. If you specified this scorecard to be used in the Portal Dashboards, do the following:
 - a. Select the Thresholds tab and set the scoring thresholds for the scorecard. See [Configuring Scoring Thresholds](#) on page 121 to learn more.

- b. Select the Agents' Dashboard tab and set the agents or groups to have access to the scorecard in their dashboard. See [Configure Agent Access to a Scorecard](#) on page 124 to learn more.
- 14. Click **Save** to save and continue editing, or **Save & Close** to save and exit the window.

Configuring Scoring Thresholds

The Thresholds tab indicate how to configure the scoring thresholds/categories for displaying the overall scorecard score. You indicate the number of categories and how they are represented in the user interface.

You can also import scoring thresholds from existing scorecards.

→ To configure scoring thresholds:

1. Go to **Administration > Scorecards**.
2. Select a scorecard and click **Edit**.
3. Click the **Thresholds** tab.

4. Import threshold scoring configuration from a different scorecard:
 - a. Click the **Select a Scorecard** link.
 - b. Select the scorecard thresholds to import.

- c. Click **OK**.
5. Select the number of categories from the **Number of categories** dropdown list (value options are 0 through 5, default value is 4).
If you select 0, this indicates that the normalized scores are what is important, not the categorization.

Number of categories: 4 ▼

0 100

Progress bar with 4 empty segments and 4 smiley face icons below.

6. Enter a numeric threshold value for each category. The total of the threshold must be in the range of 0 through 100. The thresholds that you specify here display in the agents Scorecard-level tab on the Portal Dashboard and represent the category level thresholds. Goals are set on the Properties tab when you create the scorecard.

Number of categories: 4 ▼

0 100

Progress bar with 4 input fields highlighted by a blue box and 4 smiley face icons below.

7. Select a color or enter a color value for each range in the category by clicking on the color picker button under each range.

Number of categories: 4 ▼

0 100

Progress bar with 4 color picker buttons highlighted by a blue box and 4 smiley face icons below.

8. Show the scores as values or icons:
- Numeric (normalized) score (default)
 - Harvey balls
 - Stars

This visually represents the degree to which each item meets the maximum score.

Include ... on Dashboard

☒ Numeric (normalized) score

☐ Stars ★★ ★


☐ Harvey Balls ○ ● ●

9. Enter a Category Label for each category. You can enter a maximum of 100 alphanumeric characters.
The Category Labels display as tooltips when the user hovers the mouse over a Scorecard/Tab in the Dashboard in the Evaluations Portal.
10. Click **Save & Close**.

Import Scorecard Columns

→ To import scorecard columns:

1. In the New Scorecard window, click **Load**.



2. Select the columns to add to the scorecard.
3. Click **OK**.

Configure Agent Access to a Scorecard

You will use the Agent's Dashboard tab to configure agent access to scorecards in their Evaluations Portal Dashboards. You can also import agent or group configuration information from existing scorecards.

→ To configure agent access to this scorecard:

1. Go to **Administration > Scorecards**.
2. Select a scorecard and click **Edit**.
3. Click the **Agents Dashboard** tab.

4. Select a user from the user list to open the User List Properties tab for the selected user.
5. Import agents dashboard configuration from a different scorecard:
 - a. Click the **Select a Scorecard** link.
 - b. Select the agents dashboards to import.

Select the Scorecard Agents to Import

- ☐ Customer Satisfaction
- ☐ Customer Satisfaction - Copy

- c. Click **OK**.
6. Select the agents to have access to this scorecard in their portal dashboard:
 7. Select the agent (or agents) from the Individual Agents list and click **Add >**. You can narrow the list of available agents by selecting a site and/or supervisor and entering text in the name contains box.
 8. Select the agent groups from the Agent Groups list.
 9. Click **Save & Close**.

Evaluation Scorecard Reports

Using the Evaluation Scorecard Report, you can track agent performance measured against quality initiatives defined by your organization. An analyst or administrator sets up the report for you and saves it in a Public Reports folder.

Some key actions you can take on the Evaluation Scorecard include:

- Select the scorecard you want to view and filter on year, period, and period value.
- Drill down on results by selecting a site to display metrics by site supervisor.
- View results by:
 - *Values*: the results are shown as number values. You can get more information about this value by clicking the value in the grid. A tooltip displays when you click the value. The value's metric is also displayed in the tooltip.
 - *Icons*: the icon chart provides a visual representation of your results for each supervisor/agent. Bar color indicates whether or not the quality initiative meets its goal. The length of the bar gives a visual cue of the value for the quality initiative.
- Show only outliers in the chart when you choose a comparison option.

Quality Initiatives

Each column in the Evaluation Scorecard represents a quality initiative, consisting of:

- A metric or KPI, such as *Average Interaction Duration* or *Non-Talk Time Percentage*.
- A body of interactions to track, called a target media set.
- A goal for agent performance for that metric in the defined body of interactions.

If you click a score in the Scorecard, you can see the details.

Important

Custom weighted scoring is labeled as question weighted in reports.