
NiCE Voice Grid Media Worker Programmer's Guide Version 21.0.3.5

- [Copyright](#)
- [Overview](#)
 - [Asynchronous Processing](#)
 - [Fault Tolerance](#)
- [Client Integration](#)
 - [Queue Names](#)
 - [Service Contract and Examples](#)
 - [Field descriptions:](#)
 - [Basic Response Message Payload, Redaction](#)
 - [Multichannel Sentiment Scores](#)
 - [ASR and Transcripts \(Off Channel\)](#)
 - [Workflow Result Zip File \(Off Channel\)](#)
 - [Only Enlighten scores for CXOne IA generated transcripts in json](#)
 - [Call Summarization sample request response](#)
 - [NER data](#)
 - [Transcription samples](#)
- [Restful Interface](#)
 - [/actuator/health](#)
 - [/inventory](#)

Copyright

NiCE Voice Grid™ Programmer's Guide
Version 21.0.3

PROPRIETARY AND CONFIDENTIAL INFORMATION

Information herein is proprietary information and trade secrets of NiCE Ltd. and/or its affiliated companies (Affiliates). This document and the information herein is the exclusive property of NiCE and its Affiliates and shall not be disclosed, in whole or in part, to any third party or utilized for any purpose other than the express purpose for which it has been provided.

IMPORTANT NOTICE

Subject always to any existing terms and conditions agreed between you and NiCE or any Affiliate with respect to the products which are the subject matter of this document, neither NiCE nor any of its Affiliates shall bear any responsibility or liability to a client or to any person or entity with respect to liability, loss or damage caused or alleged to be caused directly or indirectly by any product supplied or any reliance placed on the content of this document. This includes, but is not limited to, any interruption of service, loss of business or anticipatory profits or consequential damage resulting from the use or operation of any products supplied or the content of this document. Information in this document is subject to change without notice and does not represent a commitment on the part of NiCE or any Affiliate.

All information included in this document, such as text, graphics, photos, logos and images, is the exclusive property of NiCE or in Affiliate and is protected by United States and international copyright laws. Permission is granted to use, view and photocopy (or print) materials from this document only in connection with the products to which this document relates and subject to the terms of license applicable to such products. Any other use, copying, distribution, retransmission or modification of the information in this document without the express prior written permission of NiCE or an Affiliate is strictly prohibited. In the event of any permitted copying, redistribution or publication of copyrighted material, no changes in, or deletion of, author attribution, trademark legend or copyright notice shall be made.

Products supplied may be protected by one or more of the US patents listed at www.nice.com/company/legal/patents. For the full list of trademarks of NiCE and its Affiliates, visit www.nice.com/company/legal/nice-trademarks. All other marks used are the property of their respective proprietors.

All contents of this document are: Copyright © 2026 NiCE Ltd. All rights reserved.

For assistance, contact your local supplier or nearest NiCE Customer Service Center:

**EMEA Region (Europe,
Middle East, Africa)**

Tel: +972-9-775-3800
Fax: +972-9-775-3000
email: support@nice.com

**APAC Region (Asia/
Pacific)**

Tel: +852-8338-9818
Fax: +852-2802-1800
email:

North America

Tel: 1-800-663-5601
Fax: +201-356-2197
email:
na_sales@nice.com

International

Headquarters-Israel
Tel: +972-9-775-3100
Fax: +972-9-775-3070
email: info@nice.com

support.apac@nice.com

**The Americas Region
(North, Central, South
America)**

Tel: 1-800-6423-611

Fax: +720-264-4012

email:

support.americas@nice.com

Israel

Tel: 09-775-3333

Fax: 09-775-3000

email: support@nice.com

France

Tel: +33-(0)1-41-38-5000

Fax: +33-(0)1-41-38-5001

Hong-Kong

Tel: +852-2598-3838

Fax: +852-2802-1800

United Kingdom

Tel: +44-8707-22-4000

Fax: +44-8707-22-4500

Germany

Tel: +49-(0)-69-97177-0

Fax:

+49-(0)-69-97177-200

NiCE invites you to join the NiCE User Group (NUG).

Visit the NUG Website at www.niceusergroup.org; and follow the instructions.

All queries, comments, and suggestions are welcome! Please email: nicebooks@nice.com.

For more information about NiCE, visit www.nice.com

Overview

Voice Grid is a scalable microservice and processing engine of Nexidia Workbench Workflows. Depending on the specification of the workflow in use, it can perform a range of speech media analysis operations, include the following:

- Redaction Analysis
- ASR and transcripts
- Sentiment analysis
- Indexing (PAT file generation)
- Call Summarization with contact outcomes and contact summaries

etc.

Distinct from a conventional Web service, the main communication channel with client systems is RabbitMQ message queues. But like a modern Web service, the request/response messages are encoded in the platform neutral json format.

Asynchronous Processing

A fundamental characteristic of Voice Grid is asynchronous processing for high throughput, addressing a large class of batch oriented use cases. With adequate hardware specs (for both the service host and the message broker), reasonably low latency can also be achieved. If the customer desires a synchronous interface API, it can be done relatively easily around the correlation ID field, present in both the Request and Response message payloads.

Due to the read-only nature of the Workflow based media operations, Voice Grid service is also idempotent for multiple requests on the same media file.

Fault Tolerance

Service is designed to survive RMQ disturbances both with or without traffic. Duplicate responses may be generated and client system needs to be able to handle them (again, with the help of the Request ID).

Client Integration

Since both the AMQP messaging protocol implemented by the RMQ broker and the Json message transport are standard based and platform neutral, integrating with Voice Grid service is straightforward.

Queue Names

As of Version 2.0, the request/response queue names are no longer logically associated with the message schema and fixed to the names of the POJO class. Instead, they are now configurable and can be set to any names suitable for the business use case of a particular deployment. Through Voice Grid version 20.0.0, we had retained the VG 1.x names (RedactionRequest & RedactionResponse) as out-of-box defaults in a bid to achieve seamless transition for old clients; *however*, since v2.0, MediaAnalysisRequest & MediaAnalysisResponse have generally been considered more accurate for describing the full scope of media operations conducted by Voice Grid and **as of Voice Grid v20.1.0, the new names (MediaAnalysisRequest & MediaAnalysisResponse) are now the out-of-box defaults.**



If upgrading from v20.0.0 or earlier to v20.1.0 or later, please see the details about queue name and virtual-host changes near the top of the README.txt file, within the "BREAKING CHANGES" subsection, within the "Important Notes for Releases 20.1.0 and Later" section.

The request/response queues are considered service owned. They are made public to client systems for write- and read- access respectively. If not pre-existing, they will be created automatically on the first service start. They are persistent and durable even after the service is shut down, or after the message broker itself is re-started.

By default, all processing results are sent to the same response queue even if the original requests had emanated from different client systems or components. (Essentially, this is a two-way Work Queue design pattern, and it can meet the requirements of many application scenarios.) A client may need to aggregate their processing results based on the functional role of the request originating process, in this case the client programmer needs to specify the **clientSystemId** in the request. By convention, Voice Grid interpret this as the name of the "private" response queue, managed by the client system.

A public API jar file is also provided to expedite integration programming on a Java based client system.

Service Contract and Examples

The following Java classes illustrate the message field structure, and can be read as pseudocode for a non-Java client:

```
public final class MediaAnalysisRequest {
    public String clientSystemId;
    public long requestTimestamp;
    public UUID requestId;
    public URI mediaUri;
    public URI resultUri;
    public List<ChannelRoleSentiments> channelRoles;
    public UUID workflowGuid;
    public boolean sendWbLogs;
}
```

```
public class MediaAnalysisResponse {
    public String serverId;
    public UUID requestId;
    public long requestTimestamp;
    public URI mediaUri;
```

```

public URI resultUri;
public boolean successful;
public String furtherInfo;
public List<CandidateSegment> segmentList;
public List<ChannelRoleSentiments> sentiments;
public String wbLogs;
public long responseTimestamp;
}

```

Field descriptions:

(Request)

clientSystemId: (Optional) A string that identifies the calling client system and represents the private response queue name by convention.

requestTimestamp: The Epoch time, in milliseconds, the request generation. This is used in preference to a standard timestamp string to rule out any ambiguity. This field is echoed back in the service response to the client.

requestId: GUID to uniquely identify each request. This field is echoed back in the service response to the client to facilitate correlation between the two.

mediaUri: Platform neutral URI for the source media file that needs be processed. Currently only support the **file:** scheme. This field is echoed back in the service response to the client to facilitate correlation between the two.

resultUri: (Optional) Client designated file location for service generated result content. Currently only support the **file:** scheme. By convention, if the resource extension name is .json, then the results are channel transcripts and auxiliary information. If the extension name is .zip, the results content is a comprehensive zip package of all workflow execution output, including the phonetic index (.PAT) file, if the requested workflow supports it.

workflowGuid: (Applicable only for MEDIANALYSIS implementation) The client specific ID for the Workbench model file. This invariant ID is part of the Workbench workflow publication and needs be communicated to the client system.

channelRoles: (Optional) Client designated channel to speaker role association.

sendWbLogs: Indicates whether the client is interested in getting the internal Workbench processing steps information (e.g., for reporting purpose).

Transcription-Specific Request Fields



Fields `iso639Language`, `lexiconAlterations`, and `resultReplacements` are all optional, and were added at Voice Grid 21.0.3. If any are omitted, Voice Grid may provide configurable default values for any or all via a JSON file. If that file has not been configured, `iso639Language` defaults to "en" and there are no `lexiconAlterations` (phrases to be boosted) nor `resultReplacements`. **Sending these as part of the request vs. relying on a static configuration file is recommended because logically, alterations and boosted phrases will likely vary by language.**



The `iso639Language` specified does not force that language. Rather, it serves as a hint that biases the engine toward that language, but the engine still does code-switching if it detects different languages.

iso639Language (Optional) String indicating the language in the media file being sent.

lexiconAlterations (Optional) Set of strings indicating phrases to "boost" (work harder to detect).

resultReplacements (Optional) Set of "original" string, "replacement" string, and boolean `caseSensitive` specifications for strings in the transcript results to be replaced. Note that these are generic string replacements, not word-level.

(Response)

serverId: host name of the VG service instance by which the request had been processed (diagnostic and reporting purpose only.)

successful: A flag to indicate the overall processing result status.

furtherInfo: Informational summary string, system level error messages in case of a failure.

segmentList: Redaction candidate segment list. The `resultDesc` sub-field indicates the nature of the segment.

sentiments: Per-channel sentiment scores and related information.

wbLogs: Present if `sendWbLogs` is set to true in the original request. Contains Workbench processing information.

responseTimestamp: Similar to `requestTimestamp`. Client system can compute the time interval between the two.

Basic Response Message Payload, Redaction

Message payload examples - Request:

```
{
  "clientSystemId": null,
  "requestTimestamp": 1537132507296,
  "requestId": "bb13ba8f-5ce4-484d-8ca2-a8af33a60206",
  "mediaUri": "file:///nas3/Engineering/TestData/media/telco/05212005-100.wav",
  "resultUri": "file:///nas3/Engineering/TestData/transcripts/05212005-100_transcript.json",
  "channelRoles": [],
  "workflowGuid": "6b9854a7-a5f8-43b3-b3ec-0616647ed14e",
  "sendWbLogs": true
}
```

Response:

```
{
  "requestId": "bb13ba8f-5ce4-484d-8ca2-a8af33a60206",
  "requestTimestamp": 1537132507296,
  "mediaUri": "file:///nas3/Engineering/WorkbenchAutomatedTestData/media/telco/05212005-100.wav",
  "resultUri": "file:///nas3/Engineering/TestData/transcripts/05212005-100_transcript.json",
}
```

```

"successful": true,
"furtherInfo": "segCount=1",
"segmentList": [
{
  "startTimeMs": 17400,
  "endTimeMs": 25090,
  "score": 0,
  "resultDesc": "TELENUM"
}
],

```

```

"wbLogs": "<<WF LOGS>>\n\n\tVAD result: segmentMs=[0-80020]\n\tVAD total speech: 80020ms\n\tVAD met
min speech of 60000ms\n\tTerm search result: score:0.97, segmentMs=[13880,14600]\n\tSearch results met the
specified thresholds\n\tCreating transcript...\n\tTranscript created.\n\tPrimaryCandidateLocator::NumericBlock -
Numerals found in scaled window: redactionTypeld=0, redactionTypeName=ACCTNUM, numWords=11,
numNumerals=1, numWordsBetweenNumerals=1, numeralToWordBetweenNumeralsRatio=1.00, windowId=2,
origWindowMs=[3090, 6250), trimmedOrigWindowMs=[5770, 6250), scaledWindowMs=[3000, 6000),
trimmedScaledWindowMs=[5580, 6060)\n\tPrimaryCandidateLocator::NumericBlock - Numerals found in scaled
window: redactionTypeld=0, redactionTypeName=ACCTNUM, numWords=11, numNumerals=1,
numWordsBetweenNumerals=1, numeralToWordBetweenNumeralsRatio=1.00, windowId=5,
origWindowMs=[14090, 17400), trimmedOrigWindowMs=[16960, 17210), scaledWindowMs=[12000, 15000),
trimmedScaledWindowMs=[14570, 14820)\n\tPrimaryCandidateLocator::NumericBlock - Numerals found in
scaled window: redactionTypeld=0, redactionTypeName=ACCTNUM, numWords=8, numNumerals=8,
numWordsBetweenNumerals=8, numeralToWordBetweenNumeralsRatio=1.00, windowId=6,
origWindowMs=[17400, 21710), trimmedOrigWindowMs=[17400, 21710), scaledWindowMs=[15000, 18000),
trimmedScaledWindowMs=[15010, 18140)\n\tPrimaryCandidateLocator::NumericBlock - Numerals found in
scaled window: redactionTypeld=0, redactionTypeName=ACCTNUM, numWords=10, numNumerals=9,
numWordsBetweenNumerals=10, numeralToWordBetweenNumeralsRatio=0.90, windowId=7,
origWindowMs=[21730, 25090), trimmedOrigWindowMs=[21730, 25090), scaledWindowMs=[18000, 21000),
trimmedScaledWindowMs=[18140, 21480)\n\tPrimaryCandidateLocator::NumericBlock - Candidate numeric
block found: redactionTypeld=0, redactionTypeName=ACCTNUM, windowMs=[17400, 25090), numWords=18,
numNumerals=17, numWordsBetweenNumerals=18, numeralToWordBetweenNumeralsRatio=0.94\n\t
PrimaryCandidateValidator - ASR search hit not matching search phrase around candidate segment:
redactionTypeld=0, redactionTypeName=ACCTNUM, candidateSegmentMs=[17400,25090],
searchItemId=2001, positiveFeature=true, hitMs=[13090,13420]\n\tPrimaryCandidateValidator - ASR SVM
feature not matching search phrase around candidate segment: redactionTypeld=0,
redactionTypeName=ACCTNUM, candidateSegmentMs=[17400,25090], svmSearchItemId=2002,
searchItemId=1, hitMs=[13090,13420]\n\tPrimaryCandidateValidator - ASR SVM not meeting threshold for
candidate segment: redactionTypeld=0, redactionTypeName=ACCTNUM,
candidateSegmentMs=[17400,25090], searchItemId=2002, positiveFeature=true, svmScore=0.00\n\t
PrimaryCandidateValidator - Unworthy candidate segment failed validation, discarding: redactionTypeld=0,
redactionTypeName=ACCTNUM, candidateSegmentMs=[17400,25090], numPositiveFeatures=0,
numNegativeFeatures=0\n\tNumber of candidate segments found for redaction type: redactionType=0,
numCandidateSegments=0\n\tPrimaryCandidateLocator::NumericBlock - Numerals found in scaled window:
redactionTypeld=1, redactionTypeName=TELENUM, numWords=11, numNumerals=1,
numWordsBetweenNumerals=1, numeralToWordBetweenNumeralsRatio=1.00, windowId=2,
origWindowMs=[3090, 6250), trimmedOrigWindowMs=[5770, 6250), scaledWindowMs=[3000, 6000),
trimmedScaledWindowMs=[5580, 6060)\n\tPrimaryCandidateLocator::NumericBlock - Numerals found in scaled
window: redactionTypeld=1, redactionTypeName=TELENUM, numWords=11, numNumerals=1,
numWordsBetweenNumerals=1, numeralToWordBetweenNumeralsRatio=1.00, windowId=5,
origWindowMs=[14090, 17400), trimmedOrigWindowMs=[16960, 17210), scaledWindowMs=[12000, 15000),
trimmedScaledWindowMs=[14570, 14820)\n\tPrimaryCandidateLocator::NumericBlock - Numerals found in
scaled window: redactionTypeld=1, redactionTypeName=TELENUM, numWords=8, numNumerals=8,
numWordsBetweenNumerals=8, numeralToWordBetweenNumeralsRatio=1.00, windowId=6,
origWindowMs=[17400, 21710), trimmedOrigWindowMs=[17400, 21710), scaledWindowMs=[15000, 18000),

```



```

trimmedScaledWindowMs=[15010, 18140)\n\tPrimaryCandidateLocator::NumericBlock - Numerals found in
scaled window: redactionType=1, redactionTypeName=TELENUM, numWords=10, numNumerals=9,
numWordsBetweenNumerals=10, numeralToWordBetweenNumeralsRatio=0.90, windowId=7,
origWindowMs=[21730, 25090), trimmedOrigWindowMs=[21730, 25090), scaledWindowMs=[18000, 21000),
trimmedScaledWindowMs=[18140, 21480)\n\tPrimaryCandidateLocator::NumericBlock - Candidate numeric
block found: redactionType=1, redactionTypeName=TELENUM, windowMs=[17400, 25090), numWords=18,
numNumerals=17, numWordsBetweenNumerals=18, numeralToWordBetweenNumeralsRatio=0.94\n\t
PrimaryCandidateValidator - Phonetic search hit meeting thresholds around candidate segment:
redactionType=1, redactionTypeName=TELENUM, candidateSegmentMs=[17400,25090],
searchItemId=4000, positiveFeature=true, score=0.97, hitMs=[13880,14600]\n\tPrimaryCandidateValidator -
ASR SVM feature matching search phrase around candidate segment: redactionType=1,
redactionTypeName=TELENUM, candidateSegmentMs=[17400,25090], svmSearchItemId=4002,
searchItemId=1, hitMs=[13640,14560]\n\tPrimaryCandidateValidator - ASR SVM feature matching search
phrase around candidate segment: redactionType=1, redactionTypeName=TELENUM,
candidateSegmentMs=[17400,25090], svmSearchItemId=4002, searchItemId=1, hitMs=[15310,15930]\n\t
PrimaryCandidateValidator - ASR SVM meeting threshold for candidate segment: redactionType=1,
redactionTypeName=TELENUM, candidateSegmentMs=[17400,25090], searchItemId=4002,
positiveFeature=true, svmScore=2.00\n\tPrimaryCandidateValidator - Candidate segment validated:
redactionType=1, redactionTypeName=TELENUM, candidateSegmentMs=[17400,25090],
numPositiveFeatures=2, numNegativeFeatures=0\n\tSecondaryCandidateLocator - No secondary candidate
found after candidate segment, adding default time to segment end: redactionType=1,
redactionTypeName=TELENUM, candidateSegmentMs=[17400,25090], extraTimeToAddToEndIfNotHitMs=0\n\t
Number of candidate segments found for redaction type: redactionType=1, numCandidateSegments=1\n\t
Segments found needing to be redacted: numSegments=1\n\n",
"responseTimestamp": 1537132690660
}

```

Multichannel Sentiment Scores

Workflows with embedded sentiment models will produce sentiment scores. Client can choose to specify a speaker role (AGENT|CUSTOMER|ANY) for each channel, as shown in the following example:

Example 1 - Stereo:

Request:

```

{
  "requestTimestamp" : 1619546305499,
  "requestId" : "96995926-6b10-4a5d-a9fd-0a841862878e",
  "mediaUri" : "file:///D:/dev/media-worker/services/build/mediaFiles/05212005-100_stereo.wav",
  "channelRoles" : [ {
    "channel" : 0,
    "speakerRole" : "CUSTOMER"
  }, {
    "channel" : 1,
    "speakerRole" : "AGENT"
  } ],
  "workflowGuid" : "cb9f5c71-684e-4838-8511-1b2d8d4189b5",
  "sendWbLogs" : false
}

```

Response:

```
{
  "serverId" : "NXDEV200",
  "requestId" : "96995926-6b10-4a5d-a9fd-0a841862878e",
  "requestTimestamp" : 1619546305499,
  "mediaUri" : "file:///D:/dev/media-worker/services/build/mediaFiles/05212005-100_stereo.wav",
  "successful" : true,
  "furtherInfo" : "",
  "segmentList" : [ ],
  "vadList" : [ ],
  "diarizationList" : [ ],
  "sentiments" : [ {
    "channel" : -1,
    "modelScores" : {
      "model(guid=0c629341-dd85-47e0-bbac-c9b909194ad3, type=Audio, role=ANY,
tags=[AcknowledgeLoyalty])" : {
        "guid" : "0c629341-dd85-47e0-bbac-c9b909194ad3",
        "role" : "ANY",
        "tags" : [ "AcknowledgeLoyalty" ],
        "score" : 1.4316276,
        "minScore" : -0.74677306,
        "maxScore" : 1.4553758,
        "quartile1" : -0.25982875,
        "quartile2" : 0.0,
        "quartile3" : 0.0,
        "quartile4" : 0.0,
        "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
        "minScoreOffsetMs" : 0,
        "maxScoreOffsetMs" : 0,
        "status" : "SUCCESS",
        "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_LOWTOHIGH"
      },
      ... (OMMITTED) ...
      "model(guid=aace17d4-1f5b-478e-9fb0-fbb3d06a70cd, type=Audio, role=ANY, tags=[SetExpectations])" : {
        "guid" : "aace17d4-1f5b-478e-9fb0-fbb3d06a70cd",
        "role" : "ANY",
        "tags" : [ "SetExpectations" ],
        "score" : 0.059665374,
        "minScore" : -0.021374159,
        "maxScore" : 0.35295948,
        "quartile1" : 0.10956372,
        "quartile2" : 0.0,
        "quartile3" : 0.0,
        "quartile4" : 0.0,
        "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
        "minScoreOffsetMs" : 0,
        "maxScoreOffsetMs" : 0,
        "status" : "SUCCESS",
        "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_LOWTOHIGH"
      }
    }
  }
}, {
}
```

```

"channel" : 0,
"speakerRole" : "CUSTOMER",
"modelScores" : {
  "model(guid=0c629341-dd85-47e0-bbac-c9b909194ad3, type=Audio, role=ANY,
tags=[AcknowledgeLoyalty])" : {
    "guid" : "0c629341-dd85-47e0-bbac-c9b909194ad3",
    "role" : "ANY",
    "tags" : [ "AcknowledgeLoyalty" ],
    "score" : -0.18732299,
    "minScore" : -0.21345931,
    "maxScore" : 0.015658606,
    "quartile1" : -0.08722555,
    "quartile2" : 0.0,
    "quartile3" : 0.0,
    "quartile4" : 0.0,
    "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
    "minScoreOffsetMs" : 0,
    "maxScoreOffsetMs" : 0,
    "status" : "SUCCESS",
    "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_NONE"
  },
  ... (OMMITTED) ...
  "model(guid=aace17d4-1f5b-478e-9fb0-fbb3d06a70cd, type=Audio, role=ANY, tags=[SetExpectations])" : {
    "guid" : "aace17d4-1f5b-478e-9fb0-fbb3d06a70cd",
    "role" : "ANY",
    "tags" : [ "SetExpectations" ],
    "score" : -0.1148568,
    "minScore" : -0.11485682,
    "maxScore" : 0.07605606,
    "quartile1" : 0.05105201,
    "quartile2" : 0.0,
    "quartile3" : 0.0,
    "quartile4" : 0.0,
    "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
    "minScoreOffsetMs" : 0,
    "maxScoreOffsetMs" : 0,
    "status" : "SUCCESS",
    "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_NONE"
  }
}, {
  "channel" : 1,
  "speakerRole" : "AGENT",
  "modelScores" : {
    "model(guid=0c629341-dd85-47e0-bbac-c9b909194ad3, type=Audio, role=ANY,
tags=[AcknowledgeLoyalty])" : {
      "guid" : "0c629341-dd85-47e0-bbac-c9b909194ad3",
      "role" : "ANY",
      "tags" : [ "AcknowledgeLoyalty" ],
      "score" : 1.6189507,
      "minScore" : -0.5820413,
      "maxScore" : 1.6189506,
      "quartile1" : -0.17260316,
      "quartile2" : 0.0,

```

```

    "quartile3" : 0.0,
    "quartile4" : 0.0,
    "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
    "minScoreOffsetMs" : 0,
    "maxScoreOffsetMs" : 0,
    "status" : "SUCCESS",
    "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_LOWTOHIGH"
  },
  ... (OMMITTED) ...
  "model(guid=aace17d4-1f5b-478e-9fb0-fbb3d06a70cd, type=Audio, role=ANY, tags=[SetExpectations])" : {
    "guid" : "aace17d4-1f5b-478e-9fb0-fbb3d06a70cd",
    "role" : "ANY",
    "tags" : [ "SetExpectations" ],
    "score" : 0.17452219,
    "minScore" : -0.052098643,
    "maxScore" : 0.32986522,
    "quartile1" : 0.05851171,
    "quartile2" : 0.0,
    "quartile3" : 0.0,
    "quartile4" : 0.0,
    "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
    "minScoreOffsetMs" : 0,
    "maxScoreOffsetMs" : 0,
    "status" : "SUCCESS",
    "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_LOWTOHIGH"
  }
},
}],
"responseTimestamp" : 1619546306922
}

```

Example 2 - Mono:

Request:

```

{
  "requestTimestamp" : 1619468819908,
  "requestId" : "19bbd486-d78b-4f96-a876-4a8845a319b8",
  "mediaUri" : "file:///D:/dev/workflow/media/aol/02/AOL04001.wav",
  "channelRoles" : [ ],
  "workflowGuid" : "cb9f5c71-684e-4838-8511-1b2d8d4189b5",
  "sendWbLogs" : false
}

```

Response:

```

{
  "serverId" : "NXDEV200",
  "requestId" : "19bbd486-d78b-4f96-a876-4a8845a319b8",
  "requestTimestamp" : 1619468819908,
  "mediaUri" : "file:///D:/dev/workflow/media/aol/02/AOL04001.wav",
  "successful" : true,
  "furtherInfo" : ""
}

```

```

"segmentList" : [ ],
"vadList" : [ ],
"diarizationList" : [ ],
"sentiments" : [ {
  "channel" : -1,
  "modelScores" : {
    "model(guid=0c629341-dd85-47e0-bbac-c9b909194ad3, type=Audio, role=ANY,
tags=[AcknowledgeLoyalty])" : {
      "guid" : "0c629341-dd85-47e0-bbac-c9b909194ad3",
      "role" : "ANY",
      "tags" : [ "AcknowledgeLoyalty" ],
      "score" : 0.7796575,
      "minScore" : -0.5775233,
      "maxScore" : 1.2276568,
      "quartile1" : -0.13007809,
      "quartile2" : 0.0,
      "quartile3" : 0.0,
      "quartile4" : 0.0,
      "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
      "minScoreOffsetMs" : 0,
      "maxScoreOffsetMs" : 0,
      "status" : "SUCCESS",
      "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_LOWTOHIGH"
    },
    ... (OMMITTED) ...
    "model(guid=aace17d4-1f5b-478e-9fb0-fbb3d06a70cd, type=Audio, role=ANY, tags=[SetExpectations])" : {
      "guid" : "aace17d4-1f5b-478e-9fb0-fbb3d06a70cd",
      "role" : "ANY",
      "tags" : [ "SetExpectations" ],
      "score" : 1.9362259,
      "minScore" : 0.0,
      "maxScore" : 2.082435,
      "quartile1" : 0.56599694,
      "quartile2" : 0.0,
      "quartile3" : 0.0,
      "quartile4" : 0.0,
      "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
      "minScoreOffsetMs" : 0,
      "maxScoreOffsetMs" : 0,
      "status" : "SUCCESS",
      "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_NONE"
    }
  }
}, {
  "channel" : 0,
  "modelScores" : {
    "model(guid=0c629341-dd85-47e0-bbac-c9b909194ad3, type=Audio, role=ANY,
tags=[AcknowledgeLoyalty])" : {
      "guid" : "0c629341-dd85-47e0-bbac-c9b909194ad3",
      "role" : "ANY",
      "tags" : [ "AcknowledgeLoyalty" ],
      "score" : 0.7796575,
      "minScore" : -0.5775233,
      "maxScore" : 1.2276568,

```

```

    "quartile1" : -0.13007809,
    "quartile2" : 0.0,
    "quartile3" : 0.0,
    "quartile4" : 0.0,
    "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
    "minScoreOffsetMs" : 0,
    "maxScoreOffsetMs" : 0,
    "status" : "SUCCESS",
    "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_LOWTOHIGH"
  },
  ... (OMMITTED) ...
  "model(guid=aace17d4-1f5b-478e-9fb0-fbb3d06a70cd, type=Audio, role=ANY, tags=[SetExpectations])" : {
    "guid" : "aace17d4-1f5b-478e-9fb0-fbb3d06a70cd",
    "role" : "ANY",
    "tags" : [ "SetExpectations" ],
    "score" : 1.9362259,
    "minScore" : 0.0,
    "maxScore" : 2.082435,
    "quartile1" : 0.56599694,
    "quartile2" : 0.0,
    "quartile3" : 0.0,
    "quartile4" : 0.0,
    "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
    "minScoreOffsetMs" : 0,
    "maxScoreOffsetMs" : 0,
    "status" : "SUCCESS",
    "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_NONE"
  }
},
"responseTimestamp" : 1619468837950
}

```

Note channel numbers are zero based, with -1 representing the composite channel.

As shown in the samples, there are two levels of speaker role information contained in the response payload. The top level speakerRole indicates the client (requester) designated role, whereas the role associated with each set of scores is part of the sentiment analysis model definition. The former is optional, the latter required.

The sentiment scores and associated model information are presented as a map; but model information such as guid is also added to the scores block for convenience. To avoid such redundancy (and to facilitate client side parsing) we may want to change the content structure from map to list. The current design is mainly motivated by backward compatibility considerations.

ASR and Transcripts (Off Channel)

The external transcript json file (as specified by **resultUri**) format is as follows:

```

{
  "mediaUri": "file:///nas3/Engineering/WorkbenchAutomatedTestData/media/telco/05212005-100.wav",
  "bestWords" : [ {

```

```

"channel" : 0,
"phrases" : [ "THANK", "YOU", "FOR", "CALLING", "AMERICA", "FENCE", "SERVICES", "PICTURE",
"SHOULD", "GENOVISE", "HOW", "CAN", "I", "BE", "OF", "SERVICE", "TODAY", "NINE", "WAS", "ABOUT",
"A", "CREDIT", "SUPPOSED", "TO", "RECEIVE", "ON", "MY", "BILL", "MHM", "HELP", "PULL", "UP", "YOUR",
"ACCOUNT", "WITH", "TELEPHONE", "NUMBER", "WHAT", "OK", "IT'S", "TWO", "OH", "FIVE", "FOUR",
"THREE", "SEVEN", "EIGHT", "SEVENTEEN", "THANKS", "AND", "THE", "CREDITS", "SPEEDS", "WELL",
"ORDERED", "D", "S", "L", "MODEM", "REBATE", "WERE", "ABLE", "SEND", "IN", "FORM", "NO", "UM",
"NEED", "FILL", "OUT", "BUT", "ACCESS", "THAT", "WEB", "OR", "DO", "HAVE", "INTERNET", "IF", "GET",
"PEN", "PAPER", "TELL", "WEBSITE", "WHERE", "FIND", "INFORMATION", "MA'AM", "READY", "IS", "AT",
"W", "DOT", "SAYING", "COM", "CLICK", "ICON", "WHICH", "UPPER", "RIGHT", "HAND", "CORNER", "THEN",
"DOWNLOAD", "EITHER", "FAX", "THIS", "CERTAIN", "MAIL", "IT", "GREAT", "THERE", "ANYTHING", "ELSE",
"THAT'S", "ALL", "WONDERFUL", "DAY", "WE", "REALLY", "APPRECIATE", "BUSINESS", "TOO" ],
"hits" : [ {
  "index" : 0,
  "startTimeMs" : 920,
  "endTimeMs" : 1210,
  "score" : 1.0
}, {
  "index" : 1,
  "startTimeMs" : 1210,
  "endTimeMs" : 1280,
  "score" : 1.0
}, {
  "index" : 2,
  "startTimeMs" : 1280,
  "endTimeMs" : 1440,
  "score" : 1.0
}, {
  "index" : 3,
  "startTimeMs" : 1440,
  "endTimeMs" : 1690,
  "score" : 1.0
}, {
  "index" : 4,
  "startTimeMs" : 1690,
  "endTimeMs" : 2060,
  "score" : 1.0
}, {
  "index" : 5,
  "startTimeMs" : 2060,
  "endTimeMs" : 2390,
  "score" : 1.0
}, {
  "index" : 6,
  "startTimeMs" : 2390,
  "endTimeMs" : 3090,
  "score" : 0.70145303
}, {
  "index" : 7,
  "startTimeMs" : 3090,
  "endTimeMs" : 3400,
  "score" : 1.0
}, {
  "index" : 8,

```

```

    "startTimeMs" : 3400,
    "endTimeMs" : 3650,
    "score" : 1.0
  }, {
    "index" : 9,
    "startTimeMs" : 3650,
    "endTimeMs" : 4230,
    "score" : 1.0
  }, {
    "index" : 10,
    "startTimeMs" : 4230,
    "endTimeMs" : 4400,
    "score" : 1.0
  },
  ... (OMMITTED) ... ]
]
}

```

Workflow Result Zip File (Off Channel)

The zip package structure closely follows the Workbench Workflow API. Its entries consist of a nested ensemble of .json, .txt, and .PAT files. Their contents are largely self-explanatory. The interested party is encouraged to create an example using the included test client utility program. One should always examine the results along with the corresponding workflow package definition (at minimum, read the package manifest file).

Only Enlighten scores for CXOne IA generated transcripts in json

Request:

```

{
  "requestTimestamp" : 1693411457794,
  "requestId" : "fcd95e11-6c1a-402e-a8da-99ad597d046c",
  "mediaUri" : "file:///D:/Transcripts/85b06dc7-5a9a-4cf6-81d0-c8fe5150d845_transcript.json",
  "resultUri" : "file:///F:/Temp/85b06dc7-5a9a-4cf6-81d0-c8fe5150d845_transcript.json",
  "channelRoles" : [ ],
  "workflowGuid" : "ff69067d-af96-4a5a-85c5-b0c1b9e45b7b",
  "sendWbLogs" : false
}

```

Response:

```

{
  "serverId" : "NXDEV198",
  "requestId" : "fcd95e11-6c1a-402e-a8da-99ad597d046c",
  "requestTimestamp" : 1693411457794,
  "mediaUri" : "file:///D:/Transcripts/85b06dc7-5a9a-4cf6-81d0-c8fe5150d845_transcript.json",
  "resultUri" : "file:///F:/Temp/85b06dc7-5a9a-4cf6-81d0-c8fe5150d845_transcript.json",
  "successful" : true,
  "furtherInfo" : ""
}

```



```

"segmentList" : [ ],
"sentiments" : [ {
  "channel" : -1,
  "modelScores" : {
    "model(guid=85dfdc61-d923-4226-9617-898075e9fa5a, type=Audio, role=ANY,
tags=[AcknowledgeLoyalty])" : {
      "guid" : "85dfdc61-d923-4226-9617-898075e9fa5a",
      "role" : "ANY",
      "tags" : [ "AcknowledgeLoyalty" ],
      "score" : -11.125942,
      "minScore" : -9.160297,
      "maxScore" : 0.0,
      "quartile1" : -4.909702,
      "quartile2" : 0.0,
      "quartile3" : 0.0,
      "quartile4" : 0.0,
      "scoresPerWord" : [ ],
      "minScoreOffsetMs" : 0,
      "maxScoreOffsetMs" : 0,
      "status" : "SUCCESS",
      "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_LOWTOHIGH"
    },
    ... (OMMITTED) ...
    "model(guid=0618dc49-5ad3-4d6f-ac12-29544d2029f7, type=Audio, role=ANY, tags=[UncoverNeeds])" : {
      "guid" : "0618dc49-5ad3-4d6f-ac12-29544d2029f7",
      "role" : "ANY",
      "tags" : [ "UncoverNeeds" ],
      "score" : 11.318197,
      "minScore" : -0.22203173,
      "maxScore" : 10.39308,
      "quartile1" : -0.035553023,
      "quartile2" : 0.0,
      "quartile3" : 0.0,
      "quartile4" : 0.0,
      "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
      "minScoreOffsetMs" : 0,
      "maxScoreOffsetMs" : 0,
      "status" : "SUCCESS",
      "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_LOWTOHIGH"
    }
  }
}, {
  "channel" : 0,
  "modelScores" : {
    "model(guid=85dfdc61-d923-4226-9617-898075e9fa5a, type=Audio, role=ANY,
tags=[AcknowledgeLoyalty])" : {
      "guid" : "85dfdc61-d923-4226-9617-898075e9fa5a",
      "role" : "ANY",
      "tags" : [ "AcknowledgeLoyalty" ],
      "score" : -11.125942,
      "minScore" : -9.160297,
      "maxScore" : 0.0,
      "quartile1" : -4.909702,
      "quartile2" : 0.0,

```

```

    "quartile3" : 0.0,
    "quartile4" : 0.0,
    "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
    "minScoreOffsetMs" : 0,
    "maxScoreOffsetMs" : 0,
    "status" : "SUCCESS",
    "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_NONE"
  },
  ... (OMMITTED) ...
  "model(guid=0618dc49-5ad3-4d6f-ac12-29544d2029f7, type=Audio, role=ANY, tags=[UncoverNeeds])" : {
    "guid" : "0618dc49-5ad3-4d6f-ac12-29544d2029f7",
    "role" : "ANY",
    "tags" : [ "UncoverNeeds" ],
    "score" : 11.318197,
    "minScore" : -0.22203173,
    "maxScore" : 10.39308,
    "quartile1" : -0.035553023,
    "quartile2" : 0.0,
    "quartile3" : 0.0,
    "quartile4" : 0.0,
    "scoresPerWord" : [ -1.2083237, -1.3823833, -1.3823833,...],
    "minScoreOffsetMs" : 0,
    "maxScoreOffsetMs" : 0,
    "status" : "SUCCESS",
    "sentimentTransitionType" : "SENTIMENTTRANSITIONTYPE_NONE"
  }
},
},
"responseTimestamp" : 1693411458288
}

```

Call Summarization sample request response

Request:

```

{
  "clientSystemId": null,
  "requestTimestamp": 0,
  "requestId": null,
  "transcriptUri": "E:/Temp/Transcripts/Transcript748667.CSV",
  "textAnalysisModelUri": "E:/Temp/Transcripts/DefaultIntents.ipm",
  "scoringModelUri": "E:/Temp/Transcripts/actionScoringModel.asm",
  "resultUri": "F:/output/result.zip",
  "sendSatelliteLogs" : false
}

```

Response:

```

{
  "serverId": "NXDEV234",
  "requestId": "c94b12d4-e069-43e3-b2c2-38aad7c0bf8",
  "requestTimestamp": 1684431526214,
}

```

```

"transcriptUri": "E:/GridWorkspace/CSG/media-worker/services/build/mediaFiles/Transcript748667.CSV",
"textAnalysisModelUri": "E:/GridWorkspace/CSG/media-worker/services/build/mediaFiles/DefaultIntents.ipm",
"scoringModelUri": "E:/GridWorkspace/CSG/media-worker/services/build/mediaFiles/actionScoringModel.
asm",
"resultUri": "F:/output/result.zip",
"responseTimestamp": 1684431529942,
"furtherInfo": "",
"successful": true,
"primaryIntent": {
"category": "ACCOUNT MAINTENANCE",
"topic": "Mobile and Web Access",
"subtopic": "Username Password Reset"
},
"contactOutcomes": [],
"formattedTranscript": [
{
"text": "need another ip address to send in the reset code.",
"speaker": 1,
"startOffset": 0,
"endOffset": 9040,
"callDriver": false,
"score": 0.0
},
{
"text": "hello there let us pull up the account and check on the options on how we can reset your password for
you for verification purposes, please provide your complete name and address. i hope we are still connected.",
"speaker": 0,
"startOffset": 10010,
"endOffset": 45060,
"category": "ACCOUNT MAINTENANCE",
"topic": "Mobile and Web Access",
"subtopic": "Review and Reset Online Logins",
"callDriver": true,
"snippet": "how we can reset your password for you for verification purposes",
"score": 0.9803381562232971
},
... (OMMITTED) ...
],
"agentTasks": [
{
"text": "hello there let us pull up the account and check on the options on how we can reset your password for
you for verification purposes, please provide your complete name and address. i hope we are still connected.",
"speaker": 0,
"startOffset": 10010,
"endOffset": 45060,
"category": "ACCOUNT MAINTENANCE",
"topic": "Mobile and Web Access",
"subtopic": "Review and Reset Online Logins",
"callDriver": true,
"snippet": "how we can reset your password for you for verification purposes",
"score": 0.9803381562232971
},
... (OMMITTED) ...
],

```

```

"customerIntent": [
{
"text": "so i am on my account now and i need to don'thing it is not will i have to use the same username as i had
before for a different email.",
"speaker": 1,
"startOffset": 237230,
"endOffset": 266370,
"category": "ACCOUNT MAINTENANCE",
"topic": "Mobile and Web Access",
"subtopic": "Username Password Reset",
"callDriver": true,
"snippet": "will i have to use the same username as i had before for a different email",
"score": 0.8039432764053345
}
],
"contactSummaries": [
{
"userType": 1,
"locations": [
{
"utteranceId": 7,
"offset": 258,
"length": 21,
"startOffset": 98090,
"endOffset": 151190
},
{
"utteranceId": 7,
"offset": 258,
"length": 21,
"startOffset": 98090,
"endOffset": 151190
}
],
"categoryMatch": {
"nodeId": "6261CF694EC29D8EEEFCEBD813A5B9246",
"path": [
"Summarization - Agent Actions",
"Client Actions",
"Client Asked About Account"
],
"confidence": 76,
"ruleName": "Account Inquiries (Patron Perspective)"
}
},
... (OMMITTED) ...
],
"scoredAnnotations": [
{
"action": "Client Asked About Account",
"score": -0.9597272276878357,
"locations": [
{
"utteranceId": 7,

```

```

"offset": 258,
"length": 21,
"startOffset": 98090,
"endOffset": 151190
},
{
"utteranceId": 7,
"offset": 258,
"length": 21,
"startOffset": 98090,
"endOffset": 151190
}
],
},
{
"action": "Agent Sent Code",
"score": -20.98729133605957,
"locations": [
{
"utteranceId": 0,
"offset": 27,
"length": 22,
"startOffset": 0,
"endOffset": 9040
}
]
},
... (OMMITTED) ...
],
"satelliteLogs" : null
}

```

NER data

NER is shown in the Call Summarization Response when JSON-formatted transcripts are sent in the request.

Formatted Transcript JSON:

```

[
{
"speakerRole": "CUSTOMER",
"phrase": "Please",
"score" : 1.0,
"startTimeMs": 0,
"endTimeMs": 6
},
{
"speakerRole": "CUSTOMER",
"phrase": "Change",
"score" : 1.0,
"startTimeMs": 1007,
"endTimeMs": 1013
}
]

```

```

    }
    ... (OMMITTED) ...
    {
      "speakerRole": "AGENT",
      "phrase": "Contacting.",
      "score": 1.0,
      "startTimeMs": 13024,
      "endTimeMs": 13034
    },
    {
      "speakerRole": "AGENT",
      "phrase": "Service.",
      "score": 1.0,
      "startTimeMs": 16049,
      "endTimeMs": 16056
    }
  ]

```

Field descriptions:

speakerRole: SpeakerRole in formatted transcript returned by Workbench.

phrase: The phrase spoken. It is a single word spoken.

score: The score assigned to this result.

startTimeMs: The time offset from the beginning of the media where the phrase started. Units are milliseconds.

endTimeMs: The time offset from the beginning of the media where the phrase ended. Units are milliseconds.

Request:

```

{
  "clientSystemId": null,
  "requestTimestamp": 1739896919224,
  "requestId": null,
  "transcriptUri": "E:/Temp/Transcripts/Transcript748674.json",
  "textAnalysisModelUri": "E:/Temp/Transcripts/intents-tool-test-model.ipm",
  "scoringModelUri": "E:/Temp/Transcripts/actionScoringModel.asm",
  "resultUri": null,
  "sendSatelliteLogs": false
}

```

Response:

```

{
  "serverId": "NXDEV234",
  "requestId": "fae52139-8531-43f4-93b0-35ac55f16673",
  "requestTimestamp": 1739896919224,
  "transcriptUri": "E:/Temp/Transcripts/Transcript748674.json",
  "textAnalysisModelUri": "E:/Temp/Transcripts/intents-tool-test-model.ipm",
  "scoringModelUri": "E:/Temp/Transcripts/actionScoringModel.asm",
}

```

```

"resultUri": null,
"responseTimestamp": 1739897128416,
"furtherInfo": null,
"successful": true,
"satelliteVersion": "5.0",
"primaryIntent": {
  "category": "ACCOUNT MAINTENANCE",
  "topic": "Account Management",
  "subtopic": "Updating Account Information"
},
"contactOutcomes": [],
"formattedTranscript": [
  {
    "text": " Please change My Billing Address to My Service Address Hello",
    "speaker": 1,
    "startOffset": 0,
    "endOffset": 9010,
    "category": "ACCOUNT MAINTENANCE",
    "score": 0.2980000078678131,
    "topic": "Account Management",
    "snippet": " Please change My Billing Address to My Service Address Hello",
    "topicID": 38,
    "subtopic": "Updating Account Information",
    "callDriver": true
  },
  ... (OMMITTED) ...
]
"contactSummaries": [
  {
    "userType": 0,
    "locations": [
      {
        "utteranceId": 3,
        "offset": 53,
        "length": 11,
        "startOffset": 36030,
        "endOffset": 62110
      }
    ],
    "eventTag": "Neg No."
  }
],
"scoredAnnotations": [],
"namedEntityRecognitions": [
  {
    "entityType": "LOCATION",
    "entity": "America",
    "speakerRole": 1,
    "startTimeOffset": 14035,
    "endTimeOffset": 14042
  },
  ... (OMMITTED) ...
  {
    "entityType": "NUMBER",

```

```

    "entity": "303260305270313234306222",
    "speakerRole": 1,
    "startTimeOffset": 905905,
    "endTimeOffset": 905907
  },
  {
    "entityType": "NUMBER",
    "entity": "303260305270313234342200236",
    "speakerRole": 2,
    "startTimeOffset": 906906,
    "endTimeOffset": 906908
  }
],
"satelliteLogs": null
}

```

Transcription samples

Request:

```

{
  "clientId": "DEF",
  "requestId": "df641e27-6eb0-4b69-b0cf-b76613b24840",
  "mediaUri": "file://server-share/file-share/audio_files/05212005-568.wav",
  "resultUri": "file://server-share/file-share/transcriptions/05212005-568a.json",
  "requestTimestamp": 9533148051133
  "iso639Language": "en",
  "lexiconAlterations": [ "CXone", "Wegovy", "Dupixent" ],
  "resultReplacements": [ {
    "original": "CX1",
    "caseSensitive": false,
    "replacement": "CXone"
  } ]
}

```

Response:

```

{
  "requestId": "df641e27-6eb0-4b69-b0cf-b76613b24840",
  "requestTimestamp": 1537132507296,
  "mediaUri": "file://server-share/file-share/audio_files/05212005-568.wav",
  "resultUri": "file://server-share/file-share/transcriptions/05212005-568a.json",
  "successful": true,
  "responseTimestamp": 1537132690660
}

```

The Analytics Hub transcription json file format is as follows:

```

{
  "ChannelResult": [ {
    "channelId": 0,
    "phraseResult": [ {

```



```

"sequenceId" : 1,
"type" : "FINAL_SENTENCE",
"phrase" : "Hi there.",
"startTimeOffsetMs" : "6075",
"endTimeOffsetMs" : "6615",
"wordInfo" : [ {
  "word" : "Hi",
  "startTimeOffsetMs" : "6075",
  "endTimeOffsetMs" : "6345"
}, {
  "word" : "there.",
  "startTimeOffsetMs" : "6345",
  "endTimeOffsetMs" : "6615"
} ]
}, {
  "sequenceId" : 2,
"type" : "FINAL_SENTENCE",
"phrase" : "Thank you for contacting America Phone Service.",
"startTimeOffsetMs" : "6995",
"endTimeOffsetMs" : "9015",
"wordInfo" : [ {
  "word" : "Thank",
  "startTimeOffsetMs" : "6995",
  "endTimeOffsetMs" : "7283"
}, {
  "word" : "you",
  "startTimeOffsetMs" : "7283",
  "endTimeOffsetMs" : "7571"
}, {
  "word" : "for",
  "startTimeOffsetMs" : "7571",
  "endTimeOffsetMs" : "7859"
}, {
  "word" : "contacting",
  "startTimeOffsetMs" : "7859",
  "endTimeOffsetMs" : "8147"
}, {
  "word" : "America",
  "startTimeOffsetMs" : "8147",
  "endTimeOffsetMs" : "8435"
}, {
  "word" : "Phone",
  "startTimeOffsetMs" : "8435",
  "endTimeOffsetMs" : "8723"
}, {
  "word" : "Service.",
  "startTimeOffsetMs" : "8723",
  "endTimeOffsetMs" : "9011"
} ]
}
... (OMMITTED) ... ]
}

```

Restful Interface

Although not the primary public interface for programmatic access, the rest API endpoints provide a useful conduit for service instance status and throughput monitoring and workflow repository listing and validation.

/actuator/health

Service status and processing throughput. Example Json output:

```
{
  "status" : "UP",
  "components" : {
    "diskSpace" : {
      "status" : "UP",
      "details" : {
        "total" : 1000202039296,
        "free" : 582491324416,
        "threshold" : 10485760,
        "exists" : true
      }
    },
    "ping" : {
      "status" : "UP"
    },
    "rabbit" : {
      "status" : "UP",
      "components" : {
        "mediaAnalysisResponseSender" : {
          "status" : "UP",
          "details" : {
            "version" : "3.7.7"
          }
        },
        "testMessenger" : {
          "status" : "UP",
          "details" : {
            "version" : "3.7.7"
          }
        }
      }
    },
    "workflowRequestExecutor" : {
      "status" : "UP",
      "details" : {
        "metrics" : "Uptime(sec): 2, Requests Processed: 0, Failed: 0, In-flight: 0, Throughput(xRT): 0.00/0.00"
      }
    }
  }
}
```

```
}  
}  
}
```

/inventory

Returns a list of workflows supported by the service instance. Example Json output:

```
{  
  "workflows" : {  
    "a315c30c-20e2-4a8f-a7ca-48ffe6d102ab": {  
      "description": "asr.redaction.naenglish.mattersight.default.WB10.  
2",  
      "path": "ASR with Redaction workflow for NAEnglish to match as  
close as possible Mattersight default v1"  
    },  
    "a4194840-df75-471d-98e8-f954e63b17d2": {  
      "description": "Delta.WB10.2.North American English.redaction.  
v276255",  
      "path": "Delta's redaction workflow for NA English to redact  
Credit Cards and CVVs"  
    },  
    "6f1fe080-729e-4e68-a710-3ff860c3337e": {  
      "description": "marriott",  
      "path": "[d:\\dev\\media-worker\\models\\workflow\\Zip-  
Workflow\\marriott\\10.6\\LASpanish.redaction-1stgen\\workflow.nxzm.  
zip]WORKFLOW_MODEL_6f1fe080-729e-4e68-a710-3ff860c3337e/workflowConfig.xml"  
    }  
  }  
}
```