
NiCE Voice Grid Media Worker System Requirements Guide Version 21.0.3.5

- [Copyright](#)
- [Introduction](#)
- [System Requirements](#)

Copyright

NiCE Voice Grid™ System Requirements
Version 21.0.3

PROPRIETARY AND CONFIDENTIAL INFORMATION

Information herein is proprietary information and trade secrets of NiCE Ltd. and/or its affiliated companies (Affiliates). This document and the information herein is the exclusive property of NiCE and its Affiliates and shall not be disclosed, in whole or in part, to any third party or utilized for any purpose other than the express purpose for which it has been provided.

IMPORTANT NOTICE

Subject always to any existing terms and conditions agreed between you and NiCE or any Affiliate with respect to the products which are the subject matter of this document, neither NiCE nor any of its Affiliates shall bear any responsibility or liability to a client or to any person or entity with respect to liability, loss or damage caused or alleged to be caused directly or indirectly by any product supplied or any reliance placed on the content of this document. This includes, but is not limited to, any interruption of service, loss of business or anticipatory profits or consequential damage resulting from the use or operation of any products supplied or the content of this document. Information in this document is subject to change without notice and does not represent a commitment on the part of NiCE or any Affiliate.

All information included in this document, such as text, graphics, photos, logos and images, is the exclusive property of NiCE or in Affiliate and is protected by United States and international copyright laws. Permission is granted to use, view and photocopy (or print) materials from this document only in connection with the products to which this document relates and subject to the terms of license applicable to such products. Any other use, copying, distribution, retransmission or modification of the information in this document without the express prior written permission of NiCE or an Affiliate is strictly prohibited. In the event of any permitted copying, redistribution or publication of copyrighted material, no changes in, or deletion of, author attribution, trademark legend or copyright notice shall be made.

Products supplied may be protected by one or more of the US patents listed at www.nice.com/company/legal/patents. For the full list of trademarks of NiCE and its Affiliates, visit www.nice.com/company/legal/nice-trademarks. All other marks used are the property of their respective proprietors.

All contents of this document are: Copyright © 2026 NiCE Ltd. All rights reserved.

For assistance, contact your local supplier or nearest NiCE Customer Service Center:

EMEA Region (Europe, Middle East, Africa)

Tel: +972-9-775-3800
Fax: +972-9-775-3000
email: support@nice.com

APAC Region (Asia/Pacific)

Tel: +852-8338-9818
Fax: +852-2802-1800
email:

North America

Tel: 1-800-663-5601
Fax: +201-356-2197
email: na_sales@nice.com

International

Headquarters-Israel
Tel: +972-9-775-3100
Fax: +972-9-775-3070
email: info@nice.com

support.apac@nice.com

**The Americas Region
(North, Central, South
America)**

Tel: 1-800-6423-611

Fax: +720-264-4012

email:

support.americas@nice.com

Israel

Tel: 09-775-3333

Fax: 09-775-3000

email: support@nice.com

France

Tel: +33-(0)1-41-38-5000

Fax: +33-(0)1-41-38-5001

Hong-Kong

Tel: +852-2598-3838

Fax: +852-2802-1800

United Kingdom

Tel: +44-8707-22-4000

Fax: +44-8707-22-4500

Germany

Tel: +49-(0)-69-97177-0

Fax:

+49-(0)-69-97177-200

NiCE invites you to join the NiCE User Group (NUG).

Visit the NUG Website at www.niceusergroup.org; and follow the instructions.

All queries, comments, and suggestions are welcome! Please email: nicebooks@nice.com.

For more information about NiCE, visit www.nice.com

Introduction

This topic lists the system requirements for installing NiCE Voice Grid service.

System Requirements



Servers below these specifications have not been tested with Voice Grid service and are ineligible for technical support. Less capable servers may be usable for non-production purposes if the administrator monitors for resource exhaustion, particularly memory.

Component	Minimum	Recommended (if different)
Processor	- Intel Xeon X5670, 2.93GHz, 6 cores - No more than 64 logical cores if running under Windows.	
RAM	48 GiB	64-256 GiB. Actual RAM requirements can vary based upon Voice Grid’s mode (Media Analysis vs. Call Summarization, etc.), the specific phrase recognition models being used, the number of CPU cores available for concurrent processing, whether GPUs are being used, and other factors. In Call Summarization mode, approximately 14.6 GB of RAM is required for each TAS satellite instance. In other words, a concurrency setting of 4-4 will require approximately 58.4 GB of available RAM. This value can vary somewhat depending on the models being used.

Component	Minimum	Recommended (if different)
Available Disk Space for Installation	6.5 GiB temporarily in the installer user's temp (%temp%) directory, only during installation. - Installation Volume - OS Windows - Voice Grid only (InstallType=VGWorker): 7.5 GiB - RabbitMQ only (InstallType=RabbitMQServer): 700 MiB - Voice Grid + RabbitMQ (InstallType=Combined): 8.0 GiB. - OS Linux (does not support Call Summarization mode) - Voice Grid only: 525 MiB - RabbitMQ under Linux has not been tested with Voice Grid. - Data Volume - The amount of disk space is needed varies greatly, dependent mostly on whether redaction workflow and phrase pack model files are installed locally (instead of being pointed to a centralized repository), and if installed locally, space requirements can vary by phrase pack models and workflows being used. These files are typically between 500 Mib to 1 GiB, each. - Log files are located on the data volume. - Voice Grid's NxVgMediaWorker service's log files roll when their uncompressed size reach 25 MiB, and up to 10 old ones are retained as zip files. Because they compress extremely well, typically under 30 MiB is needed (≠ 25 MB for the active log + 3.5 MB total for the 10 compressed archives). - Satellite process logs (used in Call Summarization mode)	Note: Double the applicable amounts at the left so upgrades can back up the previous version and its data before upgrading, which is the default behavior. (These can then be manually deleted after successful upgrades.)

Component	Minimum	Recommended (if different)
	can consume up to 100MiB.	
GPU (if used)	- If using ONLY pre-v10.8 phrase packs - NVIDIA A10 GPU - If using ANY v10.8 or newer phrase packs - Dual NVIDIA A10 GPUs OR - Dual NVIDIA L4 GPUs - CUDA version 11.4.0 GA or later - Driver version $\geq$ 470.72	Dual NVIDIA A10 or L4 GPUs are highly recommended for CallSummarization because without GPUs, the new models required as of Voice Grid 20.1.0 will be about 1/4 the speed of previous releases.
Other Hardware	One 1 Gbps NIC	Solid State Drives
Operating Systems	- All platforms 64-bit only: - Windows Server 2016 2019 2022 - Linux (Experimental) - RHEL 9	Windows Server 2022
Java Runtime Environment	Oracle Server JRE 17; however, NiCE <i>strongly</i> recommends using the Azul JRE that is bundled with Voice Grid.	Azul JRE bundled with Voice Grid

Component	Minimum	Recommended (if different)
RabbitMQ Server OS	• All platforms 64-bit only: ◦ Windows Server 2016 ◦ Windows Server 2019 ◦ Windows Server 2022	• Windows Server 2022
RabbitMQ Server / Erlang OTP Versions	• 3.13.7 / 26.2.5.18; however, NiCE <i>strongly</i> recommends using the versions bundled with Voice Grid.	• Those bundled with Voice Grid