

Name: Kamanisairam

Reg no:192312195

Ex.No 15: AI-based Traffic Prediction for 5G Networks

Objective 1:

To evaluate the Prediction Accuracy (%) of an AI-based model for forecasting network traffic in a 5G communication system..

Program (Matlab Code)

```
clc;
clear;
close all;
% Time samples
t = 1:10;
% Prediction Accuracy (%)
Accuracy = [90 91 92 93 94 95 96 97 98 99];

% Actual Network Traffic (Mbps)
Traffic = [45 50 55 60 65 70 75 80 85 90];
figure
% ----- Graph 1 -----
subplot(2,1,1)
plot(t,Accuracy,'-o','LineWidth',2)
title('AI Prediction Accuracy over Time')
xlabel('Time Interval')
```



```
ylabel('Prediction Accuracy (%)')
```

```
grid on
```

```
% ----- Graph 2 -----
```

```
subplot(2,1,2)
```

```
bar(Traffic)
```


```
title('Network Traffic Samples Used for AI Prediction')
```

```
xlabel('Traffic Sample')
```

```
ylabel('Traffic (Mbps)')
```

```
grid on;
```

Output:



Objective 2:

To calculate the Mean Squared Error (MSE) between the predicted and actual network traffic values to assess prediction performance.

Matlab Code

```
clc;
clear;
close all;
% Time intervals
t = 1:10;
% Actual and Predicted Traffic (Mbps)
Actual = [50 55 60 62 68 70 75 80 85 90];
Predicted = [49 54 61 63 67 71 74 81 84 89];
% Squared Error
SqError = (Actual - Predicted).^2;
% Mean Squared Error
MSE = mean(SqError);
disp(['Mean Squared Error (MSE) = ', num2str(MSE)])
figure
% ----- Graph 1 -----
subplot(2,1,1)
plot(t,SqError,'-o','LineWidth',2)
```



```
title('Squared Error of AI Traffic Prediction')
```

```
xlabel('Time Interval')
```

```
ylabel('Squared Error')
```

```
grid on
```

```
% ----- Graph 2 -----
```

```
subplot(2,1,2)
```

```
bar([MSE])
```


```
title('Mean Squared Error (MSE)')
```

```
xlabel('AI Prediction Model')
```

```
ylabel('MSE')
```

```
grid on
```

Output



Objective 3:

To analyze the impact of AI-based traffic prediction on Network Throughput (Mbps) and evaluate the improvement in network resource utilization.

Matlab Code

```
clc;
clear;
close all;
% Time intervals
t = 1:10;
% Network Throughput (Mbps)
Throughput = [120 135 150 165 180 195 210 225 240 255];
% Network Utilization (%)
Utilization = [60 65 70 74 78 82 86 90 94 98];
figure
% ----- Graph 1 -----
subplot(2,1,1)
```




```
plot(t,Throughput,'-o','LineWidth',2)
title('AI-Based Network Throughput')
xlabel('Time Interval')
ylabel('Throughput (Mbps)')
grid on
```

```
% ----- Graph 2 -----
subplot(2,1,2)
plot(Throughput,Utilization,'-s','LineWidth',2)
title('Throughput vs Network Utilization')
xlabel('Network Throughput (Mbps)')
ylabel('Network Utilization (%)')
grid on
disp('Time Throughput(Mbps) Utilization(%)')
disp(['t' Throughput' Utilization'])
```

Output





Edit with WPS Office