


Nama : Kamelia Rizkiana
NIM : 242410101058
Kelas : A

AKTIVITAS MANDIRI 5 — CRUD Lengkap Mahasiswa

1. Buat Resource Controller: php artisan make:controller MahasiswaController --resource --model=Mahasiswa


```
PS E:\laragon\www\gettin-app> php artisan make:controller MenuController --resource --model=Menu  
  
INFO Controller [E:\laragon\www\gettin-app\app\Http\Controllers\MenuController.php] created successfully.
```

2. Daftarkan di routes/web.php: Route::resource('mahasiswa', MahasiswaController::class)



```
5 Route::get('/', function () {  
6     return redirect('/dashboard');  
7 });  
8  
9 Route::get('/dashboard', function () {  
10     return view('dashboard')->with('success', 'Selamat datang di Gettin!');  
11 })->name('dashboard');  
12  
13 Route::resource('menu', MenuController::class);  
14  
15 Route::get('/menu', function () {  
16     return view('menu');  
17 })->name('menu');  
18  
19 Route::get('/pesanan', function () {  
20     return view('pesanan');  
21 })->name('pesanan');  
22  
23 Route::get('/keranjang', function () {  
24     return view('keranjang');  
25 })->name('keranjang');  
26  
27 Route::get('/inventory', function () {
```

3. Buat semua view: mahasiswa/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)



4. Implementasi method index() — ambil semua mahasiswa dengan paginate(10) dan tampilkan ke view


```

.env  MenuController.php X  show.blade.php  index.blade.php  DashboardController.php  web.php  create.bl
app > Http > Controllers > MenuController.php > MenuController
8  class MenuController extends Controller
17  public function create()
18  {
19      return view('menu.create');
20  }
21
22  public function store(Request $request)
23  {
24      $validated = $request->validate([
25          'kode' => ['required', 'string', 'max:20', 'unique:menus,kode'],
26          'nama' => ['required', 'string', 'min:3', 'max:255'],
27          'vendor' => ['required', 'string', 'max:255'],
28          'kategori' => ['required', Rule::in(['Nasi', 'Ayam', 'Minuman', 'Snack', 'Lainnya'])],
29          'harga' => ['required', 'numeric', 'min:0'],
30          'deskripsi' => ['nullable', 'string'],
31          'tersedia' => ['nullable', 'boolean'],
32          'populer' => ['nullable', 'boolean'],
33          'foto' => ['nullable', 'image', 'mimes:jpg,png', 'max:2048'],
34      ]);
35
36      $validated['tersedia'] = $request->has('tersedia');
37      $validated['populer'] = $request->has('populer');
38
39      if ($request->hasFile('foto')) {
40          $validated['foto'] = $request->file('foto')->store('menus', 'public');
41      }
42
43      Menu::create($validated);
44
45      return redirect()
46          ->route('menu.index')
47          ->with('success', 'Menu berhasil ditambahkan.');
```

6. Implementasi edit() dan update() — tampilkan form dengan old() atau \$mahasiswa->field, validasi unique kecuali ID ini

```

.env MenuController.php x show.blade.php index.blade.php DashboardController.php web.php create.bl
app > Http > Controllers > MenuController.php > MenuController > destroy
8 class MenuController extends Controller
57
58 public function edit(Menu $menu)
59 {
60     return view('menu.edit', compact('menu'));
61 }
62
63 public function update(Request $request, Menu $menu)
64 {
65     $validated = $request->validate([
66         'kode' => [
67             'required',
68             'string',
69             'max:20',
70             Rule::unique('menus', 'kode')->ignore($menu->id),
71         ],
72         'nama' => ['required', 'string', 'min:3', 'max:255'],
73         'vendor' => ['required', 'string', 'max:255'],
74         'kategori' => ['required', Rule::in(['Nasi', 'Ayam', 'Minuman', 'Snack', 'Lainnya'])],
75         'harga' => ['required', 'numeric', 'min:0'],
76         'deskripsi' => ['nullable', 'string'],
77         'tersedia' => ['nullable', 'boolean'],
78         'populer' => ['nullable', 'boolean'],
79         'foto' => ['nullable', 'image', 'mimes:jpg,png', 'max:2048'],
80     ]);
81
82     $validated['tersedia'] = $request->has('tersedia');
83     $validated['populer'] = $request->has('populer');
84
85     if ($request->hasFile('foto')) {
86         if ($menu->foto && Storage::disk('public')->exists($menu->foto)) {
87             Storage::disk('public')->delete($menu->foto);
88         }
89
90         $validated['foto'] = $request->file('foto')->store('menus', 'public');
91     }
92
93     $menu->update($validated);
94
95     return redirect()
96         ->route('menu.index')
97         ->with('success', 'Menu berhasil diperbarui.');
```

7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

```

.env MenuController.php x show.blade.php index.blade.php DashboardController.php
app > Http > Controllers > MenuController.php > ...
8 class MenuController extends Controller
57
100 public function destroy(Menu $menu)
101 {
102     if ($menu->foto && Storage::disk('public')->exists($menu->foto)) {
103         Storage::disk('public')->delete($menu->foto);
104     }
105
106     $menu->delete();
107
108     return redirect()
109         ->route('menu.index')
110         ->with('success', 'Menu berhasil dihapus.');
```

```

.env MenuController.php show.blade.php index.blade.php X DashboardController.php web.php create.blade.php form.blade.php
resources > views > menu > index.blade.php > section.px-5.py-10.md:px-25.lg:px-45 > div.overflow-x-auto.rounded-2xl.bg-white.shadow-[0_8px_18px_rgba(0,0,0,0.05)] > table.w-full.border-collapse.tex
5 .s="px-5 py-10 md:px-25 lg:px-45">
25 .s="overflow-x-auto rounded-2xl bg-white shadow-[0_8px_18px_rgba(0,0,0,0.05)]">
26 e class="w-full border-collapse text-left">
40 tbody>
42 <tr class="bg-gray-50">
105 <form
106     action="{{ route('menu.destroy', $menu) }}"
107     method="POST"
108     onsubmit="return confirm('Yakin ingin menghapus menu ini?')"
109 >
110 @csrf
111 @method('DELETE')
112
113 <button
114     type="submit"
115     class="rounded-lg bg-red-100 px-3 py-2 text-sm font-semibold text-red-700 hover:bg-red-200"
116 >
117     Hapus
118 </button>
119 </form>

```

8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')

```

.env app.blade.php X
resources > views > layouts > app.blade.php > html > body.min-h-screen.bg-stone-50.text-stone-900.flex.flex-col > main.flex-1
2 <html lang="id">
16 </head>
17
18 <body class="min-h-screen bg-stone-50 text-stone-900 flex flex-col">
19
20 @include('partials.navbar')
21
22 <main class="flex-1">
23 @if(session('success'))
24 <div class="mx-5 mt-5 rounded-xl border border-green-300 bg-green-100 px-5 py-4 text-green-800 md:mx-19"
25 >{{ session('success') }}</div>
26 @endif
27
28
29 @if(session('error'))
30 <div class="mx-5 mt-5 rounded-xl border border-red-300 bg-red-100 px-5 py-4 text-red-800 md:mx-19.5 lg:"
31 >{{ session('error') }}</div>
32 @endif
33
34
35 @yield('content')
36 </main>
37
38 @include('partials.footer')
39
40 @stack('scripts')
41 </body>
42 </html>

```

9. BONUS: Tambahkan fitur upload foto profil dengan validasi image|mimes:jpg,png|max:2048

```

env app.blade.php MenuController.php X edit.blade.php
p > Http > Controllers > MenuController.php > MenuController > update
8 class MenuController extends Controller
63 public function update(Request $request, Menu $menu)
65     $validated = $request->validate([
66         'kode' => [
67             'required',
68             'string',
69             'max:20',
70             Rule::unique('menus', 'kode')->ignore($menu->id),
71         ],
72         'nama' => ['required', 'string', 'min:3', 'max:255'],
73         'vendor' => ['required', 'string', 'max:255'],
74         'kategori' => ['required', Rule::in(['Nasi', 'Ayam', 'Minuman', 'Snack', 'Lainnya'])],
75         'harga' => ['required', 'numeric', 'min:0'],
76         'deskripsi' => ['nullable', 'string'],
77         'tersedia' => ['nullable', 'boolean'],
78         'populer' => ['nullable', 'boolean'],
79         'foto' => ['nullable', 'image', 'mimes:jpg,png', 'max:2048'],
80     ]);
81
82     $validated['tersedia'] = $request->has('tersedia');
83     $validated['populer'] = $request->has('populer');
84
85     if ($request->hasFile('foto')) {
86         if ($menu->foto && Storage::disk('public')->exists($menu->foto)) {
87             Storage::disk('public')->delete($menu->foto);
88         }
89
90         $validated['foto'] = $request->file('foto')->store('menus', 'public');
91     }

```

```

env app.blade.php MenuController.php X edit.blade.php
app > Http > Controllers > MenuController.php > MenuController > update
8 class MenuController extends Controller
22 public function store(Request $request)
23 {
24     $validated = $request->validate([
25         'kode' => ['required', 'string', 'max:20', 'unique:menus,kode'],
26         'nama' => ['required', 'string', 'min:3', 'max:255'],
27         'vendor' => ['required', 'string', 'max:255'],
28         'kategori' => ['required', Rule::in(['Nasi', 'Ayam', 'Minuman', 'Snack', 'Lainnya'])],
29         'harga' => ['required', 'numeric', 'min:0'],
30         'deskripsi' => ['nullable', 'string'],
31         'tersedia' => ['nullable', 'boolean'],
32         'populer' => ['nullable', 'boolean'],
33         'foto' => ['nullable', 'image', 'mimes:jpg,png', 'max:2048'],
34     ]);
35
36     $validated['tersedia'] = $request->has('tersedia');
37     $validated['populer'] = $request->has('populer');
38
39     if ($request->hasFile('foto')) {
40         $validated['foto'] = $request->file('foto')->store('menus', 'public');
41     }
42
43     Menu::create($validated);
44
45     return redirect()
46         ->route('menu.index')
47         ->with('success', 'Menu berhasil ditambahkan.');
```


```

resources > views > menu > create.blade.php > section.px-5.py-10.mdpx-25.lgpx-45 > div.mx-auto.max-w-3xl.rounded-2xl.bg-white.p-8.shadow-[0_8px_18px_rgba(0,0,0,0.05)] > form.space-y-5
6 <section class="px-5 py-10 md:px-25 lg:px-45">
7 <div class="mx-auto max-w-3xl rounded-2xl bg-white p-8 shadow-[0_8px_18px_rgba(0,0,0,0.05)]">
12 <form action="{{ route('menu.store') }}" method="POST" enctype="multipart/form-data" class="space-y-5">
28 <div>
21 <label class="mb-2 block font-semibold">
22 Foto Menu
23 </label>
24
25 <input
26 type="file"
27 name="foto"
28 accept="image/png, image/jpeg"
29 class="w-full rounded-xl border border-gray-300 px-4 py-3 focus:border-[#FF7A00] focus:outline-no
30 >
31
32 <p class="mt-1 text-sm text-gray-500">
33 Format foto: JPG atau PNG. Maksimal 2MB.
34 </p>
35
36 @error('foto')
37 <p class="mt-1 text-sm text-red-600">
38 {{ $message }}
39 </p>
40 @enderror
41 </div>
42 </form>
43 </div>

```

Hasil Screenshoot

1. view menu



2. view tambah menu

[Beranda](#)
[Menu](#)
[Pesanan](#)
[Inventory](#)
[Kontak](#)

Tambah Menu

Kode Menu

Contoh: MINU001

Nama Menu

Contoh: Nasi Goreng

Vendor / Kantin

Contoh: Kantin Barokah

Kategori

Pilih Kategori

Harga

Contoh: 11000

Foto Menu

Choose File No file chosen

JPG atau PNG. Maksimal 2MB.

Deskripsi

Deskripsi singkat menu

☒ Tersedia
 ☐ Menu Populer

Batal

Simpan Menu

3. view edit menu

[Beranda](#)
[Menu](#)
[Pesanan](#)
[Inventory](#)
[Kontak](#)

Edit Menu

Kode Menu

MNU001

Nama Menu

Nasi Goreng

Vendor / Kantin

Kantin Barokah

Kategori

Nasi

Harga

11000.00

Foto Menu

Choose File No file chosen

Kosongkan jika tidak ingin mengganti foto. Format JPG atau PNG, maksimal 2MB.

Deskripsi

Nasi goreng gurih dengan topping lengkap.


Foto saat ini:

☒ Tersedia
 ☒ Menu Populer

Batal

Update Menu

4. view delete



AKTIVITAS MANDIRI 6 — Middleware & Autentikasi

1. Instal Laravel Breeze: `composer require laravel/breeze --dev`, kemudian `php artisan breeze:install blade`

```
PS E:\laragon\www\gettin-app> composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Nothing to modify in lock file
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Downloading laravel/breeze (v2.4.1)
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

 INFO  Discovering packages.

laravel/breeze ..... DONE
laravel/pail ..... DONE
laravel/tinker ..... DONE
nesbot/carbon ..... DONE
nunomaduro/collision ..... DONE
nunomaduro/termwind ..... DONE

77 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

 INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
Using version ^2.4 for laravel/breeze
```

```
PS E:\laragon\www\gettin-app> php artisan breeze:install blade

 INFO  Installing and building Node dependencies.

up to date, audited 142 packages in 2s

34 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

> build
> vite build

vite v8.0.12 building client environment for production...
transforming...  ✓ 5 modules transformed.
rendering chunks...
computing gzip size...
public/build/manifest.json      0.33 kB | gzip: 0.16 kB
public/build/assets/app-Cevw2AHU.css  64.19 kB | gzip: 11.65 kB
public/build/assets/app-MvBNrVg4.js  45.25 kB | gzip: 16.11 kB

✓ built in 1.94s

 INFO  Breeze scaffolding installed successfully.
```

2. Jalankan `php artisan migrate` untuk membuat tabel users

```

PS E:\laragon\www\gettin-app> php artisan migrate:fresh

Dropping all tables ..... 244.34ms DONE

INFO Preparing database.

Creating migration table ..... 28.23ms DONE

INFO Running migrations.

0001_01_01_000000_create_users_table ..... 118.58ms DONE
0001_01_01_000001_create_cache_table ..... 79.61ms DONE
0001_01_01_000002_create_jobs_table ..... 119.85ms DONE
2026_05_05_181601_create_menus_table ..... 50.10ms DONE
2026_05_05_184307_create_orders_table ..... 50.25ms DONE
2026_05_05_184557_create_order_menu_table ..... 208.16ms DONE

```

3. Jalankan npm install && npm run dev untuk build assets

```

PS E:\laragon\www\gettin-app> npm install

```

```

up to date, audited 142 packages in 2s

```

```

34 packages are looking for funding
  run `npm fund` for details

```

```

found 0 vulnerabilities

```

```

PS E:\laragon\www\gettin-app> npm run dev

```

```

> dev
> vite

```

```

23:57:27 [vite] (client) Re-optimizing dependencies because lockfile has changed
Port 5173 is in use, trying another one...

```

```

VITE v8.0.12 ready in 684 ms

```

```

→ Local:   http://localhost:5174/
→ Network: use --host to expose
→ press h + enter to show help

```

```

LARAVEL v13.6.0 plugin v3.1.0

```

```

→ APP_URL: http://localhost


```

```

23:57:29 [vite] (client) [optimizer] scanning dependencies...

```

4. Coba register dan login di <http://127.0.0.1:8000/register>



127.0.0.1:8000/register

Summarize

Chat




Name

Email

Password

Confirm Password

[Already registered?](#)




5. Amankan semua route mahasiswa dengan middleware auth:
Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)

```
php | footer.blade.php | web.php | navbar.blade.php | edit.blade.php | form.blade.php
routes > web.php


1  <?php
2
3  use Illuminate\Support\Facades\Route;
4  use App\Http\Controllers\MenuController;
5
6  Route::get('/', function () {
7      return redirect('/dashboard');
8  });
9
10 Route::get('/dashboard', function () {
11     return view('dashboard')->with('success', 'Selamat datang di Gettin!');
12 }->name('dashboard');
13
14 Route::middleware('auth')->resource('menu', MenuController::class);
15
16 Route::get('/pesanan', function () {
17     return view('pesanan');
18 }->name('pesanan');
```

6. Coba akses /mahasiswa tanpa login — pastikan diredirect ke halaman login



7. Tambahkan nama user di navbar: {{ auth()->user()->name }}

```
web.php | navbar.blade.php | dashboard.blade.php | app.blade.php
0.mx-5.mb-6.mt-3.overflow-hidden.rounded-2xl.bg-neutral-900.px-5.py-3.text-white.md:mx-20 > nav.flex.items-center.justify-between.gap-4 > div.flex.item
1  <header class="relative z-10 mx-5 mb-6 mt-3 overflow-hidden rounded-2xl bg-neutral-900
2  <nav class="flex items-center justify-between gap-4">
13  <ul class="hidden list-none items-center gap-6 p-0 md:flex">
50  <li>
56  </a>
57  </li>
58  </ul>
59
60  <div class="flex items-center gap-4">
61  @auth
62  <span class="hidden max-w-32 truncate text-sm font-bold text-orange-400">
63  {{ auth()->user()->name }}
64  </span>
65  @endauth
66
```



8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu

```
PS E:\laragon\www\gettin-app> php artisan make:middleware CekAdmin
INFO Middleware [E:\laragon\www\gettin-app\app\Http\Middleware\CekAdmin.php] created successfully.
```

```
web.php  navbar.blade.php  2026_05_13_172745_add_role_to_users_table.php  CekAdmin.php X
app > Http > Middleware > CekAdmin.php > ...
1  <?php
2
3  namespace App\Http\Middleware;
4
5  use Closure;
6  use Illuminate\Http\Request;
7  use Symfony\Component\HttpFoundation\Response;
8
9  class CekAdmin
10 {
11     public function handle(Request $request, Closure $next): Response
12     {
13         if (!auth()->check() || auth()->user()->role !== 'admin') {
14             abort(403, 'Akses ditolak. Halaman ini hanya untuk admin.');
```

```
web.php  navbar.blade.php  2026_05_13_172745_add_role_to_users_table.php  CekAdmin.php X
bootstrap > app.php
1  <?php
2
3  use Illuminate\Foundation\Application;
4  use Illuminate\Foundation\Configuration\Exceptions;
5  use App\Http\Middleware\CekAdmin;
6  use Illuminate\Foundation\Configuration\Middleware;
7
8  return Application::configure(basePath: dirname(__DIR__))
9      ->withRouting(
10         web: __DIR__.'/../routes/web.php',
11         commands: __DIR__.'/../routes/console.php',
12         health: '/up',
13     )
14     ->withMiddleware(function (Middleware $middleware): void {
15         $middleware->alias([
16             'cekadmin' => CekAdmin::class,
17         ]);
18     })
19     ->withExceptions(function (Exceptions $exceptions): void {
20         //
21     })->create();
22
```

```
24 Route::get('/inventory', function () {
25     return view('inventory');
26 }->middleware(['auth', 'cekadmin']->name('inventory');
```

9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login

