Supplement 4

Experiment 1 – Descriptive plots of the SPARS stimulus-response relationship

Peter Kamerman and Tory Madden

17 June 2018

Contents

This script is part 1 of our analysis of the stimulus-response characteristics of the SPARS. This script generates exploratory plots of the relationship between stimulus intensity and SPARS rating.

Source URL: https://github.com/kamermanpr/SPARS/tree/supplementary_pdfs

Modelling of the stimulus-response relationship is described in *"outputs/supplement_5.pdf"*, the diagnostics on the final linear mixed model are described in *"outputs/supplement_6.pdf"*, the stability of the model is described in *"outputs/supplement_7.pdf"*, the sensitivity of the scale to changes in stimulus intensity are described in *"outputs/experiment_1_sensitivity.pdf"*, and the variance in ratings at each stimulus intensity is described in *"outputs/experiment_1_variance.pdf"*.

Import and inspect data

```
# Import
data <- read_rds('./data-cleaned/SPARS_A.rds')

# Inspect
glimpse(data)
```

```
## Observations: 1,927
## Variables: 19
## $ PID              <chr> "ID01", "ID01", "ID01", "ID01", "ID01", "ID0...
## $ block            <chr> "A", "A", "A", "A", "A", "A", "A", "A", "A",...
## $ block_order      <dbl> 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,...
## $ trial_number     <dbl> 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 1...
## $ intensity        <dbl> 3.75, 1.50, 3.25, 1.50, 3.00, 2.75, 1.00, 2....
## $ intensity_char   <chr> "3.75", "1.50", "3.25", "1.50", "3.00", "2.7...
## $ rating           <dbl> -10, -40, -10, -25, -20, -25, -40, 2, -40, -...
## $ rating_positive  <dbl> 40, 10, 40, 25, 30, 25, 10, 52, 10, 40, 54, ...
## $ EDA              <dbl> 18315.239, 13904.177, 11543.449, 20542.834, ...
```

```
## $ age             <dbl> 21, 21, 21, 21, 21, 21, 21, 21, 21, 21, 21, ...
## $ sex             <dbl> 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,...
## $ panas_positive  <dbl> 36, 36, 36, 36, 36, 36, 36, 36, 36, 36, 36, ...
## $ panas_negative  <dbl> 10, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10, ...
## $ dass42_depression <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,...
## $ dass42_anxiety  <dbl> 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,...
## $ dass42_stress   <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,...
## $ pcs_magnification <dbl> 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6,...
## $ pcs_rumination  <dbl> 11, 11, 11, 11, 11, 11, 11, 11, 11, 11, 11, ...
## $ pcs_helplessness <dbl> 10, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10, ...
```

Clean and transform data

We performed a basic clean-up of the data, and then calculated *Tukey trimean* at each stimulus intensity for each participant (participant average), and finally the *median* of the trimeans at each stimulus intensity across participants (group average).

```r
#############################################################
#                                                           #
#                        Clean                              #
#                                                           #
#############################################################
data %<>%
  # Select required columns
  select(PID, block, block_order, trial_number, intensity, intensity_char, rating)


#############################################################
#                                                           #
#              Calculate 'Tukey trimean'                    #
#                                                           #
#############################################################
# Define tri.mean function
tri.mean <- function(x) {
  # Calculate quantiles
  q1 <- quantile(x, probs = 0.25, na.rm = TRUE)[[1]]
  q2 <- median(x, na.rm = TRUE)
  q3 <- quantile(x, probs = 0.75, na.rm = TRUE)[[1]]
  # Calculate trimean
  tm <- (q2 + ((q1 + q3) / 2)) / 2
  # Convert to integer
  tm <- as.integer(round(tm))
  return(tm)
}


#############################################################
#                                                           #
#                  Generate core data                       #
#                                                           #
#############################################################
# Calculate the participant average
```

```r
data_tm <- data %>%
  group_by(PID, intensity) %>%
  summarise(tri_mean = tri.mean(rating)) %>%
  ungroup()

# Calculate the group average
data_group <- data_tm %>%
  group_by(intensity) %>%
  summarise(median = median(tri_mean)) %>%
  ungroup()
```


Exploratory plots

Group-level stimulus response curve

```r
# Plot
data_tm %>%
  ggplot(data = .) +
  aes(x = intensity,
      y = tri_mean) +
  geom_point(position = position_jitter(width = 0.05)) +
  geom_smooth(method = 'loess',
              se = FALSE,
              colour = '#666666',
              size = 0.6) +
  geom_point(data = data_group,
             aes(y = median),
             shape = 21,
             size = 4,
             fill = '#D55E00') +
  labs(title = 'Group-level stimulus-response plot',
       subtitle = 'Black circles: participant-level Tukey trimeans | Orange circles: group
       x = 'Stimulus intensity (J)',
       y = 'SPARS rating [-50 to 50]') +
  scale_y_continuous(limits = c(-50, 50)) +
  scale_x_continuous(breaks = seq(from = 1, to = 4, by = 0.5))
```

Group–level stimulus–response plot

Black circles: participant–level Tukey trimeans | Orange circles: group–level median | Grey line: loess curve

Participant-level stimulus response curves

All trials

```r
theme_update(panel.background = element_rect(fill = "transparent", colour = NA),
             plot.background = element_rect(fill = "transparent", colour = NA))


# Plot
data %>%
  ggplot(data = .) +
  aes(x = intensity,
```

```
       y = rating) +
geom_point() +
geom_smooth(method = 'loess',
            se = FALSE,
            colour = '#666666',
            size = 0.6) +
geom_point(data = data_tm,
           aes(y = tri_mean),
           shape = 21,
           size = 3,
           fill = '#D55E00') +
labs(title = 'Participant-level stimulus-response plot',
     subtitle = 'Black circles: individual experimental blocks | Orange circles: Tukey t
     x = 'Stimulus intensity (J)',
     y = 'SPARS rating [-50 to 50]') +
scale_y_continuous(limits = c(-50, 50)) +
facet_wrap(~ PID, ncol = 3) +
theme_bw()
```

Participant–level stimulus–response plot

Black circles: individual experimental blocks | Orange circles: Tukey trimean |
Grey line: loess curve

Trials by experimental block

```
# Process data
data_block <- data %>%
  # Rename blocks
  mutate(block = sprintf('Block: %s (order: %i)', block, block_order)) %>%
  # Nest by PID
```

```r
  group_by(PID) %>%
  nest() %>%
  # Generate plots
  mutate(plots = map2(.x = data,
                      .y = unique(PID),
                      ~ ggplot(data = .x) +
                        aes(x = intensity,
                            y = rating) +
                        geom_point() +
                        geom_smooth(method = 'loess',
                                    se = FALSE,
                                    colour = '#666666',
                                    size = 0.6) +
                        labs(title = paste(.y, ': Participant-level stimulus-response plot
                             subtitle = 'Black circles: individual data points | Grey line
                             x = 'Stimulus intensity (J)',
                             y = 'SPARS rating [-50 to 50]') +
                        scale_y_continuous(limits = c(-50, 50)) +
                        facet_wrap(~ block, ncol = 2)))

# Print plots
walk(.x = data_block$plots, ~ print(.x))
```

ID01 : Participant-level stimulus-response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID02 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

9

ID03 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID04 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID05 : Participant–level stimulus–response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID06 : Participant–level stimulus–response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID07 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID08 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID09 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID10 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID11 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID12 : Participant–level stimulus–response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID13 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID14 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID15 : Participant–level stimulus–response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID16 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID17 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID18 : Participant−level stimulus−response plots conditioned on experimental block

Black circles: individual data points | Grey line: loess curve

ID19 : Participant–level stimulus–response plots conditioned on experimental block
Black circles: individual data points | Grey line: loess curve

Session information

```
sessionInfo()
```

```
## R version 3.5.0 (2018-04-23)
## Platform: x86_64-apple-darwin15.6.0 (64-bit)
## Running under: macOS High Sierra 10.13.5
##
## Matrix products: default
## BLAS: /Library/Frameworks/R.framework/Versions/3.5/Resources/lib/libRblas.0.dylib
## LAPACK: /Library/Frameworks/R.framework/Versions/3.5/Resources/lib/libRlapack.dylib
##
## locale:
## [1] en_GB.UTF-8/en_GB.UTF-8/en_GB.UTF-8/C/en_GB.UTF-8/en_GB.UTF-8
##
## attached base packages:
## [1] stats     graphics  grDevices utils     datasets  methods   base
```

```
##
## other attached packages:
##  [1] bindrcpp_0.2.2    patchwork_0.0.1   forcats_0.3.0
##  [4] stringr_1.3.1     dplyr_0.7.5       purrr_0.2.5
##  [7] readr_1.1.1       tidyr_0.8.1       tibble_1.4.2
## [10] ggplot2_2.2.1.9000 tidyverse_1.2.1  magrittr_1.5
##
## loaded via a namespace (and not attached):
##  [1] tidyselect_0.2.4 reshape2_1.4.3   haven_1.1.1
##  [4] lattice_0.20-35  colorspace_1.3-2 htmltools_0.3.6
##  [7] yaml_2.1.19      rlang_0.2.1      pillar_1.2.3
## [10] foreign_0.8-70   glue_1.2.0       withr_2.1.2
## [13] modelr_0.1.2     readxl_1.1.0     bindr_0.1.1
## [16] plyr_1.8.4       munsell_0.4.3    gtable_0.2.0
## [19] cellranger_1.1.0 rvest_0.3.2      psych_1.8.4
## [22] evaluate_0.10.1  labeling_0.3     knitr_1.20
## [25] parallel_3.5.0   broom_0.4.4      Rcpp_0.12.17
## [28] scales_0.5.0.9000 backports_1.1.2 jsonlite_1.5
## [31] mnormt_1.5-5     hms_0.4.2        digest_0.6.15
## [34] stringi_1.2.2    grid_3.5.0       rprojroot_1.3-2
## [37] cli_1.0.0        tools_3.5.0      lazyeval_0.2.1
## [40] crayon_1.3.4     pkgconfig_2.0.1  xml2_1.2.0
## [43] lubridate_1.7.4  assertthat_0.2.0 rmarkdown_1.9
## [46] httr_1.3.1       rstudioapi_0.7   R6_2.2.2
## [49] nlme_3.1-137     compiler_3.5.0
```