

3-a Simple Facts in Prolog


PROGRAM:

```
% Facts
like(john, pizza).
hate(mary, rain).
own(john, car).
father(john, mike).
female(mary).

% Rules
may_steal(X, Y) :- own(Y, X).

% Interactive query
run_like :-
    write('Enter person: '), read(P),
    write('Enter item: '), read(I),
    (like(P, I) -> writeln('True') ; writeln('False')).
```

OUTPUT:

A screenshot of the SWI-Prolog console window. The window has a title bar "SWI-Prolog console" and a menu bar with "File", "Settings", "Tools", "Debug", and "Help". The console output shows the welcome message for SWI-Prolog (version 10.0.2), followed by instructions to run ?- license. for legal details. Then, the user enters ?- consult(['c:/Users/kames/OneDrive/Documents/first-order.pl']). and the console returns true. Next, the user enters ?- run_like. and the console prompts for a person and item. The user enters john and pizza, and the console returns true. Finally, the user enters ?- run_like. again, but this time enters marry and pizza, and the console returns false. The console output is as follows:

```
Welcome to SWI-Prolog (threaded, 64 bits, version 10.0.2)
SWI-Prolog comes with ABSOLUTELY NO WARRANTY. This is free software.
Please run ?- license. for legal details.

For online help and background, visit https://www.swi-prolog.org
For built-in help, use ?- help(Topic). or ?- apropos(Word).

5 ?- consult(['c:/Users/kames/OneDrive/Documents/first-order.pl']).
true.

5 ?- run_like.
Enter person: john.
Enter item: |: pizza.
True
true.

6 ?- run_like.
Enter person: marry.
Enter item: |: pizza.
False
true.
```