

28/02/2026

ASSESSMENT

1) What is The difference between Tag & element?

(i) Tag :

Tag contains Keyword That was enclosed with in The opening and closing angle bracket.

Example : `<html>`

(ii) Element :

Element are defined using The opening and closing Tag. Inside This content are placed. They are different Types of element.

Example : `<title> content </title>`.

2). What are Block level element?

Block level element That Take Full width of The Screen. and Start with The new line.

Example :

* `<p>` : Para Tag

* `<h1> to <h6>` : heading Tag.

3). What are Inline Element:

Inline element does not take full width of screen and it only change the behaviour.

Example:

- * `<img>` - Image Tag
- * `<b>` - bold Tag
- * `<strong>` - strong Tag,

4). If you apply width and height to an inline element what happens? Why?

If we apply width and height in inline element it changes the content behaviour. like change in size of content. because it is an attribute.

5). Explain the difference between Semantic & non-Semantic element with example.

(i) Semantic element:

It defines the structure and of the content to the browser & developer. and enhance SEO & Readability.

Example: header, Nav, section, Article, aside, Footer

(ii) Non-Semantic element:

It was used to wrap the content for CSS, JavaScript.

Example: `<div>`, `<span>`.

6. Why is `<header>` better than `<div>` for page structure?

Header Tag Introduce in HTML5. It was used to enhance SEO and readability so compare to `div` tag, header tag is better.

7. What is diff `<b>` & `<strong>`?

Both tag are change format content to bold but `<strong>` tag help for SEO.

8. What is diff `<i>` & `<em>`?

These tag are do the same process format content to italic but `<em>` tag help to SEO.

9. When should we use `<mark>` & `<small>`?

- * `<mark>` tag used to highlight content.
- + `<small>` tag used to format content into small text.

10. What is the purpose of `<a>` tag?

`<a>` tag is an inline element. In this tag, ~~href~~ attribute used for hyperlink.

11. Which attribute is mandatory in `<a>` tag?

href - Attribute.

13. Can an `<a>` tag wrap a block level element?

No.

14. What happens if we place a block level element inside an inline?

Blank. Invalid HTML

15. Write a small HTML snippet that includes:

```
<html>
  <head>
    <title> title </title>
  </head>
  <body>
    <header>
      <h1> heading </h1>
    </div>
    <a href="#value"> home </a>
  </div>
</header>
</body>
```