

# Covid in Japan

Masaya Kameyama

## Table of contents

<b>1</b>	<b>“Covid in Japan”</b>	<b>1</b>
<b>2</b>		<b>1</b>
<b>3</b>		<b>2</b>
3.1	.....	5
<b>4</b>		<b>5</b>
4.1	raw data 7 .....	5
4.2	7 .....	7
4.3	.....	12
4.3.1	.....	12
4.3.2	.....	15
<b>5</b>		<b>21</b>

## 1 “Covid in Japan”

“[1.7.3](#) ..  $y_t$  7 ,  
 $y_t$  7 ,  $y_t$  .” - toc: false - branch: master -  
badges: true - comments: true - categories: [julia, covid, statistics] - hide: false  
- search\_exclude: true

## 2

$y_t$  3 :  
$$y_t = TC_t + S_t + I_t$$
 $TC_t$  ,  $S_t$  ,  $I_t$  .  $TC_t$  ,  $S_t$  ,  $I_t$  .

$S_t, I_t$  . . . . .  $TC_t (n)$ ,  
:

```
versioninfo()
```

```
Julia Version 1.8.4
Commit 00177ebc4fc (2022-12-23 21:32 UTC)
Platform Info:
  OS: macOS (arm64-apple-darwin21.5.0)
  CPU: 8 × Apple M1
  WORD_SIZE: 64
  LIBM: libopenlibm
  LLVM: libLLVM-13.0.1 (ORCJIT, apple-m1)
  Threads: 1 on 4 virtual cores
```

### 3

:

```
p=[
  "CSV",
  "DataFrames",
  "Plots",
  "Statistics",
  "Indicators",
  "StatsPlots",
  "GLM",
  "HTTP",
  "Dates"]
```

```
9-element Vector{String}:
 "CSV"
 "DataFrames"
 "Plots"
 "Statistics"
 "Indicators"
 "StatsPlots"
 "GLM"
 "HTTP"
 "Dates"
```

```
import Pkg; Pkg.add.(p)
```

```
Updating registry at `~/.julia/registries/General.toml`  
Resolving package versions...  
No Changes to `~/.julia/environments/v1.8/Project.toml`  
No Changes to `~/.julia/environments/v1.8/Manifest.toml`  
Resolving package versions...  
No Changes to `~/.julia/environments/v1.8/Project.toml`  
No Changes to `~/.julia/environments/v1.8/Manifest.toml`  
Resolving package versions...  
No Changes to `~/.julia/environments/v1.8/Project.toml`  
No Changes to `~/.julia/environments/v1.8/Manifest.toml`  
Resolving package versions...  
No Changes to `~/.julia/environments/v1.8/Project.toml`  
No Changes to `~/.julia/environments/v1.8/Manifest.toml`  
Resolving package versions...  
No Changes to `~/.julia/environments/v1.8/Project.toml`  
No Changes to `~/.julia/environments/v1.8/Manifest.toml`  
Resolving package versions...  
No Changes to `~/.julia/environments/v1.8/Project.toml`  
No Changes to `~/.julia/environments/v1.8/Manifest.toml`  
Resolving package versions...  
No Changes to `~/.julia/environments/v1.8/Project.toml`  
No Changes to `~/.julia/environments/v1.8/Manifest.toml`  
Resolving package versions...  
No Changes to `~/.julia/environments/v1.8/Project.toml`  
No Changes to `~/.julia/environments/v1.8/Manifest.toml`  
Resolving package versions...  
No Changes to `~/.julia/environments/v1.8/Project.toml`  
No Changes to `~/.julia/environments/v1.8/Manifest.toml`
```

```
9-element Vector{Nothing}:
```

```
nothing  
nothing  
nothing  
nothing  
nothing  
nothing  
nothing  
nothing  
nothing
```

```

using CSV
using DataFrames
using Plots
Plots.gr(fmt = :png)
using Statistics
using Indicators
using StatsPlots
using GLM
using HTTP
using Dates

```

```

res = HTTP.get("https://covid19.mhlw.go.jp/public/opendata/newly_confirmed_cases_daily.csv")

```

```

df = CSV.read(res.body,DataFrame);

```

```

last(df,10)


```

	Date	ALL	Hokkaido	Aomori	Iwate	Miyagi	Akita	Yamagata	Fukushima	
	String15	Int64	Int64	Int64	Int64	Int64	Int64	Int64	Int64	
1	2022/12/31	107621	2377	808	787	1893	498	653	1343	...
2	2023/1/1	87042	2077	690	651	1715	359	506	1263	...
3	2023/1/2	76015	1833	557	624	1450	344	518	1038	...
4	2023/1/3	89643	2235	696	932	1903	440	498	1372	...
5	2023/1/4	104304	2500	730	920	2028	498	753	1607	...
6	2023/1/5	226904	5582	1792	2009	3458	1316	1235	3335	...
7	2023/1/6	245542	5713	1791	1521	3960	1114	1481	3102	...
8	2023/1/7	238654	5352	1511	1558	3802	957	1224	3005	...
9	2023/1/8	190538	3363	989	925	3010	666	822	2176	...
10	2023/1/9	95308	1584	612	566	1642	346	352	1063	...

```

plot(df.Date, df.ALL,seriestype = :scatter)

```



### 3.1

- 2022/01/04 6 .
- 2022/01/11 6 .


## 4

### 4.1 raw data 7

$TC_t$  .  $TC_t$  . ( ) , . 7 :


```
df.weekly_ave=sma(df.ALL, n=7);
```

```
plot(df.Date, df.weekly_ave, seriestype = :scatter)
```



raw data :

```
plot(df.ALL .- df.weekly_ave, seriestype = :scatter)
```



$TC_t$

$TC_t$

$y_t - TC_t$


## 4.2 7

$0$   $\epsilon$

```
= 0.0000001;

df.log_all=log.(df.ALL .+ );

plot(df.Date, df.log_all, seriestype = :scatter)
```




6

.  
:

```
df.log_weekly_ave = sma(df.log_all, n=7);
df.log_diff = df.log_all .- df.log_weekly_ave;

plot((df.log_diff )[40:end], seriestype = :scatter)
```





-1.5~1 . 39 0 .

$S_t$  .  $S$  .

```
sum_n=zeros(7)
count_day_of_week=zeros(Int,7)
for (i, n) in enumerate((df.log_diff )[40:end])
    sum_n[i%7+1]+=n
    count_day_of_week[i%7+1]+=1
end
```

```
S = sum_n ./ count_day_of_week
```

7-element Vector{Float64}:

```
-0.0458947770756838
-0.48588728064630987
 0.055816830757215156
 0.18126518762346477
 0.1879316238881742
 0.1451808639178051
 0.15539502298303573
```


```
Dates.dayname(Date(df.Date[40], dateformat"y/m/d"))
```

"Monday"

```
40      S 1      .
```

```
dow=[Dates.dayname(Date(df.Date[40+i], dateformat"y/m/d")) for i=-1:5];
```


```
plot(dow,S,seriestype = :bar)
```



$I_t$


```
I=zeros(length(df.ALL)-39)
for (i,n) in enumerate((df.log_diff )[40:end])
    I[i]=n-S[i%7+1]
end
```

```
plot(I, seriestype = :scatter)
```



$TC_t$  .  $I_t$  . 5 .

```
plot(df.Date[40:end], df.log_all[40:end], seriestype = :scatter)
plot!(I, seriestype = :scatter)
```



$$\log(y_t) \quad I_t \quad . \quad TC_t \quad .$$

### 4.3

$$TC_t \quad .$$

#### 4.3.1

$$\left( \begin{array}{c} \cdot \\ \cdot \end{array} \right) \cdot \begin{array}{c} 1 \\ 0 \end{array} \quad ,$$

```
function minima(array,i,r)
    res=i-r+findmin(array[max(i-r,1):i])[2]
    while res!=i
        i=res
        res=i-r+findmin(array[max(i-r,1):i])[2]
    end
    return res
end
```

minima (generic function with 1 method)

```
function maxima(array,i,r)
  res=i-r+findmax(array[max(i-r,1):i])[2]
  while res!=i
    i=res
    res=i-r+findmax(array[max(i-r,1):i])[2]
  end
  return res
end
```

maxima (generic function with 1 method)

```
function extremes(array,r)
  i_max=findmax(array)[2]
  res=[i_max]
  i=i_max
  i_min=1
  while i-r>0 && i !=i_min
    i_min=minima(array,i_max,r)
    println(i," ",i_min)
    i_max=maxima(array,i_min,r)
    push!(res,i_min)
    push!(res,i_max)
    i=i_min
  end
  return res
end
```

extremes (generic function with 1 method)

```
period=extremes(df.ALL, 20)
append!(period,extremes(df.ALL[1:480], 15))
unique!(period)
push!(period,minima(df.ALL,450,10))
append!(period,[30,90,140,680,length(df.ALL)])
sort!(period)
```


947 888

359 253


12-element Vector{Int64}:

30  
90  
140  
206  
253  
359  
419  
680  
847  
888  
947  
1090

```
plot(df.Date, df.weekly_ave,seriestype = :scatter)  
vline!(period)
```




```
plot(df.Date, df.log_all, seriestype = :scatter)  
vline!(period)
```



#### 4.3.2

. GLM .

```
plot(period[1]:period[2],df.log_all[period[1]:period[2]], seriestype = :scatter)
```



```
i=1
data = DataFrame(X=period[i]:period[i+1], Y=df.log_all[period[i]:period[i+1]])
ols = lm(@formula(Y ~ X), data)
```

```
StatsModels.TableRegressionModel{LinearModel{GLM.LmResp{Vector{Float64}}}, GLM.DensePredChol{
```


```
Y ~ 1 + X
```

Coefficients:

	Coef.	Std. Error	t	Pr(> t )	Lower 95%	Upper 95%
(Intercept)	-0.807003	0.22738	-3.55	0.0008	-1.26199	-0.352016
X	0.0789489	0.00363634	21.71	<1e-29	0.0716726	0.0862252

```
plot(period[i]:period[i+1]-1,df.log_all[period[i]:period[i+1]-1], seriestype = :scatter)
plot!(data.X,predict(ols))
```






:

```
pred=predict(ols)
for i=2:length(period)-1
    data = DataFrame(X=period[i]:period[i+1]-1, Y=df.log_all[period[i]:period[i+1]-1])
    ols = lm(@formula(Y ~ X), data)
    append!(pred,predict(ols))
end
```


```
plot(df.Date[period[1]:end], df.log_all[period[1]:end], seriestype = :scatter)
plot!(df.Date[period[1]:end],pred,seriestype = :scatter)
```



$$TC_t = S_t, I_t$$

```
diff= df.log_all[period[1]:end] .- pred;
```

```
plot(diff, seriestype = :scatter)
```



```
sum_n=zeros(7)
count_day_of_week=zeros(Int,7)
for (i, n) in enumerate(diff)
    sum_n[i%7+1]+=n
    count_day_of_week[i%7+1]+=1
end
```

```
S2 = sum_n ./ count_day_of_week
```

7-element Vector{Float64}:


```
0.1597298156141544
0.1224051792494716
0.14164292461164305
-0.07029766752689469
-0.4973507234395729
0.03803188451298746
0.14337600662335104
```

```
Dates.dayname(Date(df.Date[period[1]], dateformat"y/m/d"))
```

"Friday"


```
dow=[Dates.dayname(Date(df.Date[period[1]+i], dateformat"y/m/d")) for i=-1:5];
```

```
plot(dow,S2,seriestype = :bar)
```



```
I2=zeros(length(df.ALL)-period[1]+1)
for (i,n) in enumerate((diff )[period[1]:end])
    I2[i]=n-S2[i%7+1]
end
```

```
plot(I2, seriestype = :scatter)
```



$TC_t$

5

(1) , (2) , (3) .