

Express.js

dr inž. Robert Krupiński

server.mjs

```
1  import express from 'express';
2
3  const
4  |   app = express(),
5  |   port = 3000;
6
7  app.get('/',
8  |   (req, res) => res.send('From MyApp')
9  |   )
10
11 app.get('/about',
12 |   (req, res, next) => {
13 |     console.log('%s %s - %s', (new Date).toString(), req.method, req.url)
14 |     next()
15 |   }
16 |   )
17
18 app.get('/about',
19 |   (req, res) => res.send('My about')
20 |   )
21
22 app.get('/about/contact',
23 |   (req, res) => res.send('My contact')
24 |   )
25
26 //app.use(express.static('myimages'))
27 app.use('/mystorage', express.static('myimages'))
```

server.mjs

```
30 app.get('/user/:userId/book/:bookId', (req, res, next) => {
31   const aUserID = req.params.userId,
32     aBookID = req.params.bookId
33
34   console.log(`UserID=${aUserID}`)
35   console.log(`BookID=${aBookID}`)
36
37   if ('45' !== aUserID) {
38     next(403)
39     return
40   }
41   res.rmaes = {
42     UserID: aUserID,
43     BookID: aBookID
44   }
45   next()
46 })
47
48 app.get('/user/:userId/book/:bookId',
49   (req, res) => {
50     const rmaes = res.rmaes;
51     res.send(`My user=${rmaes.UserID} and My book ${rmaes.BookID}`)
52   }
53 )
54 app.use(function (err, req, res, next) {
55   res.status(err).send('My error')
56 })
57
58 app.listen(port,
59   () => console.log(`MyServer ready on http://localhost:${port}`)
60 )
```

File location

- www.rmaes.com/students/2023_2024/Express.pdf