

PHP+MySQL

dr inž. Robert Krupiński

```

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta content="width=device-width, initial-scale=1" name="viewport">

    <title></title>
</head>

<body>

    <?php

        if (!filter_has_var(INPUT_GET, 'id')) {
            echo ('Missing id');
            exit(1);
        }

        $aID = filter_var($_REQUEST['id'], FILTER_SANITIZE_NUMBER_INT);
        $anID = filter_var($aID, FILTER_VALIDATE_INT);

        if (!is_int($anID)) {
            echo ('Invalid id');
            exit(1);
        }

        $apMySQLi = new \mysqli('localhost', 'root', '', 'MyDB', 3306);
        if ($apMySQLi->connect_errno) {
            echo ('connect_errno=' . $apMySQLi->connect_errno . ' ; ' . $apMySQLi->connect_error);
            exit(1);
        }
        $astrQuery = 'SELECT * FROM MyTable WHERE id=' . $anID;
        $arResult = $apMySQLi->query($astrQuery);
        if (!$arResult instanceof \mysqli_result) {
            echo ('errno=' . $apMySQLi->errno . ' ; ' . $apMySQLi->error);
            exit(1);
        }

        $aRow = $arResult->fetch_assoc();
        if (!is_array($aRow)) {
            echo ('No data for id');
            exit(1);
        }

        $astrAdded = $aRow['Added'] ?? 'No data';
        $astrName = $aRow['FirstName'] ?? 'No name';
        $astrSurname = $aRow['Surname'] ?? 'No surname';
        $anAge = $aRow['Age'] ?? 'No age';

        echo "<div>Dodano <b>{$astrAdded}</b></div>";
        echo "<div>Imię <b>{$astrName}</b></div>";
        echo "<div>Nazwisko <b>{$astrSurname}</b></div>";
        echo "<div>Wiek <b>{$anAge}</b></div>";

        $apMySQLi->close();

    ?>
</body>

</html>

```

File location

- www.rmaes.com/students/2020_2021/PHP_MySQL.pdf