
Image Report: ChemEng UGlab. User 2026-10-15 15hr 02min



Acquisition Information

Imager	Gel Doc™ EZ
Exposure Time (sec)	0.312 (Auto - Intense Bands)
Application	Coomassie Blue
Dark Type	Referenced
Ref. Bkgd. Time (sec)	10
Flat Field	Applied
Serial Number	735BR03995
Software Version	5.2
Illumination Mode	White Transillumination

Image Information

Acquisition Date	10/15/2026 3:02:32 PM
User Name	ChemEng UGlab. User
Image Area (mm)	X: 150.0 Y: 107.8
Pixel Size (um)	X: 107.8 Y: 107.8
Data Range (Int)	1185 - 2120


Analysis Settings

Detection	Lane detection: Automatically detected lanes with manual adjustments Band detection:

	Automatically detected bands with sensitivity: High Manually adjusted bands Lane Background Subtraction: Lane background subtracted with disk size: 10 Lane width: 5.17 mm
Mol. Weight Analysis	Standard: Bio-Rad Precision Plus Standard lanes: first Regression method: Point to Point (semi-log)

Lane And Band Analysis


Lane 1 - Bio-Rad Precision Plus



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.104	22,464	N/A	N/A	3.9	3.3
2		150.0	0.121	25,584	N/A	N/A	4.5	3.8
3		100.0	0.178	45,264	N/A	N/A	7.9	6.7
4		75.0	0.248	62,832	N/A	N/A	11.0	9.3
5		50.0	0.298	39,360	N/A	N/A	6.9	5.8
6		37.0	0.416	40,080	N/A	N/A	7.0	5.9
7		25.0	0.508	30,384	N/A	N/A	5.3	4.5
8		20.0	0.694	239,520	N/A	N/A	42.0	35.3
9		15.0	0.951	64,320	N/A	N/A	11.3	9.5

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method


Lane 2



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		179.7	0.115	9,600	N/A	N/A	6.7	3.2
2		127.3	0.144	912	N/A	N/A	0.6	0.3
3		104.5	0.172	13,440	N/A	N/A	9.4	4.5
4		94.0	0.193	1,008	N/A	N/A	0.7	0.3
5		86.2	0.214	336	N/A	N/A	0.2	0.1
6		77.4	0.240	18,240	N/A	N/A	12.8	6.1
7		67.3	0.261	48	N/A	N/A	0.0	0.0
8		53.2	0.290	13,056	N/A	N/A	9.2	4.4
9		45.2	0.337	4,704	N/A	N/A	3.3	1.6
10		42.7	0.360	3,792	N/A	N/A	2.7	1.3
11		38.0	0.405	24,096	N/A	N/A	16.9	8.1
12		23.9	0.545	7,248	N/A	N/A	5.1	2.4
13		22.1	0.611	8,400	N/A	N/A	5.9	2.8
14		20.1	0.692	35,232	N/A	N/A	24.7	11.8
15		18.3	0.775	2,400	N/A	N/A	1.7	0.8

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method

Lane 3




Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		44.8	0.341	25,680	N/A	N/A	16.5	11.8
2		36.3	0.420	11,664	N/A	N/A	7.5	5.3
3		29.7	0.468	1,440	N/A	N/A	0.9	0.7

4		28.1	0.481	1,824	N/A	N/A	1.2	0.8
5		24.1	0.539	3,984	N/A	N/A	2.6	1.8
6		22.0	0.615	19,536	N/A	N/A	12.6	8.9
7		21.0	0.653	2,304	N/A	N/A	1.5	1.1
8		20.0	0.693	7,632	N/A	N/A	4.9	3.5
9		19.1	0.735	1,440	N/A	N/A	0.9	0.7
10		18.5	0.763	2,448	N/A	N/A	1.6	1.1
11		17.7	0.802	2,208	N/A	N/A	1.4	1.0
12		17.0	0.838	1,872	N/A	N/A	1.2	0.9
13		16.4	0.872	1,536	N/A	N/A	1.0	0.7
14		16.1	0.886	384	N/A	N/A	0.2	0.2
15		15.4	0.930	7,248	N/A	N/A	4.7	3.3
16		15.0	0.953	42,048	N/A	N/A	27.0	19.3
17		15.0	0.972	22,368	N/A	N/A	14.4	10.2

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method

Lane 4




Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.059	2,496	N/A	N/A	1.3	1.1
2		250.0	0.098	1,248	N/A	N/A	0.6	0.6
3		129.9	0.141	3,072	N/A	N/A	1.6	1.4
4		94.4	0.192	2,784	N/A	N/A	1.4	1.3
5		65.1	0.265	480	N/A	N/A	0.2	0.2
6		53.5	0.289	5,760	N/A	N/A	3.0	2.6
7		44.9	0.340	36,336	N/A	N/A	18.8	16.7
8		38.7	0.398	1,392	N/A	N/A	0.7	0.6
9		23.4	0.564	2,928	N/A	N/A	1.5	1.3
10		22.7	0.590	1,584	N/A	N/A	0.8	0.7
11		22.1	0.611	1,968	N/A	N/A	1.0	0.9
12		20.8	0.663	4,896	N/A	N/A	2.5	2.3
13		20.2	0.685	2,880	N/A	N/A	1.5	1.3
14		19.4	0.722	12,240	N/A	N/A	6.3	5.6
15		18.5	0.763	10,896	N/A	N/A	5.6	5.0
16		17.9	0.795	24,960	N/A	N/A	12.9	11.5
17		15.3	0.937	77,712	N/A	N/A	40.1	35.7

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm

Regression Equation	A single equation is not available for this method


Lane 5



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.063	2,160	N/A	N/A	1.2	1.0
2		250.0	0.086	5,232	N/A	N/A	2.8	2.4
3		246.4	0.104	2,112	N/A	N/A	1.1	1.0
4		131.4	0.140	9,264	N/A	N/A	4.9	4.3
5		119.7	0.153	5,664	N/A	N/A	3.0	2.6
6		94.4	0.192	3,024	N/A	N/A	1.6	1.4
7		77.2	0.241	2,544	N/A	N/A	1.4	1.2
8		58.6	0.278	2,832	N/A	N/A	1.5	1.3
9		44.5	0.343	103,584	N/A	N/A	55.2	48.4
10		22.0	0.613	960	N/A	N/A	0.5	0.4
11		21.1	0.649	5,280	N/A	N/A	2.8	2.5
12		20.5	0.673	1,488	N/A	N/A	0.8	0.7
13		20.0	0.694	3,312	N/A	N/A	1.8	1.5
14		18.9	0.743	1,920	N/A	N/A	1.0	0.9
15		18.3	0.776	912	N/A	N/A	0.5	0.4
16		17.3	0.826	480	N/A	N/A	0.3	0.2
17		16.3	0.875	2,544	N/A	N/A	1.4	1.2
18		15.8	0.906	1,200	N/A	N/A	0.6	0.6
19		15.0	0.953	31,056	N/A	N/A	16.6	14.5
20		15.0	0.990	1,968	N/A	N/A	1.0	0.9

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method


Lane 6



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.003	16,608	N/A	N/A	9.9	7.7
2		250.0	0.068	1,680	N/A	N/A	1.0	0.8
3		250.0	0.101	1,488	N/A	N/A	0.9	0.7
4		140.7	0.130	3,408	N/A	N/A	2.0	1.6
5		118.1	0.155	2,784	N/A	N/A	1.7	1.3
6		86.4	0.213	2,880	N/A	N/A	1.7	1.3
7		79.2	0.235	672	N/A	N/A	0.4	0.3
8		60.0	0.275	4,320	N/A	N/A	2.6	2.0
9		52.6	0.292	2,016	N/A	N/A	1.2	0.9
10		44.7	0.342	82,752	N/A	N/A	49.5	38.4
11		40.4	0.381	1,488	N/A	N/A	0.9	0.7
12		38.8	0.397	1,488	N/A	N/A	0.9	0.7
13		35.6	0.425	1,632	N/A	N/A	1.0	0.8
14		27.2	0.489	1,056	N/A	N/A	0.6	0.5
15		25.0	0.508	1,968	N/A	N/A	1.2	0.9
16		24.1	0.537	2,880	N/A	N/A	1.7	1.3
17		23.2	0.572	3,264	N/A	N/A	2.0	1.5
18		21.2	0.645	4,848	N/A	N/A	2.9	2.3
19		19.8	0.704	4,032	N/A	N/A	2.4	1.9
20		19.5	0.718	2,736	N/A	N/A	1.6	1.3
21		18.8	0.749	3,888	N/A	N/A	2.3	1.8
22		18.1	0.785	4,704	N/A	N/A	2.8	2.2
23		16.8	0.849	3,840	N/A	N/A	2.3	1.8
24		15.0	0.993	10,896	N/A	N/A	6.5	5.1

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method


Lane 7



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.002	6,528	N/A	N/A	3.4	3.1
2		250.0	0.016	7,296	N/A	N/A	3.8	3.4
3		250.0	0.033	2,544	N/A	N/A	1.3	1.2
4		250.0	0.081	6,960	N/A	N/A	3.6	3.3
5		139.1	0.132	1,584	N/A	N/A	0.8	0.7
6		120.9	0.151	1,968	N/A	N/A	1.0	0.9
7		94.9	0.191	1,968	N/A	N/A	1.0	0.9
8		85.2	0.217	2,352	N/A	N/A	1.2	1.1
9		76.5	0.243	4,080	N/A	N/A	2.1	1.9
10		57.6	0.280	1,728	N/A	N/A	0.9	0.8
11		46.4	0.327	19,920	N/A	N/A	10.4	9.4
12		44.7	0.342	20,592	N/A	N/A	10.7	9.7
13		42.3	0.363	1,824	N/A	N/A	0.9	0.9
14		32.1	0.450	1,008	N/A	N/A	0.5	0.5
15		30.1	0.464	1,104	N/A	N/A	0.6	0.5
16		27.7	0.484	2,304	N/A	N/A	1.2	1.1
17		26.6	0.493	1,488	N/A	N/A	0.8	0.7
18		23.8	0.549	1,008	N/A	N/A	0.5	0.5
19		23.3	0.568	912	N/A	N/A	0.5	0.4
20		22.1	0.612	1,440	N/A	N/A	0.7	0.7
21		21.6	0.632	4,848	N/A	N/A	2.5	2.3
22		20.7	0.666	1,968	N/A	N/A	1.0	0.9
23		19.8	0.704	1,344	N/A	N/A	0.7	0.6
24		19.4	0.721	672	N/A	N/A	0.3	0.3
25		19.0	0.739	960	N/A	N/A	0.5	0.5
26		17.9	0.795	26,448	N/A	N/A	13.8	12.5
27		17.4	0.821	3,024	N/A	N/A	1.6	1.4
28		15.8	0.904	3,840	N/A	N/A	2.0	1.8
29		15.0	0.959	60,624	N/A	N/A	31.5	28.6

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method


Lane 8



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.007	25,872	N/A	N/A	14.6	12.9
2		176.8	0.116	1,392	N/A	N/A	0.8	0.7
3		106.4	0.169	5,136	N/A	N/A	2.9	2.6
4		66.6	0.262	4,656	N/A	N/A	2.6	2.3
5		51.2	0.295	1,296	N/A	N/A	0.7	0.6
6		44.7	0.342	15,024	N/A	N/A	8.5	7.5
7		40.8	0.378	1,008	N/A	N/A	0.6	0.5
8		38.9	0.396	672	N/A	N/A	0.4	0.3
9		37.1	0.415	1,824	N/A	N/A	1.0	0.9
10		33.7	0.438	816	N/A	N/A	0.5	0.4
11		27.7	0.484	1,776	N/A	N/A	1.0	0.9
12		24.9	0.510	1,200	N/A	N/A	0.7	0.6
13		24.7	0.520	1,488	N/A	N/A	0.8	0.7
14		23.6	0.557	2,496	N/A	N/A	1.4	1.2
15		22.1	0.611	1,824	N/A	N/A	1.0	0.9
16		21.3	0.642	1,872	N/A	N/A	1.1	0.9
17		20.3	0.681	1,392	N/A	N/A	0.8	0.7
18		19.6	0.713	1,680	N/A	N/A	0.9	0.8
19		18.1	0.782	12,816	N/A	N/A	7.2	6.4
20		17.2	0.831	3,360	N/A	N/A	1.9	1.7
21		16.1	0.891	28,272	N/A	N/A	15.9	14.1
22		15.4	0.928	61,392	N/A	N/A	34.6	30.6

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method


Lane 9



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.044	3,552	N/A	N/A	2.7	2.4
2		250.0	0.073	1,104	N/A	N/A	0.8	0.7
3		250.0	0.091	4,032	N/A	N/A	3.1	2.7
4		140.7	0.130	3,264	N/A	N/A	2.5	2.2
5		100.3	0.178	2,544	N/A	N/A	1.9	1.7
6		79.7	0.233	1,776	N/A	N/A	1.4	1.2
7		46.0	0.331	21,264	N/A	N/A	16.3	14.4
8		31.6	0.453	1,200	N/A	N/A	0.9	0.8
9		29.3	0.471	768	N/A	N/A	0.6	0.5
10		24.9	0.510	3,888	N/A	N/A	3.0	2.6
11		23.3	0.565	2,016	N/A	N/A	1.5	1.4
12		22.9	0.583	2,160	N/A	N/A	1.7	1.5
13		22.1	0.611	4,992	N/A	N/A	3.8	3.4
14		20.8	0.661	8,016	N/A	N/A	6.1	5.4
15		18.7	0.752	1,008	N/A	N/A	0.8	0.7
16		18.1	0.782	3,744	N/A	N/A	2.9	2.5
17		17.4	0.821	3,120	N/A	N/A	2.4	2.1
18		16.6	0.860	2,112	N/A	N/A	1.6	1.4
19		15.8	0.907	9,264	N/A	N/A	7.1	6.3
20		15.4	0.930	37,344	N/A	N/A	28.6	25.4
21		15.0	0.969	13,296	N/A	N/A	10.2	9.0

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method

Lane 10




Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.003	624	N/A	N/A	0.5	0.5
2		250.0	0.088	2,208	N/A	N/A	1.9	1.6
3		161.9	0.119	3,984	N/A	N/A	3.4	2.9
4		70.5	0.255	1,872	N/A	N/A	1.6	1.4
5		61.0	0.273	2,064	N/A	N/A	1.8	1.5
6		46.0	0.330	20,784	N/A	N/A	17.8	15.3
7		35.9	0.423	3,504	N/A	N/A	3.0	2.6
8		30.6	0.460	1,392	N/A	N/A	1.2	1.0
9		25.4	0.504	3,312	N/A	N/A	2.8	2.4
10		22.8	0.584	3,888	N/A	N/A	3.3	2.9

11		21.7	0.628	1,248	N/A	N/A	1.1	0.9
12		21.0	0.654	1,200	N/A	N/A	1.0	0.9
13		20.5	0.673	2,208	N/A	N/A	1.9	1.6
14		18.7	0.754	1,968	N/A	N/A	1.7	1.4
15		18.4	0.767	1,104	N/A	N/A	0.9	0.8
16		18.0	0.787	3,552	N/A	N/A	3.0	2.6
17		17.0	0.837	19,296	N/A	N/A	16.5	14.2
18		16.7	0.855	20,208	N/A	N/A	17.3	14.8
19		15.3	0.937	18,000	N/A	N/A	15.4	13.2
20		15.0	0.972	4,560	N/A	N/A	3.9	3.3

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method


Lane 11



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		139.3	0.132	4,224	N/A	N/A	2.7	2.1
2		85.4	0.216	1,632	N/A	N/A	1.0	0.8
3		66.9	0.262	2,544	N/A	N/A	1.6	1.2
4		50.7	0.296	1,824	N/A	N/A	1.2	0.9
5		46.4	0.327	12,192	N/A	N/A	7.7	5.9
6		41.7	0.369	1,968	N/A	N/A	1.2	1.0
7		37.3	0.413	2,208	N/A	N/A	1.4	1.1
8		32.6	0.446	21,408	N/A	N/A	13.6	10.4
9		23.4	0.564	2,160	N/A	N/A	1.4	1.0
10		22.1	0.610	4,176	N/A	N/A	2.7	2.0
11		21.3	0.642	3,168	N/A	N/A	2.0	1.5
12		19.0	0.738	4,944	N/A	N/A	3.1	2.4
13		18.6	0.759	13,296	N/A	N/A	8.4	6.5
14		17.8	0.797	16,704	N/A	N/A	10.6	8.1
15		17.4	0.820	50,592	N/A	N/A	32.1	24.6
16		15.9	0.898	11,568	N/A	N/A	7.3	5.6
17		15.3	0.937	960	N/A	N/A	0.6	0.5
18		15.0	0.971	1,920	N/A	N/A	1.2	0.9

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method


Lane 12



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.008	29,568	N/A	N/A	16.9	15.8
2		250.0	0.065	1,968	N/A	N/A	1.1	1.1
3		250.0	0.086	3,024	N/A	N/A	1.7	1.6
4		118.8	0.154	5,712	N/A	N/A	3.3	3.1
5		107.0	0.169	1,008	N/A	N/A	0.6	0.5
6		90.9	0.201	6,192	N/A	N/A	3.5	3.3
7		80.1	0.232	1,200	N/A	N/A	0.7	0.6
8		54.6	0.287	6,480	N/A	N/A	3.7	3.5
9		46.2	0.329	23,760	N/A	N/A	13.6	12.7
10		43.4	0.353	2,112	N/A	N/A	1.2	1.1
11		40.1	0.384	1,872	N/A	N/A	1.1	1.0
12		37.1	0.415	2,928	N/A	N/A	1.7	1.6
13		29.0	0.473	2,688	N/A	N/A	1.5	1.4
14		23.7	0.553	28,320	N/A	N/A	16.2	15.2
15		22.5	0.595	10,896	N/A	N/A	6.2	5.8
16		19.7	0.707	2,496	N/A	N/A	1.4	1.3
17		19.0	0.742	3,264	N/A	N/A	1.9	1.7
18		18.4	0.770	2,736	N/A	N/A	1.6	1.5
19		17.3	0.823	33,312	N/A	N/A	19.1	17.8
20		15.0	0.955	5,232	N/A	N/A	3.0	2.8

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method

Lane 13



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.002	864	N/A	N/A	0.6	0.3
2		52.0	0.293	8,352	N/A	N/A	5.4	3.3
3		46.0	0.330	20,688	N/A	N/A	13.3	8.2
4		41.0	0.375	8,544	N/A	N/A	5.5	3.4
5		40.0	0.385	6,576	N/A	N/A	4.2	2.6
6		38.4	0.401	6,384	N/A	N/A	4.1	2.5
7		32.5	0.447	2,688	N/A	N/A	1.7	1.1
8		28.9	0.474	1,680	N/A	N/A	1.1	0.7
9		24.5	0.524	17,184	N/A	N/A	11.0	6.8
10		23.5	0.558	28,512	N/A	N/A	18.3	11.3
11		22.1	0.612	2,832	N/A	N/A	1.8	1.1
12		21.1	0.649	5,664	N/A	N/A	3.6	2.2
13		20.5	0.675	720	N/A	N/A	0.5	0.3
14		19.4	0.722	2,784	N/A	N/A	1.8	1.1
15		19.0	0.741	2,208	N/A	N/A	1.4	0.9
16		18.3	0.775	1,392	N/A	N/A	0.9	0.6
17		18.0	0.790	3,168	N/A	N/A	2.0	1.3
18		17.7	0.806	3,936	N/A	N/A	2.5	1.6
19		16.7	0.854	31,488	N/A	N/A	20.2	12.4

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	5.17 mm
Regression Equation	A single equation is not available for this method