
Image Report: ChemEng UGlab. User 2026-10-15 12hr 54min



Acquisition Information

Imager	Gel Doc™ EZ
Exposure Time (sec)	0.275 (Auto - Intense Bands)
Application	Coomassie Blue
Dark Type	Referenced
Ref. Bkgd. Time (sec)	10
Flat Field	Applied
Serial Number	735BR03995
Software Version	5.2
Illumination Mode	White Transillumination

Image Information

Acquisition Date	10/15/2026 12:55:11 PM
User Name	ChemEng UGlab. User
Image Area (mm)	X: 150.0 Y: 107.8
Pixel Size (um)	X: 107.8 Y: 107.8
Data Range (Int)	1148 - 2194


Analysis Settings

Detection	Lane detection: Automatically detected lanes with manual adjustments Band detection:

	Automatically detected bands with sensitivity: High Manually adjusted bands Lane Background Subtraction: Lane background subtracted with disk size: 10 Lane width: 6.79 mm
Mol. Weight Analysis	Standard: Bio-Rad Precision Plus Standard lanes: last Regression method: Point to Point (semi-log)

Lane And Band Analysis


Lane 1



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.003	630	N/A	N/A	0.4	0.3
2		250.0	0.014	1,260	N/A	N/A	0.8	0.6
3		137.6	0.084	28,980	N/A	N/A	17.3	13.4
4		99.6	0.176	2,205	N/A	N/A	1.3	1.0
5		96.1	0.192	1,764	N/A	N/A	1.1	0.8
6		89.8	0.222	2,142	N/A	N/A	1.3	1.0
7		78.7	0.279	2,079	N/A	N/A	1.2	1.0
8		52.8	0.346	50,022	N/A	N/A	29.9	23.1
9		44.5	0.393	3,402	N/A	N/A	2.0	1.6
10		38.3	0.445	567	N/A	N/A	0.3	0.3
11		28.5	0.548	3,024	N/A	N/A	1.8	1.4
12		26.7	0.571	441	N/A	N/A	0.3	0.2
13		24.7	0.599	8,757	N/A	N/A	5.2	4.0
14		22.1	0.640	10,206	N/A	N/A	6.1	4.7
15		20.1	0.675	819	N/A	N/A	0.5	0.4
16		20.0	0.698	2,205	N/A	N/A	1.3	1.0
17		20.0	0.724	5,103	N/A	N/A	3.0	2.4
18		20.0	0.752	4,725	N/A	N/A	2.8	2.2
19		20.0	0.780	20,349	N/A	N/A	12.2	9.4
20		20.0	0.937	5,733	N/A	N/A	3.4	2.6
21		20.0	0.969	13,041	N/A	N/A	7.8	6.0

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	6.79 mm
Regression Equation	A single equation is not available for this method


Lane 2



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		236.2	0.031	7,623	N/A	N/A	2.7	2.6
2		168.0	0.052	7,434	N/A	N/A	2.6	2.6
3		134.3	0.091	22,239	N/A	N/A	7.9	7.7
4		92.3	0.209	1,827	N/A	N/A	0.6	0.6
5		81.2	0.265	5,040	N/A	N/A	1.8	1.7
6		76.5	0.291	756	N/A	N/A	0.3	0.3
7		49.7	0.354	45,486	N/A	N/A	16.2	15.7
8		32.1	0.506	13,482	N/A	N/A	4.8	4.6
9		25.1	0.592	63,000	N/A	N/A	22.4	21.7
10		22.7	0.630	33,642	N/A	N/A	12.0	11.6
11		21.1	0.656	23,688	N/A	N/A	8.4	8.2
12		20.0	0.686	34,650	N/A	N/A	12.3	11.9
13		20.0	0.780	2,520	N/A	N/A	0.9	0.9
14		20.0	0.808	5,103	N/A	N/A	1.8	1.8
15		20.0	0.927	14,616	N/A	N/A	5.2	5.0

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	6.79 mm
Regression Equation	A single equation is not available for this method

Lane 3




Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.007	189	N/A	N/A	0.0	0.0
2		193.6	0.044	7,056	N/A	N/A	1.2	1.0
3		135.1	0.089	6,363	N/A	N/A	1.0	0.9

4		122.5	0.117	29,421	N/A	N/A	4.8	4.3
5		110.3	0.147	3,654	N/A	N/A	0.6	0.5
6		93.1	0.206	2,268	N/A	N/A	0.4	0.3
7		81.9	0.262	2,835	N/A	N/A	0.5	0.4
8		77.7	0.284	1,764	N/A	N/A	0.3	0.3
9		74.0	0.302	3,654	N/A	N/A	0.6	0.5
10		49.5	0.356	37,800	N/A	N/A	6.2	5.6
11		33.6	0.490	5,292	N/A	N/A	0.9	0.8
12		26.2	0.578	32,067	N/A	N/A	5.2	4.7
13		23.4	0.618	39,879	N/A	N/A	6.5	5.9
14		21.9	0.642	10,899	N/A	N/A	1.8	1.6
15		21.2	0.654	13,104	N/A	N/A	2.1	1.9
16		20.3	0.672	7,623	N/A	N/A	1.2	1.1
17		20.0	0.738	34,209	N/A	N/A	5.6	5.0
18		20.0	0.773	49,959	N/A	N/A	8.2	7.3
19		20.0	0.812	106,911	N/A	N/A	17.5	15.7
20		20.0	0.871	213,570	N/A	N/A	34.9	31.4
21		20.0	0.976	3,780	N/A	N/A	0.6	0.6

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	6.79 mm
Regression Equation	A single equation is not available for this method


Lane 4



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.016	756	N/A	N/A	0.1	0.1
2		127.9	0.105	42,525	N/A	N/A	6.9	6.9
3		98.8	0.180	4,032	N/A	N/A	0.7	0.7
4		88.7	0.227	5,733	N/A	N/A	0.9	0.9
5		79.3	0.276	6,111	N/A	N/A	1.0	1.0
6		73.0	0.304	7,623	N/A	N/A	1.2	1.2
7		64.6	0.319	11,151	N/A	N/A	1.8	1.8
8		48.3	0.365	37,359	N/A	N/A	6.1	6.0
9		41.9	0.414	10,332	N/A	N/A	1.7	1.7
10		36.6	0.461	882	N/A	N/A	0.1	0.1
11		34.8	0.478	1,386	N/A	N/A	0.2	0.2
12		25.8	0.583	84,798	N/A	N/A	13.8	13.7
13		23.1	0.623	40,005	N/A	N/A	6.5	6.5
14		21.0	0.658	23,877	N/A	N/A	3.9	3.9
15		20.0	0.689	11,214	N/A	N/A	1.8	1.8
16		20.0	0.794	20,097	N/A	N/A	3.3	3.2
17		20.0	0.873	305,298	N/A	N/A	49.8	49.3

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	6.79 mm
Regression Equation	A single equation is not available for this method


Lane 5



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.003	126	N/A	N/A	0.4	0.1
2		223.2	0.035	7,056	N/A	N/A	21.3	4.1
3		128.6	0.103	6,111	N/A	N/A	18.4	3.5
4		118.8	0.126	4,662	N/A	N/A	14.1	2.7
5		106.3	0.157	1,386	N/A	N/A	4.2	0.8
6		98.4	0.182	693	N/A	N/A	2.1	0.4
7		88.4	0.229	5,229	N/A	N/A	15.8	3.0
8		82.2	0.260	441	N/A	N/A	1.3	0.3
9		72.0	0.307	2,205	N/A	N/A	6.7	1.3
10		53.7	0.344	504	N/A	N/A	1.5	0.3
11		44.2	0.396	630	N/A	N/A	1.9	0.4
12		41.3	0.419	3,024	N/A	N/A	9.1	1.8
13		20.0	0.983	1,071	N/A	N/A	3.2	0.6

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	6.79 mm
Regression Equation	A single equation is not available for this method


Lane 6



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.005	1,197	N/A	N/A	0.9	0.9
2		142.8	0.073	4,095	N/A	N/A	2.9	2.9
3		131.0	0.098	1,071	N/A	N/A	0.8	0.8
4		124.0	0.113	1,638	N/A	N/A	1.2	1.2
5		113.1	0.140	1,953	N/A	N/A	1.4	1.4
6		90.9	0.216	30,051	N/A	N/A	21.6	21.4
7		81.2	0.265	1,890	N/A	N/A	1.4	1.3
8		70.1	0.309	5,229	N/A	N/A	3.8	3.7
9		46.1	0.380	4,914	N/A	N/A	3.5	3.5
10		38.9	0.440	1,449	N/A	N/A	1.0	1.0
11		30.3	0.527	16,632	N/A	N/A	11.9	11.8
12		26.6	0.572	1,449	N/A	N/A	1.0	1.0
13		23.6	0.614	3,654	N/A	N/A	2.6	2.6
14		21.5	0.649	6,804	N/A	N/A	4.9	4.8
15		20.0	0.682	2,961	N/A	N/A	2.1	2.1
16		20.0	0.702	1,827	N/A	N/A	1.3	1.3
17		20.0	0.733	3,402	N/A	N/A	2.4	2.4
18		20.0	0.764	2,646	N/A	N/A	1.9	1.9
19		20.0	0.780	1,890	N/A	N/A	1.4	1.3
20		20.0	0.921	43,722	N/A	N/A	31.4	31.1
21		20.0	0.984	819	N/A	N/A	0.6	0.6

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	6.79 mm
Regression Equation	A single equation is not available for this method

Lane 7




Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.002	882	N/A	N/A	0.1	0.1
2		216.9	0.037	5,922	N/A	N/A	0.8	0.8
3		168.0	0.052	3,969	N/A	N/A	0.5	0.5
4		138.5	0.082	5,544	N/A	N/A	0.8	0.7
5		100.0	0.175	4,158	N/A	N/A	0.6	0.6
6		84.6	0.248	67,473	N/A	N/A	9.2	9.1
7		69.2	0.311	2,079	N/A	N/A	0.3	0.3
8		56.5	0.337	5,292	N/A	N/A	0.7	0.7
9		50.0	0.353	2,520	N/A	N/A	0.3	0.3
10		44.5	0.393	1,953	N/A	N/A	0.3	0.3
11		41.7	0.415	2,646	N/A	N/A	0.4	0.4

12		32.8	0.499	34,020	N/A	N/A	4.6	4.6
13		28.3	0.550	101,682	N/A	N/A	13.8	13.7
14		26.4	0.574	74,025	N/A	N/A	10.1	10.0
15		23.5	0.616	308,700	N/A	N/A	42.0	41.7
16		20.0	0.754	3,969	N/A	N/A	0.5	0.5
17		20.0	0.827	19,278	N/A	N/A	2.6	2.6
18		20.0	0.848	8,442	N/A	N/A	1.1	1.1
19		20.0	0.864	8,631	N/A	N/A	1.2	1.2
20		20.0	0.930	73,458	N/A	N/A	10.0	9.9

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	6.79 mm
Regression Equation	A single equation is not available for this method


Lane 8



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.002	1,449	N/A	N/A	0.3	0.3
2		154.3	0.058	5,796	N/A	N/A	1.1	1.1
3		122.5	0.117	2,394	N/A	N/A	0.5	0.4
4		103.8	0.164	2,394	N/A	N/A	0.5	0.4
5		92.0	0.211	1,134	N/A	N/A	0.2	0.2
6		81.6	0.264	51,723	N/A	N/A	9.7	9.6
7		76.5	0.291	2,079	N/A	N/A	0.4	0.4
8		46.1	0.380	13,419	N/A	N/A	2.5	2.5
9		43.2	0.403	2,646	N/A	N/A	0.5	0.5
10		34.5	0.482	8,946	N/A	N/A	1.7	1.7
11		30.4	0.525	3,528	N/A	N/A	0.7	0.7
12		28.6	0.546	3,150	N/A	N/A	0.6	0.6
13		24.8	0.597	1,323	N/A	N/A	0.2	0.2
14		23.2	0.621	5,796	N/A	N/A	1.1	1.1
15		21.8	0.644	10,143	N/A	N/A	1.9	1.9
16		20.0	0.710	34,020	N/A	N/A	6.4	6.3
17		20.0	0.916	381,213	N/A	N/A	71.8	70.6

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	6.79 mm
Regression Equation	A single equation is not available for this method


Lane 9



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.002	3,591	N/A	N/A	1.2	1.2
2		250.0	0.010	3,780	N/A	N/A	1.2	1.2
3		172.9	0.051	3,591	N/A	N/A	1.2	1.2
4		125.5	0.110	2,205	N/A	N/A	0.7	0.7
5		100.6	0.173	8,694	N/A	N/A	2.8	2.8
6		92.3	0.209	1,701	N/A	N/A	0.6	0.5
7		79.6	0.274	12,411	N/A	N/A	4.0	4.0
8		38.9	0.440	64,323	N/A	N/A	20.9	20.7
9		31.5	0.513	11,025	N/A	N/A	3.6	3.5
10		27.2	0.564	10,395	N/A	N/A	3.4	3.3
11		23.5	0.616	3,528	N/A	N/A	1.1	1.1
12		20.4	0.670	8,001	N/A	N/A	2.6	2.6
13		20.0	0.736	7,119	N/A	N/A	2.3	2.3
14		20.0	0.766	1,701	N/A	N/A	0.6	0.5
15		20.0	0.810	11,655	N/A	N/A	3.8	3.7
16		20.0	0.820	10,269	N/A	N/A	3.3	3.3
17		20.0	0.850	4,851	N/A	N/A	1.6	1.6
18		20.0	0.939	70,182	N/A	N/A	22.8	22.5
19		20.0	0.962	68,922	N/A	N/A	22.4	22.1

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	6.79 mm
Regression Equation	A single equation is not available for this method

Lane 10 - Bio-Rad Precision Plus



Band No.	Band Label	Mol. Wt. (KDa)	Relative Front	Volume (Int)	Abs. Quant.	Rel. Quant.	Band %	Lane %
1		250.0	0.028	57,204	N/A	N/A	7.6	6.1
2		150.0	0.059	2,142	N/A	N/A	0.3	0.2
3		100.0	0.175	118,188	N/A	N/A	15.6	12.5
4		75.0	0.300	17,577	N/A	N/A	2.3	1.9
5		50.0	0.353	185,850	N/A	N/A	24.6	19.7
6		37.0	0.457	54,747	N/A	N/A	7.2	5.8
7		25.0	0.593	84,294	N/A	N/A	11.2	8.9
8		20.0	0.677	235,872	N/A	N/A	31.2	25.0

Band Detection	Automatically detected bands with sensitivity: High
Lane Background	Lane background subtracted with disk size: 10
Lane Width	6.79 mm
Regression Equation	A single equation is not available for this method