

Part Number: 334710401

Product Description: MX150 Mat-Sealed Female Connector Assembly, Single Row, 4 Circuits, Keying Option A, Black

Series Number: 33471

Status: Active

**Product Category:** Connector Housings



#### **Documents & Resources**

#### **Drawings**

334710401\_sd.pdf

3D Models and Design Files

334710401\_stp.zip

#### **Specifications**

AS-33472-100-CH-001.pdf AS-33611-001-001.pdf

### **Product Environment Compliance**

### Compliance

GADSL/IMDS	Compliant
China RoHS	<b>@</b>
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

# EU RoHS Certificate of Compliance

# **Part Details**

### General

Status	Active
Category	Connector Housings
Series	33471
Description	MX150 Mat-Sealed Female Connector Assembly, Single Row, 4 Circuits, Keying Option A, Black
Application	Power, Wire-to-Wire, Automotive
Comments	No Connector Position Assurance (CPA)
Product Name	MX150
UPC	756054458051

# Physical

Circuits (maximum)	4
Color - Resin	Black
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	SPS/Nylon
Net Weight	9.000/g
Number of Rows	1
Packaging Type	Partitioned Carton
Panel Mount	No
Pitch - Mating Interface	3.50mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40° to +125°C

### **Solder Process Data**

Lead-Free Process Capability N/A
----------------------------------

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
MX150 Mat-Sealed Single Row Male Connector Assemblies	33481

## Use with Part(s)

Description	Part Number
MX150 Sealed Receptacle Cavity Plug	343454001
MX150 Female Terminals	<u>33001</u>
MX150 Female Terminals	<u>33012</u>

This document was generated on Oct 31, 2024