

Policy Designer: lane 3c, the policy-target screens

Review pack for Kam · 2026-10-09

What you are approving

Lane 3c is merged (PR #62, main **e33bdad**). It passed the tier-1 QA gate in two rounds. Round 1 found one blocking problem and two small ones; all three were fixed, and round 2 gave **GO WITH NOTES**. It is **not on the demo yet**. Deploying it needs your look first (backlog #251).

What changes for users:

- **New engagement:** section 3 is now “Policy”. You choose a policy from the defined list and its target fills in. The old HPSM name and version fields are gone from this screen.
- **Details:** the Policy card shows the policy, its target, and an “HPSM output” block (HPSM policy name, version, instance).
- **Device estate:** retitled “Device estate and HPSM output”, with a full-width “HPSM policy” card on top. The HPSM version is set here.
- **Dashboard, Engagements and Frameworks:** coverage is shown in words (and, once mappings exist, as a bar with counts).

What the demo will show today. The demo content defines no policy targets yet. So every engagement shows “Not chosen” with a reason, and no coverage numbers appear anywhere. The chosen-policy and coverage-bar screens in this pack are sample data served by the test.

Decisions in this pack

- a. **The new words as built:** 47 rows (row 23 since replaced by “No policy was chosen.”). Pages 2 to 3.
- b. **The 6 look items,** with screenshots. Pages 4 to 13.
- c. **The gate’s notes that need your call** (one paragraph each on the last page):
 - **F6:** a clone resets an Essential Eight level that was raised on Frameworks back to the policy’s own level, and nothing on screen says so.
 - **F7:** a clone’s HPSM policy name is now the new engagement’s name, not the source’s.
 - **F4:** the set-up card’s “no policies” notice says “the engagement is created without one”, but there the engagement already exists.
 - **F5:** when a saved policy is no longer defined, the key and the sentence run together with no separator.
 - **F8:** New engagement shows “HPSM” in 1 line, and 2 once a policy is chosen. Your earlier feedback asked for none.
 - **F10:** the setup rail ticks step 3 “Policy” as Complete before the user touches it, when there are no policies to choose.
 - **F11:** layout moves: the rail on phones, the Device estate card on phones, and the instance line.
 - **F12:** list cells say “Not chosen” with no reason. Reasons show only on Details and Device estate.

The new words (47 rows)

Every new or changed string you can see, as built. “—” means a new string. Screens: S2 = New engagement, S3 = Frameworks, S4 = Device estate.

#	Screen	Was → Now
1	S2 section 3; set-up card sub-heading	“HPSM Policy Details” → “Policy”
2	S2 section 3	“The one HPSM policy this engagement produces.” → “The policy this engagement builds. Choose it from the defined policies; its target fills in.”
3	S2 section 3 (no policies)	— → “The policy this engagement builds. The content release defines no policies yet.”
4	S2, set-up card	— → “Policy (required)”
5	Picker placeholder	— → “Choose a policy…”
6	Picker hint	— → “The policies the running content release defines.”
7	Notice title (no policies)	— → “No policies to choose from yet”
8	Notice text	— → “The content release this service runs defines no policies yet, so the engagement is created without one. It shows as “Not chosen”.”
9	Validation	— → “Choose the policy.”
10	Validation (stale draft or clone)	— → “Choose the policy again: the one saved is not defined by the running content release.”
11	Validation (loading)	— → “Wait until the list of policies has loaded.”
12	Validation (error)	— → “The list of policies could not be loaded. Try again before saving.”
13	Reason under Save / Complete	— → “Not available until the list of policies loads: use Try again above.”
14	Picker loading	— → “Loading the defined policies…”
15	Target panel	— → “Target” + pill “fills in from the policy”
16	Target panel	— → row labels “Framework”, “Edition”, “Maturity level”, “Output”
17	Target panel, Details	— → “Level One” / “Level Two” / “Level Three”
18	Target panel	— → “Not applicable” (a target with no Essential Eight level)
19	Output row	— → “HPSM policy, named after this engagement. Its HPSM version is set on Device estate.”
20	Panel hint	— → “The Frameworks step opens with this selection. You can add frameworks there.”
21	Details, S4, Dashboard, list, S2 review	— → “Not chosen” (neutral pill)
22	Reason	— → “The content release defines no policies yet.”
23	Reason (Details, S4)	REPLACED built as “Created before policies were defined.” → now “No policy was chosen.” (gate fix F3: the old words could be false)
24	Reason (Guided start waiting)	— → “Chosen when an Expert completes the set-up.”
25	Reason (policy no longer defined)	— → “The running content release does not define this policy.” (shown after the key; see F5)
26	Details Target	— → “[Target] · changed on Frameworks: Level n”
27	Details Target (roles without the list)	— → “[Target] · as selected on Frameworks”
28	Details	— → “From Frameworks” = “Essential Eight, Level n”
29	Details	card “HPSM policy” → sub-heading “HPSM output”
30	Details	“Policy name” → “HPSM policy name”; “Target HPSM version” → “HPSM version”; instance “Not set” → muted “None”
31	Details	— → link “Edit on Device estate” (now shown only where Device estate is editable)
32	Details edit form	“The policy name and target version are not editable here: … The target version is set on Device estate.” → “The policy, the HPSM policy name and the HPSM version are not editable here: … The HPSM version is set on Device estate.”

33	S4 title	“Device estate and HPSM target” → “ Device estate and HPSM output ”
34	S4 subtitle	“Define the device groups and the HPSM version this engagement's policy targets.” → “Describe the customer's device groups, and the HPSM policy this engagement's policy is delivered as.”
35	S4 card	“Target HPSM version” → “HPSM policy”
36	S4 card lead	— → “The policy is {name}. HPSM is where it is delivered.” / “[Not chosen] {reason} HPSM is where the policy is delivered.”
37	S4	— → “HPSM policy name” + hint “The name requested in HPSM. It cannot be changed yet. The Policy Bridge checks the final name.”
38	S4	— → “HPSM instance” + “Not selectable. HPSM instances cannot be listed yet, so the policy is delivered without one.”
39	Set-up card	“...Set its environment, its policy's name and its customer approvers...” → “...Set its environment, its policy and its customer approvers...”
40	S2 rail step 3	“Policy name and target version” → “The defined policy and its target”
41	Dashboard, Engagements	Policy cell “{HPSM name}” → “{target, or Not chosen}” + “HPSM: {HPSM name}”
42	Dashboard coverage card	“Not available yet” + “Coverage needs framework mappings... so no percentage is shown.” → “Per engagement: the Essential Eight requirements at its level that its answers show as met, or that an approved exception covers.”
43	Coverage words	— → “No coverage yet: the content release maps no requirements.” · “No coverage: Essential Eight is not selected on Frameworks.” · “Coverage is not shown to your role.” · “No requirement is in scope at this level.”
44	Dashboard, S3	— → “{met} of {in scope} met · {n} not answered”; screen-reader label “... met, ... partly, ... not met, ... not answered, of ...”; legend “Met · Partly · Not met · Not answered”
45	S3 summary	— → “Met on computers, not printers: outside this policy” · “Beyond the Essential Eight: {a} of {n} items answered” · “Whether the printers are reachable from the internet is not answered yet, so the requirements for both cases are counted.” · “Essential Eight at Level n” · “Coverage by strategy” (screen reader)
46	S3	“...share of a framework's mapped controls... The provisional content release maps no controls...” → “Coverage is the share of the Essential Eight requirements at the chosen level that the answers show as met, or that an approved exception covers.” + one of: “The content release this service runs maps no requirements yet, so no coverage is shown.” / “Essential Eight is not selected for this version, so no coverage is shown.” + “Other frameworks have no mapping yet, so they show “—”.”
47	S3 table note; E8 edition	“Coverage shows “—”; the coverage summary says why. Editions are typed as published; the content release does not list editions yet.” → “The coverage summary says how coverage is counted. The Essential Eight edition comes from the policy; other editions are typed as published.” (with no target: “...Editions are typed as published; the content release does not list editions yet.”); E8 edition cell shows “{edition}” + “From the policy”

Removed words

S3’s “Controls with a mapping (of 123)” and “Average coverage” stats (always “—”); the Dashboard’s “Not available yet” banner; S2’s “Policy name (required)”, “Target HPSM version (required)”, “Target HPSM instance” and their hints, and the review row “HPSM version”; the set-up card’s “Policy name (required)” and hint.

The new look: 6 items

Layouts with no mock, or where the build differs from the mock. Screenshots are Mac Chrome at the merged code before round 2's two small fixes (the Edit link's role rule, and row 23's words).

1. **Frameworks coverage summary card** (no mock): “Frameworks enabled”, then “Essential Eight at Level n” with a bar and counts, the reachability sentence, one row per strategy, “Beyond the Essential Eight”, and the reason.
2. **The set-up card's picker** (not mocked): a “Policy” sub-heading between Environment and Customer approvers, with the same picker and Target panel as New engagement. *No screenshot of this in the evidence.*
3. **Bar height**: 8 px (the app's standard bar), the mock has 10 px.
4. **Device estate's other three cards** (Deployment topology, Device groups, Device models & firmware) now sit three across under the full-width “HPSM policy” card at 1280, and one column below 1180 px (before: four across, two columns at mid widths).
5. **The legend shows only when a bar shows**. No bar, no legend.
6. **New engagement's rail**: step 3 now reads “The defined policy and its target”. It wraps to two lines like the old words, so steps 4 and 5 do not move (measured: no change).

Item 6, and section 3 itself: New engagement, before and after (1280, demo content)

Datacenter Policy Designer

Search engagements...

SC Synth-- Consult.
63dbc932 - EZE synthetic...
[Sign out](#)

Engagements > Create engagement

Create engagement

Set up a customer engagement and its single policy.

+ Back to engagements

1 Customer details

The customer tenant this engagement belongs to.

Customer tenant (required)	Industry	Region	Support contact
63dbc932 - EZE synth ▼	Not recorded	AU	Not held

Tenants you hold a membership in. Changing it switches the whole app to that tenant.

Industry and region are attributes of the tenant. A support contact cannot be recorded in this release.

2 Engagement details

Name, owner, due date and environment. The lifecycle status is set by the system.

Engagement name (required)	Engagement owner	Due date (required)	Environment (required)
	Synthetic consultant	dd/mm/yyyy ☒	Choose... ▼

A descriptive name for this engagement.

Target completion date.

The signed-in consultant is recorded as the owner; choosing another owner is not available in this release.

The HPSM environment the policy targets.

3 HPMS Policy Details

The one HPMS policy this engagement produces.

Policy name (required)	Target HPMS version (required)	Target HPMS instance
	Choose... ▼	Not selectable

The name requested in HPMS.
Uniqueness is advisory here; the Policy Bridge checks the final name.

Choose the version installed. Supported for package generation (adapter SYNTHETIC-DEMO-ADAPTER-1); SYNTHETIC-DEMO-1. An unsupported version blocks package generation, not authoring.

HPMS instances cannot be listed yet, so the policy is created without one.

Description

Additional notes

Purpose and scope of this policy. QJ4000

Optional notes for the project team. QJ4000

Starting point

- Use prior policy as starting point

Copies a released version's frameworks, decisions, device groups and discovery answers into the new engagement. Only released versions in this tenant can be used.

4 Customer approvers

Customer stakeholders who approve the policy. At least one is required; they are invited to sign in.

Person (required)	Name (required)	Role (required)	Email address (required)	Actions
Choose a person ▼				Remove

Only the customer approves of EZE synthetic b110-policy 17916220e1689 are listed.

Choose each approver from the people who can sign in as a customer approver; their name, role and email are filled in and can be edited. Only people who hold the customer approver role in this tenant are accepted, and approvers cannot be changed after the engagement is created.

+ Add approver

What happens next?

Save and continue creates the engagement, its one policy and the first draft version in a single step. If anything fails, nothing is created. You then choose the frameworks.

Save and continue →

Save as draft

Saved drafts

Your saved drafts in this tenant, most recently updated first.

No saved draft.

Feedback

Database Designer

Search engagements... Sync... e10dec7b- EZE synthetic b... Sign out

[Engagements](#) > Create engagement

Create engagement

Set up a customer engagement and its single policy.

[+ Back to engagements](#)

1 Customer details

The customer tenant this engagement belongs to.

Customer tenant (required)	Industry	Region	Support contact
e10dec7b- EZE synth...	Not recorded	AU	Not held

Tenants you hold a membership in. Changing it switches the whole app to that tenant.

Industry and region are attributes of the tenant. A support contact cannot be recorded in this release.

2 Engagement details

Name, owner, due date and environment. The lifecycle status is set by the system.

Engagement name (required)	Engagement owner	Due date (required)	Environment (required)
	Synthetic consultant	d4/mm/yyyy ☐ Choose...	Choose...

A descriptive name for this engagement.

The signed-in consultant is recorded as the owner; choosing another owner is not available in this release.

Target completion date.

The HPSPM environment the policy targets.

[Feedback](#)

3 Policy

The policy this engagement builds. The content release defines no policies yet.

No policies to choose from yet

The content release this service runs defines no policies yet, so the engagement is created without one. It shows as "Not chosen".

Description	Additional notes

Purpose and scope of this policy. QJ4000

Optional notes for the project team. QJ4000

Starting point
 () Use prior policy as starting point
 Copies a released version's frameworks, decisions, device groups and discovery answers into the new engagement. Only released versions in this tenant can be used.

4 Customer approvers

Customer stakeholders who approve the policy. At least one is required; they are invited to sign in.

Person (required)	Name (required)	Role (required)	Email address (required)	Actions
Choose a person v				Remove

Only the customer approvers of EZE Synthetic b1f10-policy 1791525075659 are listed.

Choose each approver from the people who can sign in as a customer approver; their name, role and email are filled in and can be edited. Only people who hold the customer approver role in this tenant are accepted, and approvers cannot be changed after the engagement is created.

[+ Add approver](#)

What happens next?

Save and continue creates the engagement, its one policy and the first draft version in a single step. If anything fails, nothing is created. You then choose the frameworks.

[Save and continue +](#) [Save as draft](#)

Saved drafts

Your setup drafts in this tenant, most recently updated first.

No saved draft.

After, today's demo content: "Policy" with the "No policies to choose from yet" notice; rail step 3 "The defined policy and its target", ticked Complete (see F10).

Before: “HPSM Policy Details” with name, version and instance fields; rail step 3 “Policy name and target version”.

New engagement with a policy chosen (1280)

[illegible]

Sample data served by the test (no real policy targets exist yet)

The picker, the Target panel (Framework, Edition, Maturity level, Output) and the hint. The Output row is the second “HPSM” line on this screen (F8).

Details, before and after (1280, demo content)

Datasec Policy Designer

Search engagements...

Synth... Consult...63dbce932 · E2E synthetic...▼Sign Out

Engagements + E2E engagement b110-policy > Details

E2E engagement b110-policy

Engagement details and its policy.

Details

Frameworks

Device estate

Discovery

Controls & policy

Validation

Approval

Release

Discoverly

Engagement

Edit details

Name	E2E engagement b110-policy
Owner	You (Synthetic consultant)
Date due	2026-12-31
Environment	Production
Description	None
Notes	None
Customer	E2E synthetic b110-policy 1791522061689
Created	10/9/2026, 4:01:01 PM

Policy

Policy name
Target HPSPM version
HPSPM instance
Lifecycle
Editable version
Current release
Cloned from

E2E policy b110-policy
5.9.0
Not set
Discovery
Version 1 Draft
Not released yet
No clone

Clone to new engagement

Cloning needs a released version; this policy has not been released yet.

Customer approvers

Each approver signs in with their own account to approve; there are no anonymous approval links.

Name	Role	Email address	Sign-in account
Synthetic customer approver A	Customer approver	approver@customer-a-example.test	Linked

Approvals are set when the engagement is created and cannot be changed afterwards yet. An approver without a linked account cannot open or approve this engagement.

Versions

Version	State	Release label	Manifest hash	Released
1	Draft	--	Not generated	--

Back to engagements

Continue to Frameworks →

Before: Policy card lists “Policy name”, “Target HPSM version”
“HPSM instance: Not set”.

Dataset Policy Designer

Search engagements... Sent--
Comma.. e10dec7b:e Synthetic b... Sign out

B110 demo create (fictional) 1791525995773

Engagement details and its policy.

Discovery

- Details
- Frameworks
- Device estate
- Discovery
- Controls & policy
- Validation
- Approval
- Release

Engagement

Name	B110 demo create (fictional) 1791525995773
Owner	You (Synthetic consultant)
Date due	2026-12-31
Environment	Production
Description	None
Notes	None
Customer	EZE synthetic b110-policy 1791525975659
Created	10/9/2026, 5:06:35 PM

Edit details

Policy

Policy Not chosen The content release defines no policies yet.

HPSM output

HPSM policy name B110 demo create (fictional)
1791525995773

HPSM version SYNTHETIC-DEMO-1

HPSM Instance None

[Edit on Device estate](#)

Lifecycle Discovery

Editable version Version 1 Draft

Current release Not released yet

Cloned from Not a clone

[Clone to new engagement](#)

Cloning needs a released version; this policy has none.

Feedback

Customer approvers

Each approver signs in with their own account to approve; there are no anonymous approval links.

Name	Role	Email address	Sign-in account
Synthetic customer approver A	Customer approver	approver@customer-a.example.test	Linked

Approvers are set when the engagement is created and cannot be changed afterwards yet. An approver without a linked account cannot open or approve this engagement.

Versions

Version	State	Release label	Manifest hash	Released
1	Draft	--	Not generated	--

Back to engagements

Continue to Frameworks +

After, today's demo content: "Policy: Not chosen. The content release defines no policies yet.", then "HPSM output". The "Edit or Device estate" link now shows only to a consultant on an editable draft.

Datasec Policy Designer

SC Synt...
Consu...
e10dec7b · E2E synthetic b... ▾
[Sign out](#)

[Engagements](#) >
 [E2E engagement b110-policy](#) > Details

E2E engagement b110-policy

Engagement details and its policy.

Details

2 Frameworks

3 Device estate

4 Discovery

5 Controls & policy

6 Validation

7 Approval

8 Release

Engagement

Name	E2E engagement b110-policy
Owner	You (Synthetic consultant)
Due date	2026-12-31
Environment	Production
Description	None
Notes	None
Customer	E2E synthetic b110-policy 1791525975659
Created	10/9/2026, 5:06:15 PM

Edit details

Policy

Policy	Essential Eight — Maturity Level Two
Target	Essential Eight, November 2023, Level Two · changed on Frameworks: Level Three

HPSM output

HPSM policy name	E2E policy b110-policy
HPSM version	5.9.0
HPSM instance	None

[Edit on Device estate](#)

Lifecycle	Discovery
Editable version	Version 1 Draft
Current release	Not released yet
Cloned from	Not a clone

Clone to new engagement
Feedback

Cloning needs a released version; this policy has not been released yet.

Customer approvers

Each approver signs in with their own account to approve; there are no anonymous approval links.

Name	Role	Email address	Sign-in account
Synthetic customer approver A	Customer approver	approver@customer-a.example.test	Linked

Approvers are set when the engagement is created and cannot be changed afterwards yet. An approver without a linked account cannot open or approve this engagement.

Versions


Version	State	Release label	Manifest hash	Released
1	Draft	—	Not generated	—

Back to engagements


Continue to Frameworks →

Policy and Target, including “changed on Frameworks: Level Three” when the level was raised on Frameworks.

Item 4: Device estate, before and after (1280, demo content)



Before: “Device estate and HPSM target”, four cards across, version picker in the first.



After: “Device estate and HPSM output”; full-width “HPSM policy” card (Not chosen + reason, read-only HPSM policy name, version, instance sentence); the other three cards three across.

Items 3 and 5: Dashboard, today's demo content (1280)

Datasec Policy Designer

SC
Synt...
Consu...
e10dec7b · E2E synthetic b...
[Sign out](#)

Home

Policy Designer Dashboard

Build policies from security frameworks.

Friday, October 9, 2026
Welcome back, Synthetic consultant.

How an engagement works

1

Start an engagement

Choose the customer, name the engagement, and set its environment, policy, due date and the customer's approver. If a Guided user started it, complete its set-up.

2

Set the frameworks and the device estate

Choose the frameworks the policy aligns to, then record the customer's printer groups: model family and firmware.

3

Ask the questions

Go through Discovery with the customer. Each answer is saved and feeds the policy's settings.

4

Build the policy

On Controls & policy, Generate the settings from the answers and review each control.

5

Validate it

Run validation and resolve what blocks release, such as missing local values and the exceptions it requires.

6

Approve and release

Submit it for review. The security reviewer and the customer's approver approve it; then release it and export its documents.

Set-up to be completed by an Expert (15)

A Guided user started each engagement below. Open it to complete its set-up: its environment, its policy's name and its customer approvers. Until then it cannot be submitted for review.

- E2E engagement b94 Guided start · E2E synthetic b94 expert 66 1791525877246
- E2E b79 waiting for set-up 1791524174583 · E2E b79 Larkspur Haulage (fictional) 1791524174583
- E2E engagement b94 Guided start · E2E synthetic b94 expert 66 1791522404964
- E2E b79 waiting for set-up 1791522367870 · E2E b79 Larkspur Haulage (fictional) 1791522367870
- E2E engagement b92 Guided start · E2E synthetic b92 hide guided 1791524233804
- E2E b58 Northwind Freight (fictional) · E2E synthetic b58 end 1791524033141
- E2E engagement b96 Guided start · E2E synthetic b96 s5 gate notes 1791522445627
- E2E b69 Marrowgate Freight (fictional) · E2E synthetic b69 names 1791522340138
- E2E b58 Northwind Freight (fictional) · E2E synthetic b58 end 1791522248558
- E2E b84 waiting for set-up 1791522375900 · E2E synthetic b84 1791522375913
- E2E engagement b94 Guided start · E2E synthetic b94 expert 66 1791524242095
- E2E engagement b92 Guided start · E2E synthetic b92 hide guided 1791522397282
- E2E engagement b96 Guided start · E2E synthetic b96 s5 gate notes 1791524275990
- E2E b69 Marrowgate Freight (fictional) · E2E synthetic b69 names 1791524139966
- E2E b84 waiting for set-up 1791524188128 · E2E synthetic b84 1791524188143

2
Active engagements
Not yet released

2
In draft or discovery

0
Awaiting approval or release

0
With a released version

Recent engagements

[View all](#)

Engagement	Policy	Status	Due	Current release
B110 demo create (fictional) 1791525995773 Synthetic demo content	Not chosen HPSM: B110 demo create (fictional) 1791525995773	Discovery	2026-12-31	—
E2E engagement b110-policy Synthetic demo content	Not chosen HPSM: E2E policy b110-policy	Discovery	2026-12-31	—

Framework coverage

Per engagement: the Essential Eight requirements at its level that its answers show as met, or that an approved exception covers.

Engagement	Policy	Coverage
B110 demo create (fictional) 1791525995773	Not chosen	No coverage yet: the content release maps no requirements.
E2E engagement b110-policy	Not chosen	No coverage yet: the content release maps no requirements.

Recent engagements: Policy cell “Not chosen” + “HPSM: ...”. Framework coverage card: the new lead and words, no numbers, no legend.

Dashboard with coverage (1280)

[illegible]

Sample data served by the test (no real policy targets exist yet)

The 8 px bar, “12 of 41 met · 20 not answered”, and the legend, which appears only with a bar.

Item 1: Frameworks coverage summary card (1280)

Local build - synthetic identities

☰

🔍

📁

🔗

📄

📅

🕒

🔍

🔍

Engagements > E2E engagement b110-policy > Frameworks

Configure frameworks

Select the security frameworks for this engagement's policy and set their editions and maturity target.

✓ Details

2 Frameworks

3 Device estate

4 Discovery

5 Controls & policy

6 Validation

7 Approval

8 Release

Synthetic demo content

This engagement uses the synthetic demo content release, so its questions, controls and outputs are demonstration content, not a customer's real policy content.

Security frameworks

Enable one or more frameworks. They combine into this engagement's single policy.

1 of 5 enabled

Framework	Status	Version / edition	Effective date	Scope
ISO 27001 Information security management	☐ Disabled		dd/mm/yyyy	ISMS requirements and Annex A controls
Essential Eight ACSC	☒ Enabled	November 2023 From the policy	dd/mm/yyyy 🗓	The ACSC's eight mitigation strategies, at maturity level
NIST CSF Cybersecurity Framework	☐ Disabled		dd/mm/yyyy	Cybersecurity outcomes across the framework's functions
SOC 2 Trust Services Criteria	☐ Disabled		dd/mm/yyyy	AICPA Trust Services Criteria
HIPAA Security Rule	☐ Disabled		dd/mm/yyyy	Administrative physical and technical safeguards

The coverage summary says how coverage is counted. The Essential Eight edition comes from the policy; other editions are typed as published.

Unified, multi-framework policy creation

The selected frameworks combine into one consistent policy for this engagement. Conflicts between them are resolved on Controls & policy and Validation, never by creating separate policies.

✔ Cross-framework control mapping

Each control is traced to the frameworks it serves.

✔ Unified policy output mapping

One policy, whatever the number of frameworks.

✔ Consolidated evidence collection

One evidence item can serve several frameworks.

Essential Eight maturity target

Required while Essential Eight is enabled.

Maturity level (required)

☐ ML1
Maturity Level One

☒ ML2
Maturity Level Two

☐ ML3
Maturity Level Three

Baseline posture

The initial remediation posture for all selected frameworks. It sets remediation defaults only, not target values or how settings are handled.

Posture

☐ Assessment-only
Generate the policy for assessment and planning, with no enforcement.

☒ Balanced remediation (recommended)
A practical, risk-based remediation approach.

☐ Strict remediation
Maximum control implementation, the most stringent.

Posture cannot be read or set in this release, so no current choice is shown.

Framework coverage summary

Matches the saved selection.

1
Frameworks enabled

Essential Eight at Level Two

12 of 41 met · 20 not answered

Whether the printers are reachable from the internet is not answered yet, so the requirements for both cases are counted.

Patch operating systems

4 of 12 met · 6 not answered

Configure Microsoft Office macro settings

Met on computers, not printers: outside this policy

Beyond the Essential Eight: 3 of 9 items answered

Coverage is the share of the Essential Eight requirements at the chosen level that the answers show as met, or that an approved exception covers. Other frameworks have no mapping yet, so they show "—".

Back

Configuration is saved to this engagement's draft.

Save and continue →

Sample data served by the test (no real policy targets exist yet)

Right column, bottom: Essential Eight at Level Two, per-strategy rows, the outside-policy line, “Beyond the Essential Eight”, and the reason. The E8 edition reads “From the policy”.

Phone view: Engagements list at 390, today’s demo content

Menu

Datasetec

Policy Designer

Home > Engagements

Engagements

Each engagement has exactly one policy.

Create New Engagement

All engagements

2 in E2E synthetic b110-policy 1791525975659

Engagement

[B110 demo create \(fictional\) 1791525995773](#)

Policy

Not chosen

HPSM: B110 demo create (fictional) 1791525995773

Status

Discovery

Due

2026-12-31

Current release

—

Engagement

[E2E engagement b110-policy](#)

Feedback

Policy

Not chosen

HPSM: E2E policy b110-policy

Status

Discovery

Due

2026-12-31

Current release

—

Each card: Policy “Not chosen” and “HPSM: ...”, with no reason (F12).

The gate's notes for your call (F4 to F12)

None of these blocked the merge. Round 2 confirmed none changed.

F4: set-up card notice words

The set-up card reuses New engagement's "no policies" notice, which says "...so the engagement is created without one." On the set-up card the engagement already exists. Suggested: a set-up version, such as "...so the set-up completes without one."

F5: key and sentence run together

When an engagement's saved policy is no longer defined, the screen shows the key and the sentence with no break: "e8-retired-2022-ml2 The running content release does not define this policy." Same on Details, Device estate and the Dashboard. Your punctuation, for example brackets around the sentence.

F6: a clone resets a raised level

Source engagement: policy at Level Two, raised to Level Three on Frameworks. Its clone starts with the policy pre-filled and shows Level Two, and the clone is stored at Level Two. The Level Three is dropped, and nothing on screen says so. Keep it and add a line, or carry the level over: your call.

F7: a clone's HPSM policy name

Before, a clone copied the source's HPSM policy name (and a split used "source name – group"). Now both take the new engagement's name. The HPSM version should become the newest supported one, but that half could not be seen on today's data (only one version exists); it stays a ticket.

F8: "HPSM" on New engagement

Your earlier feedback asked for no mention of HPSM on this screen. It went from 7 lines to 1 (the Environment hint "The HPSM environment the policy targets."), and to 2 once a policy is chosen (the Output row "HPSM policy, named after this engagement..."). Both describe the HPSM output, so they were kept. Remove, reword or keep.

F9: set-up sends no policy today (for the record)

With no policies defined, an Expert set-up now sends only environment and approvers. Before, it sent the policy name. The stored name is the same unless someone had edited it. Logged beside #260; no decision needed.

F10: rail says "Complete" too early

With no policies to choose, step 3 "Policy" shows Complete before the user does anything, and before steps 2 and 4. Defensible, since there is nothing to do, but it reads odd. Complete, or a neutral state?

F11: layout moves

(a) On phones the New engagement rail sits after the form (as before) and moves up about 345 px because section 3 is shorter; the mock hides it on phones. (b) On phones, Device estate's HPSM version picker is now below the first screen. Ordinary scrolling, no sideways scroll. (c) The HPSM instance line on Device estate is a plain muted sentence, not a field with a hint.

F12: no reason in list cells

The Dashboard and Engagements list show "Not chosen" with no reason. Reasons appear on Details and Device estate only. The mock asked only for the pill; the brief expected a reason everywhere. Add reasons to lists, or keep them clean?