Waiting on Kam

Decision register for HPSM-POC, Security Composer, MPS Calculator and NexusAI. 11 Nov 2026. Every ticket was read live in Jira today with its newest comment. Counts are computed by the build script (built 2026-11-11 13:54 AEDT).

Bottom line

Project	Tickets waiting on you	Decision rows	Quick yes/no (tickets / rows)
HPSM-POC	**32**	**20**	**23 / 18**
Security Composer	**11**	**7**	**11 / 7**
MPS Calculator	**54**	**35**	**45 / 29**
NexusAI	**32**	**18**	**28 / 17**
Total	**129**	**80**	**107 / 71**

A row groups tickets that need the same decision. "Quick" means a yes/no with a recommendation: tapping the recommendation is enough.

The 5 that block the most other work

1. **Scoring maths (rules RS-03 to RS-10)** (HPSM-POC, HPSMPOC-14)
   It sits under the M4 payment milestone: the sample scenarios cannot be signed off until the maths is settled.
   Recommendation: Accept both as built.
2. **Widen the pre-deploy price-overlay check** (MPS Calculator, MPSCALC-202)
   It must land before the first hosted price overlay, or a deploy can start an app that will not boot.
   Recommendation: Yes.
3. **Three untrue sentences in the rental proposal** (MPS Calculator, MPSCALC-129)
   It is a release hold: the rental proposal book cannot go to the hosted site with untrue sentences.
   Recommendation: Agent drafts, you approve.
4. **Roles: server-side permission model** (NexusAI, RD-930, RD-931, RD-932)
   It gates the permission core that all 21 Roles UI page tickets are built on. **Recommendation:** Approve as proposed.
5. **Who may call write and setup routes** (NexusAI, RD-958, RD-964, RD-965, RD-966, RD-968)
   It is the security fix for 20 routes a viewer can write to today, and the server work queues behind it.
   Recommendation: Approve all four.

Not in this register: HPSM-POC's HTML-phase items (already one decision document, which you ruled "keep waiting"), epics with no decision, and items waiting on HP, a deploy, the coordinator or an agent (appendix).

HPSM-POC: 32 tickets in 20 rows (18 quick)

HPSMPOC-14 QUICK

Do you accept the scoring maths in the design note (scoring rules RS-03 to RS-10), and is a file-based ruleset list enough, with no database register?

- (a) Accept both as built
- (b) Accept the maths, but want a database register of rulesets
- (c) Change the maths (say which rule)

Recommendation: Accept both as built. The schema and stamping are built and tested; only your ruling keeps it open.

Unblocks: Closes the rules-schema ticket and lets the sample-scenario check (the M4 payment milestone) be judged against settled maths.

HPSMPOC-51, HPSMPOC-52 NEEDS THOUGHT

Give the baseline hours for one manual assessment (with where the figure comes from), and confirm how idle time and last-activity time are counted.

- (a) Supply the hours and confirm the definitions
- (b) Supply the hours, change the definitions
- (c) Drop the time-saved claim for this phase

Recommendation: Supply the hours; confirm the definitions as built. Time and effort are already captured; the headline 'time saved' figure has nothing to compare against without your baseline.

Unblocks: The automation-metrics milestone and the time-saved figure in the final report.

HPSMPOC-109 QUICK

Feedback route: a 'sent' item is not proof that a Jira ticket was created. Accept that, with a manual Jira check after any change to the secret, or have it built so 'sent' is shown only after Jira confirms?

- (a) Accept, with the manual check
- (b) Build a Jira check before 'sent' is shown (may need a new read credential)

Recommendation: Accept, with the manual check for this proof of concept. The silent-loss case needs a secret change that was not copied across; a manual check covers it at no cost.

Unblocks: Closes the ticket (its other half is already done).

HPSMPOC-180 QUICK

Leave the rules schema's version number as it is until the next planned ruleset re-issue, then raise it in that same release?

- (a) Yes, raise it at the next re-issue
- (b) Raise it now (every stamped assessment's version reference changes)

Recommendation: Yes, at the next re-issue. Nothing is broken today; raising it now ripples into every stamped assessment.

Unblocks: Closes the ticket into the next re-issue plan.

HPSMPOC-193 QUICK

The review site trusts the web app's shared outbound addresses when it reads a caller's address. How far do you want that narrowed?

- (a) Trust only the 7 current addresses (one setting; breaks silently if the plan scales)
- (b) A secret header only our web front end sends (code on both sides; closes the gap)
- (c) Private network link (new Azure cost)

Recommendation: The secret header. It closes the gap with no new Azure spend; the risk is Low and only touches one rate limit.

Unblocks: A small server build.

HPSMPOC-224 QUICK

The site-telemetry build failed its review and was stopped by your rule. Close the ticket as declined for this phase, or commission a fresh, smaller design?

- (a) Close as declined for this phase
- (b) Commission a fresh design

Recommendation: Close as declined; revisit for production. Nothing is switched on and the branch is kept; the review site works without it.

Unblocks: Closes a stopped ticket.

HPSMPOC-226 QUICK

Feedback attachments: one leftover is a proposed sentence for a slow sender. Approve a sentence for it, or decline and keep today's message?

- (a) Decline, keep today's message
- (b) Approve new words (an agent drafts them for you)

Recommendation: Decline. Every other item on the ticket is built or accepted; today's message is safe.

Unblocks: Closes the ticket.

HPSMPOC-271 QUICK

Who owns the .NET security-package pin, and how often is it checked? (The original 'floating version' risk is gone; only the owner and cadence are open.)

- (a) The coordinator, checked on each .NET servicing day
- (b) Monthly check
- (c) No owner, close

Recommendation: The coordinator, on each servicing day. A missed raise turns every build red with no code change.

Unblocks: Closes an operations ticket.

HPSMPOC-257, HPSMPOC-318, HPSMPOC-322, HPSMPOC-352 QUICK

Four tickets where the work is done or the leftover is a known limit, and only your 'keep as built' closes them: file-name rule (built your way), a test timing allowance (pinned by a test), the reading order of grouped report findings, and two extra test boundaries.

- (a) Close all four as kept
- (b) Reopen one (say which)

Recommendation: Close all four as kept. Each is built, tested or recorded; none changes what a user sees.

Unblocks: Clears four tickets off the board.

HPSMPOC-420 QUICK

Should the wording 'N of M scored questions answered' be used everywhere a count of answers appears (it is on four surfaces now; three other places still say 'N answers so far' or 'Answered')?

- (a) Yes, everywhere
- (b) Keep the other wordings

Recommendation: Yes, everywhere. Two different counts on neighbouring screens confuse a reviewer.

Unblocks: A small words-and-build change.

HPSMPOC-467 QUICK

In the Demo view, the real sample customer name still shows on seven surfaces (Home pipeline table, customer lists, engagements, document preview, profile, firmware task, snapshot launcher). Show the alias on all of them, as the security pages do?

- (a) Alias on all seven
- (b) Keep the stored sample name
- (c) Decide per surface

Recommendation: Alias on all seven. It matches your 10 Nov ruling for the first two pages and the security pages.

Unblocks: One build covering seven surfaces (the Home table overlaps the planned Home rebuild).

HPSMPOC-237 QUICK

Hosting plan size (money): keep 'no change' until the timing measurement shows where the delay is, then decide with real costs?

- (a) Yes, wait for the measurement
- (b) Upgrade the plan now

Recommendation: Yes, wait. The cause of the browser delay is not measured; spending first may not fix it.

Unblocks: Nothing until the measurement exists.

HPSMPOC-242 QUICK

Paul's notes from the 7 Oct showcase: send them, or say there is nothing beyond what is already ticketed?

- (a) Send the notes
- (b) Nothing further, close

Recommendation: Close if nothing new; five weeks have passed. The placeholder has been open since 7 Oct.

Unblocks: Closes a placeholder or creates follow-up tickets.

HPSMPOC-90, HPSMPOC-164 QUICK

The early feedback-button and HP-session tickets were written before the review site existed. Close them once an agent proves one real feedback item reaches Jira and your inbox?

- (a) Yes, prove once then close
- (b) Close now

Recommendation: Yes, prove once then close. Both are overtaken by the live review site; one proof makes the close safe.

Unblocks: Clears two stale In Progress / Backlog items.

HPSMPOC-91 QUICK

Client packs (before, during, after an engagement) stay download-only. Should an agent draft the pack wording for your review?

- (a) Yes, agent drafts for your review
- (b) You write it
- (c) Leave the packs as placeholders this phase

Recommendation: Yes, agent drafts. Same route you chose on 10 Nov for the rules content.

Unblocks: The pack wording, the last open part of the ticket.

HPSMPOC-304 QUICK

May an agent remove the leftover test objects (run commands, disabled tasks, folders) on the HP Security Manager test machine?

- (a) Yes, one cleanup with each undo step written first
- (b) Leave them

Recommendation: Yes. One of them held credentials as protected parameters; housekeeping only.

Unblocks: A tidy test machine.

HPSMPOC-162, HPSMPOC-163 QUICK

Two content pieces from the 1 Oct HP meeting are not written yet: the phase-one AI-at-the-printer statement, and what green / amber / red means. Should an agent draft both for your review before HP sees them?

- (a) Yes, draft both
- (b) Wait for HP's input first

Recommendation: Yes, draft both. Neither needs HP data to draft; nothing goes to HP without you.

Unblocks: Two content items for the next HP review.

HPSMPOC-168 QUICK

Make the customer profile's Industry a choice list (healthcare, financial services, public sector, other) and show a neutral note for fleets under about 100 printers?

- (a) Yes
- (b) No, close the ticket

Recommendation: Yes. It reflects HP's named priority customers; no scoring effect.

Unblocks: A small profile build.

HPSMPOC-169, HPSMPOC-170, HPSMPOC-171, HPSMPOC-172, HPSMPOC-174, HPSMPOC-175, HPSMPOC-176 NEEDS THOUGHT

Seven final-SOW documents are drafted for you (stage-gate pack, admin guide, test evidence, demo pack, weekly status report, AI-tools record, privacy documents). When do you want to review them, and should an agent refresh each to today's state first?

- (a) Refresh all, then one review sitting
- (b) Review as they are
- (c) Hold until nearer handover

Recommendation: Refresh all, then one review sitting. Most drafts date from early October; the product has moved a long way since.

Unblocks: The SOW handover documents (and the open questions in them: demo presenter and support roster, privacy confirmations).

HPSMPOC-241 QUICK

Some of the HP lab and integration questions are still unsent (21 written, 9 sent and 5 answered). Send the rest in one batch, or withdraw them?

- (a) Send in one batch (agent drafts the email for you)
- (b) Withdraw the ones no longer needed

Recommendation: Send in one batch. Next-phase design needs the answers; nothing goes to HP except from you.

Unblocks: Next-phase architecture notes.

Security Composer: 11 tickets in 7 rows (7 quick)

PCOMP-46 QUICK

When a policy item's condition question is unanswered, should the document warn and show the missing input, never refusing to build?

- (a) Yes, warn and never block
- (b) Block the document until answered

Recommendation: Yes, warn and never block. It is the pattern already used elsewhere in the product.

Unblocks: The sample policy document's conditional items.

PCOMP-94 QUICK

The five questions for the sample-policy reviewer are ready, and you ruled that you send them. Send them now?

- (a) Send now
- (b) Hold

Recommendation: Send now. The answers feed the sample policy document and the crosswalk.

Unblocks: Sample policy document content.

PCOMP-83 QUICK

When a Guided user adds a new customer, who adds that customer's approver?

- (a) A platform administrator, as today
- (b) The Guided user picks one from the copied reviewers

Recommendation: A platform administrator, as today. The first half (copying reviewers and auditors) is built; this keeps one owner for approvals.

Unblocks: Closes a Blocker-class ticket.

PCOMP-74, PCOMP-80, PCOMP-81 QUICK

Design tokens: replace the hard-coded white with a token, keep the round shapes on pills and discs, and use the code-style font for setting keys in both lists?

- (a) Yes to all three
- (b) Decide each separately

Recommendation: Yes to all three. The radius half is already live; these are the leftovers that need your approval.

Unblocks: Closes three look tickets.

PCOMP-11 QUICK

When one question covers several policy items, show 'Asked under <item>' on the other items? It needs a contract change and two new words.

- (a) Yes, build it (words on the words card)
- (b) No, close

Recommendation: Yes. Expert users otherwise cannot tell where an answer came from.

Unblocks: A medium build.

PCOMP-52 QUICK

Approve the word 'Contents' as the heading of the policy PDF's new table of contents?

- (a) Approve
- (b) Give another word

Recommendation: Approve. It is the only new word the feature needs.

Unblocks: The table-of-contents build for the policy PDF.

PCOMP-98, PCOMP-116, PCOMP-127 QUICK

Deploy-guide checker leftovers: the reviews reached their limit and the remaining cases are known and documented (test-only, nothing deployed). Accept them as known limits and close, or allow one more review round?

- (a) Accept and close
- (b) One more round

Recommendation: Accept and close. None of the cases can occur in the real deploy guide today.

Unblocks: Clears three tickets.

MPS Calculator: 54 tickets in 35 rows (29 quick)

MPSCALC-103, MPSCALC-222, MPSCALC-226 QUICK

Rollback on the hosted calculator: adopt 'roll forward only' as the standing rule, and have the deploy refuse an older package once new-type rows (care packs, staging) exist?

- (a) Both
- (b) Roll-forward rule only
- (c) Neither

Recommendation: Both. An older package hides submitted quotes and drops new rows; the refusal makes the rule enforceable.

Unblocks: The next hosted deploy's rollback plan.

MPSCALC-202 QUICK

Widen the pre-deploy check so it refuses every price-overlay form the app itself refuses at start-up?

- (a) Yes
- (b) No

Recommendation: Yes. Today a deploy can start an app that then refuses to boot.

Unblocks: Must land before the first hosted price overlay exists.

MPSCALC-129 NEEDS THOUGHT

Three printed sentences in the rental proposal are untrue after rounding (for example 'the total is the sum of the lines', which is off by a cent on 23 of 60 quotes). Approve corrected sentences?

- (a) Agent drafts corrected sentences for your approval
- (b) Remove the three sentences

Recommendation: Agent drafts, you approve. This is a release hold on the rental proposal for the hosted site.

Unblocks: Releases the rental proposal book to the hosted site.

MPSCALC-110 QUICK

One-page proposal: it stays on one page only because of count limits. Tighten the limits so it always fits, or let long text spill to a second page?

- (a) Tighter limits, always one page
- (b) Allow a second page

Recommendation: Tighter limits, always one page. A 'one-pager' that prints two pages misleads the customer.

Unblocks: A small build with a print check.

MPSCALC-114, MPSCALC-115, MPSCALC-117, MPSCALC-132 QUICK

Leave four print and display edge cases as they are: printing the working quote screen cuts columns (the proposal is the printable document); rental lines show the monthly total only, not its parts; quotes saved before the breakdown feature show a note instead; a 500-line proposal splits one summary cell?

- (a) Leave all four as they are
- (b) Fix one (say which)

Recommendation: Leave all four. Each is rare or a working screen, and fixing them adds width or a back-fill.

Unblocks: Clears four tickets.

MPSCALC-113 QUICK

Home tiles wrap 5 + 1 at a 1,280 px window. Use a three-across layout at mid widths?

- (a) Yes, three across
- (b) Leave as is

Recommendation: Yes. One tile alone on a row looks broken.

Unblocks: A small style change.

MPSCALC-131 QUICK

A quote with more than 26 sites prints site cards titled 'Stream [' after 'Stream Z'. Continue AA, AB, ... or number them?

- (a) AA, AB, ...
- (b) Numbers

Recommendation: AA, AB, ... Keeps the existing letter style.

Unblocks: A one-line fix.

MPSCALC-109, MPSCALC-112, MPSCALC-195, MPSCALC-316 QUICK

Four small wording calls: accept that trailing blank lines are dropped from the one-page summary; make 'and 1 more rates' singular; accept the drafted engine-target sentence; use the agreed '100 characters, an emoji counts as two' sentence in the remaining places.

- (a) Accept all four
- (b) Decide each

Recommendation: Accept all four. Each brings text into line with what the product does.

Unblocks: Closes four tickets.

MPSCALC-364, MPSCALC-371 QUICK

Two documentation word items: approve corrected sentences about the staff-only list columns and the template store, written from what the code actually does?

- (a) Agent drafts, you approve
- (b) Leave the developer docs out of your word review

Recommendation: Leave developer-only docs out of your word review; approve only the customer-visible sentence. One is developer documentation that customers never see.

Unblocks: Closes two tickets.

MPSCALC-368 QUICK

Purchase recurring projection: which of the six cost and profit figures may a user without internal-metrics rights see, and what is the field called?

- (a) Hide all six, as for other cost figures (agent proposes the name)
- (b) Show some (say which)

Recommendation: Hide all six; agent proposes the name for your approval. It matches how other cost and profit figures are restricted.

Unblocks: The projection build and its contract.

MPSCALC-128 QUICK

The rental price screen shows 'Software / month' twice, from two sums that can differ by a cent. Keep only the breakdown row?

- (a) Keep only the breakdown row
- (b) Keep both, same sum

Recommendation: Keep only the breakdown row. Two figures that can disagree erode trust in the price.

Unblocks: A small build.

MPSCALC-229 QUICK

Print a colour rate only for device classes that have estimated colour pages?

- (a) Yes
- (b) No, keep one rate on every class

Recommendation: Yes. Today a mono-only large-format class shows a colour rate it is never charged.

Unblocks: A small proposal build.

MPSCALC-150 QUICK

Purchase usage redesign: where does the deal-level usage tile sit?

- (a) At the top of the usage section
- (b) Beside the deal totals

Recommendation: At the top of the usage section. It is the only part of the redesign not built, and the review left the placement to you.

Unblocks: Closes the redesign ticket.

MPSCALC-156 QUICK

Should the rental proposal also show a credit in its own highlighted box, as the purchase proposal now does?

- (a) Yes, add a rental credit field and box
- (b) No, rental needs none

Recommendation: Yes. Your 24 Oct ruling already allows rental credits; the box is the sweetener you asked to call out.

Unblocks: Closes the credit-callout ticket.

MPSCALC-161 QUICK

Removing a quote from the list: archive it (hidden, kept on disk) rather than delete it?

- (a) Archive
- (b) Delete

Recommendation: Archive. Quotes and snapshots are audit records.

Unblocks: A new small feature from reviewer feedback.

MPSCALC-169 QUICK

Approve a new contract field that names the price-book versions the line markups were worked out on (agent proposes the name and words)?

- (a) Approve as proposed
- (b) No field

Recommendation: Approve. Your earlier ruling holds every contract change until you approve the exact name.

Unblocks: A small contract change.

MPSCALC-189 QUICK

Price-book version ids that differ only by capital letters or accent forms: treat them as the same id and refuse the duplicate?

- (a) Same id, refuse
- (b) Different ids

Recommendation: Same id, refuse. A duplicate price book can otherwise slip in.

Unblocks: Closes a governance ticket.

MPSCALC-194 QUICK

If a session ends while feedback is half-written, keep the text, or tell the user it will be lost?

- (a) Tell the user it will be lost
- (b) Keep it (stores the text in the browser)

Recommendation: Tell the user. Keeping it means storing customer text in the browser.

Unblocks: Closes the feedback-dialog ticket.

MPSCALC-233 QUICK

A cloned quote gets its own reference. If someone types a reference that already exists, refuse it?

- (a) Refuse
- (b) Make it unique automatically

Recommendation: Refuse. Two quotes with one reference break the audit trail.

Unblocks: Closes the clone ticket.

MPSCALC-295 QUICK

You said the readiness words stay as they are and you would cover them in your own review. Close the ticket as kept?

- (a) Close as kept
- (b) Keep open for your review

Recommendation: Close as kept. Nothing is built or waiting.

Unblocks: Clears a ticket.

MPSCALC-342, MPSCALC-380, MPSCALC-381 QUICK

Test-strength leftovers on the price-book validator and template checks: accept them as recorded residue and close, or ask for more test rounds?

- (a) Accept and close
- (b) More rounds

Recommendation: Accept and close. Test-only; the reviews graded the checks as already strictly stronger.

Unblocks: Clears three tickets.

MPSCALC-382 QUICK

When a quote repeats a section, which copy does the per-site check count?

- (a) The first listed copy (as today)
- (b) The last listed copy

Recommendation: The first listed copy. That is what is built and tested; the answer only flips one constant.

Unblocks: Closes a test ticket.

MPSCALC-383 QUICK

Dependency-update pull requests have no code scan of their own. Make 're-push as our own branch, then land' the standing route?

- (a) Yes, standing route
- (b) Find another way

Recommendation: Yes. It is the route used today and keeps the code-scan rule intact.

Unblocks: Every future dependency update.

MPSCALC-91 QUICK

A price-book store that has lost its registry looks like a first start. Refuse to start, or start fresh?

- (a) Refuse to start
- (b) Start fresh, as today

Recommendation: Refuse to start. Starting fresh silently replaces the active price-book record.

Unblocks: A small safety build.

MPSCALC-120 QUICK

Make the contract version practice (minor bump at each feature change) the written rule?

- (a) Yes
- (b) Drop the version's meaning

Recommendation: Yes. It is already the practice and is written down.

Unblocks: Closes a docs ticket.

MPSCALC-224 QUICK

The hosted server runs a framework patch below the fixed one. Ship the patched component inside the app package (as was done for another component), or wait for the host image to move?

- (a) Ship it in the package
- (b) Wait for the host image

Recommendation: Ship it in the package. Same proven route as before; waiting has no date.

Unblocks: Closes a security leftover at the next deploy.

MPSCALC-68, MPSCALC-72, MPSCALC-73, MPSCALC-87, MPSCALC-88 QUICK

Five starting questions are later-phase only: the partner product model, links to HPSM and to the commercial platform, exchange rates, and further currencies. Park them as later-phase and close?

- (a) Park and close
- (b) Answer now

Recommendation: Park and close. Release 1 is internal and AUD-only; none blocks current work.

Unblocks: Clears five question tickets.

MPSCALC-70, MPSCALC-85 QUICK

Two housekeeping questions: confirm the build team is Datasec with agents (and any target date), and re-send the full developer specification file (the copy received is damaged).

- (a) Confirm and send the file
- (b) Confirm only

Recommendation: Confirm and send the file. The first is answered in practice; the second is records only.

Unblocks: Clears two question tickets.

MPSCALC-69 NEEDS THOUGHT

Is 'HP Solutions Centre' a Datasec brand, and may the calculator use HP branding (logo, photos, font)?

- (a) Yes, and you supply the licensed assets
- (b) No, keep neutral placeholders

Recommendation: Keep placeholders until HP's approval is in writing. Switching later is one setting per asset.

Unblocks: Proposal branding.

MPSCALC-74 NEEDS THOUGHT

Price books: who supplies refreshed books, how often, is Synnex the only distributor, and may Synnex bid pricing be built into a product used by partners?

- (a) Answer the four points

Recommendation: Monthly refresh by the pricing team; internal use only until permission is in writing. The books in use have passed their validity dates.

Unblocks: Go-live pricing and price-book governance.

MPSCALC-75, MPSCALC-76 NEEDS THOUGHT

Who are the Pricing Owner, Pricing SME and approvers, and what margin thresholds send a quote for approval?

- (a) Name the people and thresholds

Recommendation: Name them; an agent folds in what your later approval rulings already settled. The approval workflow is built; the names and thresholds are placeholders.

Unblocks: Golden test cases and the approval workflow.

MPSCALC-77 QUICK

The remaining workbook defects (one device's mono cost includes colour toner; 42 inferred accessory fits; inconsistent review flags): keep them for parity, flagged, as you ruled for software margin?

- (a) Keep for parity, flagged
- (b) Fix them

Recommendation: Keep for parity, flagged. Same as your 1 Oct ruling on the software margin.

Unblocks: Calculation parity.

MPSCALC-78 QUICK

Confirm the yearly step escalation and the rounding (to the cent, halves away from zero) that is built as provisional?

- (a) Confirm
- (b) Change the rounding

Recommendation: Confirm. It is built and live as provisional; a change later moves two places.

Unblocks: Removes 'provisional' from the calculation.

MPSCALC-79, MPSCALC-80 NEEDS THOUGHT

Service costs and device recommendations: who supplies the real service values (or are care packs the source), and the rules and device data for recommendations?

- (a) Name the source for each

Recommendation: Care packs as the service source; recommendations later-phase. Service costs are all zero in the workbook template.

Unblocks: Base charge and cost-per-page accuracy.

MPSCALC-82, MPSCALC-83 NEEDS THOUGHT

How long are quotes, exports and audit events kept, and what fleet size and number of users must the calculator handle?

- (a) Set the periods and sizes
- (b) Confirm the built limits

Recommendation: Confirm the built limit of 500 lines; set retention with your records policy. The size limit is already built; retention has no rule.

Unblocks: Data retention and performance targets.

NexusAI: 32 tickets in 18 rows (17 quick)

RD-930, RD-931, RD-932 QUICK

Roles: approve the proposed server-side permission model (every data read, assistant answer, export and report limited to the signed-in role's department, site, device or person; sensitive fields masked unless granted; reads and denials audited)?

- (a) Approve as proposed
- (b) Change the scope rules

Recommendation: Approve as proposed. It follows your first Roles ruling (server permissions first).

Unblocks: The permission core and, behind it, the 21 Roles UI page tickets.

RD-958, RD-964, RD-965, RD-966, RD-968 QUICK

Who may call the write and setup routes? Proposed: administrators only; no admin routes in open (no sign-in) mode; the managed-identity check runs only inside Azure; and no fixed password in the source for the model switch.

- (a) Approve all four
- (b) Decide per route

Recommendation: Approve all four. Today a viewer can change costs, users and settings on 20 routes.

Unblocks: Five security tickets and the server-side viewer checks.

RD-947 QUICK

Risk rules: write down how the mock's eight fixed rules fit the product's free-text risk conditions before building either, and build on the new page?

- (a) Reconcile first, build on the new page
- (b) Build the mock's fixed rules

Recommendation: Reconcile first, build on the new page. Building either first would throw work away.

Unblocks: The risk page of the Roles UI.

RD-610, RD-612, RD-622 QUICK

After a data erasure or a volume wipe the product locks everyone out with no explanation. Proposed: keep sign-in settings outside what erasure deletes; keep the wipe alarm until someone acknowledges it; show a plain status line on the health page.

- (a) Approve all three
- (b) Decide each

Recommendation: Approve all three. Your rule is that a misconfigured system says why and leads to the fix.

Unblocks: Three operations tickets.

RD-858 QUICK

The test page's SQL box can no longer run anything. Remove the box, repurpose it, or keep it?

- (a) Remove
- (b) Repurpose
- (c) Keep

Recommendation: Remove. The page is unlinked, and its only job ended with your earlier ruling.

Unblocks: A small clean-up.

RD-883 QUICK

Hostile input at the 50 MB limit costs up to 2.3 s to filter. Accept that, or cap the length of a filtered value?

- (a) Accept, no cap
- (b) Cap it (say the size)

Recommendation: Accept, no cap. The cost is bounded; a cap is new customer-visible refusal behaviour.

Unblocks: Closes the ticket.

RD-888 QUICK

Apply the same 1,000-row limit, and a defined answer to a malformed limit, on the Log Analytics path of the risk run?

- (a) Yes, same limit
- (b) Leave as is

Recommendation: Yes. Matches your 25 Oct ruling for the other path.

Unblocks: A small build.

RD-644 QUICK

Feedback copies to Datasec: add a per-deployment 'also notify' address, empty by default and set only on Datasec's own deployments?

- (a) Yes
- (b) Ship a Datasec address by default

Recommendation: Yes. A default address would send customers' feedback to Datasec, a data flow the privacy text does not state.

Unblocks: The live-monitoring feature you asked for.

RD-433 QUICK

Demo data on production: refuse to load the synthetic demo data unless a second, demo-only marker is also set, and show a 'synthetic data' banner?

- (a) Yes (the demo environment sets the marker)
- (b) Leave as is

Recommendation: Yes. Today a customer who sets one flag sees 1,445 fake rows presented as theirs.

Unblocks: A guarded fix that keeps the demo working.

RD-522 QUICK

Does the rule 'shipped documents carry no names of people or internal agents' also cover code comments in the shipped image?

- (a) Yes, scrub them
- (b) No, comments are exempt

Recommendation: Yes. Comments ship inside the customer image.

Unblocks: A scripted clean-up.

RD-349, RD-175 QUICK

Brand contrast: apply the same grey-text ruling to three more places (including the dashboard KPI labels), and fix the white toner text on its light track?

- (a) Yes to both
- (b) Decide each

Recommendation: Yes to both. Both fail the readable-contrast check; one is unreadable in both modes.

Unblocks: Two small style fixes.

RD-532 QUICK

The loading overlay hides the open-site warning banner for 3 to 6 seconds. Put the warning above the overlay?

- (a) Yes
- (b) Accept the brief cover

Recommendation: Yes. A security warning should never be hidden.

Unblocks: A small change.

RD-810 QUICK

One code-scan alert is in test code. Fix it (as for all other alerts), or dismiss it?

- (a) Fix
- (b) Dismiss

Recommendation: Fix. No alert has been dismissed so far; the fix is small.

Unblocks: Closes an alert.

RD-759 QUICK

Should the security-policy intake refuse 'data:' addresses that carry an '@'?

- (a) Refuse
- (b) Allow

Recommendation: Refuse. They are the one shape the last review left open.

Unblocks: Closes a security leftover.

RD-702, RD-636 QUICK

Two set-up screens say keys are 'encrypted at rest' in every case, which is not always true. Change both to the truthful wording?

- (a) Yes, truthful wording (agent drafts)
- (b) Leave as is

Recommendation: Yes. It extends the truthful-warning wording you already approved.

Unblocks: Two customer-facing text fixes.

RD-577, RD-578 QUICK

Two plain code bugs carry the marketplace label (the key-vault setting is read under the wrong name). May agents fix them, the sign-in one reviewed on its own?

- (a) Yes
- (b) Leave for the marketplace stream

Recommendation: Yes. Every marketplace deploy shows 'not configured' today.

Unblocks: Two marketplace bugs.

RD-514 QUICK

Check the open-site warning banner in Safari and Firefox as well as Chrome (an extra browser install in every check run)?

- (a) No, record it
- (b) Yes

Recommendation: No, record it. The extra cost in every run is not worth it for one banner.

Unblocks: Closes a test ticket.

RD-146, RD-400, RD-401, RD-842 NEEDS THOUGHT

Four feature requests: a currency setting, per-department print reports for a chosen period, per-job colour coverage with cost, and fax/scan data in the demo. Which go on the roadmap?

- (a) Choose which
- (b) All later

Recommendation: Currency setting and department reports first; the other two after checking what the logs carry. Currency matters for any non-dollar marketplace customer.

Unblocks: Roadmap planning.

Appendix: waiting on others, not on you

HPSM-POC

- **HPSMPOC 31, 35, 37, 44, 55**: Rules content, remediation text, sample scenarios, report wording and trial runs: an agent is drafting them on your 10 Nov choice; your review follows the drafts.
- **HPSMPOC 82, 83, 84, 85, 86, 97, 166, 181**: Waiting on HP: access, product information and follow-ups from the September and October meetings.
- **HPSMPOC 165, 167**: Waiting on HP's review (consulting tiers stay placeholders; phase pages wait for HP's framing).
- **HPSMPOC 246**: Waiting on the next deploy: one note to be recorded by the next deploy.

Security Composer

- **PCOMP 9, 13, 29, 65**: Coordinator's call, not yours (your owner label was removed on 23 Oct).
- **PCOMP 38**: Waits on the content loader build; the words come to your words card later.
- **PCOMP 19, 20, 68 to 73, 76, 79, 84 to 92 (19 tickets)**: On hold by your rulings of 12 and 23 Oct (reviewer's round, Guided view off). Nothing needed unless you want to revisit.

MPS Calculator

- **MPSCALC 118, 133, 306, 314**: Coordinator's call, not yours.
- **MPSCALC 153, 288, 261, 188**: Already ruled by you; the build or the label tidy-up is owed by agents.
- **MPSCALC 157, 177, 310, 140, 162**: Records or test leftovers: the build is done or partly done and agents must finish or re-check.
- **MPSCALC 144, 187, 372, 124**: Waiting on a hosted deploy (re-raised with the next deploy card, or a hosted check or setting).
- **MPSCALC 155, 159**: Waiting on the reviewer's details (staging costs; HP promotional pricing and rebates).

NexusAI

- **RD 937 to 946, 948 to 957 (20 tickets)**: Roles UI pages: your word pack is ruled; they wait on the permission core build (see the first NexusAI row; the risk page is its own row).
- **RD 933, 934, 935**: Roles UI: your questions were ruled as recommended; no open question.
- **RD 193, 546, 722**: No action needed (ruled, or information only).
- **RD 305, 313, 583, 584, 674, 740, 854, 884, 908, 911**: Coordinator's call or a measurement first, not yours.

How this was made

Source list: the 11 Nov read-only sweep's excluded classes (needs a ruling, waits on Kam or Paul, questions for Kam, new words). Each ticket was read live in Jira (read only) with its newest comment and re-classed on today's state; several turned out to be already ruled or the coordinator's call and moved to the appendix. Recommendations are the register's own; the ticket's own recommendation was used wherever it gave one. Fetched and read in full: HPSM-POC 40 (one a Done control), Security Composer 35, MPS Calculator 73, NexusAI 68 tickets. HPSM-POC open-ticket control: 140 open today, equal to the sweep.